

Bases / Media Supplements

Technical Information

Bile Peptone Transport Medium

Product Code: DM 1481

Application: - Bile Peptone Transport Medium is employed for the safe collection, transport and preservation of cholera organisms.

Composition**		
Ingredients	Gms / Litre	
Casein enzymic hydrolysate	10.000	
Sodium chloride	10.000	
Sodium taurocholate	5.000	
Final pH (at 25°C)	8.5±0.2	
**Formula adjusted, standardized to suit pe	erformance	
narameters		

parameters

Principle & Interpretation

Vibrio cholerae is an etiological agent for epidemic and pandemic of cholera in humans. The organism is a non-halophilic *Vibrio* which cannot grow in media having a concentration of sodium chloride more than 5-6% best is able to grow in media without NaCl⁽¹⁾. Cholera in human is associated with ingestion of contaminated water or food. *Vibrio* species, like many other gram-negative bacteria, grow in the presence of relatively high levels of bile salts. Bile Peptone Transport medium is a nutritive and selective holding medium for *Vibrio* species⁽²⁾. It is used as a transport (holding) medium to maintain the viability of *V. cholerae* in stool specimens there is delay in transmission of a sample to the laboratory.

Casein enzymic hydrolysate serves as a source of carbon, nitrogen and essential nutrients. Add it on of sodium taurocholate makes the medium selective for *Vibrios.* Sodium chloride makes the medium selective for the growth of cholera organisms. High alkaline pH is tolerated by *Vibrios* while it is detrimental to most of the accompanying coliforms, therefore making the medium selective. Addition of potassium tellurite further improves the selectivity of the medium.

The sample should be transported immediately to the laboratory. However, if there is to be a delay of more than 6 hours, 1-3 ml of faeces should be added to 10-20 ml of Bile Peptone Transport Medium with tellurite ⁽²⁾.

Methodology

Suspend 25 grams of powder media in 1000 ml distilled water. Shake well & dispense into bottles. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. If desired, sterile potassium tellurite solution may be added after autoclaving to give a final concentration of 1 in 200,000 to make the medium more selective for *Vibrios.*

Quality Control

Physical Appearance Cream to yellow homogeneous free flowing powder

Colour and Clarity of prepared medium Yellow coloured, clear solution without any precipitate

Reaction Reaction of 2.5% w/v aqueous solution at 25°C. pH : 8.5±0.2 pH Range 8.30-8.70





Dehydrated Culture Media Bases / Media Supplements

Cultural Response/Characteristics

DM 1481: Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours.

Organism	Inoculum (CFU)	Growth
Vibrio cholerae ATCC 15748	50-100	good-luxuriant
Vibrio fluvialis ATCC 33809	50-100	good-luxuriant
Vibrio vulnificus ATCC 29306	50-100	good-luxuriant

Storage and Shelf Life

Dried media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label. **Prepared Media:** 2-8⁰ in sealable plastic bags for 2-5 days.

Further Reading

1. Bruno Gomez-Gil and Ana Roque, Isolation, Enumeration and Preservation of the Vibrionaceae, F.L. Thompson, B. Austin and J. Swings. The Biology of Vibrios. ASM press.

 Collee J.G., Fraser A. F., Marmion B. P., Simmons A. (Eds) Mackie and McCartney, Practical Medical Microbiology, 1996, 14th edition, Churchill Livingstone.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specificatons for identity and performens parameters.

