

## 1,1,1,3,3,3-HEXAMETHYL DISILAZANE CAS NO 999-97-3

# MATERIAL SAFETY DATA SHEET SDS/MSDS

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	<b>Product identifiers</b> Product name	1,1,1,3,3,3-Hexamethyl Disilazane	
	CAS-No.	999-97-3	
1.2	Relevant identified uses of	he substance or mixture and uses advised against	
	Identified uses	Laboratory chemicals, Industrial & for professional use of	only.
1.3	Details of the supplier of the safety data sheet		
	Company	Central Drug House (P) Ltd 7/28 Vardaan House New Delhi -110002 INDIA	
	Telephone Email	+91 11 49404040 care@cdhfinechemical.com	
1.4	Emergency telephone nu	er	

#### 1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 3), H311 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word



Hazard statement(s)	
H225	Highl
H302 + H332	Harm
H311	Toxic
H412	Harm

ighly flammable liquid and vapour. armful if swallowed or if inhaled oxic in contact with skin. armful to aquatic life with long lasting effects.

Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/doctor if you feel unwell.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	: HMDS 1,1,1,3,3,3-Hexamethyldisilazane
Formula Molecular weight CAS-No. EC-No.	: C <sub>6</sub> H <sub>19</sub> NSi <sub>2</sub> : 161.39 g/mol : 999-97-3 : 213-668-5

# Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification Concentration 1.1.1.3.3.3-Hexamethyldisilazane Concentration Concentration Concentration

,1,1,3,3,3-Hexameth	yldisilazane		
CAS-No.	999-97-3	Flam. Liq. 2; Acute Tox. 4; <= 100 %	
EC-No.	213-668-5	Acute Tox. 3; Aquatic Chronic 3; H225, H302, H332, H311, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2** Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx), silicon oxides Flash back possible over considerable distance.. Container explosion may occur under fire conditions.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Handle under nitrogen, protect from moisture. Store under nitrogen. Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hydrolyses readily. Storage class (TRGS 510): Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid, clear Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	> 7.0
e)	Melting point/freezing point	Melting point/range: -76.19 °C at 1,013 hPa
f)	Initial boiling point and boiling range	125 °C
g)	Flash point	11.4 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 16.3 %(V) Lower explosion limit: 0.8 %(V)
k)	Vapour pressure	1,900 Pa at 20 °C
I)	Vapour density	No data available
m)	Relative density	0.774 g/mL at 25 °C
n)	Water solubility	insoluble
o)	Partition coefficient: n- octanol/water	log Pow: 2.62
p)	Auto-ignition temperature	380.0 °C
q)	Decomposition temperature	No data available

- r) Viscosity
- 0.9 mm2/s at 20 °C -
- s) Explosive properties No data available
- t) Oxidizing properties No data available
- 9.2 Other safety information No data available

#### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

- **10.2 Chemical stability** Hydrolyses readily. Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid Ammonia is formed upon contact with water or humid air. Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents, Strong acids

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), silicon oxides Other decomposition products - No data available In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 851 mg/kg(1,1,1,3,3,3-Hexamethyldisilazane) (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 6 h - 10 mg/l(1,1,1,3,3,3-Hexamethyldisilazane) (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - 547 - 589 mg/kg(1,1,1,3,3,3-Hexamethyldisilazane) (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit(1,1,1,3,3,3-Hexamethyldisilazane) Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit(1,1,1,3,3,3-Hexamethyldisilazane) Result: No eye irritation (OECD Test Guideline 405)

**Respiratory or skin sensitisation** No data available(1,1,1,3,3,3-Hexamethyldisilazane)

#### Germ cell mutagenicity

Ames test(1,1,1,3,3,3-Hexamethyldisilazane) S. typhimurium Result: negative

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

Specific target organ toxicity - single exposure No data available(1,1,1,3,3,3-Hexamethyldisilazane)

Specific target organ toxicity - repeated exposure No data available

#### Aspiration hazard

No data available(1,1,1,3,3,3-Hexamethyldisilazane)

#### **Additional Information**

Repeated dose toxicity - Rat - male and female - inhalation (vapour)(1,1,1,3,3,3-Hexamethyldisilazane) RTECS: JM9230000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larvnx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (1.1.1.3.3.3-Hexamethyldisilazane)

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - 88 mg/l - 96 h(1,1,1,3,3,3- Hexamethyldisilazane) (Directive 67/548/EEC, Annex V, C.1.)
Toxicity to daphnia and	static test EC50 - Daphnia magna (Water flea) - 80 mg/l - 48 h(1,1,1,3,3,3-
other aquatic	Hexamethyldisilazane)
invertebrates	(Directive 67/548/EEC, Annex V, C.2.)
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 19.00 mg/l - 72 h(1,1,1,3,3,3-Hexamethyldisilazane)
<b>Persistence and degra</b>	dability
Biodegradability	aerobic - Exposure time 28 d(1,1,1,3,3,3-Hexamethyldisilazane)

12.2

Result: 15.3 % - Not readily biodegradable. (Directive 67/548/EEC Annex V, C.4.E.)

**Bioaccumulative potential** 12.3 No data available

12.4 Mobility in soil No data available(1,1,1,3,3,3-Hexamethyldisilazane)

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### Waste treatment methods 13.1

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

14.1	<b>UN number</b> ADR/RID: 1992		IMDG: 1992	IATA: 1992
14.2		FLAMMABLE LIQUID	, TOXIC, N.O.S. (1,1,1,3,3,3-Hexam , TOXIC, N.O.S. (1,1,1,3,3,3-Hexam c, n.o.s. (1,1,1,3,3,3-Hexamethyldisil	ethyldisilazane)
14.3	Transport ADR/RID: 3	<b>hazard class(es)</b> 3 (6.1)	IMDG: 3 (6.1)	IATA: 3 (6.1)
14.4	Packaging group ADR/RID: II		IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no		IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user No data available			

#### **SECTION 15: Regulatory information**

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
- **15.2 Chemical safety assessment** For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled
H311	Toxic in contact with skin.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.