



**PRODUCT
CATALOGUE**



H₂O₂C




CDH at a glance...

- Rich experience of more than 35 years
- Highly qualified and experienced team
- Professional management
- ISO 9001:2008
- ISO 14001:2004
- OHSAS 18001:2007
- WHO GMP CERTIFIED
- CE CERTIFIED

Registered Members :



your partner in research
since 1981





ABOUT US

We thank you all for your kind patronage and support which makes us more stronger every year to serve you with best of our capabilities.

Idea Innovation and Invention are the part of our company policy and this year has come with the several consolidation of all. We are pleased to inform you that **CDH** introduces new products every year with the growing demand to meet your requirements and be a part of your research always.

Now **CDH** has expanded the production capacity by setting second state-of-the-art manufacturing facility at Dahej-Gujarat which competes with all the International Industrial hubs across the Asia. The area is spread over 35000 sqm nearly 8.6 acres of land in compliance to GMP with ultra modern infrastructure. We would utilize the 7000 litres state-of-the-art for high purity solvents with the storage capacity of 300000 litres of solvents.

Every year we add on Super Stockists / Distributors / Stockists to ensure availability at your door step, we have two company operated stock points at Bhiwandi (Mumbai) and Vadodara (Gujarat) with the well settled team of technicians. Marketing, administration and operation is our main power to serve our valued customers over the years with the efficient management of the company.

Team - **CDH**



Since 1981

PRODUCTION CAPABILITY



CDH has complete in house production facilities.

We have highly sophisticated facilities for distillation and purification of different kind of solvents. We offer the most comprehensive range of solvents from HPLC to Electronic grade to Dry solvents. We utilize over 7000 liters state of the art distillation reactors of both SS / GLR for high purity solvents.

Our storage capacity is over 300000 liters with our existing capacity, we can increase our production and packaging capability to meet the requirements of our customers worldwide.

EQUIPMENTS	CAPACITY
S. S. Distillation unit cum reactor	1000L
S. S. Distillation unit cum reactor	230L
Glasslined reactor with Distillation unit	600L
Glasslined reactor with Distillation unit	1600L
Glasslined reactor with Distillation unit	200L
Glass Distillation cum reactor	100L
Glass Distillation unit	50L
Glass Distillation unit	20L



our tireless efforts to
maintain consistent quality



CDH is recognized as a benchmark for wide range of products of high purity. Our Analytical Reagent grade is in compliance to the specification of IP, BP, USP and EP grades. We also produce MB (Molecular Biology Reagents), Reagents for Microbiology, Reagents for Biochemistry, etc. using superior quality raw material. During manufacturing our team of engineers ensures that the quality and purity of each product is as per specification by conducting series of tests at different stages of production. Environmental & Safety concerns are also taken into account.

Our production operation offers a wide range of products under one roof. Our engineers and chemists employ variety of ultra modern techniques for the development of new products.



EQUIPMENTS	CAPACITY
S.S. Evaporating pan jacketed	1000L
S.S. Evaporating pan jacketed	750L
S.S. Jacketed crystalliser pan	500L
Glasslined Jacketed evaporating pan	500L
Glasslined Jacketed evaporating pan	50L
S.S. Evaporating pan jacketed	50L
S.S. 316 High pressure autoclave	10L
S.S Vibrator / Shifter	
S.S. Centrifuge Basket size	dia 24, 18, 10
S.S 316 Nutsche filter	250 L
S.S 316 Nutsche filter	130 L
Steam heated tray dryer	12 tray
Steam heated tray dryer	24 tray
Steam / Electric heated tray dryer	48 tray

QUALITY ASSURANCE

Major Quality Control Instruments

- Gas Chromatography
- UV Spectrophotometer
- Atomic Absorption Spectrophotometer
- Digital Automatic Karl Fischer apparatus
- High speed Centrifuges
- Conductivity Meter
- HPLC
- Melting point apparatus
- ICP
- ph Meters
- Refractometer
- Rotary flask shaker
- Electrophoresis equipment
- Digital analytical balances
- Laminar Air flow
- Autoclaves
- Antibiotic zone reader
- Incubator for Bacteriological
- BOD Incubator
- Colorimeter
- Cyclomixer



CDH ensures all the products have clearly defined specifications guaranteed by careful and sophisticated quality control with compliance to the international standard requirements.



Our Q C and R & D departments are equipped with highly modern and sophisticated facilities to attain precise results.

We at **CDH** feel that Quality is the most important aspect without any substitute. In addition to that we are constantly monitoring our sales and customer care services to build closer relation with our customers.



contents

contents contents contents contents contents contents contents contents

	 LABORATORY CHEMICALS	1-231
	 CROSS REFERENCE FOR NEW PRODUCT CODE	232-236
	 DEHYDRATED CULTURE MEDIA	237-289
	 CULTURE MEDIA BASES	290-293
	 READY PREPARED MEDIA PLATES	294-295
	 READY PREPARED STERILE SOLID MEDIA	296-298
	 READY PREPARED VIRAL TRANSPORT SYSTEM	299
	 READYMADE STAINING SOLUTIONS	300-301
	 ANTI-BACT/FUNGAL/MICROBIAL AGENTS	302
	 DODECA DISCS (Antibiotic Combined Discs)	303

CERTIFICATION




CDH an ISO 9001: 2008, ISO 14001:2004, OHSAS 18001:2007 certified company in accordance with the Quality Management System, a quality manual and inspection documents define the processes and activities of our organisation. We periodically monitor our services and performance to constantly improve and update ourselves. We are committed to manufacture products as per International Standards for total customer satisfaction, achieved by our dedicated team work.






GMP is a system for ensuring that products are consistently produced and controlled according to quality standards. It is designed to minimize the risks involved in any pharmaceutical production that cannot be eliminated through testing the final product.

CE marking on a product indicates that the product complies with and has satisfied the essential requirements set out by the In Vitro Diagnostic (IVD) Medical Devices Directive 98/79/EC, it also demonstrates the fact the product is fit for its intended purpose.



GRADES OF PURITY



ANALYTICAL REAGENT (AR)

Our Product range covers many AR Products conforming to the highest international standards for Analytical and Research work of the most responsible character. The trace impurities in these Products are restricted to the lowest possible limits for the utmost precision in laboratory work. We have designed a lot of products to meet the analytical specifications of IP, BP, USP, EP to fulfill the requirements of Pharma Industry.



FOR SYNTHESIS (LR & EP)

General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.



FOR MICROSCOPY

Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).



FOR BIOCHEMISTRY

Highly Purified Reagents for use in Biochemical research and analysis. They are free from inhibitors such as traces of heavy metals and tested with a view for Biochemical work.



FOR MICROBIOLOGY

Products which have been specially purified and tested for their microbiological applications.



PURE, PURIFIED

Purified commercial products used in many chemical laboratories.



DIAGNOSTIC REAGENTS

These are specially produced for the use of various hospitals, clinical & pathological laboratories for diagnostic purpose.



HPLC GRADE

Continuing advances in the use of HPLC have led to an increased demand for solvents and reagents in wider range of application areas, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.



DRY SOLVENTS

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.



SPECTROSCOPY GRADE

These are solvents of high optical purity for UV / Visible / IR / Fluorescence / NMR and Mass spectroscopy. The certificate of guarantee includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, non-volatile matter etc.



NMR FOR SPECTROSCOPY

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R&D worldwide.



EL GRADE CHEMICALS

These chemicals have very stringent limits for metallic impurities as required by the Electronic Industry.



BP/USP/EP

Suitable for Pharmaceutical application these products are specially purified to meet the Analytical specification of BP/USP/EP






Product Information

Complete access to online COA / MSDS / SPECIFICATION
at www.cdhfinechemical.com



SEARCH PRODUCTS BY

- Chemical Name
- Synonym
- Product Code
- CAS Number
- Product Category
- Grades



Contact us



Central Drug House (P) Ltd.

AN ISO 9001:2008 COMPANY

Corporate Office : 7/28, Vardaan House, Mahavir Street
Ansari Road, Darya Ganj, New Delhi-110002 (INDIA)
Phone : +91-11-49404040 (100 lines)
Fax : +91-11-49404050, 23280932
E-mail : sales@cdhfinechemical.com - (Domestic)
export@cdhfinechemical.com - (Overseas)
Website : www.cdhfinechemical.com

Works : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)



LOT ORDERING :

Customers are requested to place their orders for products in their lot size as much as possible.
E.g. 4x2.5 ltr or 20x500 ml, so on and so forth. Lot shipments are easier to handle and reduce any chance of breakage or damage during transit.

QUOTATIONS :

For special products, or customized packing, please place your requests via mail / email or fax only. We shall revert back to you with availability & pricing information at the earliest.

BULK PACKS :

Please get in touch with us for special pricing on products required in their bulk packs, which are listed as "P.O.R." in the price list.

CUSTOM SYNTHESIS :

CDH may also be able to supply products not listed in this catalogue. Please get in touch with us for your customized product requirements. We shall be obliged to evaluate them.

Registered Trademarks of **Central Drug House (P) Ltd.**



CPECTROSOL®
CRISTAR®
CEDEPOL®
CLENTORN®
CFLORISIL®
CRITON X100®

Other Registered Trademarks used:

Chemical	Company
Amberlite, Duolite	- Dow Chemicals
Brij	- Atlas Powder
Carbopol	- Goodrich B. F. Chemical Co.
Celite	- Manville GB Ltd.
Florisil	- US Silica Company
Span	- Atlas Chemical Inc, USA
Indion	- Ion Exchange India Limited

terms of sale

PRICES

Prices mentioned in the CD-ROM are in US Dollars and may change due to international currency fluctuation. Special Prices can be given on request.

PAYMENTS

All payments for orders under USD \$ 10000.00 will be advance T/T, Orders exceeding the same will be accepted on LC from International Banks only.

STANDARD PACKING FOR SOLVENTS

Central Drug House (P) Ltd. will follow standard packings as under, due to the risk of transporting hazardous material by Air or Sea

SOLVENTS

4×2.5 Litres & 16×500ml

QUOTE

All quotes are on Ex Works basis, please specify if you require FOB, CIF etc. Forwarding Agent - CDH use its own forwarding agent for all its export to assure safe and timely shipments. We will not be responsible for damage or non shipment if a client would prefer to use their forwarding agent, once the material is handed over to the forwarding agent.

Min Order Sea-USD 10,000.00

Min Order Air-USD 5,000.00

Documentation-USD 100.00 for all orders.

AMENDMENT/CANCELLATION

No amendment or cancellation of order will be accepted once the goods have been packed for despatch.

FORCE MAJEURE

Notwithstanding whatever contained herein, in the event due to reasons beyond our control such as riots, strike, civil commotions, shortage of raw material, act of God, Government restrictions etc. we are prevented from making supplies, we or our authorised stockists will not be liable for any penalisation for delay or non-supply of the items.

INSURANCE

Consignment can be insured at buyers request and at their cost, if instructions in this behalf are received with order. Insurance charges are normally 1.5% on non-dangerous and 3% on dangerous products.

BREAKAGE & SHORTAGE

The goods are packed with utmost care by experienced hands using the most suitable packing materials. Our



responsibility, however, ceases as soon as the consignment leaves our warehouse. Claims if any for loss, damage, breakage, or delay in transit will not be entertained by us. Buyers are advised to refer such claims to the carriers or insurers.

BULK ENQUIRIES

Special Prices will be offered in bulk containers and large quantities.

SPECIAL NOTE

All chemicals enlisted in this Price list are for LABORATORY USE ONLY. No responsibility is accepted if these items are used for House Hold uses or other applications or for an accident or loss due to mishandling.

We solicit your enquiries for other than listed items.

CONTACT

E-mail : export@cdhfinechemical.com

WE RESERVE THE RIGHT TO DISCONTINUE MARKETING ANY ITEM WITHOUT NOTICE.

ALL DISPUTES WILL BE SUBJECT TO DELHI JURISDICTION ONLY.



global presence

International

We are having distributors network for more than 50 countries of the world.

- | | | | | |
|------------|------------|-------------|--------------------|-----------------------------|
| Algeria | Cuba | Kuwait | Philippines | Togo |
| Argentina | Egypt | Lebanon | Qatar | Tunisia |
| Armenia | Estonia | Madagascar | Republic of Korea | Turkey |
| Australia | Ethiopia | Malaysia | Romania | Uganda |
| Azerbaijan | France | Mauritius | Russian Federation | Ukraine |
| Bahrain | Germany | Mexico | Rwanda | United Arab Emirates |
| Bangladesh | Ghana | Mozambique | Saudi Arabia | United Republic of Tanzania |
| Belgium | Indonesia | Myanmar | Serbia | Uruguay |
| Benin | Iran | Nepal | Singapore | Uzbekistan |
| Bhutan | Iraq | New Zealand | South Africa | Yemen |
| Botswana | Israel | Nigeria | Spain | Zimbabwe |
| Brazil | Italy | Oman | Sri Lanka | |
| Cameroon | Jordan | Pakistan | Sudan | |
| Colombia | Kazakhstan | Panama | Switzerland | |
| Costa Rica | Kenya | Peru | Tajikistan | |

In India

- | | | | | |
|-----------------|------------------|----------------------|------------------|---------------------|
| Andaman Nicobar | · Rajkot | · Calicut | · Bhubaneshwar | · Srinagar |
| · Port Blair | · Surat | · Cannanore | · Cuttack | · Haldwani |
| Andhra Pradesh | · Vadodara | · Cochin | · Sambalpur | · Roorkee |
| · Anantapur | · Vapi | · Kottayam | Pondicherry | · Rudrapur |
| · Guntur | Haryana | · Thiruvananthapuram | Punjab | Uttar Pradesh |
| · Hyderabad | · Ambala Cantt | · Trichur | · Amritsar | · Agra |
| · Kakinada | · Hissar | Madhya Pradesh | · Ludhiana | · Aligarh |
| · Secunderabad | · Karnal | · Bhopal | · Patiala | · Allahabad |
| · Tirupati | · Kurukshetra | · Gwalior | · Jalandhar | · Bareilly |
| · Vijayawada | Himachal Pradesh | · Indore | Rajasthan | · Faizabad |
| · Visakhapatnam | · Baddi | · Jabalpur | · Bikaner | · Ghaziabad |
| · Warangal | · Mandi | · Raipur | · Jaipur | · Gorakhpur |
| Assam | · Palampur | Maharashtra | · Jodhpur | · Jhansi |
| · Guwahati | · Parwanoo | · Amarawati | · Udaipur | · Kanpur |
| · Jorhat | · Shimla | · Aurangabad | · Kota | · Lucknow |
| Bihar | · Solan | · Jalgaon | · Pilani | · Mathura |
| · Patna | Jammu & Kashmir | · Kolhapur | · Alwar | · Meerut |
| Chandigarh | · Jammu | · Mumbai | · Junjhunu | · Varanasi |
| Chhattisgarh | · Srinagar | · Nagpur | Tamil Nadu | West Bengal |
| · Raipur | Jharkhand | · Nashik | · Chennai | · Asansol |
| Delhi | · Dhanbad | · Navi Mumbai | · Coimbatore | · Jalpaiguri |
| Goa | · Jamshedpur | · Pune | · Erode | · Jamshedpur |
| · Panaji | · Ranchi | · Thane | · Kanchipuram | · Kolkatta |
| Gujarat | Karnataka | Manipur | · Karaikudi | · North 24 Parganas |
| · Ahmedabad | · Bangalore | · Imphal | · Madurai | · Siliguri |
| · Anand | · Dharwad | Meghalaya | · Salem | |
| · Ankleshwar | · Gulbarga | · Shillong | · Tiruchirapalli | |
| · Bhavnagar | · Hubli | Mizoram | Tripura | |
| · Jamnagar | · Mangalore | Orissa | · Agartala | |
| · Junagadh | · Mysore | · Berhampur | Uttarakhand | |
| · Navsari | Kerala | · Balasore | · Dehradun | |



CDH®

700630

CH₃CN

CAS NO : 75-05-8

M. W.: 41.05

Best before : Mfd.:

CAS No.

molecular formula

mfg date

Acetonitrile for HPLC & Spectroscopy

YOUR PARTNER IN RESEARCH SINCE 1981

TOXIC

FLAMMABLE

NO GHS

Central Drug House (P) Ltd. 7/28 Vardaan House, Daryaganj, New Delhi-110002 (INDIA)

Pack Size ←

Description : A clear liquid, not more than 10 Hazen units in colour.

Minimum assay (GC) 99.8%

Wt. per ml at 20° C 0.780-0.783g

Refractive index $\frac{20}{D}$ 1.343-1.345

Boiling range 81-82° C

Max. absorbance (1 cm cell) : (UV-cut-off)

200 nm -	90.0%
210 nm -	93.0%
220 nm -	96.0%
230 nm -	98.0%
240 nm -	99.0%

Maximum limits of impurities:

Water	0.03%
Acidity (CH ₃ COOH)	0.002%
Residue on Evaporation	0.0004%

product code

product name

hazardous information

batch no.

address

grade

specification

pack size

molecular weight

GHS – Hazard Pictograms



Explosives



Flammable Liquids



Oxidizing Liquids



Compressed Gases



Corrosive to Metals



Acute Toxicity



Skin Corrosion



Skin Irritation



CMR₁), STOT₂)
Aspiration Hazard



Hazardous to the Aquatic Environment

Product Code	Product Name	Packing
	AAS Solution See Complete List Standards Solution Page No.- 193	
001000 C ₁₅ H ₂₀ O ₄ (14375-45-2)	(±)- Abscisic Acid Extra Pure (ABA) M. W.: 264.32	25 mgm 100 mgm 500 mgm
033001 (9000-01-5)	Acacia (Gum Acacia, Gum Arabic)	500 gm 5 kg 25 kg
450005 (9000-01-5)	Acacia enzyme free AR Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR.	500 gm
025946 C ₁₂ H ₁₀ (83-32-9)	Acenaphthene for Synthesis M. W.: 154.21 Assay (GC) 98.0%	100 gm 500 gm
450050 C ₁₂ H ₁₀ (83-32-9)	Acenaphthene AR M. W.: 154.2 Assay 99.0%	100 gm 500 gm
044117 C ₄ H ₁₀ N ₂ O ₄ S (7365-82-4)	ACES Buffer M. W.: 182.2 Assay 99.0%	25 gm 100 gm 1 kg
025945 C ₂ H ₄ O (75-07-0)	Acetaldehyde Soln. Pract M. W.: 44.05 Assay (By acidimetric) 20-30% w/w	500 ml 2.5 lit
027005 CH ₃ .CONH ₂ (60-35-5)	Acetamide for Synthesis M. W.: 59.07 Assay 98.0%	250 gm 500 gm 25 kg
001120 C ₂ H ₆ N ₂ .HCl (124-42-5)	Acetamidinium Chloride for Synthesis (Acetamidium Hydrochloride) M. W.: 94.54	250 gm
	N-(2-Acetamido)-2-Aminoethanesulphonic Acid See ACES	
	N-(2-Acetamido) Iminodiacetic See ADA Buffe	
	2-Acetamido-3-Mercaptopropionic Acid See N-Acetyl-L-Cysteine	
	4-Acetamidophenol See Paracetamol	
027008 C ₆ H ₅ .NH.CO.CH ₃ (103-84-4)	Acetanilide for Synthesis M. W.: 135.17 Assay 98.5%	250 gm 500 gm 25 kg 50 kg
800100	Acetate Buffer Solution pH 4.6 pH (as such) 4.6±0.2	500 ml
800105	Acetate Buffer TS acc. To USP	500 ml
027017 CH ₃ .COOH (64-19-7)	Acetic Acid Glacial for Synthesis Meets Analytical Specification of IP M. W.: 60.05 Assay (acidimetric) 99.5%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
450140 CH ₃ .COOH (64-19-7)	Acetic Acid Glacial (about 1.05) AR/ACS & P Test (Unaffected by chromic acid) Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 60.05 Assay (acidimetric) 99.7%	500 ml 2.5 lit 25 lit 200 lit
700100 CH ₃ COOH (64-19-7)	Acetic Acid for HPLC & Spectroscopy M. W. 60.05 Assay (GC) 99.8%	500 ml 1 lit 2.5 lit
450230 CH ₃ COOH (64-19-7)	Acetic Acid Glacial (Aldehyde Free) AR Specially suitable for use in determination of Cholesterol in blood plasma and for wij's solution M. W.: 60.05 Assay (acidimetric) 99.8%	500 ml 2.5 lit 25 lit 200 lit
700140 CH ₃ COOH (64-19-7)	Acetic Acid EL Grade M. W.: 60.05 Assay (acidimetric) 99.8%	500 ml 2.5 lit
D00990 C ₂ D ₄ O ₂ (1186-52-3)	Acetic-d₃ Acid-d (for NMR Spectroscopy) M. W.: 64.08 Assay Min. 99.5 atom%D	10x0.75 ml 10 ml
800240	Acetic Acid 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
800242	Acetic Acid 0.1 M (0.1N) for 500 ml Solution	1 Amp 3 Amp 6 Amp
800252	Acetic Acid mol/L (1N) for 500 ml Solution	1 Amp 3 Amp 6 Amp
800250	Acetic Acid 0.5M (0.5N) Standard Solution Nist Traceable	1 lit
800255	Acetic Acid 1M (1N) Standard Solution Nist Traceable	1 lit
800260	Acetic Acid 2M (2N) Volumetric Solution Nist Traceable	1 lit
800263	Acetic Acid Solution 2N acc. to USP	500 ml
800280	Acetic Acid Solution 3%	500 ml
800300	Acetic Acid Solution 5%	500 ml
800320	Acetic Acid Solution 10%	500 ml
800325	Acetic Acid 30%	1 lit 25 lit
800330	Acetic Acid 60%	1 lit 25 lit
800333	Acetic Acid 80%	1 lit 25 lit

A

Laboratory Chemicals

Product Code	Product Name	Packing
800336	Acetic Acid Ammonium Acetate Buffer TS acc. to USP	500 ml
	Acetic Acid Isobutyl Ester See Iso Butyl Acetate	
	Acetic Acid Isopropyl Ester See Iso Propyl Acetate	
025998 C ₁₀ H ₁₁ NO ₂ (102-01-2)	Aceto Acetanilide Tech. M. W.: 177.20	500 gm 25 kg 50 kg
	Acetoacetic Ethylester See Ethyl Acetoacetate	
	Acetoacetic Methylester See Methyl Acetoacetate	
	Aceto Carmine See Carmine Aceto	
	1-Acetonaphthone See 1-Acetyl Naphthalene	
800340	Acetone Alcohol 50% Solution Decolourizer	500 ml
027023 (CH ₃) ₂ CO (67-64-1)	Acetone for Synthesis M. W.: 58.08	500 ml 2.5 lit 25 lit
	Assay (GC) 99.0%	200 lit
450320 (CH ₃) ₂ CO (67-64-1)	Acetone AR/ACS Meets Analytical Specification of BP,USP,Ph,Eur M. W.: 58.08	500 ml 2.5 lit 25 lit
	Assay (GC) 99.5%	
450410 (CH ₃) ₂ CO (67-64-1)	Acetone Specially Dried AR M. W.: 58.08	500 ml 2.5 lit
	Assay (GC) 99.5%	
700330 (CH ₃) ₂ CO (67-64-1)	Acetone EL Grade M. W.: 58.08	2.5 lit
	Assay (GC) 99.8%	
700385 (CH ₃) ₂ CO (67-64-1)	Acetone GC Grade M. W.: 58.08	500 ml 1 lit
	Assay (GC) 99.9%	
700380 (CH ₃) ₂ CO (67-64-1)	Acetone for HPLC & Spectroscopy M. W.: 58.08	1 lit 2.5 lit
	Assay (GC) 99.8%	
700430 C ₃ H ₆ O (67-64-1)	Acetone for Pesticide Residue Analysis M. W.: 58.08	1 lit 2.5 lit
	Assay 99.9%	
D01269 C ₃ D ₆ O (666-52-4)	Acetone-d₆ (for NMR Spectroscopy) M. W.: 64.13	10 ml
	Assay Min. 99.5 atom%D	
D01278 C ₃ D ₆ O (666-52-4)	Acetone-d₆ (for NMR Spectroscopy) M. W.: 64.13	10x0.75 ml
	Assay Min. 99.8 atom%D	
	Acetone Dimethyl Acetal See -2-,2 Dimethoxy Propane	

Product Code	Product Name	Packing
029220 CH ₃ CN (75-05-8)	Acetonitrile for Synthesis M. W.: 41.05	500 ml 2.5 lit 25 lit
	Assay (GC) 99.0%	200 lit
450500 CH ₃ CN (75-05-8)	Acetonitrile AR/ACS M. W.: 41.05	500 ml 2.5 lit
	Assay (GC) 99.5%	25 lit 200 lit
450505 CH ₃ CN (75-05-8)	Acetonitrile Specially Dried AR M. W.: 41.05	500 ml 2.5 lit
	Assay (GC) 99.5%	
700580 CH ₃ CN (75-05-8)	Acetonitrile for preparative (HPLC) M. W.: 41.05	2.5 lit
	Assay (GC) 99.8%	
700635 CH ₃ CN (75-05-8)	Acetonitrile GC Grade M. W.: 41.05	1 lit
	Assay (GC) 99.9%	
700630 CH ₃ CN (75-05-8)	Acetonitrile for HPLC & Spectroscopy M. W.: 41.05	1 lit 2.5 lit
	Assay (GC) 99.8%	
700640 CH ₃ CN (75-05-8)	Acetonitrile for Gradient Grade M. W.: 41.05	1 lit 2.5 lit
	Assay (GC) 99.9%	
700780 CH ₃ CN (75-05-8)	Acetonitrile for Pesticide Residue Analysis M. W.: 41.05	1 lit
	Assay (GC) 99.9%	
700920 CH ₃ CN (75-05-8)	Acetonitrile Dna for Synthesis M. W.: 41.05	1 lit 2.5 lit
	Assay 99.8%	
D01548 C ₂ D ₃ N (2206-26-0)	Acetonitrile-d₃ (for NMR Spectroscopy) M. W.: 44.08	10 ml
	Assay Min. 99.8 atom%D	
D01557 C ₂ D ₃ N (2206-26-0)	Acetonitrile-d₃ (for NMR Spectroscopy) M. W.: 44.08	10x0.75 ml
	Assay Min. 99.8 atom%D	
800400	Acetonitrile with 0.1% Acetic Acid for LCMS	2.5 lit
800405	Acetonitrile with 0.1% Formic Acid for LCMS	2.5 lit
800407	Acetonitrile with 0.1% Trifluoroacetic Acid for LCMS	2.5 lit
800410	Acetonitrile/Water 50:50 (w/w) for HPLC	2.5 lit
001520 C ₂ H ₅ NO ₂ (546-88-3)	Aceto Hydroxamic Acid M. W.: 75.07	5 gm
	Assay 98.0%	
801040	Aceto Orcein Solution	100 ml

Product Code	Product Name	Packing
027030 C ₆ H ₅ .CO.CH ₃ (98-86-2)	Acetophenone M. W.: 120.15 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
451005 C ₆ H ₅ .CO.CH ₃ (98-86-2)	Acetophenone AR M. W.: 120.15 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
027035 CH ₃ .CO.CH ₂ .CO.CH ₃ (123-54-6)	Acetyl Acetone for Synthesis M. W.: 100.12 Assay (GC) 98.0%	250 ml 500 ml 2.5 lit
451095 CH ₃ .CO.CH ₂ .CO.CH ₃ (123-54-6)	Acetyl Acetone AR M. W.: 100.12 Assay (GC) 99.5%	250 ml 500 ml
001600 C ₂ H ₃ BrO (506-96-7)	Acetyl Bromide for Synthesis M. W.: 122.95 Assay 98.0%	250 ml 500 ml
001620 C ₆ H ₈ O ₃ (517-23-7)	a-Acetyl-g-Butyrolactone for Synthesis M. W.: 128.13 Assay 99.0%	100 gm 500 gm
027037 CH ₃ COCl (75-36-5)	Acetyl Chloride for Synthesis M. W.: 78.50 Assay (ex Cl) 98.0-102.0%	500 ml 2.5 lit
451175 C ₇ H ₁₆ ClNO ₂ (60-31-1)	Acetyl Choline Chloride AR Store at - 20°C M. W.: 181.66 Assay 99.0%	10 gm 25 gm
451185 C ₇ H ₁₆ INO ₂ (2260-50-6)	Acetyl Choline Iodide AR M. W.: 273.12 Assay (Argentometry) 98.5%	5 gm 25 gm
024001 C ₅ H ₉ NO ₃ S (616-91-1)	N-Acetyl-L-Cysteine M. W.: 163.19 Assay (Iodometric) 99.0%	10 gm 100 gm
001820 C ₆ H ₁₁ NO ₃ S (7652-46-2)	N-Acetyl-L-Cysteine Methyl Ester for Biochemistry M. W.: 177.22 Assay (HPLC) 90%	5 gm
001900 C ₈ H ₁₅ NO ₆ (14215-68-0)	N-Acetyl-D-Galactosamine for Biochemistry M. W.: 221.21 Assay (ex N) 98%	100 mgm 1 gm
001950 C ₈ H ₁₅ NO ₆ (7512-17-6)	N-Acetyl-D-Glucosamine for Biochemistry M. W.: 221.21 Assay 99.0%	10 gm 50 gm
002000 C ₄ H ₇ NO ₃ (543-24-8)	N-Acetyl Glycine M. W.: 117.10 Assay 98.0%	100 gm 500 gm
002050 C ₇ H ₁₃ NO ₃ S (1115-47-5)	N-Acetyl-DL-Methionine for Biochemistry M. W.: 191.25 Assay 98.0-101.5%	100 gm 500 gm
002080 C ₁₂ H ₁₀ O (941-98-0)	1-Acetyl Naphthalene for Synthesis M. W.: 170.21 Assay 97.5%	100 ml 500 ml

Product Code	Product Name	Packing
002100 C ₁₁ H ₁₉ NO ₉ (131-48-6)	N-Acetyl Neuraminic Acid (Nana) for Biochemistry M. W.: 309.27 Assay 95.0%	100 mgm 500 mgm 1 gm
002150 C ₇ H ₁₁ NO ₂ (32161-06-1)	1-Acetyl-4-Piperidone M. W.: 141.17 Assay 94%	5 ml
002300 C ₇ H ₇ NO (1122-62-9)	2-Acetyl Pyridine for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	25 ml 100 ml
002350 C ₇ H ₇ NO (350-03-8)	3-Acetyl Pyridine for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	100 ml
	Acetylene Tetra Bromide See 1,1,2,2-Tetrabromoethane	
451275 C ₇ H ₁₆ INOS (1866-15-5)	•S-Acetyl Thiocholine Iodide AR M. W.: 289.17 Assay (Argentometric) 98.5%	1 gm 5 gm
002394 C ₆ H ₆ OS (88-15-3)	2-Acetyl Thiophene for Synthesis (Methyl-2-Thienyl ketone) M. W.: 126.18 Assay 98.0%	100 ml 500 ml
002400 C ₁₃ H ₁₄ N ₂ O ₃ (87-32-1)	N-Acetyl-DL-Tryptophan for Biochemistry M. W.: 246.27 Assay 99%	25 gm
002450 C ₁₃ H ₁₇ NO ₄ .H ₂ O (36546-50-6)	N-Acetyl-L-Tyrosine Ethyl Ester for Biochemistry M. W.: 269.29	5 gm 10 gm
801740	Acid Alcohol	125 ml 500 ml
801790	Acid Fast Decolourizer	125 ml
	Acid Fuchsin See Fuchsin acid	
801840	Acid Mixture (Phosphoric Sulphuric)	125 ml
801890	Acid Molybdate Solution For determination of Phosphate in boiler water	500 ml
	Acid Red 66 See Biebrich Scarlet	
	Acid Red 87 See Eosin Yellow	
027041 C ₁₇ H ₁₉ N ₃ .½ZnCl ₂ .HCl (10127-02-3)	Acridine Orange (M.S.) C.I. 46005 M. W.: 369.94 Dye content 87.0%	5 gm 25 gm
027043 C ₁₄ H ₁₄ Cl N ₃ (8048-52-0)	Acriflavine for Biochemistry C.I. 46000 M. W.: 259.7 Dye content (dried) 98.5-105%	5 gm 25 gm 250 gm

A

Laboratory Chemicals

Product Code	Product Name	Packing
002500 (8063-24-9)	Acriflavin Hydrochloride Fluorescence Grade	25 gm
027045 C ₃ H ₅ NO (79-06-1)	Acrylamide M. W.: 71.08 Assay (G.C) 98.5%	500 gm 25 kg 50 kg
910548 C ₃ H ₅ NO (79-06-1)	Acrylamide for Electrophoresis M. W.: 71.08 Assay 99.0%	25 gm 100 gm 500 gm
451365 C ₃ H ₅ NO (79-06-1)	Acrylamide 3X cryst AR M. W.: 71.08 Assay (GC) 99.9%	25 gm 100 gm 500 gm
910550 C ₃ H ₅ NO (79-06-1)	Acrylamide 3x cryst. For molecular biology DNase, RNase, protease And Phosphate not detected M. W. : 71.08 Assay Min. 99.9%	25 gm 100 gm 500 gm 1 kg 5 kg
910560 C ₃ H ₅ NO (79-06-1)	Acrylamide for Electrophoresis (Low Conductance<5uS/cm) 3x Crystallised M. W.: 71.08 Assay (By GC) 99.5%	100 gm 500 gm
801990	Acrylamide 40% Solution in Water for Molecular Biology	250 ml 500 ml
	Bis-Acrylamide See N,N-Methylene bis-Acrylamide	
002600 C ₇ H ₁₃ NO ₄ S (15214-89-8)	2-Acrylamido 2-Methyl-Propane Sulphonic Acid for Synthesis M. W. : 207.25 Assay 98.5%	250 gm 1 kg
025974 C ₃ H ₄ O ₂ (79-10-7)	Acrylic Acid for Synthesis M. W.: 72.06 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
027047 CH ₂ .CH.CN (107-13-1)	Acrylonitrile Stabilised for Synthesis (Vinyl Cyanide) M. W.: 53.06 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
452025 C ₃ H ₃ N (107-13-1)	Acrylonitrile AR (Vinyl cyanide) M. W.: 53.06 Assay 99.5%	500 ml
	Activated Charcoal See Charcoal Activated	
452115 C ₁₅ H ₂₃ NO ₄ (66-81-9)	Actidione AR (Cycloheximide) Inhibitor of Protein Biosynthesis (Antibiotic against yeast) M. W.: 281.35 Assay 99.0%	1 gm 5 gm
002800 C ₆ H ₁₀ N ₂ O ₅ (26239-55-4)	ADA Buffer for Biochemistry [N-(Carbamoylmethyl)-Iminodiacetic Acid N-(2-Acetamido)Iminodiacetic Acid] M. W.: 190.2 Assay 98%	25 gm 100 gm 500 gm

Product Code	Product Name	Packing
	Adam's Catalyst See Platinum Dioxide Hydrate	
042001 C ₅ H ₅ N ₅ (73-24-5)	Adenine for Biochemistry Meets Analytical Specification of BP, USP M. W.: 135.13 Assay (Non-aqueous by potentiometric w.r. to dried sub) 98.5-101%	5 gm 25 gm 1 kg
	Adenine Hemisulphate See Adenine Sulphate	
025975 C ₅ H ₅ N ₅ .½H ₂ SO ₄ (321-30-2)	Adenine Sulphate (Adenine Hemisulphate) M. W.: 184.17 Assay (Acidimetric) 98.0%	10 gm 100 gm
042003 C ₁₀ H ₁₃ N ₅ O ₄ (58-61-7)	Adenosine M. W.: 267.24 Assay (Spectrophotometric) (259 nm at pH 7.0) 98.5%	5 gm 25 gm
042097 C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ (16178-48-6)	Adenosine-5-Diphosphate Disodium Salt (ADP-Na₂) M. W.: 471.17 Assay (dried) 95.0%	500 mgm 1 gm 5 gm
042066 C ₁₀ H ₁₂ N ₅ Na ₂ O ₇ P (4578-31-8)	Adenosine-5-Mono Phosphate Disodium Salt (AMP-Na₂) M. W.: 391.19 Assay (Spectrophotometric) (259 nm at pH 7.0) 96.0%	1 gm 5 gm 25 gm
042008 C ₁₀ H ₁₄ N ₅ Na ₂ O ₁₃ P ₃ .4H ₂ O (987-65-5)	Adenosine-5-Triphosphate Disodium Salt (ATP-Na₂) M. W.: 623.21 Assay (Spectrophotometric; on dried material) 98.0%	1 gm 5 gm 25 gm
027049 C ₆ H ₁₀ O ₄ (124-04-9)	Adipic Acid Pure M. W.: 146.14 Assay 99.0%	500 gm 5 kg 25 kg 50 kg
038002 CH ₂ (OH).(CH.OH) ₃ CH ₂ OH (488-81-3)	Adonitole M. W.: 152.15	5 gm 25 gm
452725 C ₆ H ₃ (OH) ₂ .CH(OH).CH ₂ .NH.CH ₃ (51-43-4)	L-Adrenaline AR/ACS M. W.: 183.21 Assay 99.0%	1 gm 5 gm
	Adrenaline Bitartrate See Adrenaline Hydrogen Tartrate	
452205 C ₉ H ₁₃ NO ₃ .C ₄ H ₆ O ₆ (51-42-3)	Adrenaline Hydrogen Tartrate AR (Adrenaline Hydrogen Tartrate) Meets IP,BP,USP,Ph,Eur M. W.: 333.3 Assay (Non-aqueous) 99.0%	1 gm 5 gm
025980	Aerosil 200 (Fumed Silica Gel)	100 gm 250 gm
	Aerosol OT See Dioctyl Sodium Sulphosuccinate	
038003 C ₁₅ H ₁₆ O ₉ .+ H ₂ O (531-75-9)	Aesculin M. W.: 340.28 (Anhydrous) (Anhydrous)	5 gm 25 gm

Product Code	Product Name	Packing
033003 (9002-18-0)	Agar Agar Shredded for Bacteriology	500 gm
025952 (9002-18-0)	Agar Powder Ultra Pure Recommended for use in immunoelectrophoretic procedures, Nutritional Studies (vitamin assay media) or sensitivity testing procedure Gelling Temperature not more than 35°C (Equivalent to noble agar)	500 gm
025953 (9002-18-0)	Agar Powder Certified Extensively processed to guarantee the absence of inhibition, allowing growth of even the most sensitive microorganisms, it can be used in electrophoretic studies. Immunodiffusion assays and tissue culture procedures	500 gm
033180 (9002-18-0)	Agar Powder Extra Pure Recommended for culture media, disc diffusion, susceptibility tests where low mineral/metal content is desirable. Gelling Temperature not more than 38°C	500 gm
025951 (9002-18-0)	Agar Purified Powder Free from all nitrogenous compounds, Inorganic salts and vitamins and therefore ideal for culture media and bacteriological work Gelling Temperature not more than 38°C	500 gm 25 kg
033004 (9002-18-0)	Agar Powder Bacteriological Bacterial content as per IP recommended for routine bacteriological work and particularly useful in pharmaceutical preparation where it passes in microbial limit tests for the presence of bacteria.	100 gm 250 gm 500 gm 5 kg 25 kg
025999 (9002-18-0)	Agar Agar Powder No. 1	500 gm 25 kg
911000 (9012-36-6)	Agarose High EEO This high EEO Agarose is suitable for protein separation by immunodiffusion & counter current immunoelectrophoresis techniques.	10 gm 25 gm 100 gm 500 gm
911010 (9012-36-6)	Agarose High EEO for molecular biology DNase, RNase, Protease not detected This high EEO Agarose is suitable for protein separation by immunodiffusion & counter current immunoelectrophoresis techniques.	10 gm 25 gm 100 gm 500 gm 1 kg

Product Code	Product Name	Packing
911020 (9012-36-6)	Agarose Medium EEO type II A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	10 gm 25 gm 100 gm 500 gm 1 kg
911050 (9012-36-6)	Agarose Medium EEO type II for molecular biology DNase, RNase, Protease not detected A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	10 gm 25 gm 100 gm 500 gm 1 kg
911100 (9012-36-6)	Agarose Low EEO Regular grade A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	10 gm 25 gm 100 gm 500 gm 1 kg
911120 (9012-36-6)	Agarose Low EEO for molecular biology DNase, RNase, Protease not detected A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	10 gm 25 gm 100 gm 500 gm 1 kg
911150 (9012-36-6)	Agarose Low EEO Superior grade type II for molecular biology A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR & RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.	10 gm 25 gm 100 gm 500 gm 1 kg
911200 (9012-36-6)	Agarose Low Melting gelling temp ~35°C melting temp (4% gel) ~65°C suitable for separation of DNA fragments <1000 base pairs (bp) & can distinguish fragments as small as 8 bp. suitable for molecular biology	5 gm 10 gm 25 gm 100 gm

911000 Agarose High EEO



A

Laboratory Chemicals



A

Laboratory Chemicals

Product Code	Product Name	Packing
911300	Agarose Low-6 suitable for molecular biology	5 gm
		10 gm
		25 gm
		100 gm
		500 gm
	1 kg	
(9012-36-6) Ranges of Separation: 10-1200bp at concentrations between 1.8-5% in 1xTAE Buffer. Agarose Low-6 is a high quality agarose specially formulated for molecular screening with an improved efficiency resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-6 gels, they should be stored at 4°-8°C for 30 minutes before use.		
911350	Agarose Low-8 suitable for molecular biology for DNA	5 gm
		10 gm
		25 gm
		100 gm
		500 gm
	1 kg	
(9012-36-6) Ranges of Separation: (10-1200bp) 1.8% 400-1200bp 3% 150-800bp 4.5% 15-400bp Agarose Low-8 has been specially developed for molecular screening applications and improves resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-8 gels, they should be stored at 4° - 8°C for 30 minutes before use.		
Aibn See (A-A-Azo-Iso-Butyronitrile)		
003550	Ajmalicine Pure	50 mgm
C ₂₁ H ₂₄ N ₂ O ₃ (483-04-5) M.W. 352.43 Assay 98.0%		
003570	Ajmaline Pure	1 gm
C ₂₀ H ₂₆ N ₂ O ₂ (4360-12-7) M.W. 326.44 Assay 98.0%		
452815	Alar (B-9) AR	1 gm
		5 gm
C ₆ H ₁₂ N ₂ O ₃ (1596-84-5) Plant Growth Regular M.W. 160.17 Assay (dried) 99.0%		
037009	B-Alanine for Biochemistry	25 gm
		100 gm
		1 kg
NH ₂ .CH ₂ .CH ₂ .COOH M. W.: 89.09 (107-95-9) Assay (Non-aqueous) 99.0%		
037005	D-Alanine for Biochemistry	5 gm
		25 gm
C ₃ H ₇ NO ₂ (338-69-2) M. W.: 89.09 Assay (Non-aqueous, on dry basis) 98.0%		
037007	DL-Alanine for Biochemistry	25 gm
		100 gm
		1 kg
CH ₃ CH(NH ₂)COOH M. W.: 89.09 (302-72-7) Assay (Non aqueous) 98.5%-100.5%		
037006	L-Alanine for Biochemistry	25 gm
		100 gm
		500 gm
CH ₃ CH(NH ₂)COOH M. W.: 89.09 (56-41-7) Assay (Non-aqueous) 99.0%		
003870	L-Alanine Benzyl Ester-P-Toluene Sulfonate for Biochemistry	25 gm
C ₁₇ H ₂₁ NO ₅ (42854-62-6) M. W.: 351.42 Assay 95.0%		
003880	L-Alanine Methyl Ester Hydrochloride for Biochemistry	5 gm
		25 gm
		100 gm
C ₄ H ₉ NO ₂ .HCl M. W.: 139.58 (2491-20-5) Assay 99%		

Product Code	Product Name	Packing
802370	Albert's Stain A	125 ml 500 ml
802380	Albert's Stain B	125 ml 500 ml
	Albumin Bovine See Bovin Albumin	
	Albumin Egg Flakes See Egg Albumin Flakes	
	Albumin Egg Powder See Egg Albumin Powder	
802390	Albert Metachromatic stains kit	KIT
025955	Alcian Blue 8GX for Microscopy (Ingrain blue 1) C.I. 74240	5 gm 25 gm
C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ (33864-99-2) M.W.: 1298.88 Dye content (Spectrophotometric) abt. 50%		
802440	Alcian Blue Solution for Microscopy Clear, Permanent Stain for Mucin	100 ml
025969	Aleuritic Acid	5 gm
C ₁₆ H ₃₂ O ₅ (533-87-9) M. W.: 304.43		
027898	Alginate Acid Meet BP,Ph,Eur.	100 gm
		500 gm
		5 kg
(C ₆ H ₈ O ₆) _n (9005-32-7) M.W:(176.13) _n Assay (as COOH w.r.t. Dried subs.) 19-25%		
	Alginate Acid Sodium Salt See Sodium Alginate	
004000	Aliquat 336 ~ (Trioctyl Methyl Ammonium Chloride)	250 ml 1 lit
C ₂₅ H ₅₄ NCl (5137-55-3) M. W.: 404.17 Assay 80.0%		
	Alizarin Complexone See 3-Aminomethylalazarin N,N'-Diacetic Acid	
452905	Alizarin pH indicator AR	25 gm
		100 gm
C ₀ .C ₆ H ₄ .CO.C ₆ H ₂ (OH) ₂ M. W.: 240.22 (72-48-0)		
004100	Alizarin Cyanin Green G	25 gm
		100 gm
C ₂₈ H ₂₀ N ₂ Na ₂ O ₈ S ₂ (4403-90-1) M. W.: 622.59		
013005	Alizarin Red S pH Indicator	25 gm
		100 gm
C ₁₄ H ₆ Na ₂ O ₇ S (130-22-3) M.W.:364.24 Dye content (Spectro) 70%		
802723	Alizarin Red S, 1% w/v aqueous indicator solution	100 ml
802720	Alizarin Red Solution 0.1 % w/v (Alizarin alcohol Solution)	50 ml
452910	Alizarin Red S AR (Sodium Alizarine Sulphonate)	25 gm
		100 gm
C ₁₄ H ₇ NaO ₇ S (130-22-3) M.W.:342.26		

Product Code	Product Name	Packing
453645 C ₁₃ H ₉ N ₃ O ₅ (2243-76-7)	Alizarin Yellow R AR for Microscopy M. W.: 287.23 Assay (Dye content) 70.0%	25 gm 100 gm
013006 C ₁₃ H ₈ N ₃ NaO ₅ (584-42-9)	Alizarin Yellow GG M. W.: 309.21	25 gm 100 gm
	Alizarin Sulphonic Acid Sodium Salt & Redox Indicator See Alizarine Red S	
802725	Alkali Blue (6B) Solution 0.1% in Alcohol	250 ml
802727	Alkali Blue Solution Indicator for Neutralization and Saponification Number	1 lit
004300 C ₃₂ H ₂₈ N ₃ NaO ₄ S (30586-13-1)	Alkali Blue (6B) (pH Indicator) (C.I. 42750) M. W.: 573.65	5 gm 25 gm
	Alkaline Copper Solution See Folin & Wu's Alkaline Copper Solution	
802860	Alkaline Copper Tartrate Solution (Folin and wu ; Alkaline copper Soln.)	500 ml
	Alkyl Dimethyl Benzyl Ammonium Chloride See Benzalkonium Chloride	
042010 C ₄ H ₆ N ₄ O ₃ (97-59-6)	Allantoin Fine Powder M. W.: 158.12 Assay (Acidimetric, dried) 99-101%	100 gm 1 kg 5 kg
042011 C ₄ H ₂ N ₂ O ₄ .H ₂ O (2244-11-3)	Alloxan Monohydrate M. W.: 160.09 Assay (ex N) 98.5%	25 gm 100 gm
	Alloy According to Devardas See Devardas Alloy	
	Alloy According to Wood See Wood's (Metal)	
004530 C ₁₈ H ₁₄ N ₂ Na ₂ O ₈ S ₂ (25956-17-6)	Allura Red M.W : 496.42 Assay 80.0%	100 gm 500 gm
025981 C ₃ H ₆ O (107-18-6)	Allyl Alcohol for Synthesis (2-Propan-1-ol) M. W.: 58.08 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
453835 C ₃ H ₆ O (107-18-6)	Allyl Alcohol AR (2-propen-1-ol) M. W.: 58.08 Assay 99.5%	500 ml 2.5 lit
004540 C ₃ H ₇ N (107-11-9)	Allylamine for Synthesis (2-Propen-1ylamine, 3-Amino-1-Propene) M.W. 57.10 Assay 99.0%	250 ml 1 lit
004550 C ₃ H ₅ Br (106-95-6)	Allyl Bromide (3-Bromo-1-Propene) (Stabilised with Silver Wire) M. W.: 120.98 Assay (GC) 98.0%	250 ml 500 ml

Product Code	Product Name	Packing
025984 C ₃ H ₅ Cl (107-05-1)	Allyl Chloride for Synthesis M. W.: 76.53 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
004600 C ₃ H ₅ I (556-56-9)	Allyl Iodide (3-Iodo-1-Propene) M. W.: 167.98 Assay 97%	100 ml
	Alpha Benzoinoxime See a-Benzoinoxime	
	Alum Ammonium See Aluminium Ammonium Sulphate	
	Alum Chrome Potassium See Chromium Potassium Sulphate	
	Alum Potassium See Aluminium Potassium Sulphate	
803140	Aluminium (Al) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
803142 new	Aluminium (Al) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
803190	Aluminium (Al) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
803192 new	Aluminium (Al) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
803194 new	Aluminium (Al) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
027064 Al (7429-90-5)	Aluminium (Metal) Fine Powder At. W. 26.98 Assay (Complexometric) 99.0%	250 gm 500 gm 5 kg 25 kg 50 kg
025961 Al (7429-90-5)	Aluminium Foil Tech. (Roll) At. W. : 26.98 Assay 97.0%	100 gm
453925 Al (7429-90-5)	Aluminium Foil (Roll) AR At. W. : 26.98 Assay (Complexometry) 99.0%	100 gm
027067 Al (7429-90-5)	Aluminium Foil 0.14mm thickness Sheet At W. 26.98 Assay 99.0%	250 gm 500 gm 25 kg 50 kg
454015 Al (7429-90-5)	Aluminium Foil (Sheets) 0.14 AR At. W. : 26.98	250 gm 500 gm
004700 Al (7429-90-5)	Aluminium Ingots At. W.: 26.98 Assay (Trace metal basis) 99.99%	100 gm 500 gm
027070 AlNH ₄ (SO ₄) ₂ .12H ₂ O (7784-26-1)	Aluminium Ammonium Sulphate 12 Hydrate M. W.: 453.32 Assay (Complexometry ex Al) 99.0%	500 gm 5 kg 25 kg 50 kg

A

Laboratory Chemicals

Product Code	Product Name	Packing
454105	Aluminium Ammonium Sulphate AR/ACS AlNH ₄ (SO ₄) ₂ · 12H ₂ O (7784-26-1)	500 gm
		M. W.: 453.32 25 kg
		Assay (Complexometric ex Al) 99.5% 50 kg
004900	Aluminium Borate (11121-16-7)	500 gm Assay 96%
004950	Aluminium Bromide (7727-15-3)	500 gm
005000	Aluminium Carbonate (Basic) Al ₂ (CO ₃) ₃ (1339-92-0)	100 gm M.W. : 233.99
027073	Aluminium Chloride Anhydrous AlCl ₃ (7446-70-0)	250 gm
		M. W.: 133.34 500 gm
		Assay (Argentometric) 98.0% 25 kg 50 kg
005025	Aluminium Chloride Hexahydrate Purified AlCl ₃ · 6H ₂ O (7784-13-6)	500 gm
		M. W.: 241.43 25 kg
		Assay 97.0-101.0% 50 kg
454195	Aluminium Chloride Hexahydrate AR Meet BP, USP, Ph, Eur. AlCl ₃ · 6H ₂ O (7784-13-6)	500 gm
		M. W.: 241.43 25 kg
		Assay (Complexometric) 97-102% 50 kg
027075	Aluminium Fluoride AlF ₃ + H ₂ O (7784-18-1)	500 gm
		M. W.: 83.98+H ₂ O 25 kg
		Assay (Complexometric, after drying) 97.0% 50 kg
027076	Aluminium Hydroxide GEL (Powder) Al(OH) ₃ (21645-51-2)	250 gm
		M. W.: 78.00 500 gm
		Assay (Al ₂ O ₃) 47% 25 kg
	Aluminium Isopropylate See Aluminium-tri-iso-Propoxide	
	Aluminium Lithium Hydride See Lithium Aluminium Hydride	
027079	Aluminium Nitrate Nonahydrate Cryst. Al(NO ₃) ₃ · 9H ₂ O (7784-27-2)	500 gm
		M. W.: 375.13 25 kg
		Assay (Complexometric) 98.0% 50 kg
454285	Aluminium Nitrate Nonahydrate AR/ACS Al(NO ₃) ₃ · 9H ₂ O (7784-27-2)	500 gm
		M. W.: 375.13 25 kg
		Assay (Complexometric) 98.5%
005100	Aluminium Oxalate C ₆ Al ₂ O ₁₂ (814-87-9)	500 gm M.W. : 318.2
005150	Aluminium Oxide Calcined (Activated Alumina, Activated 2-5mm, Alumina) Al ₂ O ₃ (1344-28-1)	500 gm
		25 kg
		50 kg M. W.: 101.96
015003	Aluminium Oxide G Neutral (with Binder) for TLC Al ₂ O ₃ (1344-28-1)	500 gm
		25 kg
		50 kg M. W.: 101.96
015141	Aluminium Oxide Acidic (Brockmann Grade I, II) (pH value 3.5 - 4.5) Al ₂ O ₃ (1344-28-1)	500 gm
		25 kg
		50 kg M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%

Product Code	Product Name	Packing
015140	Aluminium Oxide Basic (Brockmann Grade I, II) (pH value 9.5 ± 0.5) Al ₂ O ₃ (1344-28-1)	500 gm
		25 kg
		50 kg M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%
015139	Aluminium Oxide Neutral (Brockmann Grade I, II) (pH value 6.5 - 7.5) Al ₂ O ₃ (1344-28-1)	500 gm
		25 kg
		50 kg M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%
454375	Aluminium Oxide AR Al ₂ O ₃ (1344-28-1)	25 gm
		100 gm
		M. W.: 101.96 Assay (Al ₂ O ₃) 99.9%
005200	Aluminium Phosphate Pract AlO ₄ P (7784-30-7)	500 gm
		M. W.: 121.95
		Assay 98.0%
027085	Aluminium Potassium Sulphate Purified Dodecahydrate (Potassium Alum) AlK(SO ₄) ₂ · 12H ₂ O (7784-24-9)	500 gm
		2.5 kg
		25 kg 50 kg M. W.: 474.38 Assay (ex Al) 99.0%
454465	Aluminium Potassium Sulphate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. AlK(SO ₄) ₂ · 12H ₂ O (7784-24-9)	500 gm
		2.5 kg
		25 kg 50 kg M. W.: 474.38 Assay (Complexometric) 99.5%
027087	Aluminium-tri-iso-Propoxide for Synthesis C ₉ H ₂₁ AlO ₃ (555-31-7)	500 gm
		25 kg
		50 kg M. W.: 204.25 Assay (Iodometric) 97.0%
005400	Aluminium Stearate Extra Pure [CH ₃ (CH ₂) ₁₆ COO] ₃ Al (637-12-7)	1 kg
		25 kg
		M.W. : 877.35
027090	Aluminium Sulphate Purified Hexadecahydrate Al ₂ (SO ₄) ₃ · 16H ₂ O (16828-11-8)	500 gm
		25 kg
		50 kg M. W.: 630.38 Assay 98.0%
454555	Aluminium Sulphate AR/ACS, (Hexadecahydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. Al ₂ (SO ₄) ₃ · 16H ₂ O (16828-11-8)	500 gm
		25 kg
		50 kg M. W.: 630.38 Assay [As Al ₂ (SO ₄) ₃ · 16H ₂ O] 99.5-102%
454645	Aluminon AR/ACS Reagent for Aluminium C ₂₂ H ₂₃ N ₃ O ₉ (569-58-4)	10 gm
		25 gm
		M. W.: 473.44
803610	Aluminon Reagent	125 ml
		500 ml
026265	Amaranth C.I. 16185 C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ (915-67-3)	25 gm
		100 gm
		1 kg M. W.: 604.50 Assy (Dye content titanometry) 85.0%
803660	Amaranth Solution	100 ml
		500 ml
	Amberlite 120 See Ceralite IR 120	
	Amberlite 400 See Ceralite IR 400	

Product Code	Product Name	Packing
	Amberlite 410 See Ceralite IR 410	
	Amberlite IRC 50 See Ceralite IRC 50	
005610	Amberlite CG-50 I Hydrogen form (Weakly Acidic Cation Exchange Resin) (Product of Dow Chemicals)	250 gm 1 kg
(9042-11-9)		
005620	Amberlite® 200C Na FORM (Strongly Acidic Macroreticular Cation Exchange Resin) (Product of Dow Chemicals)	250 gm 1 kg
(39464-90-9)		
005630	Amberlite® IRA-402 Cl FORM (Strongly Basic Anion Exchange Resin) (Product of Dow Chemicals)	250 gm 1 kg
(52439-77-7)		
005640	Amberlite® IRA-404 Cl FORM (Strongly Basic Anion Exchange Resin) (Product of Dow Chemicals)	250 gm 1 kg
(149146-26-9)		
005650	Amberlite® IRA-67 (weakly basic anion exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(80747-90-6)		
005660	Amberlite® IRA-900 Cl (Type-1) (strongly basic macroreticular anionexchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(9050-97-9)		
005670	Amberlite® IRA-910 Cl (Type-2) (strongly basic macroreticular anionexchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(37264-66-7)		
005680	Amberlite® IRA-958 Cl FORM (strongly basic macroreticular anionexchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(79620-27-2)		
005690	Amberlite® IRA-96 Free Base (weakly basic macroreticular anion exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(201615-38-5)		
005700	Amberlite® IRC-748 NA Form (chelating cation exchange resin) (Product of Dow Chemicals)	100 gm 250 gm 500 gm 1 kg
(79620-28-3)		
005710	Amberlite® IRC-76 H Form (weakly acidic cation exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
005720	Amberlite® IRC-86 H Form (weakly acidic cation exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(211811-37-9)		
005730	Amberlite® IRN-150 (Mixed Bed) (strongly acidic cation and strongly basic anion exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
(79956-14-2)		

Product Code	Product Name	Packing
005740	Amberlite® IRP 64 (cation exchange resin)	1 kg
(80892-32-6)		
005750	Amberlite® IR-120H (strongly acidic cation exchange resin) (Product of Dow Chemicals)	250 gm 1 kg 5 kg
(9002-23-7)		
005760	Amberlite® MB-20 (mixed bed resin) (Product of Dow Chemicals)	250 gm 1 kg
005770	Amberlite® MB-9L (mixed bed resin) (without indicator) (Product of Dow Chemicals)	250 gm 1 kg
005780	Amberlite® XAD-1180 (polymeric adsorbent) (Product of Dow Chemicals)	250 gm 1 kg
(97396-56-0)		
005790	Amberlite® XAD-16 (polymeric adsorbent) (Product of Dow Chemicals)	100 gm 250 gm 500 gm 1 kg
(104219-63-8)		
005800	Amberlite® XAD-7HP (polymeric adsorbent) (Product of Dow Chemicals)	250 gm 1 kg
(37380-43-1)		
005810	Amberlyst® 35 WET H Form (strongly acidic cation polymeric catalyst)	250 gm 1 kg
005820	Amberlyst® 40 WET H Form (strongly acidic cation polymeric catalyst)	250 gm 1 kg
005830	Amberlyst® 15 DRY H Form (Industrial grade stronglyacidic catalyst)	250 gm 1 kg
(39389-20-3)		
005840	Amberlyst® 15 WET (strongly acidic macroreticular, polymeric catalyst)	250 gm 1 kg
(9037-24-5)		
005850	Amberlyst® 16 WET (strongly acidic macroreticular, polymeric catalyst)	250 gm 1 kg
(125004-35-5)		
005860	Amberlyst® A-21 (weakly basic anion exchange resin, polymeric catalyst)	250 gm 1 kg
(9049-93-8)		
005870	Amberlyst® A26 OH (strongly basic anion exchange resin)	250 gm 1 kg
(39339-85-0)		
015042	Amido Black 10B C.I. 20470 C ₂₂ H ₁₄ N ₆ O ₉ S ₂ Na ₂ (1064-48-8) M. W.: 616.50 Dye content (Titanometry on Dried Subs.) Abt 50.0%	25 gm 100 gm

A

Laboratory Chemicals

Product Code	Product Name	Packing
	Amido Sulphonic Acid See Sulphamic Acid	
025941	Amikacin Sulphate for Lab use Potency not less than 900 mcg/mg $C_{22}H_{43}N_5O_{13} \cdot 2H_2SO_4$ M. W.: 781.76 (39831-55-5) Assay (HPLC) 99.0%	1 gm 5 gm
025958	p-Amino Acetanilide Pure $C_8H_{10}N_2O$ M. W.: 150.18 (122-80-5) Assay (NT) 98.0%	100 gm 500 gm
006136	2-Amino Acetophenone for Synthesis Store at 2-8°C C_8H_9NO M.W : 135.16 (551-93-9) Assay 98.0%	10 gm 100 gm
006138	3-Amino Acetophenone for Synthesis C_8H_9NO M.W : 135.16 (99-03-6) Assay 98.0%	100 gm 500 gm
006140	4-Amino Acetophenone for Synthesis C_8H_9NO M. W.: 135.16 (99-92-3) Assay 98.0%	100 gm 500 gm
	Amino Acetic Acid See Glycine	
025986	Amino Acid Kit of 24 items (each tube contain 1 gm except 3 (3,4-Dihydroxy Phenyl) DL-Alanine and L-Hydroxy Proline which contain 0.1 gm) DL- Alanine, DL-Nor-Leucine, DL-2-Amino-n-butyric Acid, L-Leucine, L-Arginine Monohydrochloride, L-Lysine Monohydrochloride, DL-Aspartic Acid, DL-Methionine, L-Cysteine Hydrochloride, L-Ornithine Monohydrochloride, L-Cystine, DL-Phenyl Alanine, 3-(3,4-Di Hydroxy Phenyl) DL-Alanine, L-Proline, L-Glutamic Acid, DL-Serine, Glycine, DL-Threonine, L-Histidine Monohydrochloride, DL-Tryptophan, L-Hydroxy Proline, L-Tyrosine, DL-ISO-Leucine & DL-Valine	1 kit
	3-Amino Anisole See m-Anisidine	
	4-Amino Anisole See p-Anisidine	
454855	p-Amino Antipyrine AR $C_{11}H_{13}N_3O$ M. W.: 203.24 (83-07-8) Assay (Non-aqueous) 98.0%	25 gm 100 gm
006350	4-Amino Azobenzene (4-phenylazoaniline) for Synthesis $C_{12}H_{11}N_3$ M. W.: 197.24 (60-09-3) Assay 98.0%	100 gm 500 gm
	p-Aminobenzene Sulphonamide See Sulphanilamide	
	3-Aminobenzene Sulphonic Acid See Metanilic Acid	
	p-Aminobenzene Sulphonic Acid See Sulphanilic Acid	

Product Code	Product Name	Packing
006450	m-Amino Benzoic Acid (3-Aminobenzoic Acid) for Synthesis $C_7H_7NO_2$ M. W.: 137.4 (99-05-8) Assay 98.0%	100 gm 500 gm
025913	p-Amino Benzoic Acid Pract. (4-Amino Benzoic acid) $NH_2C_6H_4COOH$ M. W.: 137.14 (150-13-0) Assay (acidimetric) 98.5-100.5%	100 gm 500 gm
006500	2-Amino Benzophenone $C_{13}H_{11}NO$ M. W.: 197.23 (2835-77-0) Assay 98.0%	25 gm 100 gm
006550	S(+)-2-Amino-1-Butanol (D-2-Aminobutanol) $C_4H_{11}NO$ M. W.: 89.14 (5856-62-2) Assay 98.0%	1 gm 5 gm
025916	DL-2-Amino Butyric Acid $C_2H_5CH(NH_2)CO_2H$ M. W.: 103.12 (2835-81-6) Assay 99.0%	25 gm 100 gm
025917	p-Amino Butyric Acid $C_4H_9NO_2$ M. W.: 103.12 (56-12-2) Assay (Non aqueous) 98.0%	100 gm 500 gm 5 kg 25 kg
454945	p-Amino Butyric Acid AR for biochemistry $C_4H_9NO_2$ M. W.: 103.12 (56-12-2) Assay (NT) 99.0%	10 gm 25 gm 100 gm
	DL-2-Amino-n-Caproic Acid See DL-nor Leucine	
006950	6-Amino Caproic Acid for Biochemistry $C_6H_{13}NO_2$ M. W.: 131.17 (60-32-2) Assay 99.0%	100 gm 500 gm 1 kg
007105	2-Amino-5-Chloro Benzophenone $H_2NC_6H_3(Cl).COC_6H_5$ M. W.: 231.68 (719-59-5) Assay 98.0%	100 gm 500 gm
007205	4-Amino-3,5-Dichloro Benzoic Acid $H_6NC_6H_2Cl_2CO_2H$ M. W.: 206.03 (56961-25-2) Assay 98.0%	5 gm 25 gm
	4-Amino-N,N-Diethylaniline Dihydrochloride See N,N-Dimethyl-P-Phenylene Diamine Dihydrochloride	
	4-Amino-N,N-Diethyl Aniline Sulphate See N,N-Diethyl-p-Phenylene Diamine Sulphate	
	4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-One See 4-Aminoantipyrine	
	5-Amino-2,3-Dihydro-1, 4-Phthalazinedione See Luminol	
007300	P-Amino Diphenylamine Crystalline $C_6H_5NHC_6H_4NH_2$ M. W.: 184.24 (101-54-2) Assay 98.0%	100 gm
	2-Amino Ethanol See Ethanolamine Mono	

Product Code	Product Name	Packing
007350	4-(2-Amino Ethyl) Benzene Sulphonyl Fluoride Hydrochloride for Biochemistry (AEBSF-2-Hydrochloride) (Substitute for PMSF) M. W.: 239.7 Assay 98.0%	25 mgm 100 mgm
C ₈ H ₁₀ FNO ₂ S.HCl (30827-99-7)		
025963	1-(2-Amino Ethyl) Piperazine M. W.: 129.21 Assay (GC) 99.0%	100 ml 500 ml
C ₆ H ₁₅ N ₃ (140-31-8)		
007550	2-(2-Amino Ethylamino) Ethanol for Synthesis, [N-(2-Aminoethyl) Ethanolamine, N-(2-2-Hydroxyethyl) Ethylendiamine] M. W.: 104.15	500 ml 2.5 lit 25 lit 200 lit
C ₄ H ₁₂ N ₂ O (111-41-1)		
	1-Amino-2-Fluorobenzene See 2-Fluoroaniline	
	1-Amino-4-Fluorobenzene See 4-Fluoroaniline	
	1-Amino Guanidinium Hydrogen Carbonate See Amino guanidine Bicarbonate	
007650	Amino Guanidine Bicarbonate (1-Aminoguanidinium Hydrogen Carbonate, Guanylhiazine Bicarbonate Salt) for Synthesis M. W.: 136.11 Assay 97.0%	100 gm 500 gm
C ₂ H ₈ N ₄ O ₃ (2582-30-1)		
	2-Amino-3-Hydroxybutyric Acid See DL-Threonine	
	1-Amino-2-Hydroxy Naphthalene-4-Sulfonic Acid See 1-Amino-2-Naphthol-4-Sulphonic Acid	
	4-Amino-3-Hydroxy Naphthalene 1-Sulphonic Acid See 1-Amino-2-Naphthol-4-Sulphonic Acid	
	4-Amino-2-Hydroxy Pyrimidine See Cytosine	
007750	3-Amino Methylalazarin- N,N-Diacetic Acid (Alizarin Complexone) M. W.: 421.36 Assay 95.0%	1 gm 5 gm
C ₁₉ H ₁₅ NO ₈ .2H ₂ O (3952-78-1)		
	2-Amino-3-Methylpentanoic Acid See DL-Isoleucine	
	2-Amino-2-Methylpropane See tert-Butylamine	
455125	2-Amino-2-Methyl-1,3-Propanediol AR M. W.: 105.14 Assay (GC) 99.0%	100 gm
C ₄ H ₁₁ NO ₂ (115-69-5)		
007850	2-Amino-2-Methyl-Propan-1-OL (Isobutanolamine) M. W.: 89.14	500 ml 2.5 lit 25 lit
(CH ₃) ₂ C(NH ₂)CH ₂ OH (124-68-5)		
455645	2-Amino-2-Methyl-Propan-1-OL AR (Isobutanolamine) M. W.: 89.14	500 ml 2.5 lit
(CH ₃) ₂ C(NH ₂)CH ₂ OH (124-68-5)		

Product Code	Product Name	Packing
007950	2-Amino-3-Methylpyridine for Synthesis M. W.: 108.14 Assay 95.0%	100 gm 500 gm
C ₆ H ₈ N ₂ (1603-40-3)		
007955	2-Amino-4-Methylpyridine for Synthesis M. W.: 108.14 Assay 98.0%	100 gm 500 gm
C ₆ H ₈ N ₂ (695-34-1)		
007960	2-Amino-5-Methylpyridine for Synthesis M. W.: 108.14	25 gm 100 gm
C ₆ H ₈ N ₂ (1603-41-4)		
007965	2-Amino-6-Methylpyridine(6-Amino -2-Picoline) for Synthesis M. W.: 108.1 Assay 98.0%	100 gm 500 gm
C ₆ H ₈ N ₂ (1824-81-3)		
008075	4-Amino Morpholine M. W.: 102.14 Assay 97.0%	10 gm
C ₄ H ₁₀ N ₂ O (4319-49-7)		
008175	8-Amino-1-Naphthol-3,6 Disulphonic Acid Sodium Salt (5460-09-3)	100 gm 1 kg
027126	1-Amino-2-Naphthol-4-Sulphonic Acid NH ₂ C ₁₀ H ₅ (OH)SO ₃ H M. W.: 239.25 Assay 95.0%	25 gm 100 gm
(116-63-2)		
455735	1-Amino-2-Naphthol-4-Sulphonic Acid AR For determination of Phosphates NH ₂ .C ₁₀ H ₅ (OH).SO ₃ H M. W.: 239.25 Assay 98.0%	25 gm 100 gm
(116-63-2)		
	1-Aminopentane See Amylamine	
	4-Amino Phenazone See p-Amino Antipyrine	
025931	m-Aminophenol (3-Aminophenol) M. W.: 109.13 Assay(Non-aqueous) 99.0%	100 gm 500 gm
C ₆ H ₇ NO (591-27-5)		
025912	o-Aminophenol Pract (2-Aminophenol) M. W.: 109.13 Assay (GC) 95.0%	100 gm 250 gm
C ₆ H ₇ NO (95-55-6)		
455805	o-Aminophenol AR (2-Aminophenol) M. W.: 109.13 Assay 98.0%	100 gm 500 gm
C ₆ H ₇ NO (95-55-6)		
025911	p-Aminophenol Pract (4-Aminophenol) M. W.: 109.13 Assay (Non-aqueous titration) 96.0%	100 gm 250 gm
C ₆ H ₇ NO (123-30-8)		
	2-Amino-3-Picoline See 2-Amino-3-Methylpyridine	
	2-Amino-4-Picoline See 2-Amino-4-Methylpyridine	

A

Laboratory Chemicals

Product Code	Product Name	Packing
	2-Amino-5-Picoline See 2-Amino-5-Methylpyridine	
	2-Amino-6-Picoline See 2-Amino 6-Methylpyridine	
008250 C ₃ H ₉ NO (156-87-6)	3-Amino-1-Propanol for Synthesis (3-Aminopropyl alcohol) M.W. 75.11	100 ml 500 ml
	1-Aminopropane See N-Propylamine	
	2-Aminopropane See Isopropylamine	
	(S)-2-Aminopropionic Acid See L-Alanine	
	(R)-2-Aminopropionic Acid See D-Alanine	
008555 C ₁₉ H ₂₀ N ₈ O ₅ (54-62-6)	3-Amino Pterin (4-Amino Folic Acid) M. W.: 440.4 Assay 98.0%	10 mgm 25 mgm
027135 N.CH.CH.CH.CH. C.NH ₂ (504-29-0)	2-Amino Pyridine for Synthesis (o-Amino Pyridine) M. W.: 94.12 Assay (G.C) 98.0%	100 gm 500 gm 1 kg
008655 C ₅ H ₆ N ₂ (462-08-8)	3-Amino Pyridine (m-Aminopyridine) (for Synthesis) M. W.: 94.12 Assay 99.0%	100 gm 500 gm
008665 C ₅ H ₆ N ₂ (504-24-5)	4-Amino Pyridine for Synthesis (p-Amino pyridine) M. W.: 94.12	10 gm 100 gm
008765 C ₇ H ₇ NO ₃ (89-57-6)	5-Amino Salicylic Acid for Synthesis (5-Amino-2-Hydroxybenzoicacid, Mesalamine) M. W.: 153.14	100 gm 500 gm
008865 CH ₃ N ₅ .H ₂ O (15454-54-3)	5-Amino Tetrazole Monohydrate for Biochemistry M. W.: 103.08 Assay 97.0%	100 gm
009015 C ₃ N ₄ N ₂ S (96-50-4)	2-Amino Thiazole for Synthesis M. W.: 100.14 Assay 97.0%	100 gm
009075 C ₆ H ₇ NS (137-07-5)	2-Amino Thiophenol for Synthesis (2-Mercaptoaniline) M. W.: 125.19 Assay 98.0%	500 ml
	o-Aminotoluene See o-Toluidine	
	m-Aminotoluene See m-Toluidine	
	p-Aminotoluene See p-Toluidine	

Product Code	Product Name	Packing
009125 C ₂ H ₄ N ₂ (61-82-5)	3-Amino-1,2,4-Triazole for Synthesis (Amitrol,3-Amino-1H-1,2,4-Triazole) M. W.: 84.08	100 gm 500 gm
009135 C ₂ H ₄ N ₄ (584-13-4)	4-Amino-1,2,4-Triazole (4-H-1,2,4-Triazole-4-Amine) M. W.: 84.08	100 gm 500 gm
	N-Amino Urea Hydrochloride See Semicarbazide Hydrochloride	
009235 C ₂₀ H ₂₃ N.HCl (549-18-8)	Amitriptyline Hydrochloride for Biochemistry M. W.: 313.86	25 gm 100 gm 500 gm
804800	Ammonia TS acc. to USP	500 ml
804500	Ammonia Buffer Solution	500 ml
804550	Ammonia Buffer Solution for Hardness of Water Determination	500 ml 2.5 lit
804585	Ammonia Solution 0.04%	500 ml
804600	Ammonia 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
804750	Ammonia Solution About 10% w/v NH ₃	500 ml 2.5 lit
009305 NH ₃ (1336-21-6)	Ammonia Solution (SP. GR. 0.91) M. W.: 17.03 Assay (NH ₃) About 25%	500 ml 1 lit 2.5 lit 5 lit 25 lit
456145 NH ₃ (1336-21-6)	Ammonia Solution AR (SP. GR. 0.91) M. W.: 17.03 Assay (NH ₃) About 25%	500 ml 1 lit 2.5 lit 5 lit 25 lit
009315 NH ₃ (1336-21-6)	Ammonia Solution (SP. GR. 0.89) M. W.: 17.03 Assay (NH ₃) About 28-30%	500 ml 2.5 lit 25 lit
456165 NH ₃ (1336-21-6)	Ammonia Solution AR/ACS (SP. GR. 0.89) M. W.: 17.03 Assay (NH ₃) About 28-30%	500 ml 2.5 lit 25 lit
703740 NH ₃ (1336-21-6)	Ammonia Solution for HPLC Concentration In Water ~10% M. W.: 17.03	500 ml
804805	Ammonia Ammonium Chloride Buffer TS acc. to USP	500 ml
027142 CH ₃ COONH ₄ (631-61-8)	Ammonium Acetate Cryst. Pure M. W.: 77.08 Assay (ex NH ₃) 96.0%	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Packing
456255 CH ₃ COONH ₄ (631-61-8)	Ammonium Acetate Cryst. AR/ACS M. W.: 77.08 Assay (ex NH ₃) 98.0%	500 gm 5 kg 25 kg 50 kg
703790 CH ₃ COONH ₄ (631-61-8)	Ammonium Acetate for HPLC M. W.: 77.08 Assay (Acidimetric; ex NH ₃ Calculated. on dried subs.) 99.0%	250 gm 500 gm
913150 CH ₃ COONH ₄ (631-61-8)	Ammonium Acetate for Molecular Biology M. W.: 77.08 Assay (Acidimetric ex NH ₃ Calc. on dry subs.) 99.0%	100 gm 500 gm
703890 CH ₃ COONH ₄ (631-61-8)	Ammonium Acetate for ULC-MS Hygroscopic M. W.: 77.08	100 gm
804960	Ammonium Acetate 5M Ultrapure Solution For Molecular Biology	250 ml 500 ml
456300 C ₆ H ₁₆ N ₂ O ₄ (3385-41-9)	Ammonium Adipate AR M. W.: 180.20 Assay (Acidimetric) 99.6%	500 gm 25 kg
703940 C ₆ H ₁₆ N ₂ O ₄ (3385-41-9)	Ammonium Adipate EL Grade M. W.: 180.20 Assay (Acidimetric) 99.0%	500 gm
	Ammonium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammonium Sulphate	
	Ammonium Amido Sulphonate See Ammonium Sulphamate	
025988 C ₆ H ₅ COONH ₄ (1863-63-4)	Ammonium Benzoate M. W.: 139.15 Assay (by acidimetry) 98.0%	500 gm 25 kg
	Ammonium Bicarbonate See Ammonium Hydrogen Carbonate	
	Ammonium Bichromate See Ammonium Dichromate	
009415 NH ₄ F.HF (1341-49-7)	Ammonium Bifluoride Pure (Ammonium Hydrogen Difluoride) M. W.: 57.04 Assay (acidimetric) 98.0%	500 gm 5 kg 25 kg 50 kg
456390 NH ₄ F.HF (1341-49-7)	Ammonium Bifluoride AR/ACS M. W.: 57.04 Assay (acidimetric) 98.5%	500 gm
	Ammonium Bismuth Citrate See Bismuth Ammonium Citrate	
009435 (NH ₄)HSO ₄ (7803-63-6)	Ammonium Bisulphate Pure (Ammonium Hydrogen Sulphate) M. W.: 115.11 Assay 98.0%	250 gm 500 gm
027145 NH ₄ Br (12124-97-9)	Ammonium Bromide M. W.: 97.94 Assay (Argentometric; on dried substance) 99.0%	500 gm 25 kg 50 kg

Product Code	Product Name	Packing
456435 NH ₄ Br (12124-97-9)	Ammonium Bromide AR/ACS M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	500 gm 25 kg 50 kg
027147 NH ₄ HCO ₃ + NH ₂ CO ₂ NH ₄ (10361-29-2)	Ammonium Carbonate Purified M. W.: 157.13 Assay (Acidimetric NH ₃) 30-33%	500 gm 25 kg 50 kg
456525 NH ₄ HCO ₃ + NH ₂ COONH ₄ (10361-29-2)	Ammonium Carbonate AR/ACS M. W.: 157.13 Assay (Acidimetric) : 31.0%	500 gm 25 kg 50 kg
704900 NH ₄ HCO ₃ + NH ₂ COONH ₄ (10361-29-2)	Ammonium Carbonate for HPLC M. W.: 157.13	500 gm
805070	Ammonium Carbonate TS acc. to USP	500 ml
805100	Ammonium Ceric Nitrate N/20 Soln. Normality 0.05 ± 0.0005	500 ml
RE0100 (NH ₄) ₂ [Ce(NO ₃) ₆] (16774-21-3)	Ammonium Ceric Nitrate (Ammonium Cerium (IV) Nitrate) M. W.: 548.23 Assay (after drying ex Ce) 98.0%	25 gm 100 gm
RE0110 (NH ₄) ₂ [Ce(NO ₃) ₆] (16774-21-3)	Ammonium Ceric Nitrate AR/ACS M. W.: 548.23 Assay (after drying ex Ce) 99.0%	100 gm 500 gm
RE0120 (NH ₄) ₄ [Ce(SO ₄) ₄].2H ₂ O (10378-47-9)	Ammonium Ceric Sulphate Dihydrate (Ammonium Cerium (IV) Sulphate) M. W.: 632.55 Assay (ex Ce) 90.0-105.0%	100 gm 500 gm
RE0130 (NH ₄) ₄ [Ce(SO ₄) ₄].2H ₂ O (10378-47-9)	Ammonium Ceric Sulphate AR/ACS (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	100 gm 500 gm
027149 NH ₄ Cl (12125-02-9)	Ammonium Chloride Purified M. W.: 53.49 Assay (ex Cl) 99.0%	500 gm 1 kg 5 kg 25 kg 50 kg
456615 NH ₄ Cl (12125-02-9)	Ammonium Chloride AR/ACS Suitable for Chromatographic use M. W.: 53.49 Assay (Argentometric; ex Cl) 99.8%	500 gm 5 kg 25 kg 50 kg
913350 NH ₄ Cl (12125-02-9)	Ammonium Chloride Molecular Biology M. W.: 53.49	500 gm
805135	Ammonium Chloride 5M Ultrapure Solution For Molecular Biology	500 ml 1 lit 2.5 lit
805138	Ammonium Chloride TS acc. to USP	500 ml
805140	Ammonium Chloride-Ammonium Hydroxide TS acc. to USP	500 ml
025994 (NH ₄) ₂ Pt Cl ₆ (16919-58-7)	Ammonium Chloro Platinate M. W.: 443.87 Assay of Pt ~ 44%	1 gm

A

Laboratory Chemicals

Product Code	Product Name	Packing
009685 (NH ₄) ₂ CrO ₄ (7788-98-9)	Ammonium Chromate Extra Pure M. W.: 152.07 Assay 98.0%	500 gm
	di-Ammonium Citrate See di-Ammonium hydrogen-Citrate	
027153 (NH ₄) ₃ C ₆ H ₅ O ₇ (3458-72-8)	tri-Ammonium Citrate M. W.: 243.22 Assay (ex NH ₃) 97.0-103.0%	500 gm 25 kg 50 kg
456705 (NH ₄) ₃ C ₆ H ₅ O ₇ (3458-72-8)	tri-Ammonium Citrate AR M. W.: 243.22 Assay (acidimetric) 98.5-101.0%	500 gm 25 kg 50 kg
027159 (NH ₄) ₂ Cr ₂ O ₇ (7789-09-5)	Ammonium Dichromate Cryst. M. W.: 252.06 Assay (iodometric) 99.5-100.5%	500 gm 1 kg 5 kg 25 kg 50 kg
456795 (NH ₄) ₂ Cr ₂ O ₇ (7789-09-5)	Ammonium Dichromate AR/ACS M. W.: 252.06 Assay (after drying) 99.5%	500 gm 25 kg 50 kg
027161 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Ortho Phosphate Purified M. W.: 115.03 Assay (acidimetric) 98.0-101.0%	500 gm 5 kg 25 kg 50 kg
456885 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Ortho Phosphate AR M. W.: 115.03 Assay (acidimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
704940 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Orthophosphate for HPLC (Ammonium Phosphate Monobasic) M. W.: 115.03 Assay 99.0%	500 gm
027882 (1185-57-5)	Ammonium Ferric Citrate Brown Meets Analytical Specification of IP Iron content (iodometric) 20.5 - 22.5%	500 gm 25 kg 50 kg
456995 (1185-57-5)	Ammonium Ferric Citrate Brown AR (Ammonium Iron (III) Citrate)	500 gm 25 kg 50 kg
025929 (1185-57-5)	Ammonium Ferric Citrate Green	500 gm
457005 (1185-57-5)	Ammonium Ferric Citrate Green AR	500 gm
027164 NH ₄ Fe(SO ₄) ₂ .12H ₂ O (7783-83-7)	Ammonium Ferric Sulphate Dodecahydrate M. W.: 482.18 Assay (ex Fe) 98.0-101.0%	500 gm 25 kg 50 kg
457050 NH ₄ Fe(SO ₄) ₂ .12H ₂ O (7783-83-7)	Ammonium Ferric Sulphate AR/ACS Dodecahydrate M. W.: 482.1 Assay (Iodometric) 99.0%	500 gm 25 kg 50 kg
027166 (NH ₄) ₂ SO ₄ .FeSO ₄ .6H ₂ O (7783-85-9)	Ammonium Ferrous Sulphate Hexahydrate Cryst. M. W.: 392.13 Assay (redox titration) 98.5%	500 gm 1 kg 5 kg 25 kg 50 kg

Product Code	Product Name	Packing
457095 (NH ₄) ₂ SO ₄ .FeSO ₄ .6H ₂ O (7783-85-9)	Ammonium Ferrous Sulphate AR/ACS Hexahydrate M. W.: 392.13 Assay (redox titration) 99.0%	500 gm 5 kg 25 kg 50 kg
027167 NH ₄ F (12125-01-8)	Ammonium Fluoride M. W.: 37.04 Assay (Acidimetric) 95.0%	500 gm 1 kg 25 kg
457140 NH ₄ F (12125-01-8)	Ammonium Fluoride AR/ACS M. W.: 37.04 Assay (Acidimetric) 98.0%	250 gm 500 gm 1 kg 25 kg
805160	Ammonium Fluoride 40% Solution In Water	500 ml 1 lit 2.5 lit
027169 H.COONH ₄ (540-69-2)	Ammonium Formate M. W.: 63.06 Assay (Acidimetric ex NH ₃) 97.0%	250 gm 500 gm 25 kg
457185 H.COONH ₄ (540-69-2)	Ammonium Formate AR M. W.: 63.06 Assay (Acidimetric ex NH ₃) 97.0%	500 gm 50 kg
D06957 CD ₅ NO ₂ (65387-23-7)	Ammonium-d₄ Formate-d M. W.: 68.06 (for NMR Spectroscopy) Assay Min. 98 atom%D	1 gm 5 gm
	Ammonium Hepta Molybdate See Ammonium Molybdate	
	di-Ammonium Hexanitratocerate (IV) See Ammonium Ceric Nitrate	
027170 NH ₄ HCO ₃ (1066-33-7)	Ammonium Hydrogen Carbonate (Ammonium Bicarbonate) M. W.: 79.06 Assay (acidimetric) 98.5%	500 gm 1 kg 5 kg 25 kg 50 kg
457230 NH ₄ HCO ₃ (1066-33-7)	Ammonium Hydrogen Carbonate AR (Ammonium Bicarbonate) M. W.: 79.06 Assay (Acidimetric) 99.0%	500 gm 25 kg 50 kg
027171 C ₆ H ₈ O ₇ .2NH ₃ (3012-65-5)	Di-Ammonium Hydrogen-Citrate (di-Ammonium Citrate) M.W.: 226.18	500 gm 25 kg 50 kg
	Ammonium Hydrogen Difluoride See Ammonium Bifluoride	
027173 (NH ₄) ₂ HPO ₄ (7783-28-0)	di-Ammonium Hydrogen Ortho Phosphate Anhydrous Purified M. W.: 132.06 Assay (acidimetric) 97.0-102%	500 gm 5 kg 25 kg 50 kg
457275 (NH ₄) ₂ HPO ₄ (7783-28-0)	di-Ammonium Hydrogen Ortho Phosphate Anhydrous AR/ACS M. W.: 132.06 Assay (Acidimetric) 98.0-102.0%	500 gm 25 kg 50 kg
	Ammonium Hydroxide Solution See Ammonia Solution	
027180 NH ₄ I (12027-06-4)	Ammonium Iodide M. W.: 144.94 Assay 99.0%	25 gm 100 gm 500 gm

Product Code	Product Name	Packing
457320 NH ₄ I (12027-06-4)	Ammonium Iodide AR/ACS M. W.: 144.94 Assay (redox titration of iodide) 99.0%	50 gm 250 gm
	Ammonium Iron (III) Citrate See Ammonium Ferric Citrate	
805450	Ammonium Iron (II) Sulphate 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
	Ammonium Iron (II) Sulphate See Ammonium Ferrous Sulphate	
	Ammonium Iron (III) Sulphate See Ammonium Ferric Sulphate	
	Ammonium Meta Vanadate See Ammonium-m-Vanadate	
027187 (NH ₄) ₆ .Mo ₇ O ₂₄ .4H ₂ O (12054-85-2)	Ammonium Molybdate Tetrahydrate Cold Soluble M. W.: 1235.9 Assay (Oxidimetric) 98.0-102.0%	100 gm 250 gm 500 gm 1 kg 25 kg
457430 (NH ₄) ₆ .Mo ₇ O ₂₄ .4H ₂ O (12054-85-2)	Ammonium Molybdate Tetrahydrate AR/ACS Cold Soluble M. W.: 1235.9 Assay (Oxidimetric) 99.0%	100 gm 500 gm 1 kg 25 kg
457435 (NH ₄) ₆ .Mo ₇ O ₂₄ .4H ₂ O (12054-85-2)	Ammonium Molybdate AR/ACS Tetrahydrate Hot soluble for steel industry M. W.: 1235.9 Assay (Oxidimetric) 99.0%	100 gm 500 gm 1 kg
	Ammonium Mono Vanadate See Ammonium-m-Vanadate	
027189 (NH ₄) ₂ Ni(SO ₄) ₂ .6H ₂ O (7785-20-8)	Ammonium Nickel Sulphate Hexahydrate (di-Ammonium Nickel (II) Sulphate) M. W.: 394.97 Assay (Complexometric) 98.5%	250 gm 500 gm 25 kg 50 kg
457460 (NH ₄) ₂ Ni(SO ₄) ₂ .6H ₂ O (7785-20-8)	Ammonium Nickel Sulphate AR Hexahydrate M. W.: 394.97 Assay (Complexometric) 99.0%	500 gm 25 kg 50 kg
027192 (COONH ₄) ₂ H ₂ O (6009-70-7)	Ammonium Oxalate Monohydrate Purified M. W.: 142.11 Assay (ex oxalate) 99.0%	500 gm 5 kg 25 kg 50 kg
457480 (COONH ₄) ₂ H ₂ O (6009-70-7)	Ammonium Oxalate Monohydrate AR M. W.: 142.11 Assay 99.0%	500 gm 25 kg 50 kg
025979 (NH ₄) ₁₀ H ₂ W ₁₂ O ₄₂ .XH ₂ O (11120-25-5)	Ammonium Para Tungstate M. W.: 3060.46 (anhy.) Assay (Dried) 98.0%	100 gm 500 gm
025989 (NH ₄) ₅ B ₅ O ₈ 4H ₂ O (12007-89-5)	Ammonium Pentaborate Tetrahydrate M. W.: 272.14 Assay (Acidimetric) 99.0%	500 gm 25 kg 50 kg
457490 (NH ₄) ₅ B ₅ O ₈ 4H ₂ O (12007-89-5)	Ammonium Pentaborate Tetrahydrate AR M. W.: 272.14 Assay (Acidimetric) 99.5%	500 gm 50 kg

Product Code	Product Name	Packing
457500 NH ₄ ClO ₄ (7790-98-9)	Ammonium Perchlorate AR M. W.: 117.49	5 gm
805550	Ammonium Perchlorate Solution 1M in H ₂ O	100 ml 500 ml 1 lit
	Ammonium Peroxodisulphate See Ammonium Persulphate	
027195 (NH ₄) ₂ S ₂ O ₈ (7727-54-0)	Ammonium Persulphate M. W.: 228.19 Assay (iodometric) 98.0%	500 gm 5 kg 50 kg
457510 (NH ₄) ₂ S ₂ O ₈ (7727-54-0)	Ammonium Persulphate AR/ACS M. W.: 228.19 Assay (iodometric) 98.0%	500 gm 5 kg 25 kg 50 kg
914350 (NH ₄) ₂ S ₂ O ₈ (7727-54-0)	Ammonium Persulphate for Molecular Biology M. W.: 228.19 Assay (iodometric) 98.0%	100 gm 500 gm
	Ammonium Phosphate Dibasic See di-Ammonium Hydrogen Orthophosphate	
	Ammonium Phosphate Mono basic See Ammonium Dihydrogen Orthophosphate	
805600	Ammonium Potassium Oxalate Soln. Assay: 10.0±0.5%	125 ml
025954 C ₈ H ₄ N ₅ O ₆ .NH ₄ (3051-09-0)	Ammonium Purpurate (Murexide) C.I. 56085 M. W.: 284.19	5 gm 25 gm 500 gm
457535 C ₈ H ₄ N ₅ O ₆ .NH ₄ (3051-09-0)	Ammonium Purpurate AR/ACS M. W.: 284.19	5 gm 25 gm 500 gm
	Ammonium Pyrochromate See Ammonium Dichromate	
457695 C ₅ H ₁₂ N ₂ H ₂ (5108-96-3)	Ammonium Pyrrolidine Dithiocarbamate AR (Pyrrolidinedicarbodithioic Acid Ammonium Salt, Ammonium Tetramethylene Pithio Carbamate) M. W.: 164.29	10 gm 25 gm
009905 NH ₄ [Cr(NH ₃) ₂ (SCN) ₄]H ₂ O (13573-16-5)	Ammonium Reineckate Monohydrate Colour Reagent And Precipitant For Mercury M. W.: 354.44	25 gm
457745 NH ₄ [Cr(NH ₃) ₂ (SCN) ₄]H ₂ O (13573-16-5)	Ammonium Reineckate Monohydrate AR M. W.: 354.44 Assay 96.0%	10 gm 25 gm
025957 C ₄ N ₂ O ₄ H ₁₂ (2226-88-2)	Ammonium Succinate M. W.: 152.15 Assay 99.0%	500 gm
027201 NH ₄ SO ₃ NH ₂ (7773-06-0)	Ammonium Sulphamate (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox Titration) 98.0%	500 gm 5 kg 25 kg 50 kg

A

Laboratory Chemicals

Product Code	Product Name	Packing
457790	Ammonium Sulphamate AR/ACS (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox titration) 99.0%	100 gm 500 gm
	$\text{NH}_4\text{SO}_3\text{NH}_2$ (7773-06-0)	
805850	Ammonium Sulphate 0.5M (1N) Volumetric Solution Nist Traceable	1 lit
805880	Ammonium Sulphate 3.2M Ultrapure Solution For Molecular Biology	250 ml 500 ml
027202	Ammonium Sulphate Purified M. W.: 132.13 Assay (Acidimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
	$(\text{NH}_4)_2\text{SO}_4$ (7783-20-2)	
457815	Ammonium Sulphate AR/ACS M. W.: 132.13 Assay after drying (acidimetry) 99.5%	500 gm 5 kg 25 kg 50 kg
	$(\text{NH}_4)_2\text{SO}_4$ (7783-20-2)	
045206	Ammonium Sulphate enzyme grade low Heavy Metals Content M. W.: 132.13 Assay 99.5%	250 gm 1 kg
	$\text{H}_8\text{N}_2\text{SO}_4$ (7783-20-2)	
914550	Ammonium Sulphate for Molecular Biology M.W.: 132.14 Assay 99.5%	250 gm 500 gm 5 kg
	$(\text{NH}_4)_2\text{SO}_4$ (7783-20-2)	
D08757	Ammonium-d₈ Sulphate M. W.: 140.2 (for NMR Spectroscopy) Assay Min. 98 atom%D	5 gm
	$\text{D}_8\text{N}_2\text{O}_4\text{S}$ (13814-01-2)	
805950	Ammonium Sulphide Soln. (Yellow)	500 ml 2.5 lit
	Ammonium Sulphocyanide See Ammonium Thiocyanate	
025959	Ammonium (+) Tartrate M. W.: 184.15 Assay (ex NH_3) 98.0%	500 gm 25 kg 50 kg
	$(\text{CHOH.COO}\text{NH}_4)_2$ (3164-29-2)	
457840	Ammonium (+) Tartrate AR M. W.: 184.15 Assay (ex NH_3) 99.0%	500 gm 25 kg 50 kg
	$(\text{CHOH.COO}\text{NH}_4)_2$ (3164-29-2)	
025991	Ammonium Tetraborate Ammonium Tetramethylene Dithiocarbamate See Ammonium Pyrrolidine Dithiocarbamate,	500 gm
027206	Ammonium Thiocyanate Cryst. Purified Also suitable for Silver Recovery M. W.: 76.12 Assay (argentometric) 98.0%	500 gm 5 kg 25 kg 50 kg
	NH_4SCN (1762-95-4)	
457865	Ammonium Thiocyanate AR/ACS M. W.: 76.12 Assay (Argentometric) 99.0%	500 gm 25 kg 50 kg
	NH_4SCN (1762-95-4)	
806100	Ammonium Thiocyanate 0.1M/ (0.1N) CTITRINORM Volumetric Solution Nist Traceable	1 lit
806150	Ammonium Thiocyanate 1M (1N) Volumetric Solution Nist Traceable	1 lit

Product Code	Product Name	Packing
806200	Ammonium Thiocyanate TS acc. to USP	500 ml
806203	Ammonium Thiocyanate 0.1 mol/l (0.1N) for 500 ml Solution	1 amp 3 amp 6 amp
025924	Ammonium Thioglycollate Abt 59% M. W.: 109.15 Assay Abt 59.0%	500 ml
	$\text{C}_2\text{H}_7\text{NO}_2\text{S}$ (5421-46-5)	
027207	Ammonium Thiosulphate Cryst. M. W.: 148.20 Assay (iodometric) 98.0%	1 kg 5 kg
	$(\text{NH}_4)_2\text{S}_2\text{O}_3$ (7783-18-8)	
	Ammonium Tungstate See Ammonium Para Tungstate	
027186	Ammonium-m-Vanadate M. W.: 116.98 Assay (oxidimetric) 98.0%	100 gm 500 gm
	NH_4VO_3 (7803-55-6)	
457890	Ammonium-m-Vanadate AR/ACS M. W.: 116.98 Assay (oxidimetric) 99.0%	100 gm 500 gm
	NH_4VO_3 (7803-55-6)	
025919	Amoxicillin for Lab Use M. W.: 365.40	1 gm 5 gm 10 gm
	$\text{C}_{16}\text{H}_{19}\text{N}_3\text{O}_5\text{S}$ (26787-78-0)	
009925	Amphotericine - B for Biochemistry (1397-89-3)	100 mg 500 mg
009950	Ampicillin Sodium Salt for Biochemistry for Lab Use M. W.: 371.39	5 gm 25 gm
	$\text{C}_{16}\text{H}_{18}\text{N}_3\text{NaO}_4\text{S}$ (69-52-3)	
093000	•Ampicillin Trihydrate for Lab Use M. W.: 403.46 Assay (anhydrous HPLC) 96-100.5%	5 gm 10 gm
	$\text{C}_{16}\text{H}_{19}\text{N}_3\text{O}_4\text{S} \cdot 3\text{H}_2\text{O}$ (7177-48-2)	
	Amprone See 4-Amino antipyrine	
009965	D-Amygdalin for Biochemistry M. W.: 457.43 Assay 99.0%	10 gm
	$\text{C}_{20}\text{H}_{27}\text{NO}_{11}$ (29883-15-6)	
009975	N-Amyl Acetate for Synthesis M. W.: 130.18 Assay 99.0%	500 ml 2.5 lit
	$\text{C}_7\text{H}_{14}\text{O}_2$ (628-63-7)	
	iso- Amyl Acetate See Iso-Amyl Acetate	
	iso- Amyl Alcohol See Iso-Amyl Alcohol	
029455	n-Amyl Alcohol for synthesis (n-Pentanol) M. W.: 88.15	500 ml 2.5 lit 25 lit 200 lit
	$\text{C}_5\text{H}_{12}\text{O}$ (71-41-0)	
457915	n-Amyl Alcohol AR/ACS M.W.: 88.15	500 ml 2.5 lit 25 lit 200 lit
	$\text{C}_5\text{H}_{12}\text{O}$ (71-41-0)	
010405	tert-Amyl Alcohol for Synthesis (2-Methyl-2-Butanol Tert-Pentyl Alcohol, Dimethyl Ethyl Carbinol) M. W.: 88.15	500 ml 2.5 lit 25 lit 200 lit
	$\text{C}_5\text{H}_{12}\text{O}$ (75-85-4)	

Product Code	Product Name	Packing
458115	tert-Amyl Alcohol AR (2-Methyl-2-Butanol, Tert-Pentyl Alcohol, Dimethylethyl Carbinol) M. W.: 88.15	500 ml 2.5 lit 25 lit 200 lit
C ₅ H ₁₂ O (75-85-4)		
802000	Amylamine (1-Aminopentane, n-Amylamine, Pentylamine) M. W.: 87.16	100 ml 500 ml
C ₅ H ₁₃ N (110-58-7)		
	a-Amylase See Diastase	
010455	Amyl Benzoate for Synthesis M. W.: 192.25 Assay 98.0%	500 gm
C ₁₂ H ₁₆ O ₂ (2049-96-9)		
	n-Amyl Bromide See 1-Bromo pentane	
010465	N-Amyl Butyrate for Synthesis M. W.: 158.24	500 gm
C ₉ H ₁₈ O ₂ (540-18-1)		
010485	N-Amyl Cinnamate for Synthesis M. W.: 218.29	500 gm
C ₁₄ H ₁₈ O ₂		
010495	a-Amyl Cinnamaldehyde for Synthesis M.W. : 202.29	500 gm
C ₁₄ H ₁₈ O (122-40-7)		
010595	Amyl Formate for Synthesis M. W.: 116.15	500 gm
C ₆ H ₁₂ O ₂ (638-49-3)		
	iso-Amyl Iodide See Iso-Amyl Iodide	
010605	Amyl Isobutyrate for Synthesis M. W.: 158.24	500 gm
C ₉ H ₁₈ O ₂ (106-27-4)		
010615	Amyl Isovalerate for Synthesis M. W.: 172.26	500 gm
C ₁₀ H ₂₀ O ₂ (25415-62-7)		
038005	•Amylopectin From Potato Starch	1 gm 25 gm
(9037-22-3)		
038006	•Amylose From Potato Starch	1 gm
(9005-82-7)		
010625	Amyl Phenyl Acetate for Synthesis M. W.: 206.28	500 gm
C ₁₃ H ₁₈ O ₂ (5137-52-0)		
010635	Amyl Propionate for Synthesis M. W.: 144.21	500 gm
C ₈ H ₁₆ O ₂ (624-54-4)		
010645	Amyl Salicylate for Synthesis M. W.: 208.25	500 gm
C ₁₂ H ₁₆ O ₃ (2050-08-0)		
806250	Andrade's Indicator	125 ml
010865	Anethole for Synthesis [trans-Anethole, 1-Methoxy-4-(1-Propenyl) Benzene] M. W.: 148.20 Assay (GC) 99.0%	500 ml 2.5 lit
CH ₃ CH=CHC ₆ H ₄ OCH ₃ (4180-23-8)		

Product Code	Product Name	Packing
	Aneurine Hydrochloride See Thiamine Hydrochloride	
027226	Aniline for Synthesis M. W.: 93.13 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₅ NH ₂ (62-53-3)		
458205	Aniline AR M. W.: 93.13 Assay (By GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₅ NH ₂ (62-53-3)		
010975	Aniline Blue (Spirit Soluble) C.I. 42775 for Microscopy	25 gm 100 gm 500 gm
(8004-91-9)		
034003	Aniline Blue (Water Soluble) C.I. 42780 for Microscopy M. W.: 799.80	10 gm 25 gm 100 gm
C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ (28983-56-4)		
806270	Aniline Blue - Orange (Mallory) Connective Tissue Stain for Collagen	100 ml
806267	Aniline Blue - Orange G Acetic (for Azan Stain) Connective Tissue Stain for Collagen	100 ml
806265	Aniline Blue Solution (2.5% in 2% acetic acid)	250 ml
027229	Aniline Hydrochloride for Synthesis M. W.: 129.59 Assay (Argentometric; ex Cl) 99-100.5%	250 gm 500 gm
C ₆ H ₅ NH ₂ HCl (142-04-1)		
027230	Aniline Sulphate M. W.: 284.33 Assay (acidimetric) 98.0%	250 gm 500 gm
(C ₆ H ₅ NH ₂) ₂ H ₂ SO ₄ (542-16-5)		
	2-Aminoethanol See Ethanolamine Mono	
027231	Anisaldehyde M. W.: 136.15 Assay (GC) 99.0%	250 ml 500 ml 25 lit
CH ₃ OC ₆ H ₄ CHO (123-11-5)		
	p-Anisaldehyde See Anisaldehyde	
011275	m-Anisic Acid for synthesis (m-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	25 gm 100 gm
C ₈ H ₈ O ₃ (586-38-9)		
011285	o-Anisic Acid for Synthesis M. W.: 152.15 Assay 98.0%	100 gm 500 gm
C ₈ H ₈ O ₃ (579-75-9)		
011295	p-Anisic Acid for Synthesis (4-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	100 gm 500 gm
C ₈ H ₈ O ₃ (100-09-4)		
011395	Anisic Alcohol for Synthesis (Anise Alcohol, Anisyl Alcohol) M. W.: 138.16 Assay 98.0%	100 gm 500 gm
C ₈ H ₁₀ O ₂ (105-13-5)		
011495	m-Anisidine (3-Methoxyaniline, (Anise Alcohol, Anisyl Alcohol) 3-Aminoanisole, 3-Aminophenyl Methyl Ether) for Synthesis M. W.: 123.15 Assay 98.0%	100 ml 500 ml
CH ₃ OC ₆ H ₄ NH ₂ (536-90-3)		

A

Laboratory Chemicals

Product Code	Product Name	Packing
027233 C ₇ H ₉ NO (90-04-0)	o-Anisidine M. W.: 123.16 Assay (GC) 98.0%	500 ml 2.5 lit
027235 C ₇ H ₉ NO (104-94-9)	p-Anisidine M. W.: 123.16 Assay (GC) 98.0%	250 gm 500 gm
459005 C ₇ H ₉ NO (104-94-9)	p-Anisidine AR M. W.: 123.16 Assay (GC) 98.0%	100 gm 500 gm
027237 CH ₃ OC ₆ H ₅ (100-66-3)	Anisole M. W.: 108.14 Assay (GC) 98.5%	500 ml 2.5 lit 25 lit
026017 C ₁₄ H ₁₀ (120-12-7)	Anthracene Pure (Blue Fluorescence) M. W.: 178.23 Assay (GC) 97.0%	100 gm 500 gm
014611 C ₁₄ H ₁₀ (120-12-7)	Anthracene for Scintillation grade M. W.: 178.22 Assay (GC) 99.5%	25 gm 100 gm
D12357 C ₁₄ D ₁₀ (1719-06-8)	Anthracene-d₁₀ M. W.: 188.29 (for NMR Spectroscopy) Assay Min. 98 atom%D	1 gm
027243 (C ₆ H ₄ CO) ₂ (84-65-1)	Anthraquinone for Synthesis M. W.: 208.22 Assay 98.0%	500 gm 25 kg 50 kg
011695 C ₁₄ H ₇ NaO ₅ S.H ₂ O (153277-35-1)	Anthraquinone-2-Sulphonic Acid Sodium Salt M. W.: 328.27 Assay (HPLC) 97.0%	25 gm 100 gm
459085 C ₁₄ H ₇ NaO ₅ S.H ₂ O (153277-35-1)	Anthraquinone-2-Sulphonic Acid Sodium Salt AR (Silver Salt) M. W.: 328.27 Assay (HPLC) 98.0%	25 gm 100 gm
011725 C ₁₄ H ₁₀ O (90-44-8)	Anthrone for Synthesis M. W.: 194.23 Assay (GC) 97.0%	10 gm 25 gm
459095 C ₁₄ H ₁₀ O (90-44-8)	Anthrone AR/ACS M. W.: 194.23 Assay (GC) 98.0%	10 gm 25 gm 100 gm
806500	Antimony (Sb) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
803502 new	Antimony (Sb) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
806550	Antimony (Sb) 1000 ppm Single Element Std. Soln. for ICP in HNO₃ Nist Traceable	100 ml 500 ml
806600	Antimony (Sb) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
806650	Antimony (Sb) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml

Product Code	Product Name	Packing
025926 Sb (7440-36-0)	Antimony Metal Lumps At. W.: 121.75 Assay (Iodometric) 99.5%	100 gm 500 gm
027248 Sb (7440-36-0)	Antimony (Metal) Powder At. W.: 121.75 Assay (Iodometric; ex Sb) 98.5%	100 gm 500 gm 25 kg
459185 Sb (7440-36-0)	Antimony (Metal) Powder AR At. W.: 121.75 Assay (Trace metals basis) 99.99%	10 gm 25 gm
011795 Sb (7440-36-0)	Antimony Ingots A. W.: 121.75 Assay (Trace metals basis) 99.999%	10 gm 25 gm
	Antimony (III) Chloride See Antimony Trichloride	
011895 N ₃ O ₉ Sb (20328-96-5)	Antimony Nitrate Pure (Antimony Trinitrate) M.W. : 307.77	500 gm
	Antimony (III) Oxide See Antimony Trioxide	
	Antimony Pentasulphide See Antimony Sulphide Golden	
011915 Sb ₂ O ₅ (1314-60-9)	Antimony Pentoxide (Antimony (V) Oxide) M. W.: 323.52 Assay 99.0%	250 gm
025940 C ₄ H ₄ O ₇ KSb1/2H ₂ O (28300-74-5)	Antimony Potassium Tartrate M. W.: 324.92	100 gm 500 gm 25 kg 50 kg
459275 C ₄ H ₄ O ₇ KSb 1/2H ₂ O (28300-74-5)	Antimony Potassium Tartrate AR M. W.: 324.92	100 gm 500 gm
806750	Antimony Potassium Tartrate Solution for Phosphate	500 ml
011935 Sb ₂ S ₅ (1315-04-4)	Antimony Sulphide Golden (Antimony Pentasulphide) M. W.: 403.85 Assay (Sb basis) 60.0%	500 gm 25 kg
026019 Sb ₂ S ₃ (1345-04-6)	Antimony (III) Sulphide (Antimony Sulphide Black) M. W.: 339.68 Assay (Oxidimetric) 95.0%	500 gm 25 kg
027258 SbCl ₃ (10025-91-9)	Antimony Trichloride M. W.: 228.11 Assay (Iodometric; ex Sb) 98.5%	100 gm 250 gm 500 gm 5 kg 25 kg
459365 SbCl ₃ (10025-91-9)	Antimony Trichloride AR/ACS M. W.: 228.11 Assay (Iodometric; ex Sb) 99.0%	100 gm 250 gm 500 gm
011985 SbF ₃ (7783-56-4)	Antimony Trifluoride Pure (Antimony (III) Fluoride) M. W.: 178.76 Assay 98.0%	250 gm

Product Code	Product Name	Packing
027261 Sb ₂ O ₃ (1309-64-4)	Antimony Trioxide Pure M. W.: 291.50 Assay (Iodometric) 99.0%	500 gm 1 kg 50 kg
459455 Sb ₂ O ₃ (1309-64-4)	Antimony Trioxide AR M. W.: 291.50 Assay (Iodometric) 99.0%	500 gm 5 kg 25 kg
011990 C ₁₁ H ₁₂ N ₂ O (60-80-0)	Antipyrine (Phenazone) M.W.: 188.23 Assay 99.0%	100 gm 500 gm
012095 C ₂₈₄ H ₄₃₂ N ₈₄ O ₇₉ S ₇ (9087-70-1)	Aprotinin From Bovine Lung Activity Min 5400 KIU/mg for Biochemistry M. W. 6511.52	5 mgm 10 mgm 100 mgm
459545 C ₅ H ₁₀ O ₅ (10323-20-3)	D-Arabinose for Biochemistry AR M. W.: 150.13	5 gm 25 gm
038008 C ₅ H ₁₀ O ₅ (5328-37-0)	L (+) Arabinose AR M. W.: 150.13 Assay 99.0%	10 gm 25 gm
012185 C ₅ H ₁₂ O ₅ (488-82-4)	D(+)-Arabitol [D (+) Arabinitol] for Biochemistry M. W.: 152.15	5 gm
012235 C ₅ H ₁₂ O ₅ (7643-75-6)	L (-) Arabitol [L (-) Arabinitol] for Biochemistry M. W.: 152.15	1 gm 10 gm
012265 C ₁₂ H ₁₆ O ₇ (497-76-7)	p-Arbutin for Biochemistry M. W.: 272.25	10 gm 25 gm 50 gm
038009 C ₈ H ₁₃ NO ₂ .HBr (300-08-3)	Arceoline Hydrobromide M. W.: 236.11	1 gm 5 gm
037190 C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine for Biochemistry M. W.: 174.20 Assay (Non-aqueous) 98.0%	25 gm 100 gm 1 kg
037016 C ₆ H ₁₄ N ₄ O ₂ HCl (1119-34-2)	L-Arginine Monohydrochloride for Biochemistry M. W.: 210.67 Assay (Non-aqueous) 98.5%	25 gm 100 gm 1 kg
012365 C ₆ H ₈ AsNO ₃ (98-50-0)	p-Arsanilic Acid for Synthesis M. W.: 217.05 Assay 99.0%	100 gm 500 gm
459635 C ₁₆ H ₁₀ N ₂ O ₁₁ S ₂ AsNa ₃ (520-10-5)	Arsenazo I AR (Neothorone) M. W.: 614.28	5 gm
459725 C ₂₂ H ₁₆ As ₂ N ₄ Na ₂ O ₁₄ S ₂ 4H ₂ O (62337-00-2)	Arsenazo III AR M. W.: 892.40	5 gm
807000	Arsenic (As) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
807002 new	Arsenic (As) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml

Product Code	Product Name	Packing
807050	Arsenic (As) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
807100	Arsenic (As) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
012465 (7440-38-2)	Arsenic Metal Reference Standard Assay (Trace metal basis) 99.999%	5 gm
012475 (7440-38-2)	Arsenic Metal Lump	100 gm
012575 As ₂ O ₅ (1303-28-2)	Arsenic Pentoxide for Synthesis M. W.: 229.84	500 gm
012585 As ₂ S ₃ (1303-33-9)	Arsenic Sulphide for Synthesis (di-Arsenic Trisulphide) M. W.: 246.04	5 gm
025910 As ₂ O ₃ (1327-53-3)	Arsenic Trioxide Pract M. W.: 197.84 Assay (iodometric) 95.0%	500 gm
459815 As ₂ O ₃ (1327-53-3)	Arsenic Trioxide AR M. W.: 197.84 Assay (iodometric) 99.0%	100 gm 500 gm
	Arsenous Oxide See Arsenic Trioxide	
025968 (1334-28-1)	Asbestos for Gooch Crucibles	100 gm 500 gm
459905 (1310-73-2)	Ascarite AR 1.6-3 mm Acid Washed Absorption capacity for CO ₂ : 50.0%	100 gm 250 gm
012685 (9029-44-1)	Ascorbate Oxidase from Cucurbita SP. Lyophilized Powder, Activity ~275-325u/mg (Ascorbase, L-Ascorbate: Oxygen Oxidoreductase	2000 Units
044006 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid M. W.: 176.13 Assay (iodometric) 99.0%	25 gm 100 gm 500 gm 5 kg 25 kg
459995 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid AR/ACS for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 176.13 Assay (iodometric) 99.7%	100 gm 500 gm 25 kg
	Ascorbic Acid Sodium Salt See Sodium L (+) Ascorbate	
037019 C ₄ H ₈ N ₂ O ₃ .H ₂ O (5794-24-1)	D-Asparagine Monohydrate for Biochemistry M. W.: 150.14 Assay 99.0%	5 gm 25 gm 100 gm
025923 C ₄ H ₈ N ₂ O ₃ .H ₂ O (3130-87-8)	DL-Asparagine Monohydrate M. W.: 150.14 Assay (NT) 98.0%	25 gm 100 gm

A

Laboratory Chemicals

Product Code	Product Name	Packing
037020	L-Asparagine Monohydrate for Biochemistry C ₄ H ₈ N ₂ O ₃ ·H ₂ O (5794-13-8) M. W.: 150.13 Assay (Non-aqueous) 98.5%	25 gm 100 gm 1 kg
012885	Aspartame for Synthesis C ₁₄ H ₁₈ O ₅ N ₂ (22839-47-0) M.W.: 294.30	5 gm 100 gm
037022	DL-Aspartic Acid NH ₂ CH(COOH)CH ₂ COOH M. W.: 133.10 (617-45-8) Assay (Non-aqueous) 99.0%	25 gm 100 gm 1 kg
037021	L-Aspartic Acid Pure NH ₂ CH(COOH)CH ₂ ·COOH M. W.: 133.10 (56-84-8) Assay (Non-aqueous) 99.0%	25 gm 100 gm 1 kg
027039	Aspirin (Acetyl Salicylic Acid) C ₉ H ₈ O ₄ (50-78-2) M. W.: 180.16	250 gm
	Atomic Absorption Standards Solution See AAS Solution Page No.- 193	
027277	Atropine Sulphate Monohydrate Meets Analytical Specification of IP, BP, USP, Ph. Eur. (C ₁₇ H ₂₃ NO ₃) ₂ ·H ₂ SO ₄ ·H ₂ O M. W.:694.84 (5908-99-6) Assay (Non-aqueous; Calc. w.r.t. anhy. subs.) 99.0-101%	5 gm 10 gm 25 gm
034095	Auramine for Microscopy (Auramine-O) C ₁₇ H ₂₁ N ₃ ·HCl (2465-27-2) C.I. 41000 M. W.: 303.84	25 gm 100 gm 1 kg
807180	Auramine Phenolic (Lempert) Solution for Microscopy	100 ml
013125	Aurantin for Synthesis C ₂₀ H ₃₀ O ₇ (522-16-7) M. W.: 372.37	500 gm
	Aurin See p-Rosolic Acid	
	Aurin Tricarboxylic Acid Ammonium Salt See Aluminon	
013200	7-Azaindole for Synthesis (1H-Pyrrolo(2,3-b)pyridine) C ₇ H ₆ N ₂ (271-63-6) M. W.: 118.14 Assay 98.0%	1 gm 5 gm 25 gm
013225	Azelaic Acid for Synthesis C ₉ H ₁₆ O ₄ (123-99-9) M. W.: 188.20 Assay 98.0%	100 gm 500 gm
013355	Azobenzene C ₆ H ₅ N=NC ₆ H ₅ (103-33-3) M. W.: 182.22 Assay 98.0%	25 gm
	2,2'-Azobis (2-Methylpropionitrile) See a, a-Azo Iso Butyronitrile	
013405	Azocarmine G for Histology (Acid Red 101) C ₂₈ H ₁₈ N ₃ NaO ₆ S ₂ (25641-18-3) C.I. No. 50085 M. W.: 579.59	25 gm

Product Code	Product Name	Packing
013505	Azodicarbonamide for Synthesis C ₂ H ₄ N ₄ O ₂ (123-77-3) M. W.: 116.07 Assay 97.0%	500 gm
013595	a, a-Azo Iso Butyronitrile (AIBN, 2,2-Azo Bis [2-2,Methyl Propionitrile]) for synthesis C ₈ H ₁₂ N ₄ (78-67-1) M. W.: 164.21 Assay 98.0%	100 gm 500 gm 1 kg 5 kg
013695	Azomethine-H-monosodium Salt Hydrate C ₁₇ H ₁₂ NO ₈ S ₂ Na·XH ₂ O M. W.: 445.40 (Anhy.) (206752-32-1) Assay 97.0%	1 gm 5 gm
013795	Azophloxine (Acid Red I) (C.I. 18050) C ₁₈ H ₁₃ N ₃ Na ₂ O ₈ S ₂ (3734-67-6) M. W.: 509.42	25 gm 100 gm
	Azorubin C See Carmosine A	
	Azorubin S See Amaranth	
	Azoviolet See Magneson I	
013895	Azur A (M.S.) (C.I. 52005) C ₁₄ H ₁₄ N ₃ SCI (531-53-3) M. W.: 291.80	5 gm 10 gm 25 gm 1 kg
013900	Azur B (M.S.) (Azur I) (C.I. 52010) C ₁₅ H ₁₆ ClN ₃ S (531-55-5) M. W.: 305.83	5 gm 25 gm 1 kg
013905	Azur C C ₁₃ H ₁₂ ClN ₃ S (531-57-7) M. W.: 277.77	5 gm 25 gm
	Azur I for Microscopy See Azur B	
034006	Azur II for Microscopy C ₁₆ H ₁₈ N ₃ S·C ₁₅ H ₁₆ N ₃ S ₂ Cl M. W.: 625.68 (37247-10-2)	10 gm 25 gm
034007	Azur II Eosine for Microscopy (53092-85-6)	25 gm



Product Code	Product Name	Packing
	B-9 See Alar	
025882 C ₆₆ H ₁₀₃ N ₁₇ O ₁₆ S (1405-87-4)	•Bacitracin 50,000 Units in vial M. W.: 1422.72 Potency 50000 Unit/gm	50000 unit 250000 unit
036004 (8007-47-4)	Balsam Canada Natural	500 gm
019995 (8007-47-4)	Balsam Canada Synthetic	100 gm 500 gm
020005 (8007-00-9)	Balsam Peru	500 gm
020010 (9000-64-0)	Balsam Tolu	500 gm
027284 C ₄ H ₄ N ₂ O ₃ (67-52-7)	Barbituric Acid M. W.:128.09 Assay (acidimetric) 99.0%	100 gm 500 gm 1 kg
461405 C ₄ H ₄ N ₂ O ₃ (67-52-7)	Barbituric Acid AR M. W.:128.09 Assay (acidimetric) 99.5%	25 gm 100 gm
807400	Barfoed's Reagent	125 ml
807450	Barium (Ba) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
807452 new	Barium (Ba) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
807500	Barium (Ba) 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
807550	Barium (Ba) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
807502 new	Barium (Ba) 1000 ppm Single Element Std. Soln. for ICP-MS in Diluted HCl Nist Traceable	100 ml 500 ml
807552 new	Barium (Ba) 10000 ppm Single Element Std. Soln. for ICP-MS in Diluted HCl Nist Traceable	100 ml 500 ml
025898 C ₄ H ₆ O ₄ Ba (543-80-6)	Barium Acetate M. W.: 255.43 Assay (complexometric) 98.0%	500 gm 25 kg 50 kg
461585 C ₄ H ₆ O ₄ Ba (543-80-6)	Barium Acetate AR/ACS M. W.: 255.43 Assay (Complexometric) 98.0%	500 gm 25 kg
025899 B ₂ O ₄ Ba (13701-59-2)	Barium Borate M.W. : 181.15 Assay 96.0%	250 gm
027287 BaBr ₂ ·2H ₂ O (7791-28-8)	Barium Bromide Dihydrate M. W.: 333.17 Assay 98.0%	500 gm 25 kg 50 kg
027288 BaCO ₃ (513-77-9)	Barium Carbonate M. W.:197.34 Assay (acidimetric) 99.0-101.0%	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Packing
461740 BaCO ₃ (513-77-9)	Barium Carbonate AR/ACS M. W.: 197.34 Assay 99.0%	500 gm 25 kg 50 kg
020215 BaCO ₃ (513-77-9)	Barium Carbonate Practical Grade M. W.: 197.34	500 gm 25 kg 50 kg
461765 BaCO ₃ (513-77-9)	Barium Carbonate AR HISURE M. W.: 197.34 Assay (Base on Trace metal analysis) 99.99%	25 gm 100 gm
461790 BaC ₆ Cl ₂ O ₄ (13435-46-6)	Barium Chloranilate AR/ACS M. W.: 344.31 Assay (ex Ba) 99.0%	25 gm
808072	Barium Chloride 0.05M (0.1N) Standardized Solution Nist Traceable	1 lit
808070	Barium Chloride 0.05 mol/L (0.1N) for 500 ml Solution	1 amp 3 amp 6 amp
808050	Barium Chloride 0.1M (0.2N) Volumetric Solution Nist Traceable	1 lit
808082	Barium Chloride TS acc. to USP	500 ml
808100	Barium Chloride 10% Solution Assay (BaCl ₂ ·2H ₂ O) Abt 10.0% W/W	500 ml
027290 BaCl ₂ ·2H ₂ O (10326-27-9)	Barium Chloride Dihydrate Cryst. Pure M. W.:244.27 Assay (Argentometric) 99.0-102.0%	500 gm 1 kg 5 kg 25 kg 50 kg
461815 BaCl ₂ ·2H ₂ O (10326-27-9)	Barium Chloride Dihydrate AR/ACS M. W.:244.27 Assay 99.0-100.5%	500 gm 1 kg 5 kg 25 kg 50 kg
025869 BaCrO ₄ (10294-40-3)	Barium Chromate M. W.: 253.32 Assay (Iodometric) 98.0%	500 gm
461840 BaCrO ₄ (10294-40-3)	Barium Chromate AR M. W.: 253.32 Assay (iodometric) 99.0%	100 gm 500 gm 5 kg
461865 C ₂₄ H ₂₀ BaN ₂ O ₆ S ₂ (6211-24-1)	Barium Diphenylamine Sulphonate AR Redox Indicator M. W.: 633.9	5 gm 25 gm
808130	Barium Diphenylamine Sulphonate Solution (Oxidation-reduction indicator for the titration of iron with potassium dichromate and zinc with potassium ferrocyanate)	100 ml
020415 BaF ₂ (7787-32-8)	Barium Fluoride Pure M. W.: 175.32	500 gm
461890 BaF ₂ (7787-32-8)	Barium Fluoride AR M. W.: 175.32 Assay (Trace metal basis) 99.99%	25 gm

B

Laboratory Chemicals

Product Code	Product Name	Packing
808173	Barium Hydroxide 0.3 mol/L Solution	500 ml
808170	Barium Hydroxide 0.05 mol/L (0.1N) Solution	500 ml
027295	Barium Hydroxide Octahydrate Purified	500 gm
Ba(OH) ₂ .8H ₂ O (12230-71-6)	M. W.:315.47 Assay (acidimetric) 97.0%	5 kg 25 kg 50 kg
461915	Barium Hydroxide Octahydrate AR/ACS	500 gm
Ba(OH) ₂ .8H ₂ O (12230-71-6)	M. W.:315.47 Assay 98.0%	25 kg 50 kg
027297	Barium Iodate	100 gm
Ba(IO ₃) ₂ .H ₂ O (7787-34-0)	M. W.: 505.15 Assay 98.0%	
020565	Barium Iodide Pure	100 gm
BaI ₂ Aq. (13718-50-8)	M. W.: 391.15 Aq. Assay 99.0%	
027299	Barium Nitrate Purified	500 gm
Ba(NO ₃) ₂ (10022-31-8)	M. W.: 261.34 Assay 99.0%	5 kg 25 kg 50 kg
461940	Barium Nitrate AR/ACS	500 gm
Ba(NO ₃) ₂ (10022-31-8)	M. W.:261.34 Assay 99.5%	25 kg 50 kg
706440	Barium Nitrate EL Grade	5 kg
Ba (NO ₃) ₂ (10022-31-8)	M. W.: 261.34 Assay (ex Ba) 99.5%	
808200	Barium Nitrate TS acc. to USP	500 ml
025870	Barium Oxalate	250 gm
BaC ₂ O ₄ (516-02-9)	M. W.: 225.35	
020695	Barium Oxide	500 gm
BaO (1304-28-5)	M.W.: 153.34 Assay 97.0%	
808500	Barium Perchlorate 0.005 M/lit Volumetric Solution Water	1 lit
808503	Barium Perchlorate 0.005 M/lit (0.005M) Alcoholic Solution	1 lit
025876	Barium Perchlorate (Trihydrate)	250 gm
Ba(ClO ₄) ₂ .3H ₂ O (10294-39-0)	M. W.: 390.29 Assay 99.0 - 101.0%	
461965	Barium Perchlorate (Anhydrous) AR	250 gm
Ba (ClO ₄) ₂ (13465-95-7)	M. W.: 336.23 Assay 98.0%	
020740	Barium Peroxide	500 gm
BaO ₂ (1304-29-6)	M. W.: 169.34 Assay (iodometric on dried basis) 90.0%	25 kg 50 kg
025874	Barium Phosphate	250 gm
Ba ₃ (PO ₄) ₂ (13517-08-3)	M. W.: 601.92 Assay (ex Ba) 55.0%	
020895	Barium Stearate Pure	1 kg
C ₃₆ H ₇₀ O ₄ Ba (6865-35-6)	M.W.: 704.28	25 kg

Product Code	Product Name	Packing
027303	Barium Sulphate	500 gm
BaSO ₄ (7727-43-7)	M. W.: 233.39 Assay (Gravimetric) 95.0%	2 kg 25 kg
461990	Barium Sulphate AR/ACS	500 gm
BaSO ₄ (7727-43-7)	M. W.: 233.39 Assay (Gravimetric; as BaSO ₄) 97.5-100.5%	25 kg
020995	Barium Sulphide	500 gm
BaS (21109-95-5)	M. W.: 169.39 Assay 98.0%	
021050	Barium Sulphite Pure	500 gm
BaO ₃ S (7787-39-5)	M. W.: 217.39	
021075	Barium Tartrate Pure	500 gm
C ₄ H ₄ BaO ₆ (5908-81-6)	M. W.: 285.39 Assay 98.0%	
021115	Barium Titanate for Synthesis	500 gm
BaTiO ₃ (12047-27-7)	M.W.: 233.19 Assay 98.0%	
808700	Barritt Reagent A	100 ml 500 ml
808710	Barritt Reagent B	100 ml 500 ml
	Basic Brown 1 See Bismark Brown R	
	Basic Brown 4 See Bismark Brown Y (G)	
	Basic Fuchsin See Fuchsin Basic	
462015	Bathocuproin AR/ACS	100 mgm 500 mgm
C ₂₆ H ₂₀ N ₂ (4733-39-5)	M. W.: 360.46 Assay (non-aqueous) 99.0%	
462040	Bathocuproin Disulphonic Acid Disodium Salt AR	100 mgm 500 mgm
C ₂₆ H ₁₈ N ₂ O ₆ S ₂ Na ₂ (52698-84-7)	M. W.: 564.55 Assay (non-aqueous titration on anhydrous substance) 98.5%	
462065	Bathophenanthroline AR	100 mgm 250 mgm 1 gm
C ₂₄ H ₁₆ N ₂ (1662-01-7)	(Reagent for Colorimetric determination of Iron) M. W.: 332.41 Assay (non aqueous; dried) 99.5%	
462090	Bathophenanthroline Disulphonic Acid Disodium Salt AR	100 mgm 250 mgm 1 gm
C ₂₄ H ₁₆ N ₂ Na ₂ O ₆ S ₂ (52746-49-3)	M.W. : 536.50	
	BCIG See 5-Bromo-4-Chloro-3-Indolyl-β-D- Galactopyranoside	
	Beef Extract See Meat Extract	
033017	Bees wax (white)	500 gm
(8012-89-3)		
033018	Bees Wax (yellow) for Histology	500 gm
(8012-89-3)		
808810	Benedict's Reagent Qualitative for detection of Sugar in Urine	500 ml 5 lit 25 lit

Product Code	Product Name	Packing
808820	Benedict's Reagent Quantitative	500 ml
026022	Bentonite Powder	500 gm
H ₂ Al ₂ O ₆ Si (1302-78-9)	M. W.: 180.1	25 kg 50 kg
021415	Benzalacetone for Synthesis (Benzylideneacetone, Methyl Styryl Ketone, 4-Phenyl-3-Butene-2-One)	500 gm
C ₁₀ H ₁₀ O (122-57-6)	M. W.: 146.19	
021445	Benzalacetophenone for Synthesis (Chalcone)	100 gm 500 gm
C ₁₅ H ₁₂ O (614-47-1)	M. W.: 208.26 Assay 97.0%	
	Benzethonium Chloride See Hyamine 1622	
027310	Benzaldehyde for Synthesis	500 ml
C ₆ H ₅ CHO (100-52-7)	M. W.: 106.12 Assay (GC) 98.5%	2.5 lit 25 lit 200 lit
462115	Benzaldehyde AR/ACS	500 ml
C ₆ H ₅ CHO (100-52-7)	M. W.: 106.12 Assay 99.0%	2.5 lit 25 lit 200 lit
021495	Benzalkonium Chloride 50% Solution w/v Aqueous Soln.	500 ml
(63449-41-2)	Assay 49-51 w/v	1 lit 5 lit 25 lit 200 lit
027311	Benzamide for synthesis	100 gm
C ₆ H ₅ CO.NH ₂ (55-21-0)	M. W.: 121.14 Assay (ex N) 98.5%	500 gm 25 kg 50 kg
027312	Benzanilide for Synthesis	100 gm
C ₆ H ₅ .CO.NH.C ₆ H ₅ (93-98-1)	M. W.: 197.24 Assay (GC) 99.0%	500 gm
027315	Benzene for Synthesis	500 ml
C ₆ H ₆ (71-43-2)	M. W.: 78.11 Assay (GC) 99.0%	1 lit 2.5 lit 25 lit 200 lit
462140	Benzene AR/ACS	500 ml
C ₆ H ₆ (71-43-2)	M. W.: 78.11 Assay (GC) 99.7%	1 lit 2.5 lit 25 lit
706945	Benzene EL Grade	1 lit
C ₆ H ₆ (71-43-2)	M. W.: 78.11 Assay (GC) 99.7%	
462005	Benzene Scintillation Grade	500 ml
C ₆ H ₆ (71-43-2)	M. W.: 78.11 Assay (GC) 99.7%	2.5 lit
706950	Benzene for HPLC & Spectroscopy	500 ml
C ₆ H ₆ (71-43-2)	M. W.: 78.11 Assay (GC) 99.8%	1 lit
D14175	Benzene-d₆ (for NMR Spectroscopy)	10 ml
C ₆ D ₆ (1076-43-3)	M. W.: 188.29 Assay Min. 99.5 atom%D	

Product Code	Product Name	Packing
D14517	Benzene-d₆ (for NMR Spectroscopy)	10x0.75ml
C ₆ D ₆ (1076-43-3)	M. W.: 188.29 Assay Min. 99.8 atom%D	
	Benzenemethanamine See Benzylamine	
021217	Benzene Sulphonic Acid for Synthesis	500 gm
C ₆ H ₅ SO ₃ H (98-11-3)	M. W.: 158.18	
025860	Benzene Sulphonyl Chloride	500 ml
C ₆ H ₅ ClO ₂ S (98-09-9)	M. W.: 176.62 Assay (GC) 98.0%	
021755	1,2,4-Benzene Tricarboxylic Anhydride	250 gm 1 kg
C ₉ H ₄ O ₅ (552-30-7)	M. W.: 192.13 Assay 97.0%	
	1,2,3-Benzenetriol See Pyrogallol	
	Benzethonium Chloride See Hyamine 1622	
021855	Benzhydrol for Synthesis (diphenylmethanol, Diphenyl carbinol)	500 gm 2.5 kg
C ₁₃ H ₁₂ O (91-01-0)	M. W.: 184.24 Assay 98.0%	
809200	Benzidine Hydrochloride Solution (Reagent for Sulphate)	100 ml
027329	Benzil for Synthesis	250 gm 1 kg
C ₆ H ₅ .CO.CO.C ₆ H ₅ (134-81-6)	M. W.: 210.23 Assay (GC) 99.0%	
027330	Benzilic Acid for Synthesis	100 gm 250 gm 1 kg
C ₁₄ H ₁₂ O ₃ (76-93-7)	M. W.: 228.25 Assay (Acidimetric) 98.0%	
027331	Benzimidazole for Synthesis	25 gm 100 gm 500 gm
C ₆ H ₄ .N:CH.NH (51-17-2)	M. W.: 118.13 Assay (non-aqueous) 98.0%	
	Benzimidazoethiol See 2-Mercapto benzimidazole	
021955	Benzo Fast Scarlet 4BS (C.I. 29160)	25 gm
C ₃₅ H ₂₅ N ₇ Na ₂ O ₁₀ S ₂ (3441-14-3)	M. W.: 813.74 Dye Content (Titanometry on dried substance) Min 30%	
	7,8-Benzoflavone See a-Naphthoflavone	
027333	Benzoic Acid for Synthesis	500 gm 5 kg 25 kg 50 kg
C ₇ H ₆ O ₂ (65-85-0)	M. W.: 122.12 Assay (acidimetric) 99.0%	
462165	Benzoic Acid (Iron Free) AR Meets Analytical Specification of IP, BP, USP, Ph. Eur.	500 gm 5 kg 25 kg 50 kg
C ₇ H ₆ O ₂ (65-85-0)	M. W.: 122.12 Assay (Acidimetric) 99.9%	
	Benzoic Acid Ammonium Salt See Ammonium Benzoate	

B

Laboratory Chemicals

Product Code	Product Name	Packing
D15417 C ₇ H ₅ O ₂ (1079-02-3)	Benzoic-d₅ Acid (for NMR Spectroscopy) M. W.: 127.15 Assay Min. 99 atom%D	1 gm
022105 C ₁₄ H ₁₀ O ₃ (93-97-0)	Benzoic Anhydride for Synthesis M. W.: 226.23	100 gm 500 gm
027336 C ₆ H ₅ CH(OH)COC ₆ H ₅ (119-53-9)	Benzoil for Synthesis M. W.: 212.25 Assay (GC) 98.0%	100 gm 250 gm 25 kg
809250	a-Benzoin Oxime Solution (Reagent for Cu, Mo, W)	100 ml
462190 C ₆ H ₅ CH(OH).C.(NOH)C ₆ H ₅ (441-38-3)	a-Benzoin Oxime AR (Cupron) M. W.: 227.26 Assay 98.5%	25 gm 100 gm
027337 C ₆ H ₅ CN (100-47-0)	Benzonitrile for Synthesis M. W.:103.12 Assay 99.0%	500 ml
027338 (C ₆ H ₅) ₂ .CO (119-61-9)	Benzophenone Purified M. W.:182.22 Assay (GC) 99.0%	250 gm 500 gm 5 kg
022205 C ₁₃ H ₁₂ N ₂ (5350-57-2)	Benzophenone Hydrazone M. W.:196.25	100 gm 500 gm
022225 C ₁₇ H ₆ O ₇ (2421-28-5)	3,3,4,4-Benzophenone Tetra Carboxylic Dianhydride Pure for synthesis M. W.: 322.23	25 gm 100 gm
022275 C ₆ H ₄ O ₂ (106-51-4)	p-Benzoquinone (p-Quinone,1,4-Benzoquinone) M. W.:108.09	100 gm 500 gm 5 kg
025873 C ₇ H ₅ Cl ₃ (98-07-7)	Benzotrichloride M. W.: 195.48 Assay (GC) 99.0%	500 ml 2.5 lit
027344 C ₆ H ₅ N ₃ (95-14-7)	1,2,3-Benzotriazole for Synthesis (1H-Benzotriazole) M. W.:119.13 Assay 99.0%	100 gm 1 kg 10 kg
	O-(Benzotriazol-1-yl)-N,N,N',N'-Tetramethyluronium Tetrafluoroborate See TBTU	
027347 C ₁₀ H ₁₀ O ₂ (93-91-4)	Benzoyl Acetone M. W.: 162.19 Assay (GC) 98.0%	10 gm 50 gm
040007 C ₁₅ H ₂₃ ClN ₄ O ₃ (2645-08-1)	•N-α-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) M. W.: 342.83 Assay (Argentometric) 99.0%	1 gm 5 gm
027349 C ₆ H ₅ COCl (98-88-4)	Benzoyl Chloride for Synthesis (Benzoic acid chloride) M. W.: 140.57 Assay (ex Cl) 99.0%	500 ml 2.5 lit 25 lit 200 lit
462215 C ₆ H ₅ COCl (98-88-4)	Benzoyl Chloride AR M. W.: 140.57 Assay 99.5%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
462240 C ₆ H ₅ CON(OH)C ₆ H ₅ (304-88-1)	N-Benzoyl-N-Phenyl Hydroxylamine AR M. W.: 213.23	5 gm
027350 (C ₆ H ₅ .CO) ₂ O ₂ (94-36-0)	Benzoyl Peroxide (25% with Water) M. W.:242.23 Assay (anhydrous basis) 98.0%	500 gm 25 kg 50 kg
022475 C ₆ H ₅ COCH ₂ CH ₂ COOH (2051-95-8)	3-Benzoyl Propionic Acid M. W.: 178.18	50 gm 250 gm
066036 C ₉ H ₁₀ O ₂ (140-11-4)	Benzyl Acetate for Synthesis M. W.:150.17 Assay (GC) 99.0%	500 ml 2.5 lit
022565 C ₁₂ H ₁₁ N ₅ (1214-39-7)	N⁶-Benzyl Adenine (6-Benzyl Aminopurine) M. W.: 225.26 Assay (Non-aqueous) 99.0%	1 gm 5 gm 25 gm 100 gm 500 gm
027354 C ₆ H ₅ CH ₂ OH (100-51-6)	Benzyl Alcohol for Synthesis M. W.:108.14 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit 25 lit 200 lit
462265 C ₆ H ₅ CH ₂ OH (100-51-6)	Benzyl Alcohol AR/ACS M. W.:108.14 Assay (GC) 99.0%	250 ml 500 ml 1 lit 2.5 lit 25 lit 200 lit
707050 C ₆ H ₅ CH ₂ OH (100-51-6)	Benzyl Alcohol GC Grade M. W.: 108.14 Assay 99.5%	1 lit
707052 C ₆ H ₅ CH ₂ OH (100-51-6)	Benzyl Alcohol GC-HS for GC- Headspace Analysis M.W: 108.14 Assay 99.0%	1 lit 2.5 lit
027355 C ₇ H ₇ NH ₂ (100-46-9)	Benzylamine M.W. : 107.16 Assay (Acidimetric) 99.0%	500 ml 2.5 lit 25 lit 200 lit
463385 C ₇ H ₇ NH ₂ (100-46-9)	Benzylamine AR M.W. : 107.16 Assay 99.0%	500 ml 2.5 lit
	6-Benzylamine Purine See 6- Benzyl Adenine	
	Benzyl Benzene See Diphenyl Methane	
027357 C ₆ H ₅ COOCH ₂ C ₆ H ₅ (120-51-4)	Benzyl Benzoate M. W.:212.25 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
025865 C ₇ H ₇ Br (100-39-0)	Benzyl Bromide M. W.: 171.04 Assay (GC) 98.0%	500 ml

Product Code	Product Name	Packing
022675	Benzyl Butyl Phthalate for Synthesis (Butylbenzyl Phthalate) C ₁₉ H ₂₀ O ₄ (85-68-7)	500 ml 2.5 lit
027361	Benzyl Chloride for Synthesis C ₆ H ₅ .CH ₂ Cl (100-44-7)	500 ml 2.5 lit 25 lit 200 lit
027362	Benzyl Cyanide C ₈ H ₇ N (140-29-4)	500 ml 2.5 lit
022775	Benzyl Dimethyl-N-Hexadecyl Ammonium Chloride (Cetylkonium Chloride) CH ₃ (CH ₂) ₁₅ N(Cl)CH ₃) ₂ CH ₂ C ₆ H ₅ M. W.: 396.09 (122-18-9)	100 gm 500 gm
	Benzylideneacetone See Banzalacetone	
023075	Benzyl Isobutyrate for Synthesis C ₁₁ H ₁₄ O ₂ (103-28-6)	500 gm
023085	Benzyl Isovalerate for Synthesis C ₁₂ H ₁₆ O ₂ (103-38-8)	500 gm
023185	N-Benzyl Methylamine (N-methyl benzylamine) C ₆ H ₆ CH ₂ NHCH ₃ (103-67-3)	250 ml 500 ml
023335	4-Benzyl Oxybenzaldehyde C ₆ H ₅ CH ₂ OC ₆ H ₄ CHO (4397-53-9)	100 gm
023405	Benzyl Phenyl Acetate for Synthesis C ₁₅ H ₁₄ O ₂ (102-16-9)	500 gm
023455	Benzyl Propionate for Synthesis C ₁₀ H ₁₂ O ₂ (122-63-4)	500 gm
025883	2-Benzyl Pyridine C ₁₂ H ₁₁ N (101-82-6)	100 gm
023505	Benzyl Salicylate for Synthesis C ₁₄ H ₁₂ O ₃ (118-58-1)	500 gm
463965	S-Benzyl Thiuronium Chloride AR [C ₆ H ₅ .CH ₂ .S. C.(NH) ₃]Cl M. W.: 202.70 (538-28-3)	25 gm 100 gm 500 gm 25 kg
023705	Benzyl Tributyl Ammonium Bromide for Synthesis C ₁₉ H ₃₄ NBr (25316-59-0)	100 gm
023735	Benzyl Tributyl Ammonium Chloride for Synthesis (Tributylbenzylammonium Chloride) C ₁₉ H ₃₄ ClN (23616-79-7)	100 gm 500 gm 25 kg


Product Code	Product Name	Packing
066041	Benzyl Triethyl Ammonium Chloride C ₁₃ H ₂₂ ClN (56-37-1)	500 gm 1 kg 25 kg
066042	Benzyl Trimethyl Ammonium Chloride C ₆ H ₅ .CH ₂ .N(CH ₃) ₃ .Cl M. W.: 185.70 (56-93-9)	500 gm 25 kg 50 kg
809300	Benzyl Trimethyl ammonium Hydroxide 40% Soln. in Methanol C ₁₀ H ₁₇ NO (100-85-6)	100 ml 500 ml
809350	Beryllium (Be) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
809352	new Beryllium (Be) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
809400	Beryllium (Be) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	50 ml 100 ml
464085	Beryllium Sulphate AR (Beryllium Sulphate Tetrahydrate) BeSO ₄ .4H ₂ O (7787-56-6)	25 gm
044133	BES Buffer C ₆ H ₁₅ NO ₅ S (10191-18-1)	25 gm 100 gm 500 gm
	B. H. A. See Butylated Hydroxy Anisole	
	B. H. T. See Butylated Hydroxy Toluene	
	Biacetyl See Diacetyl	
809500	Bial's Reagent for Detection Of Pentoses And Gluconic Acid	125 ml 250 ml
809600	Bicarbonate Indicator Solution	125 ml
044109	Bicine Buffer C ₆ H ₁₃ NO ₄ (150-25-4)	25 gm 100 gm 500 gm
023935	Biebrich Scarlet (W.S) (C.I. 26905) C ₂₂ H ₁₄ N ₄ O ₇ S ₂ Na ₂ (4196-99-0)	25 gm 100 gm
809640	Biebrich Scarlet Acetic Solution (For connective tissue plasma stain)	100 ml
023985	Bile Salt for Bacteriology Bile acid : Min. 70%	100 gm 500 gm
	Bile Salt Mixture See in Culture Media Basis	
464175	•Bilirubin AR C ₃₃ H ₃₆ N ₄ O ₆ (635-65-4)	100 mgm 1 gm

B

Laboratory Chemicals

Product Code	Product Name	Packing
024000	S-Binol for Synthesis (S-(-)-1,1' Bi(2-Naphthol)) (-)-2,22-Dihydroxy-1,12-(dinaphthyl) M.W : 286.33 Assay 99.0%	5 gm 25 gm 100 gm
C ₂₀ H ₁₄ O ₂ (18531-99-2)		
044011	•D-Biotin for Biochemistry (Vitamin-H) M. W.:244.31 Assay (Acidimetric) 99-102%	100 mgm 1 gm 10 gm
C ₁₀ H ₁₆ N ₂ O ₃ S (58-85-5)		
028240	Biphenyl for Synthesis M. W.: 154.21 Assay (GC) 98.0%	100 gm 1 kg
(C ₆ H ₅) ₂ (92-52-4)		
D16227	Biphenyl-d ₁₀ (for NMR Spectroscopy) M.W.: 164.27 Assay Min. 99.0 atom%D	1 gm
C ₁₂ D ₁₀ (1486-01-7)		
024175	4-Biphenyl Carboxylic Acid for Synthesis (4-Phenylbenzoic Acid) M. W.: 198.22	100 gm
C ₁₃ H ₁₀ O ₂ (92-92-2)		
024185	Biphenyl-4:4-Diol for Synthesis M. W.: 186.21	100 gm
HOC ₆ H ₄ C ₆ H ₄ OH (92-88-6)		
464265	2,2-Bipyridyl AR (a,a-Bipyridyl) M. W.:156.19 Assay (non-aqueous) 99.5%	5 gm 25 gm
(C ₅ H ₄ N) ₂ (366-18-7)		
809700	Bipyridyl Reagent Solution (Reagent for molybdenum)	100 ml
464355	2,2-Biquinoline AR (2,2-Diquinoly) M. W.: 256.31 Assay (Non-aqueous) 99.0%	1 gm 5 gm
C ₁₈ H ₁₂ N ₂ (119-91-5)		
	Bisacrylamide See N,N' Methylene Bis acrylamide	
024425	Bis-2-Chloro Ethylamine Hydrochloride for Synthesis M. W.: 178.49 Assay 98.0%	500 gm
(ClCH ₂ CH ₂) ₂ NH.HCl (821-48-7)		
024525	Bis 1,2-(Chloro Methyl Benzene) for Synthesis M. W.: 175.06 Assay 98.0%	25 gm
C ₆ H ₄ (CH ₂ Cl) ₂ (612-12-4)		
464445	Bis-Cyclohexanone Oxalyl Dihydrazone AR M. W.: 278.36 Assay (Non-aqueous) 99.0%	10 gm 25 gm
C ₁₄ H ₂₂ N ₄ O ₂ (370-81-0)		
	4,4'-Bis-(Dimethylamino) Benzophenonimide Hydrochloride See BES Buffer	
	1,2-Bis(Dimethylamino) Ethane See N,N,N',N'-Tetramethylethylenediamine	
335105	4,4-Bis(Dimethylamino-Phenyl) Methane (N,N,N',N'Tetramethyl-4,4- Diaminodiphenylmethane, Michler's base, 4,4-Methylenebis) (N,N-Dimethyl Aniline) M. W.: 254.37 Assay 98.0%	25 gm 100 gm 500 gm
C ₁₇ H ₂₂ N ₂ (101-61-1)		

Product Code	Product Name	Packing
024705	Bis-(Diphenylphosphino)-1,1 -Binaphthyl 97 (S)-(-)-2,2'(S)-(-)-Binap M. W.: 622.67	250 mgm
[(C ₆ H ₅) ₂ PC ₁₀ H ₆] ₂ (76189-56-5)		
707600	1,3-Bis-(Diphenylphosphino) Propane for HPLC M. W.: 412.45	1 gm 5 gm
C ₂₇ H ₂₆ P ₂ (6737-42-4)		
024805	Bis-(2-Ethylhexyl) Adipate for Synthesis (Dioctyl Adipate; DOA) M. W.: 370.57	500 ml 2.5 lit
C ₂₂ H ₄₂ O ₄ (103-23-1)		
024825	Bis-(2-Ethyl Hexyl) Phthalate for Synthesis M. W.: 390.56	500 ml 2.5 lit
C ₂₄ H ₃₈ O ₄ (117-81-7)		
024845	Bis-2-Ethyl Hexyl Sebacate for Synthesis M. W.: 426.68	500 ml 2.5 lit
C ₂₆ H ₅₀ O ₄ (122-62-3)		
	Bis-(2-Hydroxy Ethyl) Amino Tris (Hydroxymethyl) Methane See Bis-Tris	
	N,N'-Bis-(2-Hydroxy Ethyl) Glycine See Bicine	
	N,N-Bis-(2-Hydroxyethyl) Taurine See BES Buffer	
025841	Bismark Brown (G) Y for Microscopy C.I. 21000 M. W.: 419.32 Dye content (titrimetry) Abt 50.0%	25 gm 100 gm 1 kg
C ₁₈ H ₂₀ Cl ₂ N ₈ (10114-58-6)		
034010	Bismark Brown R C.I.21010 M. W.:461.40 Dye content (Spectrophotometric) Abt 40%	25 gm 100 gm 1 kg
C ₂₁ H ₂₄ N ₈ .2HCl (5421-66-9)		
809900	Bismuth (Bi) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃	100 ml 250 ml 500 ml
809950	Bismuth (Bi) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
809952	new Bismuth (Bi) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
027384	Bismuth (Metal) Granulated Bi At. W. 208.98 Assay (complexometric) 99.0%	100 gm 500 gm
(7440-69-9)		
025839	Bismuth Metal Lump Bi M.W. : 208.98 Assay (Complexometric) 99.5%	100 gm
(7440-69-9)		
026465	Bismuth Metal Powder Bi M.W. : 208.98	100 gm
(7440-69-9)		
464885	Bismuth Ingots AR Bi M.W. : 208.98 Assay 99.99%	10 gm
(7440-69-9)		

Product Code	Product Name	Packing
026485 CH ₃ (CO ₂) ₃ Bi (22306-37-2)	Bismuth (III) Acetate M.W. : 386.11	500 gm
464930 (31886-41-6)	Bismuth Ammonium Citrate AR Assay (Complexometric ex Bi) ~ 45%	100 gm 1 kg
026515 (13702-38-0)	Bismuth Arsenate	100 gm
026545	Bismuth Borate	100 gm 500 gm
024565 BiBr ₃ (7787-58-8)	Bismuth (III) Bromide M. W.: 448.69	500 gm
	Bismuth Carbonate (Basic) See Bismuth oxycarbonate	
	Bismuth Chloride See Bismuth Trichloride	
	Bismuth Chloride Oxide See Bismuth Oxychloride	
024615	Bismuth Chromate	500 gm
025877 BiC ₆ H ₅ O ₇ (813-93-4)	Bismuth (III) Citrate M. W.: 398.08 Assay (Complexometric) 98.0%	100 gm 500 gm 25 kg
026595 BiF ₃ (7787-61-3)	Bismuth (III) Fluoride M. W.: 265.98	500 gm
026615	Bismuth (III) Iodide (Bismuth Triiodide) M. W.: 589.69	25 gm
027388 Bi(NO ₃) ₃ ·5H ₂ O (10035-06-0)	Bismuth Nitrate Pentahydrate Purified (Bismuth III Nitrate) M. W.: 485.07 Assay (Complexometric) 98.0%	100 gm 500 gm 25 kg
465020 Bi(NO ₃) ₃ ·5H ₂ O (10035-06-0)	Bismuth Nitrate Pentahydrate AR/ACS M. W.: 485.07 Assay (Complexometric) 98.5%	100 gm 500 gm
	Bismuth Nitrate Basic See Bismuth Subnitrate	
026645 Bi ₂ (C ₂ O ₄) ₃ (6591-55-5)	Bismuth Oxalate M. W.: 682.02	500 gm
027389 Bi ₂ O ₃ (1304-76-3)	Bismuth Oxide M. W.: 465.96 Assay (Complexometric) (ex Bi) 99.0%	100 gm 500 gm
026695 Bi ₂ O ₃ (1304-76-3)	Bismuth Oxide  M. W.: 465.96 Assay (Trace metal basis) 99.999%	100 gm
027390	Bismuth Oxycarbonate (Bismuth Carbonate Basic, Bismuth Sub Carbonate) M. W.: 509.97 Assay (as Bi on dried basis) 80-82%	100 gm 500 gm
027391 BiOCl (7787-59-9)	Bismuth Oxychloride M. W.: 260.43 Assay (Complexometric; Bi) 79.0-82.0%	100 gm 500 gm

Product Code	Product Name	Packing
	Bismuth Oxynitrate See Bismuth Subnitrate	
	1,4-Bis (5-Phenyl Oxazol -2-yl) Benzene See POPOP	
025875 BiPO ₄ (10049-01-1)	Bismuth Phosphate M. W.: 303.95 Assay 98.0%	100 gm 500 gm
026750 C ₇ H ₅ BiO ₄ (14882-18-9)	Bismuth (III) Salicylate M. W.: 362.09	100 gm
	Bismuth Sub Carbonate See Bismuth oxycarbonate Basic	
026790 C ₇ H ₅ BiO ₆ (99-26-3)	Bismuth Subgallate (Basic Bismuth Gallate) M. W.: 394.40	100 gm 500 gm
026810 Bi(O)NO ₃ (10361-46-3)	Bismuth Subnitrate M.W.: 286.99 Assay (Bi) 71.0-74.0%	100 gm 500 gm
465110 Bi(O)NO ₃ (10361-46-3)	Bismuth Subnitrate AR M.W.: 286.99 Assay (Complexometric) (as Bi) 71.0-74.0%	100 gm 500 gm
027404 Bi ₂ (SO ₄) ₃ (7787-68-0)	Bismuth Sulphate M. W.: 706.18	100 gm 500 gm
024925	Bismuth Sulphite	100 gm
026880 (6591-56-6)	Bismuth Tritertrate	500 gm
025065 BiCl ₃ (7787-60-2)	Bismuth Trichloride M. W.: 315.34 Assay (ex Bi) 92.0%	100 gm 500 gm
465495 C ₂ H ₂ N ₂ S ₃ (1072-71-5)	Bismuthiol-I AR (Reagent) for The Determination of Bi, Cu, Pb, Sb M. W.: 150.25 Assay 98.0%	10 gm
028643 C ₁₅ H ₁₆ O ₂ (80-05-7)	Bisphenol A M. W.: 228.29 Assay (GC) 97.0%	500 gm 25 kg 50 kg
465625 C ₂₀ H ₁₈ N ₄ O ₂ (7477-67-0)	Bispyrazolone AR [3,3-Dimethyl-1,1-Diphenyl- (4,4-bi-2-Pyrazoline)-5,5-Dione] (for Determination of Cyanide) M. W.: 346.38	5 gm 25 gm
026970 C ₂₄ H ₅₄ O ₂ Sn ₂ (56-35-9)	Bis-Tributyl Tin Oxide for Synthesis M. W.: 596.10 Assay 96.0%	100 ml 500 ml
027060 C ₈ H ₁₈ F ₃ NOSi ₂ (25561-30-2)	N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide M. W.: 257.40 Assay 99.0%	25 ml 100 ml
044127 C ₈ H ₁₉ NO ₅ (6976-37-0)	Bis-Tris for Biochemistry M.W.: 209.24 Assay (Non-aqueous) 98.0%	25 gm 100 gm

B

Laboratory Chemicals



B

Laboratory Chemicals

Product Code	Product Name	Packing
465715 NH ₂ .CO.NH.CO.NH ₂ (108-19-0)	Biuret AR M. W.: 103.08 Assay (Kjeldhal method) 96.0%	25 gm 100 gm
810300	Biuret Reagent	125 ml
026039 Ca(OCl) ₂ (7778-54-3)	Bleaching Powder About 33% Available Chlorine M. W.: 142.98	500 gm 25 kg 50 kg
465805 C ₄₀ H ₃₂ N ₈ O ₂ Cl ₂ (1871-22-3)	Blue Tetrazolium for Microscopy AR (Blue tetrazolium chloride) M.W 727.66 Assay (Argentometric; ex Cl on dried basis) 95.0%	1 gm 5 gm
BOC026 C ₈ H ₁₅ NO ₄ (3303-84-2)	•BOC-B-Alanine for Biochemistry M.W 189.21	5 gm 25 gm
BOC010 C ₈ H ₁₅ NO ₄ (7764-95-6)	•BOC-D-Alanine M.W 189.21	10 gm 25 gm
BOC014 C ₁₁ H ₂₀ N ₂ O ₅ S (19746-37-3)	•BOC-S-Acetamidomethyl-L-Cysteine for Biochemistry M.W 292.35	10 gm 25 gm
BOC020 C ₈ H ₁₅ NO ₄ (15761-38-3)	•BOC-L-Alanine M. W.: 189.21 Assay (on dried subs) 99.0%	10 gm 25 gm 100 gm
BOC023 C ₉ H ₁₇ NO ₄ (28875-17-4)	•BOC-L-Alanine Methyl Ester for Biochemistry M. W.: 203.24	10 gm 25 gm
BOC028 [(CH ₃) ₃ COCO] ₂ O (24424-99-5)	•BOC-Anhydride M. W.: 218.25	25 gm 100 gm 500 gm
BOC030 C ₉ H ₁₆ N ₂ O ₅ (75647-01-7)	•BOC-D-Asparagine M. W.: 232.23	10 gm 25 gm
BOC040 C ₉ H ₁₆ N ₂ O ₅ (7536-55-2)	•BOC-L-Asparagine M. W.: 232.23	10 gm 25 gm 100 gm
BOC045 C ₁₆ H ₂₁ NO ₆ (7536-58-5)	•BOC-L-Aspartic Acid-4- Benzylester M. W.: 323.34	5 gm 25 gm
BOC050 (62396-48-9)	•BOC-D-Aspartic Acid	10 gm 25 gm
BOC060 C ₉ H ₁₅ NO ₆ (13726-67-5)	•BOC-L-Aspartic Acid M. W.: 233.22	10 gm 25 gm 100 gm
BOC063 C ₁₅ H ₂₁ NO ₅ S (5068-28-0)	•BOC-S-Benzyl-L-Cysteine for Biochemistry M.W.: 311.40	10 gm 25 gm
BOC065 C ₆ H ₅ CH ₂ OCH ₂ CH(COOH)NHCOOC(CH ₃) ₃ (23680-31-1)	N-BOC-O-Benzyl-L- Serine for Biochemistry M. W.: 295.33	10 gm 25 gm

Product Code	Product Name	Packing
BOC070 C ₁₆ H ₂₈ N ₂ O ₈ S ₂ (10389-65-8)	•BOC-L-Cystine M. W.: 440.53	10 gm 25 gm 100 gm
BOC080 (34404-28-9)	•BOC-D-Glutamic Acid	10 gm 25 gm
BOC090 C ₁₀ H ₁₇ NO ₆ (2419-94-5)	•BOC-L-Glutamic Acid M. W.: 247.25	10 gm 25 gm 100 gm
BOC093 C ₁₇ H ₂₃ NO ₆ (13574-13-5)	•BOC-L-Glutamic Acid-5- Benzyl Ester for Biochemistry M. W.: 337.37	10 gm 25 gm
BOC100 C ₁₀ H ₁₈ N ₂ O ₅ (61348-28-5)	•BOC-D-Glutamine M. W.: 246.26	10 gm 25 gm
BOC110 C ₁₀ H ₁₈ N ₂ O ₅ (13726-85-7)	•BOC-L-Glutamine M. W.: 246.26	10 gm 25 gm 100 gm
BOC120 C ₇ H ₁₃ NO ₄ (4530-20-5)	•BOC-Glycine M. W.: 175.18 Assay Cal. on dried subs) 99.0%	10 gm 25 gm 100 gm
BOC122 C ₈ H ₁₅ NO ₄ (31954-27-5)	•BOC-Glycine Methyl Ester for Biochemistry M. W.: 189.21	10 ml 25 ml
BOC124 C ₁₇ H ₁₉ N ₅ O ₈ (25024-53-7)	•BOC-Histidine for Biochemistry M. W.: 421.36	5 gm
BOC128 C ₁₁ H ₂₂ N ₂ O ₃ (77279-24-4)	1-BOC-4-(2-Hydroxyethyl) Piperazine M. W.: 230.30	5 gm
BOC130 C ₁₁ H ₁₉ NO ₄ (84358-13-4)	•BOC-Isonipecotic Acid for Biochemistry M. W.: 229.27	10 gm 25 gm
BOC135	•BOC-Isonipecotic Acid Methyl Ester for Biochemistry	10 gm 25 gm
BOC140 C ₁₁ H ₂₁ NO ₄ (55721-65-8)	•BOC-D-Isoleucine M. W.: 231.29	1 gm
BOC150 C ₁₁ H ₂₁ NO ₄ (13139-16-7)	•BOC-L-Isoleucine M. W.: 231.29	10 gm 25 gm 100 gm
BOC160 C ₁₁ H ₂₁ NO ₄ (16937-99-8)	•BOC-D-Leucine M. W.: 231.29	10 gm 25 gm
BOC162 C ₁₁ H ₂₁ NO ₄ (13139-15-6)	•BOC-L-Leucine for Biochemistry M. W.: 231.29	5 gm 25 gm 100 gm
BOC180 C ₁₁ H ₂₂ N ₂ O ₄ (2418-95-3)	•BOC-L-Lysine M. W.: 246.30	10 gm 25 gm 100 gm

Product Code	Product Name	Packing
BOC182 (15098-69-8)	•N-α-ε-T-BOC-L-Lysine Dicyclohexyl ammonium Salt for Biochemistry	10 gm 25 gm
BOC184 C ₁₀ H ₁₉ NO ₄ S (2488-15-5)	•BOC-L-Methionine for Biochemistry M. W.: 249.33	25 gm 100 gm
BOC186 C ₁₁ H ₁₉ NO ₄ (1487631-41-1)	•BOC-Nipecotic Acid Methyl Ester for Biochemistry M. W.: 229.27	10 gm 25 gm
BOC188 (7535-56-0)	•BOC-4-Nitro-L- Phenylalanine Ethyl Ester for Biochemistry	10 gm 25 gm
BOC189 C ₁₄ H ₁₈ N ₂ O ₆ (33305-77-0)	•BOC-4-Nitro-L- Phenylalanine for Biochemistry M. W.: 310.30	10 gm 25 gm
BOC190 C ₁₄ H ₁₉ NO ₄ (18942-49-9)	•BOC-D-Phenylalanine M. W.: 265.30	10 gm 25 gm
BOC192 (35909-92-3)	•BOC-D-Phenylalanine Methyl Ester for Biochemistry	10 gm 25 gm
BOC194 (33125-05-2)	•BOC-D-Phenylglycine for Biochemistry	10 gm 25 gm
BOC200 C ₁₄ H ₁₉ NO ₄ (13734-34-4)	•BOC-L-Phenylalanine M. W.: 265.31 Assay (Cal. on dried subs) 99.0%	10 gm 25 gm 100 gm
BOC204 C ₁₅ H ₂₁ NO ₄ (51987-73-6)	•BOC-L-Phenylalanine Methyl Ester for Biochemistry M. W.: 279.33	10 gm 25 gm
BOC206 C ₁₃ H ₁₇ NO ₄ (2900-27-8)	•BOC-L-Phenylglycine for Biochemistry M. W.: 251.28	10 gm 25 gm
BOC208 C ₁₁ H ₁₉ NO ₄ (26250-84-0)	•BOC-L-Pipecolic Acid for Biochemistry M. W.: 229.27	10 gm 25 gm
BOC210 C ₁₀ H ₁₇ NO ₄ (37784-17-1)	•BOC-D-Proline M. W.: 215.25	10 gm 25 gm
BOC212 (73323-65-6)	•BOC-D-Proline Methyl Ester for Biochemistry	10 gm 25 gm
BOC220 C ₁₀ H ₁₇ NO ₄ (15761-39-4)	•BOC-L-Proline M. W.: 215.25 Assay (Cal. on dried subs) 99.0%	10 gm 25 gm 100 gm
BOC223 (59936-29-7)	•BOC-L-Proline Methyl Ester for Biochemistry	10 gm 25 gm

Product Code	Product Name	Packing
BOC230 C ₈ H ₁₅ NO ₅ (6368-20-3)	•BOC-D-Serine M. W.: 205.21	10 gm 25 gm
BOC240 C ₈ H ₁₅ NO ₅ (3262-72-4)	•BOC-L-Serine M. W.: 205.21	10 gm 25 gm 100 gm
BOC250 (55674-67-4)	•BOC-D-Threonine	10 gm 25 gm
BOC260 C ₉ H ₁₇ NO ₅ (2592-18-9)	•BOC-L-Threonine M. W.: 219.23	10 gm 25 gm 100 gm
BOC270 C ₁₆ H ₂₀ N ₂ O ₄ (5241-64-5)	•BOC-D-Tryptophane M. W.: 304.34	10 gm 25 gm
BOC280 C ₁₆ H ₂₀ N ₂ O ₄ (13139-14-5)	•BOC-L-Tryptophane M. W.: 304.34	10 gm 25 gm 100 gm
BOC290 4-(OH)C ₆ H ₄ CH ₂ CH(COOH)NHC(O)OC(CH ₃) ₃ (3978-80-1)	•BOC-L-Tyrosine M. W.: 281.30	10 gm 25 gm 100 gm
BOC294 4-(OH)C ₆ H ₄ CH ₂ CH[NHCO ₂ C(CH ₃) ₃]CO ₂ HCH ₃ (4326-36-7)	•BOC-L-Tyrosine Methyl Ester for Biochemistry M. W.: 295.33	10 gm 25 gm
BOC300 C ₁₀ H ₁₉ NO ₄ (22838-58-0)	•BOC-D-Valine M. W.: 217.26	10 gm 25 gm
BOC310 C ₁₀ H ₁₉ NO ₄ (13734-41-3)	•BOC-L-Valine M. W.: 217.26 Assay (Cal on dried subs) 99.0%	10 gm 25 gm 100 gm
BOC313 C ₁₁ H ₂₁ NO ₄ (58561-04-9)	•BOC-L-Valine Methyl Ester for Biochemistry M. W.: 231.29	10 gm 25 gm
465895 Na ₂ B ₄ O ₇ (1330-43-4)	Borax Anhydrous AR M. W.: 201.22 Assay 99.0%	100 gm 500 gm
810600	Borax Carmine Alcoholic Solution	125 ml
810620	Borax Carmine Aqueous Solution	125 ml
027200	Borax Carmine (Grenacher) (powder) (M.S.)Bromo Cresol Green-Methyl Red.Indicator	25 gm
030230	Borax Decahydrate (Di-Sodium Tetraborate) M. W.: 381.36 Assay (acidimetric) 99.0-103.0%	500 gm 5 kg 25 kg 50 kg
465985 Na ₂ B ₄ O ₇ ·10H ₂ O (1303-96-4)	Borax Decahydrate AR/ACS M. W.: 381.36 Assay (Acidimetric) 99.5-102.5%	500 gm 5 kg 25 kg 50 kg
045011 H ₃ BO ₃ (10043-35-3)	Boric Acid Powder M. W.:61.83 Assay (acidimetric) 99.5%	500 gm 1 kg 5 kg 25 kg 50 kg

B

Laboratory Chemicals

Product Code	Product Name	Packing
466080	Boric Acid Powder AR/ACS (Ortho Boric Acid) H ₃ BO ₃ (10043-35-3) M.W.: 61.83 Assay 99.5%	500 gm 5 kg 25 kg 50 kg
027410	Boric Acid Crystal/Granular H ₃ BO ₃ (10043-35-3) M. W.: 61.83 Assay (acidimetric) 99.5%	500 gm 5 kg 25 kg 50 kg
466075	Boric Acid Crystal/Granular AR Meets of IP, BP, USP, PH. Eur. H ₃ BO ₃ (10043-35-3) M. W.: 61.83 Assay (Acidimetric) 99.5%	500 gm 5 kg 50 kg
918000	Boric Acid for Molecular Biology H ₃ BO ₃ (10043-35-3) M. W.: 61.83 Assay (Acidimetric) 99.5%	250 gm 500 gm 1 kg
466515	Boric Acid AR H ₃ BO ₃ (10043-35-3) M. W.: 61.83 Assay 99.99%	50 gm 500 gm
045015	meta-Boric Acid HBO ₂ (13460-50-9) M.W.: 43.82 Assay 98.5%	50 gm
D18927	Boric Acid-d₃ (for NMR Spectroscopy) BD ₃ O ₃ (14149-58-7) M.W.:64.86 Assay Min. 98.0 atom%D	5 gm
810740	Boric Acid 4% (w/v) Aqueous Solution Boric Anhydride See di-Boron Trioxide	100 ml
027300	Borneol for Synthesis C ₁₀ H ₁₈ O (464-43-7) M. W.: 154.25	500 gm
810840	Boron (B) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H₂O Nist Traceable	100 ml 250 ml 500 ml
810860	Boron (B) 1000 ppm Single Element Std. Soln. for ICP in H₂O Nist Traceable	100 ml 500 ml
810862 new	Boron (B) 10000 ppm Single Element Std. Soln. for ICP in H₂O Nist Traceable	100 ml 500 ml
027392	Boron (Metal) Powder B (7440-42-8) M. W.: 10.81	25 gm 100 gm
027395	Boron Carbide 90 Mesh CB ₄ (12069-32-8) M. W.: 55.26	25 gm 100 gm
027400	Boron Carbide 150 Mesh CB ₄ (12069-32-8) M. W.: 55.25 Assay 98.0%	25 gm 100 gm
027405	Boron Carbide 220 Mesh CB ₄ (12069-32-8) M. W.: 55.25 Assay 98.0%	25 gm 100 gm
027415	Boron Nitride BN (10043-11-5) M. W.: 24.82 Assay(Alkalimetric) 98.0%	50 gm 500 gm


Product Code	Product Name	Packing
810950	Boron Tribromide 1M in Dichloromethane	100 ml
025985	Boron Tribromide for Synthesis Bbr ₃ (10294-33-4) M.W.: 250.52	100 gm 500 gm
025885	Boron Trifluoride Etherate (Boron Trifluoride Ethyl Ether complex) 48-53% Bf ₃ BF ₃ C ₄ H ₁₀ O (109-63-7) M. W.: 141.93 Assay (BF ₃) ~50%	250 ml 500 ml 2.5 lit 25 lit 200 lit
027411	di-Boron Trioxide Anhydrous B ₂ O ₃ (1303-86-2) M. W.: 69.62 Assay 97.0%	250 gm 500 gm
466605	di-Boron Trioxide Anhydrous AR For Analysis of Silicates B ₂ O ₃ (1303-86-2) M. W.: 69.62 Assay 98.0%	250 gm 1 kg
811000	Borsche's Reagent For detection of Ketones Bouin's Picro Formal Fixing Solution See Bouin's Fluid	125 ml
811040	Bouin's Fluid (Bouin's Picro Formal fixing Soln.)	100 ml 500 ml
044155	•Bovine Albumin FRACTION V (9048-46-8) Assay (Calculated to anhy.material) 97.0%	5 gm 10 gm 100 gm
044004	•Bovine Albumin for Molecular Biology (9048-46-8) Assay (ex N) 98.0%	5 gm 10 gm 100 gm
811020	Brady's Reagent	125 ml
811060	Breed's Stain (For bacteria in milk smear)	100 ml
811090	Brij 30® (Polyethylene Glycol Dodecyl Ether) (9002-92-0)	500 ml
811100	Brij 35 30% Solution	500 ml
056003	Brij 35 Solid (9002-92-0)	500 gm 1 kg
027625	Brilliant Black BN C.I.-28440 C ₂₈ H ₁₇ N ₅ Na ₄ O ₁₄ S ₄ (2519-30-4) M.W.: 867.68	10 gm
	Brilliant Blue G 250 See Coomassie Brilliant Blue G 250	
	Brilliant Blue R 250 See Coomassie Brilliant Blue R 250	
	Brilliant Blue FCF See Erioglaucine	
025854	Brilliant Cresyl Blue Indicator C.I. 51010 C ₁₇ H ₂₀ ClN ₃ O 1/2 ZnCl ₂ (81029-05-2) M.W.:386.0 Dye content (titrimetry) Abt 45.0%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
811200	Brilliant Cresyl Blue Solution Alcoholic	125 ml
811220	Brilliant Cresyl Blue Solution Aqueous	125 ml
027675	Brilliant Crocein (M.S.) C.I. 27290 C ₂₂ H ₁₄ N ₄ Na ₂ O ₇ S ₂ (5413-75-2) M. W.: 556.49	100 gm
811270	Brilliant Green 1% (w/v) Aqueous Indicator Solution	100 ml
034015	Brilliant Green Indicator C.I. 42040 For Bacteriology & Microscopy C ₂₇ H ₃₄ N ₂ O ₄ S (633-03-4) M. W.: 482.65 Dye content (titrimetry) 95.0%	25 gm 100 gm 1 kg
025853	Brilliant Yellow C.I. 24890 C ₂₆ H ₁₈ N ₄ Na ₂ O ₈ S ₂ (3051-11-4) M. W.: 624.56 Assay (Spectrophotometric) Abt 70.0%	25 gm
PA0075	Brilliant Yellow Indicator Papers	200 lvs
811282	Bromate Bromide Solution 0.1N acc. to USP	500 ml
811281	Bromide Bromate Volumetric Solution 0.05 M (0.1N)	1 lit
811283	Bromide Bromate Volumetric Solution 0.25 M (0.5N)	1 lit
025852	Bromine Br ₂ (7726-95-6) M.W. : 159.82	5x20 ml
027423	Bromine for Synthesis Br ₂ (7726-95-6) M. W.: 159.82 Assay (iodometric) 99.0%	2x250 ml
466695	Bromine AR Br ₂ (7726-95-6) M. W.: 159.82 Assay (iodometric) 99.5%	2x250 ml
811323	Bromine Number Titration Solvent (Dichloro Methane formulation)	1 lit 2.5 lit 4 lit
811320	Bromine Water	500 ml
	Bromine Volumetric Solution See Bromide Bromate Solution	
027832	Bromo Acetaldehyde Dimethylacetal (2-Bromo-1,1-Dimethoxyethane) BrCH ₂ CH(OCH ₃) ₂ (7252-83-7) M. W.: 169.02	100 ml 500 ml
025855	p-Bromo Acetanilide for Synthesis C ₈ H ₈ BrNO (103-88-8) M.W. : 214.07 Assay (GC) 98.0%	100 gm 500 gm
025851	Bromoacetic Acid for Synthesis C ₂ H ₃ BrO ₂ (79-08-3) M.W. : 138.95 Assay (Alkalimetric) 98.0%	100 gm 500 gm
027935	4-Bromo Acetophenone for Synthesis (1-acetyl-4-bromobenzene) C ₈ H ₇ BrO (99-90-1) M.W.: 199.04 Assay 98.0%	100 gm 500 gm
028035	Bromo Acetyl Bromide for Synthesis BrCH ₂ COBr (598-21-0) M.W. : 201.84 Assay 98.0%	100 gm

Product Code	Product Name	Packing
027431	p-Bromo Aniline for Synthesis C ₆ H ₆ BrN (106-40-1) M. W.: 172.02 Assay (GC) 98.0%	100 gm 500 gm
028245	2-Bromo Aniline for Synthesis C ₆ H ₆ BrN (615-36-1) M. W.: 172.02 Assay 98.0%	25 gm 100 gm
028250	3-Bromo Aniline for Synthesis BrC ₆ H ₄ NH ₂ (591-19-5) M. W.: 172.02 Assay 98.0%	25 ml 100 ml
028350	3-Bromo Anisole for Synthesis (1-Bromo-3-Methoxybenzene) C ₇ H ₇ BrO (2398-37-0) M. W.: 187.04 Assay 98.0%	100 ml 500 ml
028355	4-Bromo Anisole for Synthesis (1-bromo-4-methoxybenzene) BrC ₆ H ₄ OCH ₃ (104-92-7) M. W.: 187.04 Assay 98.0%	100 ml 500 ml
028455	3-Bromo Benzaldehyde for Synthesis BrC ₆ H ₄ CHO (3132-99-8) M. W.: 185.02 Assay 97.0%	25 ml 100 ml
028465	4-Bromo Benzaldehyde for Synthesis BrC ₆ H ₄ CHO (1122-91-4) M. W.: 185.02 Assay 99.0%	25 gm 100 gm
027434	Bromo Benzene for Synthesis C ₆ H ₅ Br (108-86-1) M. W.: 157.01 Assay (GC) 98.0%	250 ml 500 ml 2.5 lit
467305	Bromo Benzene AR (Phenyl Bromide) C ₆ H ₅ Br (108-86-1) M. W.: 157.01 Assay 99.0%	250 ml
028865	2-Bromo Benzoic Acid for Synthesis C ₇ H ₅ BrO ₂ (88-65-3) M. W.: 201.02 Assay 98.0%	100 gm 500 gm
028875	3-Bromo Benzoic Acid for Synthesis BrC ₆ H ₄ CO ₂ H (585-76-2) M. W.: 201.02 Assay 98.0%	5 gm 25 gm 100 gm
028885	4-Bromo Benzoic Acid for Synthesis BrC ₆ H ₄ CO ₂ H (586-76-5) M. W.: 201.02 Assay 98.0%	50 gm 250 gm
029005	3-Bromo Benzonitrile for Synthesis (M-Bromobenzonitrile) BrC ₆ H ₄ CN (6952-59-6) M. W.: 182.02	25 gm 100 gm
029015	4-Bromo Benzonitrile (p-Bromobenzonitrile) BrC ₆ H ₄ CN (623-00-7) M. W.: 182.02	25 gm 100 gm
467485	p-Bromo Benzophenone AR C ₁₃ H ₉ OBr (90-90-4) M. W.: 261.12 Assay (GC) 98.0%	25 gm 100 gm
029115	4-Bromo Benzylamine C ₇ H ₈ BrN (3959-07-7) M. W.: 186.05 Assay 96.0%	1 gm

B

Laboratory Chemicals

Product Code	Product Name	Packing
	1-Bromo Butane See n-Butyl Bromide	
029215 C ₄ H ₉ Br (78-76-2)	2-Bromo Butane (sec-Butyl Bromide) M. W.: 137.03	100 ml 500 ml
029315 C ₈ H ₆ BrClO (536-38-9)	2-Bromo-4'-Chloro Acetophenone M. W.: 233.49 Assay 98.0%	100 gm
467575 BrC ₆ H ₄ Cl (106-39-8)	1-Bromo-4- Chlorobenzene AR M. W.: 191.45	100 gm 500 gm
029625 C ₁₄ H ₁₅ BrClNO ₆ (7240-90-6)	5-Bromo-4-Chloro-3-Indolyl β D-Galactopyranoside (X-Gal, Bcig, 5-Bromo-4-Chloro-3-Indolyl β-D-Galactoside) M. W.: 408.60 Assay 98.0%	100 mgm 1 gm 5 gm
467695 C ₁₉ H ₁₀ Br ₂ Cl ₂ O ₅ S (2553-71-1)	Bromo Chlorophenol Blue AR M. W.: 581.06	5 gm
467715 C ₁₉ H ₉ Br ₂ Cl ₂ NaO ₅ S (102185-52-4)	Bromo Chlorophenol Blue Sodium Salt AR M. W.: 603.04	5 gm
029725 C ₃ H ₆ BrCl (109-70-6)	1-Bromo-3-Chloropropane for Synthesis M. W.: 157.44 Assay 98.0%	500 ml
	Bromo Cresol Blue See Bromo Cresol Green	
467805 C ₂₁ H ₁₄ Br ₄ O ₅ S (76-60-8)	Bromo Cresol Green Indicator AR M. W.: 698.04	1 gm 5 gm 25 gm
467885 C ₂₁ H ₁₃ Br ₄ NaO ₅ S (62625-32-5)	Bromo Cresol Green Sodium AR M. W.: 720.00	5 gm 25 gm
467905 C ₂₁ H ₁₄ Br ₄ O ₅ S (76-60-8)	Bromo Cresol Green Certified Grade AR (pH 3.8-5.4)  M. W.: 698.01	5 gm
811743	Bromocresol Green Solution For TLC spray for Detection of Acidic (pKA<5) groups	125 ml
811744	Bromocresol Green TS acc/ to USP	125 ml
811740	Bromo Cresol Green Solution	125 ml
811745	Bromo Cresol Green Sodium Salt Solution 0.04%	125 ml
811750	Bromo Cresol Green/Methyl Red Mixed Indicator Solution In Alcohol	500 ml
467995 C ₂₁ H ₁₆ O ₅ Br ₂ S (115-40-2)	Bromo Cresol Purple Indicator AR M. W.: 540.24	5 gm 25 gm
811780	Bromo Cresol Purple Indicator Solution	125 ml

Product Code	Product Name	Packing
029828 C ₂₁ H ₁₅ Br ₂ NaO ₅ S (62625-30-3)	Bromo Cresol Purple Sodium Salt M. W.: 562.22	10 gm 50 gm
029925 C ₆ H ₁₁ Br (108-85-0)	Bromo Cyclohexane for Synthesis (Cyclohexyl Bromide) M. W.: 163.06	500 ml
030015 C ₁₀ H ₂₁ Br (112-29-8)	1-Bromo Decane for Synthesis (n-Decyl Bromide) M. W.: 221.18	100 ml 500 ml
027455 C ₂ H ₅ Br (74-96-4)	Bromo Ethane for Synthesis M. W.: 108.97 Assay (GC) 99.0%	250 ml 500 ml 25 lit
030100 BrCH ₂ CH ₂ SO ₃ Na (4263-52-9)	2-Bromo Ethane Sulphonic Acid Sodium Salt for Synthesis M. W.: 211.01	10 gm 50 gm
030175 C ₂ H ₆ BrN.HBr (2576-47-8)	2-Bromo Ethylamine Hydrobromide (2-Aminoethyl Bromide Hydrobromide) M. W.: 204.89	100 gm 500 gm
027460 CHBr ₃ (75-25-2)	Bromoform Pure M. W.: 252.73 Assay (GC) 98.0%	250 ml
027459 CHBr ₃ (75-25-2)	Bromoform Special Grade ACS M. W.: 252.73 Assay (GC) 99.0%	250 ml
030270 C ₆ H ₄ BrF (460-00-4)	1-Bromo-4-Fluorobenzene for Synthesis (P-Bromofluorobenzene) (Stabilised with Ethanol) M. W.: 175.00	100 gm 500 gm
030325 C ₅ H ₃ BrFN (128071-98-7)	4-Bromo-2-Fluoropyridine M. W.: 175.99	1 gm 5 gm
030375 C ₅ H ₃ BrO ₃ (585-70-6)	5-Bromo-2-Furoic Acid M. W.: 190.98	25 gm
030425 C ₇ H ₁₅ Br (629-04-9)	1-Bromo Heptane for Synthesis (n-Heptyl Bromide) M. W.: 179.10	100 ml 500 ml
030475 C ₁₆ H ₃₃ Br (112-82-3)	1-Bromo Hexadecane for Synthesis (N-Hexadecyl Bromide, Cetyl Bromide) M. W.: 305.34	100 ml 500 ml
030525 CH ₃ (CH ₂) ₅ Br (111-25-1)	1-Bromo Hexane for Synthesis (N-Hexyl Bromide) M. W.: 165.07	100 ml 500 ml
030572 C ₈ H ₆ BrN (10075-50-0)	5-Bromo Indole for Synthesis M. W.: 196.04	25 gm 100 gm
030625 C ₇ H ₄ BrIO ₂ (25252-00-0)	2-Bromo-5-Iodobenzoic Acid M. W.: 326.91	1 gm 10 gm

Product Code	Product Name	Packing
468085 C ₁₀ H ₈ BrNO ₂ (17357-14-1)	•5-Bromo Indoxyl Acetate AR M. W.:254.09 Assay (HPLC) 99.0%	100 mgm 500 mgm
030675 CH ₃ OC ₆ H ₄ COCH ₂ Br (2632-13-5)	2-Bromo-4'-Methoxy Acetophenone M. W.: 229.07	25 gm 100 gm
	1-Bromo-3-Methoxybenzene See 3-Bromo anisole	
	1-Bromo-4-Methoxybenzene See 4-Bromo anisole	
	1-Bromo-2-Methylbenzene See 2-Bromo toluene	
	1-Bromo-4-Methylbenzene See 4-Bromo toluene	
030775 (CH ₃) ₃ Br (507-19-7)	2- Bromo-2-Methylpropane for Synthesis Methylpropane (tert-Butyl Bromide) M. W.: 137.02	100 ml 500 ml
030825 C ₁₀ H ₇ Br (90-11-9)	1-Bromo Naphthalene for Synthesis M. W.: 207.07	100 ml 500 ml
030875 C ₁₆ H ₁₇ BrO ₆ (15572-30-2)	6-Bromo-2-Naphthyl B-D-Galactopyranoside M. W.: 385.20	1 gm
030925 C ₃ H ₆ BrNO ₄ (52-51-7)	2-Bromo-2-Nitropropane-1,3- Propanediol (Bronopol) M.W.: 199.99	100 gm 500 gm
030975 C ₉ H ₁₉ Br (693-58-3)	1-Bromo Nonane for Synthesis (Nonyl Bromide) M. W.: 207.15	100 ml 500 ml
030985 C ₈ H ₁₇ Br (111-83-1)	1-Bromo Octane (n-Octyl Bromide) M. W.: 193.12	100 ml 500 ml
031025 C ₅ H ₁₁ Br (110-53-2)	1-Bromo Pentane for Synthesis (N-Amyl Bromide, N-Pentyl Bromide) M. W.: 151.04	100 ml 500 ml
031075 BrC ₆ H ₄ COCH ₂ Br (99-73-0)	4-Bromo Phenacyl Bromide M. W.: 277.94	25 gm
031225 C ₆ H ₅ BrO (95-56-7)	2-Bromo Phenol for Synthesis M. W.: 173.01	25 gm 100 gm
031245 C ₆ H ₅ BrO (106-41-2)	4-Bromo Phenol for Synthesis M. W.: 173.01	100 gm 500 gm
468705 C ₁₉ H ₁₀ O ₅ SBr ₄ (115-39-9)	Bromo Phenol Blue Indicator AR M. W.: 669.98	5 gm 25 gm

Product Code	Product Name	Packing
920000 C ₁₉ H ₁₀ Br ₄ O ₅ S.Na	Bromo Phenol Blue Sodium Salt for Molecular Biology for Electro phoresis M. W.: 691.95	5 gm
812000	Bromo Phenol Blue Solution	125 ml
812010	Bromo Phenol Blue ABT. 1% Solution in DMF	50 ml
812005	Bromo Phenol Blue TS acc. to UPS	125 ml
812050	Bromo Phenol Blue-Xylene Cyanol Dye Solution	5 ml
031545 CH ₃ CHBrCOOH (598-72-1)	2-Bromo Propionic Acid for Synthesis M. W.: 152.97	100 gm 500 gm
	1-Bromo Propane See n-Propyl Bromide	
	2-Bromo Propane See ISO-Propyl Bromide	
	3-Bromo Propene See Allyl Bromide	
468805 C ₁₉ H ₁₀ Br ₂ O ₈ S (16574-43-9)	Bromo Pyrogallol Red AR M. W.: 558.15	1 gm 5 gm
027491 (CH ₂ .CO) ₂ NBr (128-08-5)	N-Bromo Succinimide M. W.: 177.98 Assay (iodometric) 99.0%	100 gm 500 gm 1 kg 2.5 kg
469035 C ₄ H ₄ BrNO ₂ (128-08-5)	N-Bromo Succinimide AR M. W.: 177.98	100 gm 500 gm
469215 C ₂₀ H ₈ Br ₄ Na ₂ O ₁₀ S ₂ (71-67-0)	Bromo Sulphalein AR M. W.: 838.00	1 gm
020021 C ₂₇ H ₂₇ Br ₂ NaO ₅ S (34722-90-2)	Bromo Thymol Blue Sodium Salt M. W.: 646.37	10 gm
469395 C ₂₇ H ₂₈ Br ₂ O ₅ S (76-59-5)	Bromo Thymol Blue AR (pH Indicator) M. W.:624.40	5 gm 25 gm
812170	Bromo Thymol Blue Solution	125 ml 500 ml
812175	Bromo Thymol Blue TS acc. to USP	125 ml
PA0100	Bromo Thymol Blue Paper	200 lvs
031845 CH ₃ C ₆ H ₄ Br (95-46-5)	2-Bromo Toluene for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03	25 ml 100 ml
031865 CH ₃ C ₆ H ₄ Br (591-17-3)	3-Bromo Toluene for Synthesis M. W.: 171.03 Assay (GC) 98.0%	25 ml 100 ml

B

Laboratory Chemicals

Product Code	Product Name	Packing
031885	4-Bromo Toluene for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03 Assay 98.0%	100 gm 500 gm
CH ₃ C ₆ H ₄ Br (106-38-7)		
469575	5-Bromo Uracil AR M. W.:190.99 Assay (Alkalimetric) 97.0%	1 gm 5 gm 25 gm
C ₄ H ₃ BrN ₂ O ₂ (51-20-7)		
	Bronopol See 2-Bromo-2-Nitropropane-1,3-propanediol	
469865	Brucine AR M. W.:394.47 Assay (non aq.) 99.0%	10 gm 25 gm
C ₂₃ H ₂₆ N ₂ O ₄ (357-57-3)		
812250	Brucine Solution (Reagent for nitrate & Bismuth)	100 ml
470045	Brucine Sulphate Heptahydrate AR (C ₂₃ H ₂₆ N ₂ O ₄) ₂ H ₂ SO ₄ ·7H ₂ O M.W.:1013.12 Assay (Non-aqueous) 99.0%	25 gm 250 gm
(60583-39-3)		
812270	Brucke's Reagent (For proteins)	100 ml
032205	BTS Catalyst for Gas Purification	25 gm
812500	Buffer kit pH 4.0-7.0-9.0-10.0 +/-0.02 at (25°C)	1 Box
812300	Buffer Powder pH Approx. 4.0	10 cP
812320	Buffer Powder pH Approx. 6.4	10 cP
812340	Buffer Powder pH Approx. 6.8	10 cP
812360	Buffer Powder pH Approx. 7.0	10 cP
812380	Buffer Powder pH Approx. 7.2	10 cP
812400	Buffer Powder pH Approx. 9.0	10 cP
812420	Buffer Powder pH Approx. 9.2	10 cP
812440	Buffer Powder pH Approx. 10.0	10 cP
812590	Buffer Solution pH 1.0	500 ml 2.5 lit 5 lit
812600	Buffer Solution pH 2.0 (Citrate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812610	Buffer Solution pH 3.0 (Citrate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812620	Buffer Solution pH 4.0 (Phthalate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812630	Buffer Solution pH 4.0 Citrisol Concentrated on receipt store at 2-8 °C	3 Amp 6 Amp
812635	Buffer Standard Solution pH 4.0 at 20°C Nist Traceable	500 ml 2.5 lit
812640	Buffer Solution pH 5.0 (Citrate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit

Product Code	Product Name	Packing
812650	Buffer Solution pH 6.0 (Acetate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812660	Buffer Solution pH 6.0 (Citrate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812670	Buffer Solution pH 6.4 (Saline Phosphate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812680	Buffer Solution pH 6.8 (Phosphate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812675	Buffer Standard Solution pH 6.86 at 25°C Nist Traceable	500 ml 2.5 lit
812690	Buffer Solution pH 7.0 (Phosphate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812705	Buffer Standard Solution pH 7.0 at 20°C Nist Traceable	500 ml 2.5 lit
812700	Buffer Solution pH 7.0 Citrisol Concentrated on receipt store at 2-8 °C	3 Amp 6 Amp
812710	Buffer Solution pH 7.2 (Albumine Phosphate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812720	Buffer Solution pH 7.6 (CitroPhosphate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812730	Buffer Solution pH 8.0 (Borate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812740	Buffer Solution pH 9.0 (Borate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812745	Buffer Standard Solution pH 9.18 at 25°C Nist Traceable	500 ml 2.5 lit
812750	Buffer Solution pH 9.2 (Borate) on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812760	Buffer Solution pH 10.0 on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
812765	Buffer Standard Solution pH 10.0 at 20°C Nist Traceable	500 ml 2.5 lit
812768	Buffer Solution pH 11.0	500 ml 2.5 lit 5 lit
812770	Buffer Solution pH 12.0 on receipt store at 2-8 °C	500 ml 2.5 lit 5 lit
032405	1,3-Butanediol for Synthesis C ₄ H ₁₀ O ₂ (107-88-0) M. W.: 90.12 Assay 98.0%	500 ml 2.5 lit

Product Code	Product Name	Packing
032425	1,4-Butanediol for Synthesis (1,4-Butylene Glycol, Tetramethylene Glycol) M. W.: 90.12	500 ml 2.5 lit
C ₄ H ₁₀ O ₂ (110-63-4)		
470135	1,4-Butanediol AR M. W.: 90.12	1 lit
C ₄ H ₁₀ O ₂ (110-63-4)		
	2,3-Butanedione See Diacetyl	
	2,3-Butanedione Oxime See Diacetyl Monoxime	
470270	1-Butane Sulphonic Acid Sodium Salt Anhydrous for AR/ HPLC M. W.: 160.17	25 gm 100 gm
C ₄ H ₉ NaO ₃ S (2386-54-1)		
709605	1-Butane Sulphonic Acid Sodium Salt Monohydrate for HPLC M. W. : 178.16 Assay 99.0%	25 gm 100 gm
C ₄ H ₉ NaO ₃ S.H ₂ O		
	1-Butanol See n-Butanol	
027500	n-Butanol for Synthesis (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay(G.C) 98.0%	500 ml 1 lit 2.5 lit 25 lit 200 lit
(CH ₃)(CH ₂) ₃ OH (71-36-3)		
470410	n-Butanol AR (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay (GC) 99.5%	500 ml 1 lit 2.5 lit 25 lit 200 lit
(CH ₃)(CH ₂) ₃ OH (71-36-3)		
709705	n-Butanol GC Grade M. W : 74.12 Assay 99.9%	500 ml 1 lit
C ₄ H ₁₀ O (71-36-3)		
709700	n-Butanol HPLC & Spectroscopy M.W : 74.12 Assay 99.7%	1 lit 2.5 lit
C ₄ H ₁₀ O (71-36-3)		
027507	2-Butanol for Synthesis (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
CH ₃ .CH ₂ .CHOH.CH ₃ (78-92-2)		
470445	2-Butanol AR (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
CH ₃ .CH ₂ .CHOH.CH ₃ (78-92-2)		
	iso-Butanol See Iso Butanol	
027508	tert-Butanol (tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
(CH ₃) ₃ .COH (75-65-0)		
470535	tert-Butanol AR (Tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
(CH ₃) ₃ COH (75-65-0)		

Product Code	Product Name	Packing
710000	tert-Butanol for HPLC & Spectroscopy (CH ₃) ₃ C.OH (75-65-0) M. W.: 74.12	1 lit 2.5 lit
032525	Butanone for Synthesis C ₄ H ₈ O (78-93-3) M.W.: 72.11	500 ml 2.5 lit 25 lit 200 lit
470575	Butanone AR/ACS C ₄ H ₈ O (78-93-3) M.W.: 72.11	500 ml 2.5 lit 25 lit 200 lit
711100	Butanone for HPLC & Spectroscopy C ₄ H ₈ O (78-93-3) M.W.: 72.11	1 lit
	trans-2-Butenoic Acid See Crotonic Acid	
	2-Butoxy Ethanol See Ethylene Glycol Mono Butyl Ether	
027502	n-Butyl Acetate for Synthesis CH ₃ .COO(CH ₂) ₃ .CH ₃ (123-86-4) M. W.: 116.16 Assay(GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
470975	n-Butyl Acetate AR CH ₃ .COO(CH ₂) ₃ .CH ₃ (123-86-4) M. W.: 116.16 Assay 99.5%	500 ml 2.5 lit 25 lit 200 lit
712095	n-Butyl Acetate GC Grade CH ₃ .COO(CH ₂) ₃ .CH ₃ (123-86-4) M. W.: 116.16 Assay(GC) 99.7%	500 ml 1 lit
712100	n-Butyl Acetate CH ₃ .COO(CH ₂) ₃ .CH ₃ (123-86-4) M. W.: 116.16 for Pesticide residue Analysis	1 lit
032605	tert-Butyl Acetate for Synthesis C ₆ H ₁₂ O ₂ (540-88-5) M. W.: 116.16	500 ml 2.5 lit 25 lit 200 lit
	iso-Butyl Acetate See ISO-butyl Acetate	
025890	n-Butyl Acrylate Monomer C ₇ H ₁₂ O ₂ (141-32-2) M. W.: 128.17 Assay (GC) 99.0%	500 ml 2.5 lit
	n-Butyl Alcohol See n-Butanol	
	iso-Butyl Alcohol See ISO Butanol	
	sec-Butyl Alcohol See 2-Butanol	
	tert-Butyl Alcohol See tert-Butanol	
032705	tert-Butyl Benzene for Synthesis C ₆ H ₅ C(CH ₃) ₃ (98-06-6) M. W.: 134.22 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
032805	p-tert-Butyl Benzoic Acid C ₁₁ H ₁₄ O ₂ (98-73-7) M. W.: 178.23 Assay 98.0%	500 gm

B

Laboratory Chemicals

Product Code	Product Name	Packing
	Butyl Carbitol See Diethylene Glycol Mono Butyl Ether	
027510 C ₄ H ₁₁ N (109-73-9)	n-Butylamine M. W.: 73.14 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
471185 C ₄ H ₁₁ N (109-73-9)	n-Butylamine AR M. W.: 73.14 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
025893 C ₄ H ₁₁ N (75-64-9)	tert-Butylamine for Synthesis M. W.: 73.14 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
471190 C ₄ H ₁₁ N (75-64-9)	tert-Butylamine AR M. W.: 73.14	500 ml 25 lit
027515 C ₁₁ H ₁₆ O ₂ (25013-16-5)	Butylated Hydroxy Anisole (B.H.A.) M. W.: 180.25	100 gm 500 gm 10 kg 25 kg 50 kg
028067 [(CH ₃) ₃ C] ₂ C ₆ H ₂ (CH ₃)OH (128-37-0)	Butylated Hydroxy Toluene (B.H.T) Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 220.35 Assay(GC) 99.00%	500 gm 5 kg 25 kg 50 kg
027442 CH ₃ .CH ₂ .CH ₂ .CH ₂ .Br (109-65-9)	n-Butyl Bromide for Synthesis M. W.: 137.02 Assay (GC) 98.0%	250 ml 500 ml 2.5 lit 25 lit 200 lit
033005 C ₁₀ H ₁₆ O ₂ (109-21-7)	Butyl Butyrate M. W.: 144.22 Assay 98.0%	250 ml
033105 C ₅ H ₁₂ O ₂ N ₂ (870-46-2)	tert-Butyl Carbazate for Synthesis M. W.: 132.16 Assay 98.0%	25 gm 100 gm
027520 C ₁₀ H ₁₄ O ₂ (98-29-3)	p-tert-Butyl Catechol (p-tert Butyl Pyrocatechol) M. W.: 166.22 Assay (GC) 97.0%	500 gm
	Butyl Cellosolve See Ethylene Glycol Mono Butyl ether	
	Butyl Cellosolve Acetate See Ethylene Glycol Mono butyl Ether Acetate,	
033155 C ₄ H ₉ Cl (109-69-3)	N-Butyl Chloride for Synthesis (1-Chloro Butane) M. W.: 92.57	500 ml 2.5 lit 25 lit 200 lit
033175 (CH ₃) ₃ CCl (507-20-0)	tert-Butyl Chloride for Synthesis M. W.: 92.57 Assay 98.0%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
	Butyl Cyanide See Valeronitrile	
033325 C ₈ H ₁₉ NO ₂ (102-79-4)	N-Butyl Diethanolamine for Synthesis M. W.: 161.24 Assay 98.5%	500 ml 2.5 lit
	Butyl Digol See Diethylene Glycol Mono Butyl Ether	
033415 C ₆ H ₁₅ ClSi (18162-48-6)	tert-Butyl Dimethylsilyl Chloride (tert-Butyl (Chloro) Dimethyl silane, TBDMCL) (tert-Butyl dimethyl Chlorosilane) M. W.: 150.72	25 gm 100 gm 500 gm
	1,3-Butylene Glycol See 1,3 Butanediol	
	1,4-Butylene Glycol See 1,4 Butanediol	
	N-Butyl Ether See Dibutyl Ether	
	Butyl Glycol See Ethylene Glycol Mono Butyl Ether	
033425 (CH ₃) ₃ COOH (75-91-2)	tert-Butyl Hydroperoxide 70% in Water M. W.: 90.12	100 ml 500 ml
025892 C ₁₁ H ₁₄ O ₃ (94-26-8)	Butyl-p-Hydroxy Benzoate M. W.: 194.23 Assay (GC) 99.0%	500 gm
025867 C ₁₀ H ₁₄ O ₂ (1948-33-0)	tert-Butyl Hydroquinone (TBHQ) M. W.: 166.22 Assay (By GC) 97.0%	250 gm 2.5 kg 10 kg
033625 H ₄ HgI (542-69-8)	N-Butyl Iodide (1-iodobutane) M. W.: 184.02	100 ml 500 ml
033825 C ₇ H ₁₄ O ₃ (138-22-7)	N-Butyl Lactate for Synthesis M. W.: 146.18 Assay 98.0%	250 ml 500 ml
034009 C ₄ H ₉ Li (109-72-8)	N-Butyl Lithium 1.6M in Hexane M. W.: 64.06	100 ml 1 lit
034205 C ₈ H ₁₂ O ₂ (97-88-1)	N-Butyl Methacrylate (Stabilised) M. W.: 142.20	500 ml 2.5 lit
029848 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for Synthesis M. W.: 88.15 Assay (By GC) 99.0%	500 ml 2.5 lit 25 lit
472355 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether AR M. W.: 88.15	500 ml 2.5 lit 25 lit
712900 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for HPLC M. W.: 88.15 Assay (By GC) 99.8%	1 lit 2.5 lit

Product Code	Product Name	Packing
712895 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for GC Grade M.W : 88.15 Assay 99.9%	1 lit
712950 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for Pesticide Residue Trace M. W.: 88.15	1 lit
034405 C ₈ H ₁₅ ClN ₂ (79917-90-1)	1-Butyl-3-Methyl Imidazolium Chloride M. W.: 174.67 Assay 98.0%	5 gm 25 gm 250 gm
	iso-Butyl Methyl Ketone See Iso Butyl Methyl Ketone	
034455 C ₈ H ₁₅ F ₆ N ₂ P (174501-64-5)	1-Butyl-3-Methylimidazolium Hexafluorophosphate (BMIM.PF ₆) extrapure for catalysis and nanotechnology M.W. 284.18 Assay 98.0%	5 gm 25 gm 100 gm
034505 C ₈ H ₁₅ AlCl ₄ N ₂ (80432-09-3)	1-Butyl-3-Methylimidazolium Tetrachloroaluminate (BMIM.AlCl ₄) extrapure for catalysis and nanotechnology M.W. 308.01 Assay 95%	10 gm 25 gm 50 gm
034525 C ₈ H ₁₅ BF ₄ N ₂ (174501-65-6)	1-Butyl-3-Methylimidazolium Tetrafluoroborate (BMIM.BF ₄) extrapure for catalysis and nanotechnology M.W. 226.02 Assay 98%	5 gm 25 gm
034625 C ₉ H ₁₅ F ₃ N ₂ O ₃ S (174899-66-2)	1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (1-Butyl-3-Methylimidazolium Triflate, BMIM.Otf) extrapure for catalysis, proteomics and nanotechnology M.W. 288.29 Assay 95%	1 gm 5 gm 25 gm
034645 C ₁₁ H ₂₀ F ₆ N ₂ O ₄ S ₂ (223437-11-4)	1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethyl-Sulfonyl)imide (BMP.TFSI) Extra Pure for catalysis, electrochemistry and nanotechnology M.W. 422.41 Assay.98%	5 gm 25 gm 100 gm
034665 C ₉ H ₂₀ ClN (479500-35-1)	1-Butyl-1-Methylpyrrolidinium Chloride Extrapure for catalysis and nanotechnology M.W. 177.71 Assay 98%	5 gm 25 gm
034715 C ₉ H ₂₀ F ₆ NP (330671-29-9)	1-Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP.FP6) Extrapure for catalysis and nanotechnology M.W. 287.23 Assay 97.5%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
034745 C ₉ H ₂₀ BF ₄ N (345984-11-4)	1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP.BF ₄) Extrapure for catalysis and nanotechnology M.W. 229.07 Assay 97%	1 gm 5 gm 25 gm
034845 C ₂₂ H ₄₂ O ₂ (142-77-8)	Butyl Oleate for Synthesis M. W.: 338.57 Assay Abt. 75.0%	500 ml
	Butyl Paraben See Butyl-p-Hydroxbenzoate	
	Butyl-PBD See 2-(4-tert-Butylphenyl)-5-(4-biphenyl)-1,3,4-oxadiazole	
035045 C ₁₁ H ₁₄ O ₃ (614-45-9)	tert-Butyl Perbenzoate M.W.: 194.23	500 ml
035145 C ₁₀ H ₁₄ O (98-54-4)	4-tert-Butyl Phenol for Synthesis (p-tert-Butylphenol) M. W.: 150.22	500 gm
473265 C ₁₀ H ₁₄ O (98-54-4)	4- tert-Butyl Phenol AR M. W.: 150.22	1 kg
035200 C ₂₄ H ₂₂ N ₂ O (15082-28-7)	2-(4-tert-Butyl phenyl)-5-(4-Biphenyl)-1,3,4-Oxadiazole (Butyl-PBD) M. W.: 354.44	5 gm 100 gm
	n-Butyl Phthalate See Di-n-Butyl Phthalate	
	n-Butyl Phosphate See Tri-n-Butyl Phosphate	
025847 C ₂₂ H ₄₄ O ₂ (123-95-5)	n-Butyl Stearate for Synthesis M. W.: 340.59 Assay (GC) 50.0%	500 ml 2.5 lit
035500 C ₄ H ₈ O (123-72-8)	n-Butyraldehyde M. W.: 72.11	500 ml 2.5 lit 200 lit
027535 CH ₃ CH ₂ CH ₂ COOH (107-92-6)	n-Butyric Acid M. W.: 88.11 Assay (GC) 99.0%	500 ml 2.5 lit
473455 CH ₃ CH ₂ CH ₂ COOH (107-92-6)	n-Butyric Acid AR M. W.: 88.11 Assay (GC) 99.5%	500 ml 2.5 lit
035605 C ₈ H ₁₄ O ₃ (106-31-0)	N-Butyric Anhydride for Synthesis M. W.: 158.19 Assay (GC) 98.0%	500 ml 1 lit
	1,4-Butyrolactone See Y-Butyrolactone	
027946 C ₄ H ₆ O ₂ (96-48-0)	gamma- Butyrolactone M. W.: 86.09 Assay (GC) 99.0%	500 ml 2.5 lit
	Butyrolactum See 2-Pyrrolidone	
473595 C ₁₀ H ₁₂ O (495-40-9)	Butyrophenone AR M. W.: 148.20 Assay 99.0%	25 gm

B

Laboratory Chemicals



Product Code Product Name Packing

035705 **Butyryl Chloride** for Synthesis **100 ml**
 C_4H_7ClO M. W.: 106.55 **500 ml**
 (141-75-3) Assay 99.0%

Product Code Product Name Packing

035735 **Butyrylcholine Chloride** **1 gm**
 for biochemistry **5 gm**
 $C_9H_{20}NO_2Cl$ M.W. 209.70
 (2963-78-2) Assay 98.0%

B

Laboratory Chemicals

AAS / ICP / ICP-MS STD. SOLUTION

CPECTROSOL - AAS

Product Code	Product Name
806500	Antimony Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃
807000	Arsenic Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃
810840	Boron Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H ₂ O
813350	Cadmium Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃
814010	Calcium Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃
815590	Cesium Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃
817540	Chromium Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃
839910	Gold Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS
849300	Indium Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO ₃
850040	Iron Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO ₃
863100	Magnesium Atomic Absorption Std. Soln. Contain 1000 mg/litre AAS in HNO ₃
864860	Mercury Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO ₃
874100	Palladium Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO ₃
875570	Phosphate 1000 ppm Single Element Standard for Ion Chromatography
875750	Phosphorous Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O
876190	Platinum Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl
876550	Potassium 200 ppm Single Element Standard for Ion Chromatography in HNO ₃
888680	Silicon Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO ₃
888840	Silver Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO ₃
902590	Vanadium Atomic Absorption Std. Soln. Contains 1000 mg/Litre AAS in HNO ₃

CRISTAR - ICP/ICP-MS

Product Code	Product Name
803190	Aluminium 1000 ppm Single Element Standard for ICP in HNO ₃
806550	Antimony 1000 ppm single Element Standard for ICP in HNO ₃ Nist Traceable
807050	Arsenic 1000 ppm Single Element Standard for ICP in HNO ₃ Nist Traceable
809950	Bismuth 1000 ppm Single Element Standard for ICP in HNO ₃
813420	Cadmium (Cd) 10,000 ppm Single Element Standard for ICP in HNO ₃ Nist Traceable
814030	Calcium (Ca) 1000 ppm Single Element Standard for ICP in HCl Nist Traceable
815400	Cerium 1000 ppm Single Element Standard for ICP in HNO ₃
817580	Chromium (Cr) 1000 ppm Single Element Standard for ICP in HCl Nist Traceable
829700	Erbium 1000 ppm Single Element Standard for ICP in HNO ₃
839990	Gold 1000 ppm Single Element Standard for ICP in HNO ₃
839960	Gold (Au) ICP Standard Solution 1000 Mg/lit in Dilute HCl Nist Traceable
859430	Lanthanum 1000 ppm Single Element Standard for ICP in HNO ₃
859660	Lead 1000 ppm Single Element Standard for ICP in HNO ₃
863030	Magnesium (Mg) 1000 ppm Single Element Standard for ICP in HNO ₃
864890	Mercury (Hg) 1000 ppm Single Element Standard for ICP in HNO ₃ nist traceable
874150	Palladium (Pd) 1000 ppm Single Element Standard for ICP in HCl.
876570	Potassium 1000 ppm Single Element Standard for ICP-MS in HNO ₃
888190	Selenium 1000 ppm Single Element Standard for ICP in HNO ₃
896130	Tellurium 1000 ppm Single Element Standard for ICP in HNO ₃
907520	Zinc 1000 ppm Single Element Standard for ICP in HCl

complete range on pg. 193

Product Code	Product Name	Packing
041005	Cacodylic Acid (dimethylarsinic acid, dimethylarsinic acid)	25 gm
		100 gm
		250 gm
C ₇ H ₇ AsO ₂ (75-60-5)	M. W.: 138.00 Assay 98.0%	
	Cacodylic Acid Sodium Salt See Sodium Cacodylate	
478455	Cacotheline AR (Redox Indicator)	5 gm
C ₂₁ H ₂₁ N ₃ O ₇ (561-20-6)	M. W.: 427.42 Assay (Non-aqueous) 95.0%	25 gm
478635	Cadion AR	1 gm
C ₁₈ H ₁₄ N ₆ O ₂ (5392-67-6)	M. W.: 346.34 Assay 98.0%	5 gm
813350	Cadmium (Cd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
813352	Cadmium (Cd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
813400	Cadmium (Cd) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
813420	Cadmium (Cd) 10,000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
478685	Cadmium Metal Powder AR	100 gm
Cd (7440-43-9)	A. W.: 112.41	500 gm
025797	Cadmium metal Lumps	100 gm
Cd (7440-43-9)	M. W.: 112.41 Assay 99.0%	500 gm
478730	Cadmium (Metal) Granular AR	100 gm
Cd (7440-43-9)	At.W : 112.41 Assay (ex; cd; Complexometric) 99.0%	500 gm
041205	Cadmium (Shots)	10 gm
Cd (7440-43-9)	M. W.: 112.41 Assay (trace metals basis) 99.999%	50 gm
027545	Cadmium Acetate Dihydrate	100 gm
(CH ₃ COO) ₂ Cd.2H ₂ O (5743-04-4)	M. W.: 266.53 Assay (complexometric) 98.0%	250 gm
		500 gm
478775	Cadmium Acetate Dihydrate AR	100 gm
(CH ₃ COO) ₂ Cd.2H ₂ O (5743-04-4)	M. W.: 266.53 Assay (complexometric) 99.0%	250 gm
		500 gm
025698	Cadmium Borate	500 gm
CdB ₄ O ₇	M. W.: 267.60 Assay 98.0%	
027546	Cadmium Bromide	500 gm
CdBr ₂ (7789-42-6)	M. W.: 272.22 Assay (EDTA Titration) 99%	
027547	Cadmium Carbonate	100 gm
CdCO ₃ (513-78-0)	M. W.: 172.42 Assay (cd) 62-66%	500 gm
025796	Cadmium Chloride Anhydrous Dried	100 gm
CdCl ₂ (10108-64-2)	M. W.: 183.32 Assay (Argentometric) 95.0%	500 gm

Product Code	Product Name	Packing
027548	Cadmium Chloride Monohydrate	100 gm
CdCl ₂ H ₂ O (35658-65-2)	M. W.: 201.32 Assay (Argentometric) 98.0%	500 gm
478820	Cadmium Chloride Monohydrate AR	100 gm
CdCl ₂ H ₂ O (35658-65-2)	M. W.: 201.32 Assay (argentometric) 99.0%	500 gm
041395	Cadmium Fluoride	500 gm
CdF ₂ (7790-79-6)	M. W.: 150.41 Assay 98.0%	
027553	Cadmium Iodide	100 gm
CdI ₂ (7790-80-9)	M. W.: 366.21 Assay (complexometric) 99.0%	500 gm
027554	Cadmium Nitrate tetrahydrate Purified	100 gm
Cd(NO ₃) ₂ .4H ₂ O (10022-68-1)	M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	250 gm
		500 gm
		25 kg
478865	Cadmium Nitrate Tetrahydrate AR	500 gm
Cd(NO ₃) ₂ .4H ₂ O (10022-68-1)	M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	
025697	Cadmium Oxalate Trihydrate	100 gm
Cd(COO) ₂ .3H ₂ O	M. W.: 254.00 Assay 99.0%	500 gm
027556	Cadmium Oxide	100 gm
CdO (1306-19-0)	M. W.: 128.41 Assay (ex Cd) (Complexometric) 99.5%	500 gm
478910	Cadmium Oxide AR	250 gm
CdO (1306-19-0)	M. W.: 128.41 Assay (Complexometric) 99.7%	
041460	Cadmium Phosphate	100 gm
Cd ₃ (PO ₄) ₂	M.W.: 527.18 Assay (ex Cd) 98.0%	500 gm
041505	Cadmium Selenide	5 gm
CdSe (1306-24-7)	M. W.: 191.37 Assay (trace metals basis) 99.99%	10 gm
041575	Cadmium Sodium Cyanide	500 gm
Na ₂ Cd(CN) ₄	M.W : 262.00 Assay 98.5%	
025696	Cadmium Succinate	100 gm
C ₄ H ₄ CdO ₄ (141-00-4)	M. W.: 228.48 Assay 98.0%	500 gm
027557	Cadmium Sulphate	100 gm
3CdSO ₄ .8H ₂ O (7790-84-3)	M. W.: 769.52 Assay (Complexometric) 98.0-103.0%	500 gm
479000	Cadmium Sulphate AR/ACS	500 gm
3CdSO ₄ .8H ₂ O (7790-84-3)	M. W.: 769.52 Assay (Complexometric) 98-102%	
041655	Cadmium Sulphide Powder HISURE	25 gm
Cds (1306-23-6)	M. W.: 144.48 Assay (trace metals basis) 99.995%	
027558	Cadmium Sulphide Orange	500 gm
CdS (1306-23-6)	M. W.: 144.48 Assay (Complexometric) 99.0%	
041765	Cadmium Telluride	5 gm
CdTe (1306-25-8)	M. W.: 240.01 Assay (trace metals basis) 99.9%	25 gm

C

Laboratory Chemicals

Product Code	Product Name	Packing
	Caesium See Cesium	
041865 C ₉ H ₈ O ₄ (331-39-5)	Caffeic Acid for Synthesis M. W.: 180.16 Assay 95.0%	10 gm
025745 C ₈ H ₁₀ N ₄ O ₂ (58-08-2)	Caffeine Anhydrous Pure M. W.: 194.19 Assay (non-aqueous) 98.5 - 101%	100 gm 250 gm 500 gm 25 kg
479235 C ₈ H ₁₀ N ₄ O ₂ (58-08-2)	Caffeine Anhydrous AR/ACS Suitable for Determination of Serum Bilirubin M. W.: 194.19	100 gm 250 gm 500 gm
025763 (8011-96-9)	Calamine (Residue on ignition) 68-74%	500 gm 1 kg 25 kg
	Calcein See Fluorescein Complexone	
814010	Calcium (Ca) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
814012 new	Calcium (Ca) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
814030	Calcium (Ca) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
814070	Calcium (Ca) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
814050	Calcium (Ca) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
814090	Calcium (Ca) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
046060 Ca (7440-70-2)	Calcium metal At. W. 40.08 Assay (complexometric) 98.5%	100 gm 500 gm
027576 (CH ₃ COO) ₂ Ca.XH ₂ O (114460-21-8)	Calcium Acetate for Soil Test M. W.: 158.17 (Anhy.) Assay (Complexometric; Calc. on dried subs. As (CH ₃ COO) ₂ Ca) 99.0-100.5%	500 gm 25 kg 50 kg
479415 (CH ₃ COO) ₂ Ca.XH ₂ O (114460-21-8)	Calcium Acetate AR/ACS for Soil Test M. W.: 158.17 (Anhydrous) Assay (on dried material) 99.0%	500 gm
025769 Ca(BO ₂) ₂ .2H ₂ O (13701-64-9)	Calcium Borate M.W. : 161.73 Assay (EDTA Titration) 99.0%	250 gm
025744 CaBr ₂ .XH ₂ O (71626-99-8)	Calcium Bromide Hydrate M.W. : 199.89 (Anhydrous basis) Assay (Complexometric as CaBr ₂) 84.70%	500 gm

Product Code	Product Name	Packing
026034 CaC ₂ (75-20-7)	Calcium Carbide M. W.: 64.1 Assay (Gas Volumetric) 60.0%	100 gm 250 gm
027580 CaCO ₃ (471-34-1)	Calcium Carbonate Precipitated Meets Analytical Specification of FCC. M. W.: 100.09 Assay (Complexometric; after drying) 98.5-100.5%	500 gm 5 kg 25 kg
479595 CaCO ₃ (471-34-1)	Calcium Carbonate Precipitated AR M. W.: 100.09 Assay 99.5%	500 gm
025767	Calcium Caseinate	100 gm 500 gm
026035 CaCl ₂ (10043-52-4)	Calcium Chloride Fused for elementary analysis M. W.: 110.99 Assay (ex Cl on dried substance) 98.0%	500 gm 2.5 kg 5 kg 25 kg
027584 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate Pure M. W.: 147.02 Assay (CaCl ₂ .2H ₂ O, Argentometric) 98.0%	500 gm 5 kg 25 kg 50 kg
479775 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	500 gm 25 kg
920900 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate for Molecular Biology M. W.: 147.02 Assay 99.0%	100 gm 500 gm
814240	Calcium Chloride 0.005M (0.01N) Volumetric Solution Nist Traceable	1 lit
814245	Calcium Chloride 0.01M (0.02N) Volumetric Solution Nist Traceable	1 lit
814250	Calcium Chloride 0.02M (0.04N) Volumetric Solution Nist Traceable	1 lit
814270	Calcium Chloride 0.05M (1N) Volumetric Solution Nist Traceable	1 lit
814290	Calcium Chloride 0.1M Volumetric Solution Nist Traceable	1 lit
814310	Calcium Chloride 1.0 M Ultra Pure Volumetric Solution For Molecular Biology	250 ml 500 ml
027590 (C ₆ H ₅ O ₇) ₂ Ca ₃ .4H ₂ O (5785-44-4)	Calcium Citrate Tetrahydrate Pure M. W.: 570.49 Assay (ex Ca on dried subs.) 97.5-100.5%	500 gm 25 kg
	Calcium Dihydrogen Phosphate See Calcium Phosphate Mono basic	
027594 CaF ₂ (7789-75-5)	Calcium Fluoride Purified M. W.: 78.08 Assay (after ignition at 500°C; Complexometric) 97.0%	500 gm 2.5 kg 25 kg

Product Code	Product Name	Packing
027595 C ₂ H ₂ CaO ₄ (544-17-2)	Calcium Formate M. W.: 130.11 Assay (Complexometric) 98.5%	500 gm 5 kg
027596 C ₁₂ H ₂₂ CaO ₁₄ H ₂ O (18016-24-5)	Calcium Gluconate Monohydrate M. W.: 448.39 Assay (ex Ca Complexometric) 99.0-104.0%	500 gm 5 kg 25 kg 50 kg
025773	Calcium Hardness Powder	25 gm
027597 CaH ₂ (7789-78-8)	Calcium Hydride M. W.: 42.10 Assay (Complexometric) 95.0%	100 gm 1 kg
	Calcium Hydrogen Phosphate See di-Calcium Phosphate	
027599 Ca(OH) ₂ (1305-62-0)	Calcium Hydroxide M. W.: 74.09 Assay (acidimetric) 90.0%	500 gm 50 kg
479955 Ca(OH) ₂ (1305-62-0)	Calcium Hydroxide AR M. W.: 74.09 Assay (acidimetric) 96.0%	500 gm
	Calcium Hypochlorite See Bleaching Powder	
042365 Ca(H ₂ PO ₂) ₂ (7789-79-9)	Calcium Hypophosphite M. W.: 170.05	500 gm
027602 Ca(IO ₃) ₂ (7789-80-2)	Calcium Iodate M. W.: 389.88	250 gm
042465 CaI ₂ .4H ₂ O (13640-62-5)	Calcium Iodide Extra Pure M. W.: 365.95 Assay 99.0%	100 gm 500 gm
027604 C ₆ H ₁₀ CaO ₆ 5H ₂ O (5743-47-5)	Calcium Lactate for Soil Test Meets Analytical Specification of IP, BP, USP, Ph. Eur. M.W.:308.30 Assay (Complexometric; on dried material) 98.0-102.0%	250 gm 1 kg
027606 Ca(NO ₃) ₂ .4H ₂ O (13477-34-4)	Calcium Nitrate Tetrahydrate Purified M. W.: 236.15 Assay (ex Ca) 98.0%	500 gm 50 kg
480135 Ca(NO ₃) ₂ .4H ₂ O (13477-34-4)	Calcium Nitrate Tetrahydrate AR/ACS M. W.: 236.15 Assay (Complexometric) 99.0%	500 gm 50 kg
027609 (COO) ₂ Ca.H ₂ O (5794-28-5)	Calcium Oxalate M. W.: 146.12 Assay (ex oxalate) 98.0%	250 gm 500 gm
042510 CaO (1305-78-8)	Calcium Oxide (Selected Lump) for chromatographic analysis M. W.: 56.08 Assay (Complexometric) 95.0%	500 gm 5 kg 50 kg
480315 CaO (1305-78-8)	Calcium Oxide Lump AR M. W.: 56.08 Assay (Complexometric) 97.5%	500 gm
027614 CaO (1305-78-8)	Calcium Oxide Anhydrous Powder M. W.: 56.08 Assay (After ignition); (Complexometric) 96.0%	500 gm 50 kg

Product Code	Product Name	Packing
044074 C ₁₈ H ₃₂ CaN ₂ O ₁₀ (137-08-6)	Calcium-D-Pantothenate for Biochemistry M. W.: 476.54 Assay (ex Ca dried) 98.0%	10 gm 25 gm 100 gm 500 gm
042530 CaO ₂ (78403-22-2)	Calcium Peroxide M.W : 72.08 Assay 65.0%	1 kg
	Calcium Phosphate Dibasic See di-Calcium Phosphate	
027598 CaHPO ₄ (7757-93-9)	di-Calcium Phosphate Anhydrous M. W.: 136.06 Assay (Complexometric) 98-100.5%	500 gm 50 kg
042555 CaHPO ₄ .2H ₂ O (7789-77-7)	di-Calcium Phosphate Dihydrate M. W.: 172.10 Assay (Complexometric) 98.0-102.5%	500 gm 25 kg 50 kg
042560 Ca(H ₂ PO ₄) ₂ .H ₂ O (7757-93-9)	Calcium Phosphate Mono Basic (Calcium Dihydrogen Phosphate) M.W : 252.08 Assay 95.0%	500 gm
	Calcium Phosphate Tribasic See tri-Calcium Phosphate	
025694 Ca ₃ (PO ₄) ₂ (7758-87-4)	tri-Calcium Phosphate (Calcium Phosphate Tribasic) M. W.: 310.18 Assay (Complexometric) 90.0%	500 gm 5 kg 25 kg 50 kg
025720 H ₄ CaO ₄ P ₂ (7789-79-9)	Calcium Phosphinate Pure M. W.: 170.06 Assay (iodometric) 98-101%	500 gm
025798 (C ₆ H ₁₀ CaO ₄) (4075-81-4)	Calcium Propionate Monohydrate Pure M. W.: 186.22 Assay (dried substances acidimetric) 98.0%	500 gm 1 kg 25 kg
489205 (C ₆ H ₁₀ CaO ₄) (4075-81-4)	Calcium Propionate AR M. W.: 186.22	500 gm
042765 (52009-14-0)	Calcium Pyruvate (Pyruvic Acid Calcium Salt)	25 gm 100 gm
025768 C ₆ H ₈ CaO ₈ .4H ₂ O (5793-89-5)	Calcium-D-Saccharate Tetrahydrate M. W.: 320.27 Assay (Complexometric) 98.5-102.0%	500 gm
042865 CaSiO ₃ (1344-95-2)	Calcium Silicate Pure M. W.: 172.24	500 gm
042965 CaSi ₂ (12013-56-8)	Calcium Silicide for Synthesis M. W.: 96.25	500 gm 25 kg
026041 C ₃₆ H ₇₀ CaO ₄ (1592-23-0)	Calcium Stearate M. W.: 607.04 Assay (as CaO; complexometric) 9.0-10.5%	500 gm 5 kg 25 kg 50 kg
027624 CaSO ₄ (7778-18-9)	Calcium Sulphate Anhydrous M. W.: 136.14 Assay (Complexometric) 97.0%	500 gm 5 kg 25 kg

C

Laboratory Chemicals

Product Code	Product Name	Packing
027622 CaSO ₄ ·2H ₂ O (10101-41-4)	Calcium Sulphate Dihydrate M. W.: 172.17 Assay (Complexometric) 98.0%	500 gm 25 kg 50 kg
489505 CaSO ₄ ·2H ₂ O (10101-41-4)	Calcium Sulphate Dihydrate AR/ACS M. W.: 172.17 Assay (Complexometric) 99.0%	500 gm
814470	Calcium Sulphate TS acc. to USP	500 ml
043165 CaS (20548-54-3)	Calcium Sulphide Pure M. W.: 72.14	500 gm
043275 (3164-34-9)	Calcium-L-Tartrate Hydrate	500 gm
025792 CaO ₄ W (7790-75-2)	Calcium Tungstate M. W.: 287.93	100 gm 500 gm
	Calcon See Solochrome Dark Blue	
489595 C ₂₁ H ₁₄ N ₂ O ₇ S (3737-95-9)	Calcon Carboxylic Acid AR M. W.: 438.41 Dye content (titrimetry on dried substance) abt. 60.0 %	5 gm 25 gm
489685 C ₁₇ H ₁₄ N ₂ O ₅ S (3147-14-6)	Calmagite Indicator AR M. W.: 358.37 Dye content (spectrophotometric) ~60.0%	1 gm 5 gm 250 gm
814520	Calmagite 0.1% (w/v) Aqueous Indicator Solution for Water Hardness, APHA	100 ml
	Calomel See Mercurous Chloride	
043405 C ₁₀ H ₁₄ O ₂ (10373-78-1)	DL-Camphorquinone for Synthesis (2,3-born anedione) M. W.: 166.22	5 gm 25 gm 100 gm
027632 C ₁₀ H ₁₆ O (76-22-2)	Camphor MAR (DL-Camphor) Micro Analytical Reagent M. W.: 152.24 Assay 95.0%	100 gm 500 gm
043565 C ₁₀ H ₁₆ O ₄ S (35963-20-3)	L-(-)Camphor Sulphonic Acid M. W.: 232.30 Assay 98.0%	100 gm
043575 C ₁₀ H ₁₆ O ₄ S (3144-16-9)	D-Camphor Sulphonic Acid for Synthesis (D-10-Camphor Sulphonic Acid) M. W.: 232.30	100 gm 500 gm
	Canada Balsam See Balsam Canada	
025718 CH ₃ (CH ₂) ₈ COOH (334-48-5)	n-Capric Acid M.W.:172.27 Assay (acidimetric) 98.50%	500 ml 2.5 lit
043675 CH ₃ (CH ₂) ₄ COOH (142-62-1)	Caproic Acid for Synthesis M. W.: 116.16	500 ml 2.5 lit

Product Code	Product Name	Packing
043715 C ₆ H ₁₁ NO (105-60-2)	Caprolactam for Synthesis M. W.: 113.16	1 kg
	N-Capryl Alcohol See 1-Octanol	
029413 CH ₃ (CH ₂) ₆ COOH (124-07-2)	N-Caprylic Acid (N-Octanoic Acid) M. W.: 144.21 Assay (acidimetric) 97.5%	250 ml 500 ml 2.5 lit 25 lit
489535 CH ₃ (CH ₂) ₆ COOH (124-07-2)	n-Caprylic Acid AR M. W.: 144.21	1 lit
025717 C ₈ H ₁₅ NaO ₂ (1984-06-1)	N-Caprylic Acid Sodium Salt (Octanoic Acid Sodium Salt, Sodium Caprylate) M. W.: 166.20 Assay (on dried material; non-aqueous) 99.0%	250 gm 1 kg
	Carbitol See Diethylene Glycol mono Ethylether	
044517 C ₉ H ₁₉ NO ₃ S (1135-40-6)	CAPS Buffer M.W.: 221.32 Assay (T) (Alkalimetric) 99.0%	25 gm 100 gm 500 gm
043825 (404-86-4)	Capsaicin Pract	1 gm
044108 C ₉ H ₁₉ NO ₄ S (73463-39-5)	CAPSO Buffer M. W.: 237.32 Assay (T) (Acidimetric) 97.0%	25 gm 100 gm
814810	Capsule stain kit	KIT
	N-(Carbamoylmethyl)-2-Aminoethane Sulphonic Acid See ACES Buffer	
	N-(Carbamoylmethyl)Iminodiacetic Acid See ADA Buffer	
027640 C ₁₂ H ₉ N (86-74-8)	Carbazole M.W. : 167.21 Assay (GC) 95.0%	100 gm 500 gm
029192 CH ₄ O (67-56-1)	Carbinol for Synthesis M. W.: 32.04 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit 5 lit 25 lit 200 lit
582495 CH ₄ O (67-56-1)	Carbinol AR/ACS Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
582500 CH ₄ O (67-56-1)	Carbinol "Dry" AR M. W.: 32.04 Assay (GC) 99.5%	500 ml 2.5 lit
752135 CH ₄ O (67-56-1)	Carbinol EL M. W.: 32.04 Assay (GC) 99.9%	2.5 lit
752140 CH ₄ O (67-56-1)	Carbinol for HPLC & UV Spectroscopy M. W.: 32.04 Assay (GC) 99.8%	500 ml 1 lit 2.5 lit

Product Code	Product Name	Packing
752200 CH ₄ O (67-56-1)	Carbinol for Pesticide Residue Trace Analysis (methyl alcohol) M. W.: 32.04	1 lit 2.5 lit
752220 CH ₄ O (67-56-1)	Carbinol for LC-MS M. W.: 32.04	1 lit 2.5 lit
752180 CH ₄ O (67-56-1)	Carbinol for HPLC Gradient Grade M. W.: 32.04 Assay 99.8%	500 ml 1 lit 2.5 lit
043915 CH ₆ N ₄ O (497-18-7)	Carbohydrazide for Synthesis M. W.: 90.08 Assay 98.0%	25 gm
034016 C ₂₆ H ₂₆ ClN ₃ O (4197-24-4)	Carbol Fuchsin Powder for Microscopy M. W.: 431.96	25 gm 100 gm 1 kg
814900	Carbol Fuchsin Staining Solution Strong (Ziehl Neelsen Staining Soln.)	125 ml 500 ml
814920	Carbol Fuchsin (Dilute) Solution (Ziehl Neelsen Staining Soln.)	125 ml 500 ml
814930	Carbol Gentian Violet Stain Grams's Stain an alternative to Gentian Violet	125 ml
814940	Carbol Methylene Blue Stain Bacterial Stain	125 ml
814950	Carbol Thionine Solution (Stain for bacteria and fungi)	100 ml
	Carbolic Acid See Phenol	
025690	Carbol Xylene For Microscopy (Content 25% Phenol)	500 ml
025688 CS ₂ (75-15-0)	Carbon Disulphide for Synthesis M. W.: 76.14 Assay (GC) 99.0% Order must be placed for 4x500 ml	500 ml
489965 CS ₂ (75-15-0)	Carbon Disulphide AR M. W.: 76.14 Assay (By GC) 99.5% Order must be placed for 4x500 ml	500 ml
713880 CS ₂ (75-15-0)	Carbon Disulphide PRA for Pesticide Residue Trace Analysis M.W : 76.14 Assay 99.9%	1 lit
044015 CBr ₄ (558-13-4)	Carbon Tetrabromide for Synthesis (Tetrabromethane) M. W.: 331.63	100 gm 500 gm
	Carbon Tetra Chloride See Carbo Tech	
044165 C ₇ H ₆ N ₄ O (530-62-1)	N,N'-Carbonyldiimidazole for Synthesis (CDI, 1,1-Carbonyldiimidazole) M. W.: 162.15	100 gm 500 gm

Product Code	Product Name	Packing
025739 (9003-01-4)	Carbopol 934	500 gm 1 kg 5 kg
044275 (9003-01-4)	Carbopol 940® (Carboxypoly methylene-940; CarboxyvinylPolymer-940)	500 gm 1 kg
027645 CCl ₄ (56-23-5)	Carbo Tech for Synthesis M.W.: 153.82 Assay (By GC) 99.0%	500 ml 2.5 lit 25 lit
490010 CCl ₄ (56-23-5)	Carbo Tech AR/ACS M. W.: 153.82 Assay (GC) 99.5%	500 ml 2.5 lit
713910 CCl ₄ (56-23-5)	Carbo Tech for HPLC & Spectroscopy M. W.: 153.82	1 lit
	Carbowax See Polyethylene Glycol	
027929 (9004-32-4)	Carboxy Methyl Cellulose Sodium Salt ACS High Viscosity	500 gm 25 kg
027649 (9004-32-4)	Carboxy Methyl Cellulose Sodium Salt ACS Low Viscosity	500 gm 25 kg
044290 (9004-32-4)	Carboxy Methyl Cellulose Sodium Salt (High Viscosity) (1100 - 1900 Cps) Confirming to IP	500 gm 25 kg
	Carmellose Sodium See Carboxymethyl Cellulose Sodium Salt	
034017 (1390-65-4)	Carmine Stains for Microscopy C.I. No. 75470	5 gm 25 gm
815100	Carmine Best's Solution	100 ml
815105	Carmine Solution (Zorkin) (Reagent for Boric acid)	100 ml
815110	Carmine Aceto for Microscopical Staining	100 ml 250 ml
490115 C ₂₂ H ₂₀ O ₁₃ (1260-17-9)	Carminic Acid AR (M.S.) (Natural Red 4) (C.I. 75470) M. W.: 492.4 Assay 95.0%	1 gm 5 gm
044665 C ₂₀ H ₁₂ N ₂ Na ₂ O ₇ S ₂ (3567-69-9)	Carmoisine A (Chromotrope FB) (C.I. 14720) M. W.: 502.44 Dye Content 85.0%	25 gm 1 kg
037001 C ₇ H ₁₅ NO ₃ (541-15-1)	L-Carnitine for Biochemistry M. W.: 161.20	5 gm 25 gm 100 gm
044695	Carnoy Fluid (Fixative)	100 ml
044745 C ₄₀ H ₅₆ (7235-40-7)	B-Carotene M. W.: 536.87	1 gm 5 gm

C

Laboratory Chemicals

Product Code	Product Name	Packing
044855	Carrageenan (Gelling or Non-Gelling Type Gelatin, Vegetable, Irish Moss) (Irish Moss)	100 gm 500 gm
(9000-07-1)		
	Casamino Acid See Casein Acid Hydrolysate	
044020	Casein According to Hammarsten for Biochemistry Assay (ex N) 95% Protein	100 gm 500 gm 1 kg
(9000-71-9)		
044017	Casein Fat free Purified	500 gm 25 kg
(9000-71-9)		
044016	Casein Protein Rich Purified For feed experiment	500 gm 1 kg 5 kg
(9000-71-9)		
025783	Casein Soluble in Alkali	500 gm 25 kg
(9000-71-9)		
025776	Casein Acid Hydrolysate For Bacteriology	500 gm
(65072-00-6)		
044018	Casein Vitamin Free	500 gm 25 kg
(9000-71-9)		
033220	Castor Oil Saponification value :- 176-187	500 ml 2.5 lit 25 lit
(8001-79-4)		
044995	Catalase for Biochemistry	1 gm 5 gm
(9001-05-2)		
045045	Catechin Hydrate for Biochemistry M. W.: 290.27 (anhydrous basis)	1 gm 5 gm
C ₁₅ H ₁₄ O ₆ .xH ₂ O (225937-10-0)		
	Catechol See Pyrocatechol	
	Catechol Violet See Pyrocatechol Violet	
	Caustic Potash See Potassium Hydroxide	
	Caustic Soda See Sodium Hydroxide	
	CDI See 1,1'-Carbonyldimidazole	
	CDTA See trans-1, 2-Diaminocyclohexane-N,N,N',N'-tetra Acetic Acid	
045100	Cedar Wood Oil (Natural)	25 ml 100 ml
(8000-27-9)		
025719	Cedar Wood Oil For Microscopy	25 ml 100 ml
(8000-27-9)		
056011	Cedepol™ also known as Teepol	500 ml 5 lit
045155	Celestine Blue B for Microscopy (C.I. 51050) M. W.: 363.80	5 gm 25 gm
C ₁₇ H ₁₈ ClN ₃ O ₄ (1562-90-9)		
033134	Celite 545 Filter Aid	500 gm 1 kg 5 kg 25 kg
(61790-53-2)		

Product Code	Product Name	Packing
490205 (61790-53-2)	Celite 545 Filter Aid AR	500 gm
025751	D-Cellobiose extra Pure for Biochemistry M. W.: 342.30	5 gm 25 gm
C ₁₂ H ₂₂ O ₁₁ (528-50-7)		
815210	Celloidine 8%	500 ml
	Cellosolve See Ethylene Glycol Monoethyl Ether	
045275 (9004-36-8)	Cellulose Acetate Butyrate Extra Pure	250 gm
028664	Cellosolve Acetate (2-Ethoxy ethyl acetate) CH ₃ .COO.CH ₂ .CH ₂ .OC ₂ H ₅ M. W.:132.12 (111-15-9) Assay (GC) 99.0%	500 ml 2.5 lit
045365	Cellulase from Aspergillus Niger for Biochemistry	1 gm 5 gm
(9012-54-8)		
025781 (9004-34-6)	Cellulose Microcrystalline for TLC	500 gm
045370 (9004-34-6)	Cellulose Powder for Column Chromatography	500 gm 25 kg
025791 (9004-34-6)	Cellulose Powder Pract.	500 gm
027654 (9004-35-7)	Cellulose Acetate	500 gm
066071 (9004-38-0)	Cellulose Acetate Phthalate	100 gm 500 gm
	Cellulose Nitrate See Nitro Cellulose	
025789 C ₁₆ H ₁₇ N ₃ O ₅ S.H ₂ O (66592-87-8)	Cephadroxil Monohydrate for Lab Use M.W. : 381.40 Assay (HPLC) 95.0%	1 gm
025790 C ₁₆ H ₁₇ N ₃ O ₄ S.xH ₂ O (15686-71-2)	Cephalexin Hydrate for Lab use (Anhydrous basis) M. W.: 347.39 Assay 95-103%	1 gm 5 gm 25 gm
098011 C ₁₉ H ₁₇ N ₃ O ₄ S ₂ (50-59-9)	Cephaloridine for Lab use M. W.: 415.49	1 gm
055009	Ceralite IR 120 Standard grade Particle size 20-50 mesh Na'Form (Strongly Cationic Resin)	500 gm
055011	Ceralite IRA 400 Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	500 gm
055014	Ceralite IRA 410 Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	500 gm
055128	Ceralite IRC 50 Standard grade Particle size 20-50 mesh (Weakly cationic resin)	500 gm
033028 (8001-75-0)	Ceresin Wax White	500 gm

Product Code	Product Name	Packing
	Ceric Ammonium Nitrate / Sulphate See Ammonium Ceric Nitrate / Sulphate	
RE0150	Ceric Hydroxide AR	50 gm
Ce(OH) ₄ (12014-56-1)	M. W.: 208.15 Assay (trace Metals Basis) 99.9%	100 gm
RE0165	Ceric Oxide AR (Cerium IV Oxide)	100 gm
CeO ₂ (1306-38-3)	M. W.: 172.12 Assay (trace metals basis) 99.9%	500 gm
RE0170	Ceric Oxide AR (Cerium IV Oxide)	100 gm
CeO ₂ (1306-38-3)	M. W.: 172.12 Assay (trace metals basis) 99.99%	500 gm
RE0175	Ceric Oxide AR (Cerium IV Oxide)	10 gm
CeO ₂ (1306-38-3)	M. W.: 172.12 Assay (trace metals basis) 99.999%	50 gm
RE0190	Ceric Sulphate Tetrahydrate AR	100 gm
Ce(SO ₄) ₂ .4H ₂ O (10294-42-5)	M. W.: 404.30 Assay (ex Ce) 99.0%	1 kg
815300	Ceric Sulphate N/10 Solution (0.1N) Volumetric Solution	500 ml
815350	Cerium (Ce) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
815400	Cerium (Ce)1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
815420	Cerium (Ce)10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
RE0205	Cerium Metal Ingot	25 gm
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	100 gm
RE0210	Cerium Metal Lump (1cm)	25 gm
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	100 gm
Re0215	Cerium Metal Powder 325 mesh	5 gm
Ce (7440-45-1)	At. W. 140.12 Assay (Trace metals basis) 99.9%	25 gm
RE0220	Cerium Metal Wire (0.1 mm)	25 gm
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	100 gm
RE0225	Cerium Metal Rod (5mm x 30cm)	1 PCS
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	
RE0230	Cerium Metal Foil (0.25 mm x40 cm)	1 PCS
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	
RE0235	Cerium Metal Foil (0.50 mm x40 cm)	1 PCS
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	
RE0240	Cerium Metal SLAB (1cm x 40 cm)	1 PCS
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	


Product Code	Product Name	Packing
RE0245	Cerium Metal Disc (0.1 mm X Dia 35 cm)	1 PCS
Ce (7440-45-1)	M. W.: 140.12 Assay (Trace metal basis) 99.99%	
RE0260	Cerium (III) Acetate	100 gm
Ce(CH ₃ CO ₂) ₃ .xH ₂ O (206996-60-3)	M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.9%	500 gm
RE0265	Cerium (III) Acetate	50 gm
Ce(CH ₃ CO ₂) ₃ .xH ₂ O (206996-60-3)	M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.99%	250 gm
RE0270	Cerium (III) Acetate	10 gm
Ce(CH ₃ CO ₂) ₃ .xH ₂ O (206996-60-3)	M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.999%	50 gm
RE0285	Cerium (III) Carbonate	100 gm
Ce ₂ (CO ₃) ₃ .xH ₂ O (54451-25-1)	M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.9%	500 gm
RE0295	Cerium (III) Carbonate	25 gm
Ce ₂ (CO ₃) ₃ .xH ₂ O (54451-25-1)	M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.99%	100 gm
RE0310	Cerium (III) Chloride	25 gm
CeCl ₃ (7790-86-5)	M. W.: 246.48 Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE0315	Cerium (III) Chloride	25 gm
CeCl ₃ (7790-86-5)	M. W.: 246.48 Assay (Trace metal basis) 99.99%	100 gm
RE0320	Cerium (III) Chloride	10 gm
CeCl ₃ (7790-86-5)	M. W.: 246.48 Assay (Trace metal basis) 99.999%	100 gm
RE0325	Cerium(III)Chloride Heptahydrate AR	100 gm
CeCl ₃ .7H ₂ O (18618-55-8)	M. W.: 372.58 Assay (Trace metal basis) 98.5%	
RE0340	Cerium (III) Fluoride	25 gm
CeF ₃ (7758-88-5)	M. W.: 197.12 Assay (trace metals basis) 99.9%	100 gm
RE0345	Cerium (III) Fluoride	10 gm
CeF ₃ (7758-88-5)	M. W.: 197.12 Assay (trace metals basis) 99.99%	50 gm
RE0355	Cerium (III) Iodide	5 gm
CeI ₃ (7790-87-6)	M. W.: 520.83 Assay (Trace metal basis) 99.95%	25 gm
RE0370	Cerium (III) Nitrate	100 gm
Ce(NO ₃) ₃ .6H ₂ O (10294-41-4)	M. W.: 434.23 Assay (trace metals basis) 99.9%	1 kg
RE0375	Cerium (III) Nitrate	50 gm
Ce(NO ₃) ₃ .6H ₂ O (10294-41-4)	M. W.: 434.23 Assay (trace metals basis) 99.99%	250 gm
RE0380	Cerium (III) Nitrate	25 gm
Ce(NO ₃) ₃ .6H ₂ O (10294-41-4)	M. W.: 434.23 Assay (trace metals basis) 99.999%	125 gm
RE0395	Cerium (III) Oxalate	25 gm
Ce ₂ (C ₂ O ₄) ₃ .xH ₂ O (15750-47-7)	M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.9%	
RE0405	Cerium (III) Oxalate	50 gm
Ce ₂ (C ₂ O ₄) ₃ .xH ₂ O (15750-47-7)	M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.999%	

C

Laboratory Chemicals

Product Code	Product Name	Packing
	Cerium (IV) oxide See Ceric oxide	
RE0415 Ce(SO ₄) ₃ .xH ₂ O (13550-47-5)	Cerium (III) Sulphate M. W.: 568.42 Assay (ex Ce)(trace metals basis) 99.0%	50 gm
RE0425 Ce(SO ₄) ₃ .xH ₂ O (13550-47-5)	Cerium (III) Sulphate M. W.: 568.42 Assay (trace metals basis) 99.99%	25 gm 100 gm
815520	Cerium (IV) Sulphate 0.05M (0.05N) Volumetric Solution Nist Traceable	1 lit
815540	Cerium (IV) Sulphate 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
815545	Cerium (IV) Sulphate 0.25M (0.25N) Volumetric Solution Nist Traceable	1 lit
	Cerous See Cerium	
	Cesein Enzyme Hydrolysate See Tryptone	
815590	Cesium Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
815610	Cesium (Cs) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
815650	Cesium (Cs) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
815612 new	Cesium (Cs) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
815652 new	Cesium (Cs) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
491085 CsBr (7787-69-1)	Cesium Bromide AR M. W.: 212.81	50 gm
045635 CS ₂ CO ₃ (534-17-8)	Cesium Carbonate Extra Pure M. W.: 325.82	25 gm 100 gm
491095 CsCl (7647-17-8)	Cesium Chloride AR M. W.: 168.36 Assay(ex Cl) 99.5%	25 gm 100 gm
921000 CsCl (7647-17-8)	Cesium Chloride for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.1%	25 gm 100 gm
491105 CsF (13400-13-0)	Cesium Fluoride AR M. W.: 151.90	25 gm 100 gm
491125 CsI (7789-17-5)	Cesium Iodide Ultra Pure For Scintillation Counting M. W.: 259.81	10 gm 50 gm
491135 CsNO ₃ (7789-18-6)	Cesium Nitrate AR M. W.: 194.91 Assay (Acid-base titrimetry) 99.0%	10 gm 50 gm

Product Code	Product Name	Packing
491145 Cs ₂ SO ₄ (10294-54-9)	Cesium Sulphate AR M. W.: 361.87 Assay (Trace metal basis) 99.9%	10 gm 50 gm
	Cetane See n-Hexadecane	
025787 C ₁₇ H ₃₈ BrN (1119-97-7)	Cetrimide M.W.: 336.41 Assay (Iodometric; on anhy. basis) 96.0-101.0%	100 gm 500 gm 25 kg
045750 C ₁₈ H ₃₈ OC ₁₆ H ₃₄ O (8005-44-5)	Cetostearyl Alcohol Meets Analytical Specification of IP, BP, USP, MF, Ph. Eur. M. W.: 512.95 Assay (as stearyl alcohol) (GC) 40.0%	500 gm 25 kg
026048 CH ₃ (CH ₂) ₁₄ .CH ₂ OH (36653-82-4)	Cetyl Alcohol Pure M. W.: 242.45 Assay (GC) 95.0%	500 gm 5 kg 25 kg
022775 C ₂₅ H ₄₆ NCl (122-18-9)	Cetyl Dimethyl Benzyl Ammonium Chloride for Synthesis M.W. : 396.09	100 gm 500 gm
815870	Cetyl Dimethyl Benzyl Ammonium Chloride 25% Solution for Synthesis	500 ml
027664 C ₂₁ H ₃₇ N.HBr.H ₂ O (140-72-7)	Cetyl Pyridinium Bromide Monohydrate M. W.: 402.46 Assay (ex br) (Argentometric) 95.0%	250 gm
027921 C ₂₁ H ₃₈ NCl.H ₂ O (6004-24-6)	Cetyl Pyridinium Chloride Monohydrate M. W.: 358.01 Assay (Redox titration; Calc. with reference to the anhy. sub.) 99.0-102.0%	100 gm 500 gm
027665 C ₁₉ H ₄₂ BrN (57-09-0)	N-Cetyl-N, N, N-Trimethyl Ammonium Bromide M. W.: 364.45 Assay (by iodometric on dried substance) 98.0%	100 gm 500 gm 25 kg
491325 C ₁₉ H ₄₂ BrN (57-09-0)	N-Cetyl-N, N, N-Trimethyl Ammonium Bromide AR M. W.: 364.45 Assay (iodometric, on dried substance) 99.0%	100 gm 500 gm
815880	N-Cetyl-N,N,N-Trimethyl Ammo. Chloride 30% w/v	100 ml 500 ml
015025 MgO ₃ Si (1343-88-0)	Clorisil™ 60-100 mesh CHR analysis M.W. : 100.39	100 gm 500 gm 1 kg
044493 C ₃₂ H ₅₈ N ₂ O ₇ S (75621-03-3)	CHAPS Buffer M.W.: 614.90 Assay (ex N) 99.0%	1 gm 5 gm 10 gm
044494 C ₃₂ H ₅₈ N ₂ O ₈ S (82473-24-3)	CHAPSO Buffer M.W.: 630.88 Assay (By HPLC) 99.0%	1 gm 5 gm
046280 C (7440-44-0)	Charcoal Activated Pharma Grade (Acid Washed) Confirming to USP MB Value Min. 180 At.W.: 12.01	500 gm 5 kg 25 kg

Product Code	Product Name	Packing
033032	Charcoal Activated Decolorizing Powder Acid Wash Pharmagrade MB Value Min. 180 At.W.: 12.01	500 gm 5 kg 25 kg
C (7440-44-0)		
491520	Charcoal Activated Acid Washed AR/ACS Activated Carbon Meets Analytical Spec. of USP, BP, Ph. Eur., MB Value Min. 280 At.W.: 12.01	100 gm 500 gm 5 kg 25 kg
C (7440-44-0)		
491515	Charcoal Activated AR  Phosphorous Free for soil test MB Value Min. 300 At .W. : 12.01	100 gm 250 gm 500 gm 5 kg
C (7440-44-0)		
491505	Charcoal Activated AR Certified grade (Acid Washed) At.W.: 12.01	100 gm 500 gm 1 kg
C (7440-44-0)		
033034	Charcoal Activated E.P. Granular about 2.0-5.0mm At.W.: 12.01	500 gm 5 kg 25 kg
C (7440-44-0)		
046385	CHES 2-(Cyclo hexylamino) Ethanesulfonic Acid M. W.: 207.29	25 gm 100 gm
C ₈ H ₁₇ NO ₃ Na (103-47-9)		
046395	CHES Sodium 2-(Cyclohexylamino) Ethanesulfonic Acid Sodium Salt	25 gm 100 gm
(3076-05-9)		
	China Blue See Aniline Blue	
	China Clay See Kaolin	
046505	Chitin Purified Flakes	100 gm 500 gm
(C ₈ H ₁₃ NO ₅) _n (1398-61-4)		
046515	Chitin Purified Powder	25 gm 100 gm 500 gm
(C ₈ H ₁₃ NO ₅) _n (1398-61-4)		
	Chitosamine Hydrochloride See Glucosamine Hydrochloride	
046555	Chitosan	25 gm 100 gm 500 gm
(9012-76-4)		
046665	α-Chloralose [(2,2,2-Trichloroethylidene) α-D-Glucofuranose] M. W.: 309.53	25 gm 100 gm
C ₈ H ₁₁ Cl ₃ O ₆ (15879-93-3)		
027670	Chloramine T C ₇ H ₇ ClNNaO ₂ S.3H ₂ O M. W.: 281.69 (7080-50-4) Assay (by iodometric) 95%	500 gm 1 kg 25 kg

Product Code	Product Name	Packing
491825	Chloramine T AR/ACS C ₇ H ₇ ClNNaO ₂ S.3H ₂ O M. W.: 281.69 (7080-50-4)	250 gm 1 kg
044204	Chloramphenicol for Lab use C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ M. W.: 323.13 (56-75-7) Assay 98.0%	5 gm 25 gm 100 gm 500 gm
027671	Chloranil for Synthesis C ₆ Cl ₄ O ₂ M. W.: 245.88 (118-75-2) Assay (Argentometric) 95.0%	250 gm
492005	p-Chloranil AR C ₆ Cl ₄ O ₂ M. W.: 245.88 (118-75-2) Assay 99.0%	25 gm
492035	Chloranillic Acid AR C ₆ H ₂ Cl ₂ O ₄ M. W.: 208.99 (87-88-7) Assay (acidimetric) 99.0%	25 gm
	Chloranillic Acid Barium Salt See Barium Chloranilate	
PA0167	Chlorine test Papers (Estimates free Chlorine 5 to 100 ppm)	10 BKS
816010	Chlorine Test Reagent	100 ml
816005	Chlorine Water	500 ml
046865	2-Chloro Acetamide for Synthesis (α-Chloro acetamide) C ₂ H ₄ ClNO M. W.: 93.51 (79-07-2) Assay 97.0%	500 gm
492155	p-Chloro Acetanilide AR C ₈ H ₈ ClNO M. W.: 169.61 (539-03-7) Assay 99.0%	25 gm 100 gm
027677	Chloro Acetic Acid Mono Pure CH ₂ Cl.COOH M. W.: 94.50 (79-11-8) Assay (acidimetric) 99.0%	500 gm
492335	Chloro Acetic Acid Mono AR CH ₂ Cl.COOH M. W.: 94.50 (79-11-8) Assay 99.5%	500 gm
047015	Chloro Acetonitrile for Synthesis ClCH ₂ CN M. W.: 75.50 (107-14-2) Assay 99.0%	100 gm
047115	p-Chloro Acetophenone for Synthesis (4-chloroacetophenone) C ₈ H ₇ ClO M. W.: 154.59 (99-91-2) Assay 98.0%	100 ml 500 ml
047105	o-Chloro Acetophenone for Synthesis C ₆ H ₅ COCH ₂ Cl M. W.: 154.59 (532-27-4) Assay 98.0%	100 gm 500 gm
025735	Chloro Acetyl Chloride for Synthesis C ₂ H ₂ Cl ₂ O M. W.: 112.94 (79-04-9) Assay (GC) 98.0%	500 ml 2.5 lit
027682	m-Chloro Aniline Cl.C ₆ H ₄ .NH ₂ M. W.: 127.57 (108-42-9) Assay (GC) 98.0%	500 ml 2.5 lit
027681	o-Chloro Aniline Cl.C ₆ H ₄ NH ₂ M. W.: 127.6 (95-51-2) Assay (GC) 98.0%	500 ml 2.5 lit

C

Laboratory Chemicals

Product Code	Product Name	Packing	Product Code	Product Name	Packing
027683 Cl ₂ C ₆ H ₄ .NH ₂ (106-47-8)	p-Chloro Aniline M. W.: 127.6 Assay (GC) 99.0%	500 gm	047965 C ₇ H ₄ CIN (623-03-0)	4-Chloro Benzonitrile for Synthesis (p-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	25 gm 100 gm 500 gm
027686 HAuCl ₄ .3H ₂ O (16961-25-4)	Chloroauric Acid M. W.: 393.83 Assay (Au) 49%	1 gm	048055 C ₁₃ H ₉ ClO (134-85-0)	p-Chloro Benzophenone for Synthesis M. W.: 216.67 Assay 99.0%	100 gm 500 gm
816150	tetra-Chloro Auric Acid Solution 2% w/v HAuCl ₄ .3H ₂ O	25 ml	048215 C ₇ H ₄ Cl ₂ O (609-65-4)	2-Chloro Benzoyl Chloride for Synthesis M. W.: 175.02 Assay 98.0%	500 ml
047495 C ₇ H ₅ ClO (89-98-5)	2-Chloro Benzaldehyde (o-Chloro benzaldehyde) M. W.: 140.58 Assay 98.0%	100 ml 500 ml 2.5 lit	048225 C ₇ H ₄ Cl ₂ O (122-01-0)	4-Chloro Benzoyl Chloride for Synthesis M. W.: 175.02 Assay 98.0%	500 ml
047505 C ₇ H ₅ ClO (587-04-2)	3-Chloro Benzaldehyde for Synthesis (m-Chlorobenzaldehyde) M. W.: 140.57 Assay 97.0%	100 ml 500 ml	048275 C ₇ H ₇ ClO (17849-38-6)	2-Chloro Benzyl Alcohol M. W.: 142.58	25 gm 100 gm
025785 C ₇ H ₅ ClO (104-88-1)	4-Chloro Benzaldehyde (p-Chloro Benzaldehyde) M. W.: 140.57 Assay (GC) 98.0%	100 gm 500 gm	048285 C ₇ H ₇ ClO (873-63-2)	3-Chloro Benzyl Alcohol M. W.: 142.58	25 gm 100 gm
	Chlorobenzene See Chlorobenzene Mono		048295 C ₇ H ₇ ClO (873-76-7)	4-Chloro Benzyl Alcohol M. W.: 142.58	25 gm 100 gm
027690 C ₆ H ₅ Cl (108-90-7)	Chloro Benzene Mono for Synthesis M. W.: 112.56 Assay 99.0%	500 ml 2.5 lit 25 lit	048375 C ₇ H ₆ Cl ₂ (611-19-8)	2-Chloro Benzyl Chloride for Synthesis (o-Chloro benzyl Chloride) M. W.: 161.03	250 ml
492645 C ₆ H ₅ Cl (108-90-7)	Chloro Benzene Mono AR M. W.: 112.56 Assay 99.5%	500 ml 2.5 lit 25 lit	048385 C ₇ H ₆ Cl ₂ (620-20-2)	3-Chloro Benzyl Chloride (m-Chlorobenzyl Chloride) M. W.: 161.03	100 ml
714850 C ₆ H ₅ Cl (108-90-7)	Chloro Benzene Mono for HPLC M.W. 112.56	1 lit	048395 C ₇ H ₆ Cl ₂ (104-83-6)	4-Chloro Benzyl Chloride (p-Chlorobenzyl Chloride) M. W.: 161.03	100 ml 500 ml
D28827 C ₆ ClD ₅ (3114-55-4)	Chloro Benzene-d₅ M.W.: 117.60 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	5 ml	048485 ClC ₆ H ₄ CH ₂ CN (2856-63-5)	2-Chloro Benzyl Cyanide (o-Chlorobenzyl Cyanide) M. W.: 151.59	100 ml 500 ml
047595 C ₆ H ₅ ClSO ₃ (98-66-8)	4-Chloro Benzene- Sulphonic Acid (4-Chlorobenzene Sulphonic Acid) M. W.: 192.62 Assay 90.0%	25 gm 500 gm	048495 ClC ₆ H ₄ CH ₂ CN (1529-41-5)	3-Chloro Benzyl Cyanide for Synthesis (m-Chloro benzyl Cyanide) M. W.: 151.59	100 ml
047795 ClC ₆ M ₄ CO ₂ H (535-80-8)	m-Chloro Benzoic Acid M. W.: 156.57 Assay 99.0%	100 gm 500 gm	048505 ClC ₆ H ₄ CH ₂ CN (140-53-4)	4-Chloro Benzyl Cyanide for Synthesis (p-Chloro benzyl Cyanide) M. W.: 151.59	100 ml 500 ml
027693 Cl ₂ C ₆ H ₄ .COOH (118-91-2)	o-Chloro Benzoic Acid M. W.: 156.57 Assay (Acidimetric) 98.0%	500 gm	048585 C ₇ H ₈ CIN (89-97-4)	2-Chloro Benzylamine for Synthesis M. W.: 141.6	100 ml 500 ml
027695 C ₇ H ₅ .ClO ₂ (74-11-3)	p-Chloro Benzoic Acid M. W.: 156.57 Assay (acidimetric) 99.0%	100 gm 500 gm		1-Chloro Butane for Synthesis See N-Butyl Chloride	
047945 C ₇ H ₄ CIN (873-32-5)	2-Chloro Benzonitrile for Synthesis (o-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	100 gm 500 gm	714900 C ₄ H ₉ Cl (109-69-3)	1-Chloro Butane for HPLC (n-Butyl Chloride) M. W.: 92.57	1 lit
047955 C ₇ H ₄ CIN (766-84-7)	3-Chloro Benzonitrile for Synthesis (m-Chlorobenzonitrile) M. W.: 137.57 Assay 98.0%	25 gm 100 gm			

Product Code	Product Name	Packing
048895 Cl(CH ₂) ₂ COCl (4635-59-0)	4-Chloro Butyryl Chloride for Synthesis M. W.: 141.00	500 ml
817000	Chloro Choline Chloride 50% Aqueous Solution	100 ml 500 ml
027702 C ₇ H ₇ ClO (59-50-7)	4-Chloro-3-Cresol M. W.: 142.59 Assay (GC) 98-101%	250 gm 500 gm 5 kg 25 kg
049135 C ₆ H ₁₁ Cl (542-18-7)	Chloro Cyclohexane for Synthesis (Cyclohexyl Chloride) M. W.: 118.06	250 ml
	2-Chloro-N-Dimethyl Ethylamine Hydrochloride See 2-Dimethyl Amino Ethyl Chloride Hydrochloride	
	4-Chloro-3,5-Dimethyl-Phenol (4-Chloro-3,5-Xylenol) See 4-Chloro-m-Xylenol	
049190 C ₆ H ₃ ClN ₂ O ₄ (97-00-7)	1-Chloro-2, 4-Dinitro Benzene for Synthesis M. W.: 202.55 Assay(GC) 98.0%	500 gm 1 kg
492735 C ₆ H ₃ ClN ₂ O ₄ (97-00-7)	1-Chloro-2, 4-Dinitro Benzene AR for the detection of Nicotinic Acid, Nicotinamide M. W.: 202.55 Assay (GC) 99.0%	25 gm 100 gm
817100	1-Chloro-2,4-Dinitrobenzene Reagent Solution (test for mercaptens)	100 ml
493505 C ₅ H ₂ ClN ₃ O ₄ (2578-45-2)	2,-Chloro-3,5-Dinitropyridine AR Terminal N-Blocking Reagent for Proteins Store At 2-8°C M. W.: 203.55	1 gm 5 gm
	2-Chloroethyl Trimethylammonium Chloride See Chloro Choline Chloride	
	1-Chloro-2,3-Epoxy Propane See Epichlorohydrin	
025733 C ₂ H ₅ ClO (107-07-3)	2-Chloro Ethanol M. W.: 80.51 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
493685 C ₂ H ₅ ClO (107-07-3)	2-Chloro Ethanol AR M. W.: 80.51 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
049485 C ₂ H ₆ ClN.HCl (870-24-6)	2-Chloro Ethyl Ammonium Hydro Chloride for Synthesis M. W.: 115.99	500 gm
025793 C ₂ H ₆ ClO ₃ P (16672-87-0)	2-Chloro Ethyl Phosphonic Acid (Ethrel) An effective germinating agent M. W.: 144.49 Assay About 39.0%	100 ml 250 ml

Product Code	Product Name	Packing
049695 C ₆ H ₁₂ ClN.HCl (7250-67-1)	1-(2-Chloro Ethyl)Pyrrolidine Hydro Chloride for Synthesis M. W.: 170.08	5 gm 25 gm
049885 ClC ₆ H ₃ (F)NH ₂ (367-21-5)	3-Chloro-4-Fluoro Aniline for Synthesis M. W.: 145.56	100 gm 500 gm
049965 FC ₆ H ₄ COCH ₂ CH ₂ Cl (347-93-3)	3-Chloro-4-Fluoropropiophenone for Synthesis M. W.: 186.61	25 gm 100 gm
027710 CHCl ₃ (67-66-3)	Chloroform for Synthesis M. W.: 119.38 Assay(GC) 99.5%	500 ml 1 lit 2.5 lit 25 lit 200 lit
493905 CHCl ₃ (67-66-3)	Chloroform AR M. W.: 119.38 Assay (By GC) (excluding stabilizer) 99.0-99.4%	500 ml 1 lit 2.5 lit 25 lit 200 lit
493915 CHCl ₃ (67-66-3)	Chloroform Specially Dried AR M. W.: 119.38 Assay (GC) 99.0-99.4%	500 ml 2.5 lit
715915 CHCl ₃ (67-66-3)	Chloroform GC Grade M.W. 119.38 Assay 99.5%	1 lit
715910 CHCl ₃ (67-66-3)	Chloroform for HPLC & Spectroscopy M. W.: 119.38 Assay(GC) 99.0%	500 ml 1 lit 2.5 lit
921500	Chloroform : Iso Amyl Alcohol 24:1 for Molecular Biology	500 ml
715940 CHCl ₃ (67-66-3)	Chloroform for Pesticide Residue Trace Analysis (tri-Chloromethane) M. W.: 119.38	1 lit
D29718 CCl ₃ D (865-49-6)	Chloroform-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	10x0.75ml
D29727 CCl ₃ D (865-49-6)	Chloroform-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	25 ml 100 ml
D29754 CCl ₃ D (865-49-6)	Chloroform-d, Cont. 0.03 v/v% TMS (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	10x0.75ml
D29772 CCl ₃ D (865-49-6)	Chloroform-d, Cont. 0.03 v/v% TMS (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	100 ml
066082 C ₁₆ H ₁₈ O ₉ (327-97-9)	Chlorogenic Acid M. W.: 354.31 Assay (on dry basis) 95.0%	100 mgm 1 gm 5 gm

C

Laboratory Chemicals

Product Code	Product Name	Packing
050035 C ₇ H ₁₅ Cl (629-06-1)	1-Chloro Heptane for Synthesis (Heptyl Chloride) M. W.: 134.65	100 ml 500 ml
050055 CH ₃ (CH ₂) ₅ Cl (544-10-5)	1-Chloro Hexane for Synthesis (Hexyl Chloride) M. W.: 120.62	100 ml 500 ml
817200	Chlorohexidine Gluconate 20% Solution in water for Lab Use only	500 ml 5 lit
050165 C ₂ H ₅ ClO (107-30-2)	Chloro Methyl Methyl Ether M. W.: 80.51	25 gm 100 gm 500 gm
050365 C ₁₀ H ₇ CH ₂ Cl (86-52-2)	1-Chloro Methyl Naphthalene M. W.: 176.64	250 gm
	2-Chloro-2-Methylpropane See Tert-Butyl Chloride	
050555 C ₁₀ H ₇ Cl (90-13-1)	1-Chloro Naphthalene for Synthesis M. W.: 162.62	500 ml 2.5 lit
050655 C ₆ H ₅ ClN ₂ O ₂ (121-87-9)	2-Chloro-4-Nitroaniline for Synthesis M. W.: 172.57	250 gm
050665 C ₆ H ₅ ClN ₂ O ₂ (89-63-4)	4-Chloro-2-Nitroaniline M. W.: 172.57	250 gm
027723 Cl.C ₆ H ₄ .NO ₂ (88-73-3)	1-Chloro-2-Nitro Benzene M. W.: 157.66 Assay (GC) 99.0%	500 gm
025686 C ₆ H ₄ ClNO ₂ (121-73-3)	1-Chloro-3-Nitro Benzene M. W.: 157.66 Assay (GC) 98.0%	250 gm 500 gm
027725 Cl.C ₆ H ₄ .NO ₂ (100-00-5)	1-Chloro-4-Nitro Benzene M. W.: 157.66 Assay (GC) 99.0%	500 gm
050795 C ₇ H ₄ ClNO ₄ (99-60-5)	2-Chloro-4-Nitro Benzoic Acid for Synthesis M. W.: 201.56	100 gm
050805 C ₇ H ₄ ClNO ₄ (2516-96-3)	2-Chloro-5-Nitro Benzoic Acid for Synthesis M. W.: 201.56	100 gm 500 gm
050895 C ₈ H ₁₇ Cl (111-85-3)	1-Chloro Octane for Synthesis (Octyl Chloride) M. W.: 148.67	100 ml 500 ml
050995 C ₇ H ₅ ClO ₃ (937-14-4)	m-Chloro Perbenzoic Acid for Synthesis (3-Chloro Peroxy Benzoic Acid) M. W.: 172.57	100 gm 500 gm

Product Code	Product Name	Packing
051000 ClC ₆ H ₄ OH (108-43-0)	m-Chlorophenol M. W.: 128.56 Assay 98.0%	25 gm 100 gm 500 gm
027728 Cl.C ₆ H ₄ .OH (95-57-8)	o-Chlorophenol M. W.: 128.56 Assay (GC) 99.0%	500 ml 2.5 lit
027730 Cl.C ₆ H ₄ .OH (106-48-9)	p-Chlorophenol M. W.: 128.56 Assay (By GC) 99.5%	500 gm
494515 C ₁₉ H ₁₂ Cl ₂ O ₅ S (4430-20-0)	Chloro Phenol Red Indicator AR M. W.: 423.28	5 gm 25 gm
817340	Chloro Phenol Red Indicator Solution	125 ml
051275 C ₈ H ₇ ClO ₃ (122-88-3)	p-Chloro Phenoxy Acetic Acid for Synthesis M. W.: 186.59	25 gm
051375 C ₈ H ₁₇ ClO ₂ (2444-36-2)	2-Chloro Phenylacetic Acid (o-chlorophenylacetic acid) M. W.: 170.6	25 gm 100 gm 500 gm
051385 C ₈ H ₁₇ ClO ₂ (1878-66-6)	4-Chloro Phenylacetic Acid (p-chlorophenylacetic acid) M. W.: 170.6	100 gm 500 gm
025795 C ₆ H ₆ BClO ₂ (63503-60-6)	3-Chloro Phenyl Boronic Acid M.W. : 156.37 Assay 98.0%	1 gm 10 gm 500 gm
051505 C ₈ H ₉ ClO (1875-88-3)	4-Chloro Phenyl Ethyl Alcohol (4-Chloro Phenethyl Alcohol) M. W.: 156.61	10 gm 50 gm
051605 C ₈ H ₁₀ ClN (13078-79-0)	2-(3-Chloro Phenyl) Ethylamine M. W.: 155.62 Assay 97.0%	5 gm 25 gm
051675 C ₈ H ₁₀ ClN (156-41-2)	2-(4-Chloro Phenyl) Ethylamine M. W.: 155.62 Assay 98.0%	5 gm 25 gm
817410	Chloro Platinic Acid 5% Soln. w/v AR	25 ml
024641 H ₂ PtCl ₆ .XH ₂ O (26023-84-7)	Chloro Platinic Acid Pt 40% M. W.: 409.81 (Anhy.) Assay (Gravimetric) (as Pt) about 40%	1 gm
	3-Chloro-1-Propene See Allyl Chloride	
051785 C ₃ H ₅ ClO (78-95-5)	1-Chloro-2-Propanone for Synthesis M. W.: 92.53	250 ml
051845 C ₃ H ₇ ClO ₂ (96-24-2)	3-Chloro-1,2-Propanediol for Synthesis M. W.: 110.54	250 gm
025777 C ₃ H ₅ ClO ₂ (598-78-7)	2-Chloro Propionic Acid M. W.: 108.52 Assay (GC) 98.0%	100 ml 500 ml

Product Code	Product Name	Packing
051925 CH ₃ CHClCOCl (7623-09-8)	2-Chloro Propionyl Chloride M. W.: 126.97	500 gm
051935 ClCH ₂ CH ₂ COCl (625-36-5)	3-Chloro Propionyl Chloride M. W.: 126.97	500 ml
052035 C ₅ HCIN (109-09-1)	2-Chloro Pyridine for Synthesis M. W.: 113.54	500 ml
052045 C ₅ HCIN (626-60-8)	3-Chloro Pyridine for Synthesis M. W.: 113.54	100 ml
052125 C ₆ H ₅ ClO ₂ (95-88-5)	4-Chloro Resorcinol for Synthesis M. W.: 144.56	100 gm 500 gm
052215 C ₇ H ₅ ClO ₂ (635-93-8)	5-Chloro Salicylaldehyde M. W.: 156.57 Assay 98.0%	5 gm 25 gm
025774 C ₄ H ₄ ClNO ₂ (128-09-6)	N-Chloro Succinimide M. W.: 133.53 Assay (iodometric) 98.0%	100 gm 500 gm
025732 ClSO ₃ H (7790-94-5)	Chloro Sulphonic Acid Pract M. W.: 116.52 Assay 97.0%	500 ml
494825 ClSO ₃ H (7790-94-5)	Chloro Sulphonic Acid AR M. W.: 116.52	500 ml
052365 C ₇ H ₇ Cl (95-49-8)	o-Chloro Toluene for Synthesis (2-Chlorotoluene) M. W.: 126.58	500 ml 2.5 lit
052375 C ₇ H ₇ Cl (108-41-8)	m-Chloro Toluene for Synthesis (3-chlorotoluene) M. W.: 126.58	250 ml 1 lit
052385 C ₇ H ₇ Cl (106-43-4)	p-Chloro Toluene for Synthesis (4-chlorotoluene) M. W.: 126.58	500 ml 2.5 lit
	1-Chloro-p-Toluenesulphonamide Sodium Salt See Chloramine T	
052425 C ₃ H ₉ ClSi (75-77-4)	Chloro Trimethylsilane for Synthesis (Trimethylsilyl Chloride) M. W.: 108.64	100 ml 500 ml
	Chloro Triphenylmethane See Trityl Chloride	
495135 (CH ₃) ₂ C ₆ H ₃ Cl (615-60-1)	4-Chloro O-Xylene AR M. W.: 140.61 Assay 90.0%	10 gm 50 gm
049285 C ₈ H ₉ ClO (88-04-0)	4-Chloro-m-Xylenol (PCMX) M.W. : 156.61 Assay (GC) 98.0%	500 gm

Product Code	Product Name	Packing
	3-[(3-Cholamidopropyl) Dimethylammonio] -1-Propanesulphonate See Chaps Buffer	
	3-[(3-Cholamidopropyl) Dimethylammonio] -2-Hydroxy-1-Propanesulphonate See Chapso Buffer	
043011 C ₂₇ H ₄₆ O (57-88-5)	Cholesterol M. W.: 386.66 Assay (GC) 95.0%	25 gm 100 gm 500 gm
495315 C ₂₇ H ₄₆ O (57-88-5)	Cholesterol AR M. W.: 386.66 Assay (GC) 99.0%	5 gm 25 gm 100 gm
052515 (9026-00-0)	Cholesterol Esterase from pseudomonas spe Lyophilized powder, activity ~ 100-130 U/mg (sterol-ester acylhydrolase)	1000 units
052525 (9028-76-6)	Cholesterol Oxidase from Micro organism Lyophilized Powder, Activity ~ 17-24 U/mg (Cholesterol: Oxygen Oxidoreductase)	250 units
817500	Cholesterol Stock Standard Soln. 0.1% Assay 0.099-0.101%	125 ml
052625 C ₂₄ H ₄₀ O ₅ (81-25-4)	Cholic Acid for Biochemistry M. W.: 408.57	25 gm 100 gm
	Cholic Acid Sodium Salt See Sodium Cholate	
052695 C ₉ H ₁₉ NO ₇ (87-67-2)	Choline Bitartrate M.W. 253.25 Assay 99.0%	500 gm
042014 [CH ₂ -(OH).CH ₂ .N(CH ₃) ₃]Cl (67-48-1)	Choline Chloride Pure M. W.:139.63 Assay (Argentometric on dried basis) 99.0%	100 gm 500 gm 25 kg
025784	Choline Chloride for Feed experiments	2.5 kg
052725 C ₂₃ H ₁₆ Cl ₂ O ₉ S.3Na (1667-99-8)	Chromazural S (Chrome azural S, pM Indicator) (C.I. 43825) M. W.: 605.29	10 gm 25 gm
	Chrome Alum See Chromium Potassium Sulphate	
	Chromic See Chromium	
	Chromic Acid See Chromium Trioxide	
817540	Chromium (Cr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO₃ Nist Traceable	100 ml 250 ml 500 ml
817542 new	Chromium (Cr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
817580	Chromium (Cr) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml

C

Laboratory Chemicals

Product Code	Product Name	Packing
817600	Chromium (Cr) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
817620	Chromium (Cr) 1000 ppm Single Element Std. Soln. for ICP in HNO₃ Nist Traceable	100 ml 500 ml
817640	Chromium (Cr) 10000 ppm Single Element Std. Soln. for ICP in HNO₃ Nist Traceable	100 ml 500 ml
495795	Chromium Metal AR Cr (7440-47-3) M. W.: 51.10 Assay (Trace metals basis) 99.999%	10 gm
495790	Chromium (Metal) Powder AR Cr (7440-47-3) At W. 52.00 Assay 99.0%	100 gm 500 gm
025700	Chromium (III) Acetate Tech. Cr(CH ₃ COO) ₃ (1066-30-4) M. W.: 229.13 Assay 98.0%	250 gm
025701	Chromium(III) Carbonate Tech. Cr ₂ (CO ₃) ₃ (51142-19-9) M. W.: 284.01 Assay (Cr content) 50.0-55.0%	500 gm
025702	Chromium(III) Chloride Tech. CrCl ₃ .6H ₂ O (10060-12-5) M. W.: 266.45	500 gm
027874	Chromium (III) Chloride Hexahydrate CrCl ₃ .6H ₂ O (10060-12-5) M. W.: 266.45 Assay (iodometric) 96.0%	500 gm
495820	Chromium (III) Chloride Hexahydrate AR (Chromic Chloride) CrCl ₃ .6H ₂ O (10060-12-5) M. W.: 266.45	500 gm
052995	Chromium Fluoride CrF ₃ (7788-97-8) M. W.: 108.99	500 gm
025703	Chromium (III) Hydroxide Tech. Cr(OH) ₃ .3H ₂ O (41646-40-6) M. W.: 157.02 Assay 98.0%	250 gm
025704	Chromium (III) Nitrate Tech. Cr(NO ₃) ₃ .9H ₂ O (7789-02-8) M. W.: 400.15	250 gm
027755	Chromium (III) Nitrate Nonahydrate Cr(NO ₃) ₃ .9H ₂ O (7789-02-8) M. W.: 400.15 Assay (exCr) 98.0%	500 gm
495845	Chromium Nitrate Nonahydrate AR Cr(NO ₃) ₃ .9H ₂ O (7789-02-8) M. W.: 400.15	500 gm
053145	Chromium (II) Oxalate CrC ₂ H ₂ O ₄ (814-90-4) M. W.: 140.00	500 gm
027757	Chromium (III) Oxide Green Cr ₂ O ₃ (1308-38-9) M. W.: 151.99 Assay 99.0%	500 gm 5 kg
	Chromium (VI) Oxide See Chromium Trioxide	

Product Code	Product Name	Packing
053195	Chromium Piconilate for Synthesis Confirms to USP C ₁₈ H ₁₂ CrN ₃ O ₆ (14639-25-9) M.W. 418.3 Assay 98%	100 gm
027758	Chromium (III) Potassium Sulphate Dodecahydrate CrK(SO ₄) ₂ .12H ₂ O (7788-99-0) M. W.: 499.39 Assay (iodometric) 98.0-102.0%	500 gm
025782	Chromium Potassium Sulphate Pract CrK(SO ₄) ₂ .12H ₂ O (7788-99-0) M. W.: 499.39	500 gm
495900	Chromium (III) Potassium Sulphate Dodecahydrate AR/ACS CrK(SO ₄) ₂ .12H ₂ O (7788-99-0) M. W.: 499.39 Assay (iodometric) 99.0%%	500 gm
025705	Chromium (III) Sulphate Tech. (39380-78-4)	500 gm
027759	Chromium (III) Sulphate Basic Cr ₄ (SO ₄) ₅ .(OH) ₂ (39380-78-4) M. W.: 722.30	500 gm
027762	Chromium Trioxide Purified CrO ₃ (1333-82-0) M. W.: 99.99 Assay (iodometric) 99.0%	500 gm 1 kg 5 kg 50 kg
495935	Chromium Trioxide AR CrO ₃ (1333-82-0) M. W.: 99.99 Assay 99.0%	500 gm
	Chromoxane Cyanine R See Eriochrome Cyanine R	
034020	Chromotrope 2R for Microscopy C ₁₆ H ₁₀ N ₂ Na ₂ O ₈ S ₂ (4197-07-3) M. W.: 468.37 Dye content (titrimetry, dried) about 75.0%	10 gm 25 gm
010714	Chromotropic Acid Disodium Salt C ₁₀ H ₆ Na ₂ O ₈ S ₂ .2H ₂ O (5808-22-0) Dihydrate M. W.: 400.28	25 gm
496360	Chromotropic Acid Disodium Salt Dihydrate AR C ₁₀ H ₆ Na ₂ O ₈ S ₂ .2H ₂ O (5808-22-0) M. W.: 400.28 Assay (by acidimetry on anhydrous substances) 98.5%	10 gm 25 gm
034021	Chrysoidine R for Microscopy C.I. No. 11320 C ₁₃ H ₁₅ N ₄ Cl (4438-16-8) M. W.: 262.74 Dye content (titrimetry, dried) abt. 65.0%	25 gm 100 gm
034106	Chrysoidine Y for Microscopy C.I.No. 11270 C ₁₂ H ₁₂ N ₄ HCl (532-82-1) M. W.: 248.72 Dye content (titrimetry, dired) abt. 90.0%	25 gm 100 gm
053335	α-Chymotrypsin Crystalline (9004-07-3)	250 mgm 1 gm 5 gm
	Cinnamic Aldehyde See Cinnamaldehyde	
053435	Cinchonine for Synthesis C ₁₉ H ₂₂ N ₂ O (118-10-5) M. W.: 294.39	25 gm

Product Code	Product Name	Packing
027772 C ₉ H ₈ O (104-55-2)	Cinnamaldehyde M. W.: 132.16 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
027773 C ₉ H ₈ O ₂ (140-10-3)	Cinnamic Acid for Synthesis M. W.: 148.16 Assay (acidimetric) 99.0%	250 gm 500 gm
496370 C ₉ H ₈ O ₂ (140-10-3)	Cinnamic Acid AR M. W.: 148.16 Assay (HPLC) 99.0%	250 gm
053545 C ₁₁ H ₁₂ O ₂ (103-54-8)	Cinnamyl Acetate for Synthesis M. W.: 176.21	500 gm
053635 C ₉ H ₁₀ O (104-54-1)	Cinnamyl Alcohol for Synthesis (3-Phenylallyl Alcohol, 3-Phenyl-2-Propene-1-ol) M. W.: 134.17	500 ml
025770 C ₁₇ H ₁₈ FN ₃ O ₃ .HCl.H ₂ O (86393-32-0)	Ciprofloxacin Hydrochloride for Lab Use M.W. : 385.82 Assay (on anhydrous basis) 98.0%	1 gm 5 gm 25 gm
025772 C ₁₀ H ₁₆ O (5392-40-5)	Citral (Cis+trans) M. W.: 152.23 Assay (GC) 96.0%	100 ml 500 ml
053725 C ₆ H ₅ NO ₄ (99-11-6)	Citrazinic Acid for Synthesis M. W.: 155.11	50 gm
027984 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous M. W.: 192.13 Assay(acidimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
496415 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 192.13 Assay (Acidimetric; Cal. on anhsuy. b.) 99.5-101.0%	500 gm 5 kg 25 kg 50 kg
027780 C ₆ H ₈ O ₇ H ₂ O (5949-29-1)	Citric Acid Monohydrate M. W.: 210.14 Assay (acidimetric) 99.5%	500 gm 5 kg 25 kg 50 kg
496420 C ₆ H ₈ O ₇ H ₂ O (5949-29-1)	Citric Acid Monohydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur., FCC. M. W.: 210.14 Assay (Acidimetric; Cal. on anhy. sub.) 99.5-100.5%	500 gm 5 kg 25 kg 50 kg
716610 C ₆ H ₈ O ₇ H ₂ O (5949-29-1)	Citric Acid Monohydrate for HPLC & Spectroscopy M. W.: 210.14 Assay (Acidimetric) 99.7%	500 gm
025771 C ₁₀ H ₁₈ O (106-23-0)	Citronellal Pract. M. W.: 154.26	500 ml
025753 C ₁₀ H ₂₀ O (106-22-9)	Citronellol Pract. M. W.: 156.27	500 ml
053905 C ₁₂ H ₂₂ O ₂ (150-84-5)	Citronellyl Acetate for Synthesis (Citronellol Acetate) M. W.: 198.30	500 gm

Product Code	Product Name	Packing
053915 C ₁₄ H ₂₆ O ₂ (141-16-2)	Citronellyl Butyrate for Synthesis (Citronellol Butyrate) M. W.: 226.36	500 gm
053925 C ₁₁ H ₂₀ O ₂ (105-85-1)	Citronellyl Formate for Synthesis (Citronellol Formate) M. W.: 184.28	500 gm
025775 C ₆ H ₁₃ N ₃ O ₃ (372-75-8)	L-Citrulline CHR (for Biochemistry) M.W. : 175.19 Assay (Non-aqueous) 98.0%	10 gm 25 gm
025714	Clentorn MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0 - 12.0	500 ml 5 lit 25 lit
025715	Clentorn MA 02 Neutral For Cleaning Laboratory Glassware Instruments pH 7.2 - 7.5	500 ml 5 lit 25 lit
025716	Clentorn MA 03 Phosphate Free For Specific Cleaning work in Laboratories	500 ml 5 lit 25 lit
036063 (8000-34-8)	Clove Oil for Microscopy	100 ml 500 ml
025766 C ₁₉ H ₁₈ ClN ₃ NaO ₅ .H ₂ O	Cloxacillin for Lab Use M.W. : 475.90	1 gm
817710	Cobalt (Co) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
817712 new	Cobalt (Co) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
817740	Cobalt (Co) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
817770	Cobalt (Co) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
054035 Co (7440-48-4)	Cobalt Metal (Cathode) At.W. 58.93	250 gm
027786 Co (7440-48-4)	Cobalt (Metal) Powder At.W. 58.93 Assay (complexometric) 99.5%	100 gm 250 gm 1 kg
027787 C ₄ H ₆ CoO ₄ .4H ₂ O (6147-53-1)	Cobalt (Ous) Acetate Purified (Cobalt II Acetate) M. W.: 249.08 Assay (complexometric) 99.0%	100 gm 500 gm 50 kg
496445 C ₄ H ₆ CoO ₄ .4H ₂ O (6147-53-1)	Cobalt (Ous) Acetate Tetrahydrate AR/ACS (Cobalt (II) Acetate) M. W.: 249.08 Assay (ex Co) 99.0%	100 gm 500 gm
025706 B ₄ CoO ₇ 10H ₂ O	Cobalt (Ous) Borate M. W.: 394.10 Assay (ex Co) 99.0-102.0%	100 gm 500 gm

C

Laboratory Chemicals

Product Code	Product Name	Packing
027789 CoCO ₃ (12602-23-2)	Cobalt (Ous) Carbonate Purified (Cobalt (II) Carbonate) M. W.: 118.94 Assay cobalt : 45-50%	100 gm 500 gm
027790 CoCl ₂ .6H ₂ O (7791-13-1)	Cobalt (Ous) Chloride Hexahydrate Purified (Cobalt (II) Chloride) M. W.: 237.93 Assay (complexometric) (ex Co) 98.0%	100 gm 500 gm 5 kg 50 kg
496465 CoCl ₂ .6H ₂ O (7791-13-1)	Cobalt (Ous) Chloride Hexahydrate AR/ACS Reagent for zinc M. W.: 237.93 Assay (complexometric) (ex Co) 99.0-102.0%	100 gm 500 gm 5 kg
PA0190	Cobalt Chloride Paper	200 lvs
054185 (61789-51-3)	Cobalt Naphthenate (6% Co) for Synthesis Assay (CO) 5.8-6.2%	500 gm 5 kg
027795 Co(NO ₃) ₂ . 6H ₂ O (10026-22-9)	Cobalt (Ous) Nitrate Hexahydrate Purified (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) (ex Co) 97.0-101.0%	100 gm 500 gm 25 kg
496475 Co(NO ₃) ₂ . 6H ₂ O (10026-22-9)	Cobalt (Ous) Nitrate Hexahydrate AR/ACS (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) 99.0%	100 gm 500 gm
025707 CoC ₂ O ₄ .2H ₂ O (5965-38-8)	Cobalt (Ous) Oxalate Dihydrate M. W.: 182.95 Assay (ex Co) 99.0-101.0%	100 gm 500 gm
054195 Co ₃ O ₄ (1308-06-1)	Cobalt Oxide M. W.: 240.80 Assay (Trace metal basis) 99.995%	10 gm
025760 Co ₃ O ₄ (1308-06-1)	Cobalt Oxide Black (II & III) M. W.: 240.80 Assay (complexometric) 70.0%	100 gm 500 gm
496485 Co ₃ O ₄ (1308-06-1)	Cobalt Oxide Black AR (II & III) M. W.: 240.80 Assay (by complexometric Co) 71.0-74.0%	100 gm 500 gm
025759 Co ₃ (PO ₄) ₂ .8H ₂ O (10294-50-5)	Cobalt (Ous) Phosphate Octahydrate Purified M. W.: 510.87 Assay (ex Co) 98.0%	100 gm 500 gm
027801 CoSO ₄ .7H ₂ O (10026-24-1)	Cobalt (Ous) Sulphate Heptahydrate (Cobalt (II) Sulphate) M. W.: 281.10 Assay (complexometric) 98.0%	100 gm 500 gm 50 kg
496500 CoSO ₄ .7H ₂ O (10026-24-1)	Cobalt (Ous) Sulphate Heptahydrate AR M. W.: 281.10 Assay (complexometric) 99.0%	100 gm 500 gm
Cocktail's For Scintillation		
054400	Cocktail 'O' Scintillation Grade Contents per litre 6gm PPO and 0.2gm POPOP	1 lit 2.5 lit
054410	Cocktail 'T' Scintillation Grade Contents per litre 5gm PPO and 0.15gm POPOP in toluene	1 lit 2.5 lit

Product Code	Product Name	Packing
054420	Cocktail 'W' Scintillation Grade Contents per litre 10 gm PPO, 0.25gm POPOP and 100 gm Naphthalene in 1,4-dioxan	1 lit 2.5 lit
025750 (68411-97-2)	Cocobetaine	500 gm
025749 (68603-42-9)	Cocodiethanolamide	500 gm
025748 (68140-00-1)	Cocomonoethanolamide	500 gm
042090 (303-98-0)	Coenzyme Q10	00 mgm 1 gm 5 gm
818700	Cold Stain TB Kit For Mycobacteria	1 kit
027805 C ₂₂ H ₂₅ NO ₆ (64-86-8)	Colchicine Used in Research in Plant M. W.: 399.45 Assay (on anhydrous, substance) 98.0%	1 gm 10 gm
818805	Collodion 7%	500 ml
343795 C ₈ H ₁₁ N (108-75-8)	2,4,6 -Collidine for Synthesis (2,4,6-Trimethyl Pyridine) M. W.: 121.18	100 ml 500 ml
818790	Collodion 2% in Amyl Acetate For Microscopy	500 ml
818800	Collodion 4%	500 ml
818810 (9004-70-0)	Collodion Flexible	500 ml
Colophony See Gum Rosin		
new Conductivity Standard Solutions Nist Traceable		
818900	Conductivity Standard 5 Microsiemense Nist Traceable	500 ml
818902	Conductivity Standard 10 Microsiemense Nist Traceable	500 ml
818904	Conductivity Standard 15 Microsiemense Nist Traceable	500 ml
188906	Conductivity Standard 20 Microsiemense Nist Traceable	500 ml
818908	Conductivity Standard 29.4 Microsiemense Nist Traceable	500 ml
818910	Conductivity Standard 50 Microsiemense Nist Traceable	500 ml
818912	Conductivity Standard 84 Microsiemense Nist Traceable	500 ml

Product Code	Product Name	Packing
818914	Conductivity Standard 100 Microsiemens Nist Traceable	500 ml
818916	Conductivity Standard 147 Microsiemens Nist Traceable	500 ml
818918	Conductivity Standard 200 Microsiemens Nist Traceable	500 ml
818920	Conductivity Standard 500 Microsiemens Nist Traceable	500 ml
818922	Conductivity Standard 1000 Microsiemens Nist Traceable	500 ml
818924	Conductivity Standard 1413 Microsiemens Nist Traceable	500 ml
818926	Conductivity Standard 2000 Microsiemens Nist Traceable	500 ml
818928	Conductivity Standard 5000 Microsiemens Nist Traceable	500 ml
818929	Conductivity Standard 10000 Microsiemens Nist Traceable	500 ml
818930	Conductivity Standard 12880 Microsiemens Nist Traceable	500 ml
818932	Conductivity Standard 15000 Microsiemens Nist Traceable	500 ml
818934	Conductivity Standard 20000 Microsiemens Nist Traceable	500 ml
034022	Congo Red Indicator C.I. No. 22120 M. W.: 696.68	25 gm 100 gm 1 kg
C ₃₂ H ₂₂ N ₆ Na ₂ O ₆ S ₂ (573-58-0)		
PA0210	Congo Red Paper	200 lvs
819040	Congo Red Solution	125 ml
819045	Congo Red TS acc.to USP	125 ml
044310	Coomassie Brilliant Blue G for Electrophoresis (Brilliant Blue G 250) C.I. No. 42655 M W.: 854.04	5 gm 25 gm
C ₄₇ H ₄₈ N ₃ O ₇ S ₂ Na (6104-58-1)		
044328	Coomassie Brilliant Blue R 250 C.I. 42660 For Electrophoresis M. W.: 825.99	5 gm 25 gm 100 gm
C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ (6104-59-2)		

Product Code	Product Name	Packing
819100	Copper (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO₃ Nist Traceable	100 ml 250 ml 500 ml
819102	new Copper (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
819150	Copper (Cu)1000 ppm Single Element Std. Soln. for ICP-MS in HNO₃ Nist Traceable	100 ml 500 ml
819180	Copper (Cu)10000 ppm Single Element Std. Soln. for ICP-MS in HNO₃ Nist Traceable	100 ml 500 ml
027810	Copper (Metal) Powder 325 mesh Electrolytic At W. 63.55 Assay (iodometric) 99.5%	500 gm 25 kg
Cu (7440-50-8)		
496595	Copper (Metal) Powder Fine AR At. W. 63.55 Assay (iodometric) 99.7%	500 gm
Cu (7440-50-8)		
027812	Copper (Metal) Turning At W. 63.55 Assay (iodometric) 99.5%	100 gm 500 gm
Cu (7440-50-8)		
025746	Copper Foil tech. M. W.: 63.55 Assay (Iodometric) 99.5%	100 gm
Cu (7440-50-8)		
027808	Copper Foil 0.1 mm Approx. At W. 63.55 Assay (iodometric) 99.7%	500 gm
Cu (7440-50-8)		
496605	Copper Foil Approx. 0.1 mm AR At W. 63.55	500 gm
Cu (7440-50-8)		
819280	Copper Acetate TS acc. to USP	500 ml
027829	Copper (II) Acetate Monohydrate C ₄ H ₆ CuO ₄ .H ₂ O (6046-93-1) M. W.: 199.65 Assay (iodometric) 98.0%	250 gm 500 gm 25 kg
496630	Copper (II) Acetate Monohydrate AR C ₄ H ₆ CuO ₄ .H ₂ O (6046-93-1) M. W.: 199.65 Assay (iodometric) 99.0%	250 gm
027830	Copper (II) Borate (39290-85-2) Assay 95.0%	250 gm
054865	Copper (II) Bromide for Synthesis CuBr ₂ (7789-45-9) M. W.: 223.35	500 gm
027833	Copper (II) Carbonate Purified CuCO ₃ . Cu(OH) ₂ (12069-69-1) M.W.:221.12 Assay (as Copper) (Iodometric): 54.0-57.0%	500 gm 25 kg 50 kg
819300	Copper (II) Chloride 0.3M Solution (Cupric Chloride 0.3M Solution)	500 ml 1 lit 2.5 lit
496655	Copper (II) Chloride Anhydrous AR CuCl ₂ (7447-39-4) M. W.: 134.45 Assay (iodometric) 98.0%	500 gm

C

Laboratory Chemicals

Product Code	Product Name	Packing
027834 CuCl ₂ ·2H ₂ O (10125-13-0)	Copper (II) Chloride Dihydrate Cryst. M. W.: 170.48 Assay (iodometric) (ex Cu) 99.0%	500 gm 25 kg 50 kg
496660 CuCl ₂ ·2H ₂ O (10125-13-0)	Copper (II) Chloride Dihydrate AR M. W.: 170.48 Assay (Iodometric) (ex Cu) 99.0-100.5%	500 gm 25 kg
054985 2CuO·Cr ₂ O ₃ (12053-18-8)	Copper Chromite for Synthesis M. W.: 311.08	500 gm
025709 C ₆ H ₄ Cu ₂ O ₇ ·2½H ₂ O (10402-15-0)	Copper (II) Citrate Hemipentahydrate M. W.: 360.19 Assay 99.0-101.0%	500 gm
819320 C ₄ H ₁₈ CuN ₄ O ₂ (14552-35-3)	Copper (II) Ethylenediamine Complex, 1M Solution In Water M.W : 217.76	1 lit
	Copper (II) Hydroxide Carbonate See Copper(II) Carbonate	
055150 (1338-02-9)	Copper Napthenate	500 gm
027839 Cu(NO ₃) ₂ ·3H ₂ O (10031-43-3)	Copper (II) Nitrate Trihydrate M. W.: 241.60 Assay (Iodometric) (ex Cu) 99.0%	250 gm 500 gm 50 kg
496685 Cu(NO ₃) ₂ ·3H ₂ O (10031-43-3)	Copper (II) Nitrate Trihydrate AR/ACS M. W.: 241.60 Assay (by Iodometry) 99.5%	500 gm
027842 CuC ₂ O ₄ (814-91-5)	Copper (II) Oxalate M. W.: 151.56 Assay 98.0%	250 gm
496700 CuO (1317-38-0)	Copper Oxide WIRE AR for Elementary Analysis M.W.: 79.54	100 gm
027843 CuO (1317-38-0)	Copper (II) Oxide Powder M. W.: 79.55 Assay (Iodometric) 97.0%	100 gm 500 gm
496710 CuO (1317-38-0)	Copper (II) Oxide Powder AR/ACS Suitable for Elementary Analysis M. W.: 79.55 Assay (Iodometric) 99.0%	100 gm 500 gm
496715 Cu ₂ O (1317-39-1)	Copper Oxide AR M. W.: 143.08 Assay (Based on trace metal analysis) 99.99%	25 gm
496720 CuO (1317-38-0)	Copper (II) Oxide AR M. W.: 79.55 Assay (Based on trace metal analysis) 99.99%	25 gm
027841 (7798-23-4)	Copper (II) Phosphate	250 gm
819380	Copper (II) Sulphate 0.1M (0.1N) Standardized Solution Nist Traceable	1 lit
819390	Copper Sulphate TS acc. to USP	500 ml
027850 CuSO ₄ (7758-98-7)	Copper (II) Sulphate Anhydrous M. W.: 159.61 Assay 99.0%	500 gm

Product Code	Product Name	Packing
496780 CuSO ₄ (7758-98-7)	Copper (II) Sulphate Anhydrous AR (Cupric Sulphate Anhydrous) M.W. 159.60 Assay 99%	500 gm
027849 CuSO ₄ ·5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate M. W.: 249.68 Assay (iodometric) 99.0%	500 gm 1 kg 5 kg 50 kg
496775 CuSO ₄ ·5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate AR/ACS M. W.: 249.68 Assay (Iodometric) 99.5%	500 gm 5 kg 50 kg
055335 CuS (1317-40-4)	Copper (II) Sulphide (Cupric Sulphide) M. W.: 95.61	500 gm
	Corn Oil See Oil Corn	
	Cortisol See Hydrocortisone	
055580 C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ (28983-56-4)	Cotton Blue for Microscopy M. W.: 799.80	25 gm 100 gm
859260	Cotton Blue Lactophenol Solution	500 ml
027816 C ₉ H ₆ O ₂ (91-64-5)	Coumarin for Synthesis M. W.: 146.15	250 gm 500 gm
	Cream of Tartar See Potassium Hydrogen (+) Tartrate	
037047 C ₄ H ₉ N ₃ O ₂ H ₂ O (6020-87-7)	Creatine (Monohydrate) M. W.: 149.15 Assay (non-aqueous dried) 98.0%	25 gm 100 gm 1 kg
498365 C ₄ H ₈ N ₃ Na ₂ O ₅ P·4H ₂ O (922-32-7)	Creatine Phosphoric Acid Disodium Salt AR (Creatine Phosphate Disodium Salt, Phosphocreatine) M. W.: 327.15 Assay 98.0%	250 mgm 1 gm 5 gm
037049 C ₄ H ₇ N ₃ O (60-27-5)	Creatinine Pure M. W.: 113.12 Assay (Non aqueous) 99.0%	25 gm 100 gm 1 kg
498400 C ₄ H ₇ N ₃ O (60-27-5)	Creatinine AR for determination of Creatine in Blood M. W.:113.12 Assay (Non-aqueous; dried basis) 99.5%	25 gm 100 gm 1 kg
025726 C ₄ H ₇ N ₃ O·HCl (19230-81-0)	Creatinine Hydrochloride for Biochemistry M. W.:149.58 Assay (argentometric) 99.5%	25 gm 100 gm
037051 (62708-52-5)	Creatinine Zinc Chloride	10 gm
819600	Creatinine Standard Solution Concentration 0.0099-0.011mg/lit	125 ml
025712 (8021-39-4)	Creosote Beechwood	500 gm

Product Code	Product Name	Packing
025695 C ₇ H ₈ O (1319-77-3)	Cresol Mixed (Cresylic Acid) M. W.: 108.14	500 ml 2.5 lit
027820 C ₇ H ₈ O (108-39-4)	m-Cresol M. W.: 108.14 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
498445 C ₇ H ₈ O (108-39-4)	m-Cresol 99% AR/ACS M. W.: 108.14 Assay (GC) 99.0%	500 ml
027818 C ₇ H ₈ O (95-48-7)	o-Cresol M. W.: 108.14 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
027821 C ₇ H ₈ O (106-44-5)	p-Cresol M. W.: 108.14 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
020026 C ₂₂ H ₁₈ O ₄ (596-27-0)	o-Cresolphthaleine pH Indicator M. W.: 346.39	5 gm 25 gm 100 gm
020027 C ₃₂ H ₃₂ N ₂ O ₁₂ (2411-89-4)	o-Cresolphthaleine Complexone (Phthalein Purple) M.W.: 636.62	1 gm 5 gm
819650	o-Cresolphthalein pH Indicator Solution (pH transition 8.2 (colorless) to 10.4 (red))	100 ml
498470 C ₂₁ H ₁₈ O ₅ S (2303-01-7)	m-Cresol Purple pH Indicator AR M. W.: 382.43	1 gm 5 gm
819700	m-Cresol Purple Solution	125 ml
498495 C ₂₁ H ₁₈ O ₅ S (1733-12-6)	Cresol Red Indicator AR M.W.: 382.44	5 gm 25 gm
819740	Cresol Red Indicator Solution	125 ml
	Cresol and Soap Solution See Lysol	
	Cresyl Blue See Brilliant Cresyl Blue	
055745 C ₁₈ H ₁₅ N ₃ O ₃ (10510-54-0)	Cresyl Violet (Acetate) for Microscopy M. W.: 321.33	1 gm 5 gm
030632 C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	Criton X100 M. W.: 646.87 Assay (iodometric) 98-102%	500 ml 2.5 lit 25 lit
923500 C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	CritonX100 for Molecular Biology M. W.: 646.87	500 ml
014630 C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	Criton X100 Scintillation Grade M. W.: 646.87 Assay (iodometric) 98-102%	500 ml 2.5 lit
055865 CuH ₆ O (123-73-9)	Crotonaldehyde for Synthesis M. W.: 70.1 Assay 99.0%	500 ml 2.5 lit 25 lit

Product Code	Product Name	Packing
025764 C ₄ H ₆ O ₂ (107-93-7)	Crotonic Acid M. W.: 86.09 Assay (GC) 98.0%	100 gm 500 gm
055965 C ₁₄ H ₂₀ O ₅ (14098-44-3)	Crown Ether /Benzo-15-Crown-5 for Synthesis M. W.: 268.31	5 gm 25 gm
055985 C ₁₀ H ₂₀ O ₅ (33100-27-5)	Crown Ether /15-Crown-5 for Synthesis M. W.: 220.26	5 gm 25 gm
025727 C ₁₂ H ₂₄ O ₆ (17455-13-9)	18-Crown-6-Ether for Synthesis M. W.: 264.32 Assay (GC) 99.0%	25 gm 100 gm
055995 C ₂₀ H ₂₀ O ₆ (14187-32-7)	Crown Ether / Dibenzo-18-Crown-6 for Synthesis(Dibenzo 18-Crown-6) M. W.: 360.40	5 gm 25 gm
027825 Na ₃ AlF ₆ (15096-52-3)	Cryolite Powder (Sodium Hexafluoro Aluminate) M. W.: 209.94 Assay (Gravimetric) (ex F) 97.0%	500 gm 2.5 kg 25 kg
034024 C ₂₅ H ₃₀ ClN ₃ (548-62-9)	Crystal Violet for Microscopy C.I. No. 42555 M.W.: 407.99 Dye content (Titanometry, on dried subs.) 88.0%	25 gm 100 gm 1 kg
819900	Crystal Violet for Microscopy Staining Solution Oxalated	125 ml
819905	Crystal Violet 1% w/v in Glacial Acetic Acid (For Non-Aqueous Titration)	100 ml
499345 (548-62-9)	Crystal Violet AR/ACS for Microscopy C.I. No. 42555 Dye content (Titanometry, on dried subs.) 96.0%	25 gm 100 gm
819960	C.S.F. Diluting Fluid	125 ml
056080 (80-15-9)	Cumene Hydroperoxide for Synthesis Assay 70.0%	100 ml 500 ml
499660 C ₆ H ₉ N ₃ O ₂ (135-20-6)	Cupferron AR M.W.: 155.16 Assay (Acidimetric) (NH ₄) 97.0%	25 gm 100 gm
	Cupric Bromide See Copper (II) Bromide	
	Cupric (I) Compound See Cuprous Compound	
	Cupric (II) Compounds See Copper Compounds	
	Cupric Sulphide See Copper (II) Sulphide	
	Cupron See a-Benzoin-Oxime	
025725 CuBr (7787-70-4)	Cuprous Bromide Anhydrous M. W.: 143.45 Assay (redox titration) 97.0%	500 gm

C

Laboratory Chemicals

Product Code	Product Name	Packing
027854	Cuprous Chloride (Copper I Chloride) M. W.: 99.00 Assay (by Iodometric titration of reductive Capacity of cul) 96.0%	500 gm 1 kg 25 kg
CuCl (7758-89-6)		
499705	Cuprous Chloride AR/ACS M. W.: 99.00 Assay (by cerimetry) 97.0%	250 gm
CuCl (7758-89-6)		
056185	Cuprous Cyanide for Synthesis [Copper (I) Cyanide] M. W.: 89.56	500 gm
CuCN (544-92-3)		
056195	Cuprous Iodide for Synthesis (Copper (I) Iodide) M. W.: 190.45	100 gm 500 gm
CuI (7681-65-4)		
027858	Cuprous Oxide Red (Copper I Oxide) M. W.: 143.08 Assay (as Cu ₂ O) 94.0%	500 gm
Cu ₂ O (1317-39-1)		
056220	Cuprous Potassium Cyanide M.W.: 154.67	500 gm
C ₂ CuKN ₂ (13682-73-0)		
020031	Curcumin Crystalline C.I. 75300 M. W.: 368.39 Assay (HPLC mix of curcumin) 95.0%	5 gm 10 gm
C ₂₁ H ₂₀ O ₆ (458-37-7)		
820000	Curcumin Reagent Solution (Reagent for Boron & For TLC Derivatization)	100 ml
056240	Cween 20	500 ml 25 lit 200 lit
(9005-64-5)		
056245	Cween 20 HISURE (Confirms to Pharma Grade) M.W.: 1227.72	500 ml
C ₅₈ H ₁₁₄ O ₂₆ (9005-64-5)		
923600	Cween 20 for Molecular Biology (Polyoxyethylene (20) Sorbitan Monolaurate) M.W.: 1227.72	100 ml 500 ml
C ₅₈ H ₁₁₄ O ₂₆ (9005-64-5)		
024295	Cween 60	500 ml
(9005-67-8)		
056023	Cween 80 Meets Analytical Specification of IP, BP, USP, Ph. Eur.	100 ml 500 ml 2.5 lit 25 lit 200 lit
(9005-65-6)		
056265	Cween 80 HISURE (Polyoxyethylene (20) Sorbitan Monooleate) Confirming to BP, USP	500 ml 2.5 lit
(9005-65-6)		
056345	Cyanoacetamide for Synthesis (2-Cyanoacetamide) M. W.: 84.08	100 gm 500 gm
NCCH ₂ CONH ₂ (107-91-5)		
056445	Cyanoacetic Acid for Synthesis M. W.: 85.06	500 gm 25 kg
NCCH ₂ COOH (372-09-8)		

Product Code	Product Name	Packing
499945	4-Cyanobenzaldehyde AR M. W.: 131.13	5 gm 25 gm
NCC ₆ H ₄ CHO (105-07-7)		
044023	Cyanocobalamin for Biochemistry (Vitamin B12) M. W.: 1355.38 Assay (by Spectrophotometry) (on dried material) 96.0%	250 mgm 1 gm
C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)		
025794	Cyanogen Bromide for Synthesis M. W.: 105.93 Assay (Iodometric) 98.0%	100 gm 500 gm
CNBr (506-68-3)		
	1-Cyanoguanidine See Dicyanadamide	
	5-Cyanoindole See Indole-5-Carbonitrile	
056585	3-Cyanopyridine (Pyridine-3-Carbonitrile) M. W.: 104.12	25 gm
C ₆ H ₄ N ₂ (100-54-9)		
056587	4-Cyanopyridine (Isonicotinic Acid Nitrile) M. W.: 104.12	100 gm
C ₆ H ₄ N ₂ (100-48-1)		
056685	2-Cyano-6-Methoxy Benzothiazole M. W.: 190.22 Assay 99.0%	1 gm
C ₉ H ₆ N ₂ OS (943-03-3)		
056765	Cyanuric Chloride (2,4,6-Trichloro-1,3,5-Triazine) (for Synthesis) M. W.: 184.41	500 gm
C ₃ Cl ₃ N ₂ (108-77-0)		
500195	Cyclam AR M. W.: 200.32	1 gm 5 gm
C ₁₀ H ₂₄ N ₄ (295-37-4)		
500335	a-Cyclodextrin AR M. W.: 972.84	10 gm
C ₃₆ H ₆₀ O ₃₀ (10016-20-3)		
056845	β-Cyclodextrin M. W.: 1134.98	25 gm 100 gm 500 gm
C ₄₂ H ₇₀ O ₃₅ (7585-39-9)		
027867	Cyclohexane for Synthesis M. W.: 84.16 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₂ (110-82-7)		
500380	Cyclohexane AR M. W.: 84.16 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₂ (110-82-7)		
500390	Cyclohexane Specially Dried AR M. W.: 84.16 Assays (By GC) 99.5%	500 ml 2.5 lit
C ₆ H ₁₂ (110-82-7)		
717595	Cyclohexane GC Grade M.W. 84.16 Assay (GC) 99.9%	1 lit
C ₆ H ₁₂ (110-82-7)		

Product Code	Product Name	Packing
717600 C ₆ H ₁₂ (110-82-7)	Cyclohexane For HPLC & Spectroscopy M. W.: 84.16 Assay (GC) 99.7%	1 lit 2.5 lit
717700 C ₆ H ₁₂ (110-82-7)	Cyclohexane for Pesticide Residue Trace Analysis M. W.: 84.16	1 lit 2.5 lit
056995 C ₆ H ₁₀ (CO ₂ H) ₂ (2305-32-0)	trans-1-2-Cyclohexane Dicarboxylic Acid M. W.: 172.18 Assay 95.0%	5 gm 25 gm
	1,2-Cyclohexanediamine Tetra Acetic Acid (CDTA) See Trans-1,2-Diaminocyclohexane N,N,N',N'-Tetra Acetic Acid	
057025 C ₆ H ₈ O ₂ (504-02-9)	1,3-Cyclohexane Dione for Synthesis M. W.: 112.13 Assay 97.0%	25 gm 100 gm
027870 C ₆ H ₁₂ O (108-93-0)	Cyclohexanol for Synthesis M. W.: 100.16 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
500845 C ₆ H ₁₂ O (108-93-0)	Cyclohexanol AR M. W.: 100.16	500 ml 2.5 lit 25 lit 200 lit
027871 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone for Synthesis M.W.: 98.15 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
500865 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone AR M. W.: 98.15 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
717800 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone for Pesticide Residue Trace Analysis M.W.: 98.15	1 lit
717850 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone for GC-HS M.W.: 98.15	1 lit 2.5 lit
057145 C ₆ H ₁₀ (110-83-8)	Cyclohexene for Synthesis (1,2,3,4-Tetrahydrobenzene) (Stabilized with 100 ppm of 2,6-di-Tert-Butyl-p-Cresol) M. W.: 82.14	500 ml 2.5 lit 25 lit 200 lit
	Cycloheximide See Actidione	
027875 C ₆ H ₁₃ N (108-91-8)	Cyclohexylamine for Synthesis M. W.: 99.18 Assay (Acidimetric) 99.0%	500 ml 2.5 lit 25 lit 200 lit
029925 C ₆ H ₁₁ Br (108-85-0)	Cyclohexylbromide M. W.: 163.06	500 ml

Product Code	Product Name	Packing
057465 C ₁₀ H ₂₀ N ₂ (17766-28-8)	1-Cyclohexylpiperazin M. W.: 168.28 Assay 97.0%	5 gm
057525 C ₈ H ₁₄ O (502-49-8)	Cyclooctanone for Synthesis M. W.: 126.20 Assay 98.0%	100 gm
070465 C ₁₀ H ₁₂ (77-73-6)	Cyclopentadiene(Dimer) for Synthesis M. W.: 132.20 Assay 95.0%	100 ml 500 ml
057685 C ₅ H ₁₀ (287-92-3)	Cyclopentane for Synthesis M. W.: 70.13	250 ml
057745 C ₅ H ₉ OH (96-41-3)	Cyclopentanol for Synthesis M. W.: 86.13	500 ml
057815 C ₅ H ₈ O (120-92-3)	Cyclopentanone for Synthesis M. W.: 84.12	500 ml 2.5 lit 25 lit 200 lit
057855 C ₁₃ H ₁₆ O ₃ (427-49-6)	a-Cyclopentylmandelic Acid M.W. 220.27 Assay 98%	5 gm
501475 C ₆ H ₁₂ O (5614-37-9)	Cyclopentyl Methyl Ether AR M. W.: 100.16 Assay 99.0%	500 ml 1 lit
057905 C ₃ H ₅ CN (5500-21-0)	Cyclopropanecarbonitrile M. W.: 67.09 Assay 98.0%	5 gm 25 gm
501535 C ₃ H ₅ CO ₂ H (1759-53-1)	Cyclopropane Carboxylic Acid AR M. W.: 86.09 Assay 95.0%	100 gm 500 gm
057995 C ₃ H ₅ CH ₂ NH ₂ .HCl (7252-53-1)	Cyclopropanemethylamine Hydro Chloride M. W.: 107.58 Assay 99.0%	1 gm 10 gm
058115 C ₃ H ₅ NH ₂ (765-30-0)	Cyclopropylamine for Synthesis M. W.: 57.09 Assay 98.0%	100 ml 500 ml
058285 C ₃ H ₅ COCH ₃ (765-43-5)	Cyclopropylmethylketone (Acetylcy clopropane) M. W.: 84.12 Assay 99.0%	100 ml
058385 C ₁₀ H ₁₄ (99-87-6)	p-Cymene for Synthesis M. W.: 134.22 Assay 99.0%	250 ml
058485 C ₂ H ₇ NS.HCl (156-57-0)	Cysteamine Hydrochloride for Synthesis (2-Mercapto Ethylamine HCl, 2-Amino Ethanethiol HCl) M. W.: 113.61 Assay 98.0%	100 gm 500 gm
037218 C ₃ H ₇ SNO ₂ (52-90-4)	L-Cysteine for Biochemistry M. W.: 121.16 Assay (Iodometric ex SH) 98.0%	25 gm 100 gm 500 gm

Product Code	Product Name	Packing
501715	L-Cysteine Hydrochloride AR (Monohydrate) for Biochemistry C ₃ H ₇ NO ₂ S.HCl.H ₂ O (7048-04-6) M. W.: 175.63 Assay (Iodometric; calc. to the dried sub.) 99.5-101.0%	25 gm 100 gm 500 gm 1 kg
037057	L-Cystine for Biochemistry C ₆ H ₁₂ N ₂ O ₄ S ₂ (56-89-3) M. W.: 240.30 Assay (Non-aqueous) 99.0%	25 gm 100 gm 1 kg
025762	L-Cystine Dihydrochloride C ₆ H ₁₂ N ₂ O ₄ S ₂ .2HCl (30925-07-6) M. W.: 313.22 Assay (Iodometric; calc. to the dried subs.) 98.0%	25 gm
042017	Cytidine for Biochemistry C ₉ H ₁₃ N ₃ O ₅ (65-46-3) M.W.: 243.22 Assay (Non-aq) 98.0%	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
042072	Cytidine-5-Monophosphate (5-CMP) C ₉ H ₁₄ N ₃ O ₈ P (63-37-6) M. W.: 323.20	1 gm 5 gm
058585	Cytochrome- 'C' (Oxidised) Ex Horse Heart Extra Pure for Biochemistry (Approx. 10% Reduced from) (9007-43-6) Assay (UV) 90.0%	100 mgm 1 gm
	Cytokinine for Biochemistry See Kinetin	
025713	Cytosine for Biochemistry C ₄ H ₅ N ₃ O (71-30-7) M. W.: 111.10 Assay (HPLC) 98.0%	1 gm 5 gm 25 gm



Specially Dried Solvents

Product Code	Product Name
515970	1,4-Dioxane
617675	2-Propanol
450410	Acetone
493915	Chloroform
500390	Cyclohexane
508710	Dichloromethane
515510	Dimethyl Sulphoxide
029193	Methanol Dry
514365	N,N-Dimethyl Formamide
661480	Toluene

..... and many more



MOLECULAR BIOLOGY REAGENTS

Product Code	Product Name	CAS No.
910548	Acrylamide for Electrophoresis	79-06-1
910550	Acrylamide 3x cryst. DNase, RNase, protease And Phosphate not detected	79-06-1
911010	Agarose high EEO	9012-36-6
911050	Agarose medium EEO type II	9012-36-6
911120	Agarose low EEO	9012-36-6
913150	Ammonium Acetate	631-61-8
913350	Ammonium Chloride	12125-02-9
914350	Ammonium Persulphate	7727-54-0
914550	Ammonium Sulphate	7783-20-2
918000	Boric Acid	10043-35-3
920900	Calcium Chloride Dihydrate	10035-04-8
921000	Cesium Chloride	7647-17-8
926500	N,N-Dimethyl Formamide	68-12-2
926590	Dimethyl Sulphoxide	67-68-5
928500	Dithioerythritol (D.T.E.)	6892-68-8
932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6
937530	Formamide	75-12-7
940600	Glycine	56-40-6
941100	Guanidine Hydrochloride	50-01-1
948100	Imidazole	288-32-4
949000	Iso Amyl Alcohol	123-51-3
959200	Magnesium Acetate Tetrahydrate	16674-78-5
959340	Magnesium Chloride	7791-18-6

Product Code	Product Name	CAS No.
959580	Magnesium Sulphate	10034-99-8
959900	2-Mercapto Ethanol	60-24-2
960500	N'N'-Methylen-Bis-Acrylamide	110-26-9
970100	Nitro B.T.	298-83-9
970698	Phenol	108-95-2
961710	Polyvinyl Pyrrolidone K-90	9003-39-8
971720	Potassium Acetate	127-08-2
971800	Potassium Chloride	7447-40-7
972100	Potassium Dihydrogen ortho Phosphate	7778-77-0
972300	di-Potassium Hydrogen ortho Phosphate	7758-11-4
972570	2-Propanol	67-63-0
984300	Sodium Acetate Anhydrous	127-09-3
984900	Sodium Chloride	7647-14-5
985400	tri Sodium Citrate	6132-04-3
986000	Sodium Dihydrogen Ortho Phosphate Anhydrous	7558-80-7
986200	Sodium Hydrogen Carbonate	144-55-8
986350	di-Sodium Hydrogen Ortho Phosphate Anhydrous	7558-79-4
986680	Sodium Lauryl Sulphate	151-21-3
987180	D-Sorbitol	50-70-4
987380	Sucrose	57-50-1
998660	Tris (Hydroxymethyl) Aminomethane A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected	77-86-1

..... and many more





INSTANT HAND SANITIZER

Kills 99.9% of germs in seconds without water

COMPOSITION

Each 100 gm Solution Contains: Denatured Alcohol 69.4% w/w Other Ingredients: Acrylates C10-30 Alkyl Acrylate crosspolymer, water, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume

DIRECTIONS

Pour 3-5 ml on the palm and rub gently with backward and forward rotating movements with fingers interlocked until dry..

Product Code - DI050




Product Code	Product Name	Packing
025600 H ₂ O (7732-18-5)	D.M. Water M. W.: 18.02	500 ml 5 lit
	Daminozide See ALAR (B9)	
033033 (7440-44-0)	Darco G 60	500 gm
505495 (7440-44-0)	Darco G 60 AR	500 gm
	DDQ See 2,3-Dichloro-5,6-dicyano-p-benzoquinone	
062805 (9013-34-7)	Deae Cellulose 11 for Column Chromatography	10 gm 25 gm 100 gm
505550 (9013-34-7)	Deae Cellulose 52 AR for Column Chromatography	10 gm 25 gm 100 gm
	Deacetylated Chitin See Chitosan	
062905 C ₁₀ H ₂₂ O (112-30-1)	1-Decanol for Synthesis (Decan-1-OL, n-Decanol) M.W.: 158.28	500 ml 2.5 lit 25 lit 200 lit
062955 C ₁₀ H ₂₂ (124-18-5)	n-Decane for Synthesis M. W.: 142.29 Assay 97.0%	250 ml 500 ml 1 lit 2.5 lit
505785 C ₁₀ H ₂₂ (124-18-5)	n-Decane AR M. W.: 142.29	500 ml
063005 C ₁₀ H ₂₁ NaO ₃ S.H ₂ O (13419-61-9)	1-Decanesulphonic Acid Sodium Salt Monohydrate M. W.: 262.33	5 gm 25 gm
720200 CH ₃ (CH ₂) ₈ CH ₂ SO ₃ Na (13419-61-9)	1-Decanesulphonic Acid Sodium Salt AR for HPLC Anhydrous M. W.: 244.33	25 gm 100 gm
	n-Decanoic Acid See n-Capric Acid	
063065 C ₁₀ H ₁₉ ClO (112-13-0)	Decanoyl Chloride for Synthesis M.W. 190.71 Assay 98.0%	100 ml 500 ml
	n-Decyl Sulphate Sodium Salt See Sodium Decyl Sulphate	
063115 C ₁₉ H ₂₈ O ₂ (53-43-0)	Dehydroepiandrosterone for Synthesis (Trans-Dehydroandrosterone) M. W.: 288.42	5 gm 25 gm
026065 C ₁₀ H ₁₈ (91-17-8)	Dekalin for Synthesis M. W.: 138.25 Assay (GC) 99.0% (Cis+trans isomer)	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
824650	Denige's Reagent (Reagent for Citrates in Milk)	100 ml
063205 C ₁₀ H ₁₃ N ₅ O ₃ .H ₂ O (16373-93-6)	2-Deoxy Adenosine Extra Pure for Biochemistry M. W.: 269.26 Assay 99.0%	1 gm 5 gm 10 gm
063285 C ₆ H ₅ COCH ₂ C ₆ H ₅ (451-40-1)	Deoxybenzoin for Synthesis (α-Phenylacetophenone) M. W.: 196.24	25 gm 100 gm
063315 C ₂₄ H ₄₀ O ₄ (83-44-3)	Deoxy Cholic Acid for Biochemistry M. W.: 392.57 Assay (TLC) 99.0%	25 gm 100 gm
	Deoxycholic Acid Sodium Salt See Sodium Deoxycholate	
063405 C ₆ H ₁₂ O ₅ (154-17-6)	2-Deoxy-D-Glucose for Biochemistry M. W.: 164.16	1 gm 5 gm
063505 (9003-98-9)	Deoxyribonuclease for Biochemistry Activity 2500 K Unit Units/mg	10000 unit 50000 unit
063615 (100403-24-5)	Deoxy Ribonucleic Acid for Biochemistry Degraded free acid ex fish sperm	10 gm 25 gm 100 gm
063625 (73049-39-5)	Deoxy Ribonucleic Acid Sodium Salt Extra Pure for Biochemistry (Highly Polymerised From Calf Thymus)	25 mgm 100 mgm 250 mgm 500 mgm
063655 (9007-49-2)	Deoxyribonucleic Acid Sodium Salt ex. salmon mist (Not Highly Polymerised) (DNA sodium salt, SS-DNA, SM-DNA)	5 gm 25 gm 100 gm
042029 C ₅ H ₁₀ O ₄ (533-67-5)	2-Deoxy-D-Ribose for Biochemistry M.W.: 134.13 Assay (HPLC) 97.0%	1 gm 5 gm 25 gm
034687	Dermutit	500 gm
506135 C ₁₃ H ₁₃ IO ₈ (87413-09-0)	Dess Martin Periodinane Puriss AR (Triacetoxy Periodine, 1,1,1-Tris (Acetyloxy)(1,1-Dihydro-1,2-Benziodoxol-3(1H)) M. W.: 424.14	5 gm 25 gm

new Disinfectant & Detergent for Medical, Industrial, Domestic

HAND WASH GEL/ SOAP

DI032	HWS09  (Hand Wash Soap)	100 ml 500 ml 5 lit
Description	Liquid Microbicidal Handwash Soap	
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.	
Action	Fights germs leaving hands soft and totally clean	
Use	Domestic Medical Industrial	

D

Laboratory Chemicals

Product Code	Product Name	Packing
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer) Liquid Handrub Antiseptic with Triple Action	50 ml 500 ml
Description		
Contents	Denatured Alcohol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume	
Action Use	Kills 99.9% of germs in seconds without water Domestic, Medical, Industrial	
ENVIRONMENT DISINFECTANT		
DI280	ED005 Air and surface spray disinfectant solution for preventing cross infection	250 ml 500 ml 5 lit
Description		
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours	
Action Use	An air and surface sprayable disinfectant for preventing cross infections Medical Industrial	
DI325	ED009 Aerial Fumigant and Surface and Water Disinfectant Solution	1 lit 5 lit 25 lit
Description		
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide	
Action Use	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation Medical Industrial	
SURFACE DISINFECTANT		
DI500	SD005 Disinfectant Cleaner for Floors & Hard Surfaces	500 ml 5 lit
Description		
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.	
Use	Domestic Medical Industrial	
DI522	SD009 Disinfectant Solution for Floors & Hard Surfaces	500 ml 5 lit
Description		
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.	
Use	Domestic Medical Industrial	
DI541	SD014 Disinfectant for hospital, hotels, food and pharmaceutical industry	1 lit 5 lit
Description		
Contents	3% w/v poly(hexamethylenbiguanide) hydrochloride (PHMB) 10% w/v Didecyl ammonium chloride	
Action Use	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing equipments Medical, Industrial.	
	Cedepol™ also known as Teepol See 056011	

Product Code	Product Name	Packing
LABORATORY DISINFECTANT		
DI675	LD009 Disinfectant Solution for heat sensitive Lab ware	500 ml 5 lit
Description		
Contents	5 % w/v Phenol, Permitted colours.	
Action Use	Disinfectant solution for laboratory ware and disposal of laboratory bio hazardous material Medical Industrial	
INSTRUMENT DISINFECTANT		
DI770	ID018 Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	500 ml 1 lit 2.5 lit 5 lit
Description		
Contents	12% Enzymes (Combination of Proteases, Lipases and Amylases), Non Ionic surfactants, Preservatives	
Action Use	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms Medical, Industrial	
DI774	ID045 High Efficiency Rust Remover	1 lit 5 lit
Description		
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).	
Action Use	Removal of Rust from Surgical/Medical Instruments and Surfaces. Medical, Industrial	
DI792	ID063 High level Surgical Instrument Sterilizing and Disinfectant Solution	500 ml 5 lit
Description		
Contents	5% w/v Benzalkonium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitor.	
Action Use	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection Medical	
DI810	ID072 2.4% Glutaraldehyde Solution for High Level Disinfection	1 lit 5 lit
Description		
Contents	2.45% w/v Glutaraldehyde	
Action Use	Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution Medical	
DI819	ID090 Aldehyde Free High level Disinfectant for medical devices.	250 ml 5 lit
Description		
Contents	3% w/v poly(hexamethylene biguanide) hydrochloride (PHMB) 10% w/v Didecyl dimethyl ammonium chloride	
Action Use	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general purposes Medical, Industrial	

Product Code	Product Name	Packing
Di837	ID099	500 ml
Description	For high level disinfection.	5 lit
Contents	0.55% w/v ortho-Phthalaldehyde, Permitted colours.	
Action Use	Glutaraldehyde free, High level Surgical Medical	
	Criton X100 See 030632	
	Criton X100 for Molecular Biology See 923500	
	Criton X100 Scintillation Grade See 014630	
	Clentron MA 01 Alkaline For Industrial & Laboratory Cleaning See 025714	
	Clentron MA 02 Neutral For Cleaning Laboratory Glassware Instruments See 025715	
	Clentron MA 03 Phosphate Free For Specific Cleaning work in Laboratories See 025716	
DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND DAIRY/FOOD, INDUSTRY		
DI910	DW009	500 ml
	(Dish Wash)	
	Iodophor Disinfectant See 849990	
	Iodophor-FD See 849995	
	Lysol (Cresol and Soap Solution) See 033218	
	Sodium Hypochlorite Solution See 023039	
DI918	FCL09	1 lit
	(Fabric Cleaner Liquid)	
DI927	FCP09	1 kg
	(Fabric Cleaner Powder)	
DI936	TC009	500 ml
	(Toilet Cleaner)	1 lit
DI945	TW009	500 ml
	(Tiles Wash)	1 lit
DI963	GC009	500 ml
	(Glass Cleaner)	
063765	Deuterium Oxide (heavy water)	25 gm
	for NMR Spectroscopy M.W.: 20.03	
D₂O (7789-20-0)		
020009 (8049-11-4)	Devardas Alloy Powder	100 gm 500 gm

Product Code	Product Name	Packing
506225	Devardas Alloy Powder AR	100 gm
	Reducing Agent	250 gm
(8049-11-4)		
063815 (9004-53-9)	Dextrin White for Bacteriology	500 gm
025570 (C ₆ H ₁₀ O ₅) _n .XH ₂ O (9004-53-9)	Dextrin White Pract	500 gm 25 kg
028450 C ₆ H ₁₂ O ₆ (50-99-7)	Dextrose Anhydrous Purified	500 gm 1 kg 5 kg 25 kg 50 kg
	M. W.: 180.16	
506250	Dextrose Anhydrous AR	500 gm
	Meets Analytical Specification of IP, BP, USP, Ph. Eur.	5 kg 25 kg 50 kg
C ₆ H ₁₂ O ₆ (50-99-7)	M. W.: 180.16	
063940 C ₆ H ₁₂ O ₆ .H ₂ O (14431-43-7)	Dextrose Monohydrate	500 gm 25 kg 50 kg
	M. W.: 198.17	
506260	Dextrose Monohydrate AR	500 gm
	for Microbiology	25 kg 50 kg
C ₆ H ₁₂ O ₆ .H ₂ O (14431-43-7)	M. W.: 198.17	
028010 C ₆ H ₁₂ O ₂ (123-42-2)	Diacetone Alcohol Purified	500 ml 2.5 lit
	M. W.: 116.16 Assay (GC) 99.0%	
028011 C ₄ H ₆ O ₂ (431-03-8)	Diacetyl for Synthesis	100 ml
	M. W.: 86.09 Assay (GC) 97.0%	
025601 C ₄ H ₇ NO ₂ (57-71-6)	Diacetyl Monoxime	25 gm
	M. W.: 101.11 Assay (N) 98.0%	
506600 C ₄ H ₇ NO ₂ (57-71-6)	Diacetyl Monoxime AR	25 gm 100 gm 500 gm
	M. W.: 101.11 Assay (Gravimetric) 99.0%	
824705	Diacetyl Monoxime Solution 2%	125 ml
064005 C ₁₄ H ₁₄ O ₄ (131-17-9)	Diallyl Phthalate for Synthesis	100 ml
	M. W.: 246.26 Assay 97.0%	
064115 C ₁₄ H ₁₀ N ₂ O ₂ (128-95-0)	1,4-Diamino Anthraquinone	25 gm 100 gm
	for Synthesis M. W.: 238.24 Assay 95.0%	
506685 C ₁₂ H ₁₄ N ₄ (91-95-2)	3,3-Diamino Benzidine Base AR	5 gm 25 gm 100 gm
	M. W.: 214.27 Assay (HPLC) 99.0%	
506688 C ₁₂ H ₁₄ N ₄ .4HCl.2H ₂ O (7411-49-6)	3-3'-Diaminobenzidine Tetra Hydrochloride AR	1 gm 5 gm
	M. W. : 396.14	

Product Code	Product Name	Packing
064185	3,5-Diamino Benzoic Acid for Synthesis M. W.: 152.15 Assay 98.0%	100 gm 500 gm
C ₇ H ₈ N ₂ O ₂ (535-87-5)		
064225	3,4-Diamino Benzophenone M. W.: 212.25 Assay 97.0%	25 gm 100 gm
C ₆ H ₅ COC ₆ H ₃ (NH ₂) ₂ (39070-63-8)		
025642	4,4-Diamino Biphenyl M. W.: 184.25	10 gm 25 gm 100 gm
C ₁₂ H ₁₂ N ₂ (92-87-5)		
025597	4,4-Diamino Biphenyl Hydrochloride	10 gm 25 gm 100 gm
(531-85-1)		
064275	trans-1,2-Diamino Cyclohexane-N,N,N',N'-Tetra Acetic Acid (CDTA) Monohydrate M.W : 364.35 Assay 97.0%	25 gm 100 gm
C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O (125572-95-4)		
506905	trans-1,2 Diamino Cyclohexane N,N,N',N' Tetra Acetic Acid (CDTA) AR/ACS M. W.: 364.35 Assay (Complexometric) 99.0%	25 gm 100 gm
C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O (125572-95-4)		
064305	4,4-Diamino Diphenyl Ether for Synthesis M. W.: 200.24 Assay 97.0%	100 gm
C ₁₂ H ₁₂ N ₂ O (101-80-4)		
064365	4,4-Diamino Diphenyl Methane for Synthesis M. W.: 198.26 Assay (GC) 97.0%	50 gm
C ₁₃ H ₁₄ N ₂ (101-77-9)		
064415	4,4-Diamino Diphenyl Sulphone for Synthesis M. W.: 248.30 Assay 97.0%	100 gm
C ₁₂ H ₁₂ N ₂ O ₂ S (80-08-0)		
	1,2-Diamino Ethane See Ethylenediamine	
064505	1:8-Diamino Octane for Synthesis M. W.: 144.26 Assay 98.0%	25 gm
C ₈ H ₂₀ N ₂ (373-44-4)		
064545	1:5-Diamino Pentane for Synthesis M. W.: 102.18 Assay 95.0%	5 ml
NH ₂ (CH ₂) ₅ NH ₂ (462-94-2)		
507175	1,3-Diamino Propane AR M. W.: 74.12 Assay 99.0%	500 ml
NH ₂ (CH ₂) ₃ NH ₂ (109-76-2)		
064615	2,6-Diamino Pyridine for Synthesis M. W.: 109.13	25 gm 100 gm 500 gm
C ₅ H ₇ N ₃ (141-86-6)		
064685	Diamond Powder 1 Micron At. W.: 12.01	1 gm 5 gm
C (7782-40-3)		
064695	Diamond Powder 50 Micron At. W.: 12.01	1 gm 5 gm
C (7782-40-3)		

Product Code	Product Name	Packing
025648	o-Dianisidine M.W.: 244.30 Assay (Non-aq) 96.0%	25 gm 100 gm 500 gm
C ₁₄ H ₁₆ N ₂ O ₂ (119-90-4)		
039013	Diastase Amylase Activity 1300 IU/g	100 gm 500 gm
(9000-92-4)		
064755	1,4-Diazabicyclo (2.2.2) Octane (Dabco, Ted, Triethylenediamine) Store At 2-8°C M. W.: 112.17 Assay 99.0%	100 gm 500 gm
C ₆ H ₁₂ N ₂ (280-57-9)		
064825	1:8-Diaza Bicyclo Undecene for Synthesis (DBU) M. W.: 152.24 Assay 98.0%	25 ml 100 ml 500 ml
C ₉ H ₁₆ N ₂ (6674-22-2)		
	2,6-Di-Tert-p-Methyl Phenol See Butylated Hydroxy Toluene	
824800	Diazo Reagent A	125 ml
824810	Diazo Reagent B	125 ml
064905	5-Diazo Uracil for Biochemistry M. W.: 138.1	1 gm
C ₄ H ₂ N ₄ O ₂ (2435-76-9)		
	Dibenzo-18-Crown-6 See 18-Crown-6-Ether	
507385	Dibenzoyl Methane AR M. W.: 224.25 Assay 98.0%	25 gm 100 gm
(C ₆ H ₅ CO) ₂ CH ₂ (120-46-7)		
065055	(-)-2,3-Dibenzoyl-L-Tartaric Acid Anhy. M. W.: 358.30	5 gm 25 gm 100 gm
C ₁₈ H ₁₄ O ₈ (2743-38-6)		
507525	(-)-o,o-Dibenzoyl L-Tartric Acid Mono Hydrate AR M. W.: 376.31	25 gm 100 gm
C ₁₈ H ₁₄ O ₈ .H ₂ O (62708-56-9)		
025606	(+)-2,3-Dibenzoyl-D-Tartaric Acid Anhy. [(+)-Di-Benzoyl-D-Tartaric Acid, (+)-2,3-Di-Benzoyl-D-Tartaric Acid) M. W.: 358.30 Assay (T) Acidimetric 98.0%	25 gm 100 gm
C ₁₈ H ₁₄ O ₈ (17026-42-5)		
025605	(+)-2,3-Dibenzoyl-D-Tartaric Acid Monohydrate M.W. : 358.30 (anhy.)	25 gm 100 gm
C ₁₈ H ₁₄ O ₈ .H ₂ O (80822-15-7)		
065185	Dibenzylamine for Synthesis [N,N-Bis (Methylphenyl) Amine] M. W.: 197.28 Assay 97.0%	100 ml 500 ml
C ₁₄ H ₁₅ N (103-49-1)		
065265	Dibenzyl Disulphide for Synthesis M. W.: 246.39 Assay 98.0%	25 gm 100 gm 1 kg
C ₁₄ H ₁₄ S ₂ (150-60-7)		
065335	Dibenzyl Phosphate for Synthesis M. W.: 298.25	5 gm 25 gm
C ₁₄ H ₁₅ O ₄ (1623-08-1)		

Product Code	Product Name	Packing
065415 C ₇ H ₆ Br ₂ O (74137-36-3)	3,5-Dibromo Anisole M. W.: 265.93 Assay 97.0%	5 gm
065615 C ₆ H ₄ Br ₂ (106-37-6)	1,4-Dibromo Benzene for Synthesis M. W.: 235.90	500 gm
065715 C ₄ H ₈ Br ₂ (110-52-1)	1,4-Dibromo Butane for Synthesis (Tetramethylene Dibromide) M. W.: 215.91	250 ml
	1,8-Dibromo Butane See 1,8-Dibromo octane	
065805 C ₅ H ₆ Br ₂ N ₂ O ₂ (77-48-5)	1,3-Dibromo 5,5-Dimethyl Hydantion for Synthesis M. W.: 285.92 Assay 98.0%	500 gm
025604 C ₂ H ₄ Br ₂ (106-93-4)	1,2-Dibromo Ethane for Synthesis M. W.: 187.89 Assay (GC) 98.0%	250 ml 500 ml 2.5 lit 25 lit 200 lit
507835 C ₂ H ₄ Br ₂ (106-93-4)	1-2-Dibromo Ethane AR M. W.: 187.86 Assay (GC) 98.0%	500 ml 2.5 lit
065905 C ₂₀ H ₁₀ Br ₂ O ₅ (596-03-2)	4:5-Dibromo Fluorescein M. W.: 490.10 Assay Dye Content 95.0%	5 gm
508005 Br(CH ₂) ₆ Br (629-03-8)	1,6-Dibromo Hexane AR M. W.: 243.97 Assay 96.0%	100 gm
066005 CH ₂ Br ₂ (74-95-3)	Dibromo Methane for Synthesis (Methylene Bromide) M. W.: 173.83 Assay 99.0%	100 gm
066065 Br(CH ₂) ₈ Br (4549-32-0)	1,8-Dibromooctane (1,8-Dibromo butane) M. W.: 272.02 Assay 98.0%	100 gm
066105 C ₅ H ₁₀ Br ₂ (111-24-0)	1,5-Dibromo Pentane for Synthesis (Pentamethylenedibromide) M. W.: 229.94 Assay 97.0%	500 ml
066215 Br ₂ C ₆ H ₃ OH (608-33-3)	2,6-Dibromo Phenol M. W.: 251.90 Assay 99.0%	5 gm
066265 Br(CH ₂) ₃ Br (109-64-8)	1,3-Dibromo Propane (trimethylene dibromide) M. W.: 201.89	100 ml 500 ml
508140 C ₆ H ₂ Br ₂ ClNO (537-45-1)	2,6-Dibromo Quinone-4-Chlorimide AR M. W.: 299.35	5 gm
028064 C ₈ H ₁₉ N (111-92-2)	Di-n-Butylamine for Synthesis (Dibutylamine) M. W.: 129.25 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit

Product Code	Product Name	Packing
	2,6-Di-Tert-Butyl-p-Cresol See Butylated Hydroxy Toluene	
	Di-tert-Butyl Dicarbonate See Di-tert-Butyl Pyrocarbonate	
066405 C ₈ H ₁₈ O (142-96-1)	Dibutyl Ether for Synthesis M. W.: 130.23	500 ml 2.5 lit 25 lit 200 lit
508275 C ₈ H ₁₈ O (142-96-1)	Dibutyl Ether AR (n-Butyl ether) M. W.: 130.23	500 ml 2.5 lit 25 lit 200 lit
025626 C ₁₂ H ₂₀ O ₄ (105-76-0)	Di-n-Butyl Maleate (DBM) M. W.: 228.29 Assay (GC) 97.0%	500 ml 2.5 lit 25 lit
	2,6-Di-tert-Butyl-4-Methyl Phenol See Butylated Hydroxy Toluene	
028073 C ₁₆ H ₂₂ O ₄ (84-74-2)	Di-n-Butyl Phthalate M. W.: 278.35 Assay (GC) 98.0%	500 ml 2.5 lit 5 lit 25 lit
508365 C ₁₆ H ₂₂ O ₄ (84-74-2)	Di-n-Butyl Phthalate AR/ACS M. W.: 278.35 Assay (GC) 98.5%	500 ml 2.5 lit
	Di-tert-Butyl Pyrocarbonate See BOC Anhydride	
066515 (CH ₃ CH ₂ CH ₂ CH ₂) ₂ Sn(OCOCH ₃) ₂ (1067-33-0)	Dibutyl Tin Diacetate M. W.: 351.03	250 gm 500 gm
066555 (CH ₃ CH ₂ CH ₂ CH ₂) ₂ Sn(OCO(CH ₂) ₁₀ CH ₃) ₂ (77-58-7)	Dibutyl Tin Dilaurate for Synthesis M. W.: 631.56 Assay 95.0%	500 ml
066595 C ₁₂ H ₂₀ O ₄ Sn (78-04-6)	Dibutyl Tin Dimaleate for Synthesis M. W.: 346.99 Assay 95.0%	500 gm
028641 C ₈ H ₁₈ OSn (818-08-6)	Di-Butyl Tin Oxide for synthesis M. W.: 248.92 Assay (ex Sn) 98.0%	250 gm 1 Kg
	Dicalcium Phosphate See di-Calcium Phosphate	
066795 C ₈ H ₆ Cl ₂ O (2234-16-4)	2,4-Dichloroacetophenone for Synthesis M. W.: 189.04	100 gm 500 gm
066835 C ₈ H ₆ Cl ₂ O (2642-63-9)	3,4-Dichloroacetophenone for Synthesis M. W.: 189.04	25 gm 100 gm
066925 C ₆ H ₅ Cl ₂ N (608-27-5)	2,3-Dichloroaniline for Synthesis M. W.: 162.02	500 ml
066945 C ₆ H ₅ Cl ₂ N (554-00-7)	2,4-Dichloroaniline for Synthesis M. W.: 162.02	100 gm 500 gm

D

Laboratory Chemicals

Product Code	Product Name	Packing
066965 Cl ₂ C ₆ H ₃ NH ₂ (95-82-9)	2:5-Dichloroaniline for Synthesis M. W.: 162.02 Assay 99.0%	100 gm 500 gm
067005 Cl ₂ C ₆ H ₃ NH ₂ (608-31-1)	2,6-Dichloroaniline M. W.: 162.02 Assay 98.0%	250 gm
067025 Cl ₂ C ₆ H ₃ NH ₂ (95-76-1)	3,4-Dichloroaniline for Synthesis M. W.: 162.02	500 gm
067115 Cl ₂ C ₆ H ₃ CHO (874-42-0)	2:4-Dichlorobenzaldehyde for Synthesis M. W.: 175.01 Assay 99.0%	100 gm 500 gm
067145 Cl ₂ C ₆ H ₃ CHO (6287-38-3)	3,4-Dichlorobenzaldehyde for Synthesis M. W.: 175.01 Assay 95.0%	25 gm
	m-Dichloro Benzene See 1,3-Dichlorobenzene	
028082 C ₆ H ₄ Cl ₂ (95-50-1)	o-Dichloro Benzene for Synthesis (1, 2-Dichlorobenzene) M. W.: 147.00 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
508585 C ₆ H ₄ Cl ₂ (95-50-1)	o-Dichlorobenzene AR (1,2-Dichlorobenzene) M. W.: 147.00	500 ml 2.5 lit 25 lit 200 lit
720650 C ₆ H ₄ Cl ₂ (95-50-1)	o-Dichloro Benzene for HPLC (1,2-Dichloro benzene) M.W : 147.00 Assay (GC) 99.0%	1 lit
	1,2-Dichloro Benzene See o-Dichloro Benzene	
	1,4-Dichloro Benzene See p-Dichloro Benzene	
067225 C ₆ H ₄ Cl ₂ (541-73-1)	1,3-Dichlorobenzene for Synthesis (m-Dichlorobenzene) M. W.: 147.00	500 ml 2.5 lit 25 lit 200 lit
825600	Dichloro Benzene / Phenol (Mixture 1:1) For Synthesis	500 ml 1 lit 2.5 lit
028084 C ₆ H ₄ Cl ₂ (106-46-7)	p-Dichloro Benzene for Synthesis (1,4-Dichloro Benzene) M. W.: 147.00 Assay (GC) 97.0%	500 gm 25 kg
025635 C ₇ H ₄ Cl ₂ O ₂ (50-84-0)	2,4-Dichloro Benzoic Acid M. W.: 191.02 Assay (acidimetric) 98.0%	500 gm
067405 C ₁₃ H ₈ Cl ₂ O (90-98-2)	4,4'-Dichlorobenzophenone for Synthesis M. W.: 251.11 Assay 99.0%	25 gm

Product Code	Product Name	Packing
067555 Cl ₂ C ₆ H ₃ CH ₂ OH (1777-82-8)	2,4-Dichlorobenzyl Alcohol for Synthesis M. W.: 177.03 Assay 99.0%	25 gm
067715 Cl ₂ C ₆ H ₃ CH ₂ NH ₂ (102-49-8)	3,4-Dichlorobenzylamine M. W.: 176.04 Assay 95.0%	5 gm 25 gm
067855 C ₇ H ₅ Cl ₃ (94-99-5)	2,4-Dichlorobenzyl Chloride (α-2,4-Trichlorotoluene) M. W.: 195.47	100 ml 500 ml
067895 C ₄ H ₈ Cl ₂ (110-56-5)	1,4-Dichlorobutane for Synthesis (Tetramethylene dichloride) M.W: 127.01	100 ml 500 ml
068025 C ₈ Cl ₂ N ₂ O ₂ (84-58-2)	2,3-Dichloro-5,6-Dicyano-P -Benzoquinone for Synthesis (DDQ) Store At 2-8°C M. W.: 227.00 Assay 98.0%	25 gm 100 gm 500 gm
068335 C ₂ H ₆ Cl ₂ Si (75-78-5)	Dichlorodimethylsilane for Synthesis (Repelsilane, Dimethyldichlorosilane) M. W.: 129.06 Assay 98.0%	500 ml 2.5 lit
068435 C ₁₂ H ₁₀ Cl ₂ Si (80-10-4)	Dichlorodiphenylsilane for Synthesis (Diphenyl dichlorosilane) M. W.: 253.21 Assay 98.0%	100 ml 500 ml
028093 C ₂ H ₄ Cl ₂ (107-06-2)	1,2-Dichloroethane M. W.: 98.96 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
508635 C ₂ H ₄ Cl ₂ (107-06-2)	1,2-Dichloroethane AR M. W.: 98.96 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
720750 C ₂ H ₄ Cl ₂ (107-06-2)	1,2-Dichloroethane for HPLC & Spectroscopy M. W.: 98.96 Assay (GC) 99.5%	1 lit
068545 Cl ₂ C ₆ H ₃ F (1435-48-9)	2:4-Dichlorofluoro Benzene M. W.: 164.99 Assay 99.0%	25 gm
508665 C ₂₀ H ₁₀ Cl ₂ O ₅ (76-54-0)	2,7-Dichloro fluorescein AR/ACS Adsorption Indicator M. W.: 401.20 Assay Abt. 90.0%	5 gm 10 gm
824755	Dichlorofluorescein indicator 0.1% w/v in 70% Alcohol	100 ml
068575 Cl ₂ C ₆ H ₂ (OH)CO ₂ H (3336-41-2)	3,5-Dichloro-4-Hydroxy Benzoic Acid M. W.: 207.01 Assay 97.0%	25 gm

Product Code	Product Name	Packing
068605	Dichloroiso-Cyanuric Acid Sodium Salt for Synthesis M. W.: 255.98 Assay 98.0%	500 gm
$C_3Cl_2N_3NaO_3 \cdot 2H_2O$ (51580-86-0)		
028096	Dichloromethane Pure M. W.: 84.93 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
CH_2Cl_2 (75-09-2)		
508705	Dichloromethane AR/ACS M. W.: 84.93 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
CH_2Cl_2 (75-09-2)		
508710	Dichloromethane Specially Dried AR M. W.: 84.93 Assay (GC) 99.5%	500 ml 2.5 lit
CH_2Cl_2 (75-09-2)		
720945	Dichloromethane GC Grade M.W : 84.93 Assay (GC) 99.9%	1 lit
CH_2Cl_2 (75-09-2)		
720950	Dichloromethane for HPLC & Spectroscopy M. W.: 84.93 Assay (GC) 99.7%	1 lit 2.5 lit
CH_2Cl_2 (75-09-2)		
721050	Dichloromethane for Pesticide Residue Trace Analysis (Methylene Chloride) M. W.: 84.93	1 lit
CH_2Cl_2 (75-09-2)		
D39663	Dichloromethane-d₂ M.W.: 86.95 (for NMR Spectroscopy) Assay Min. 99.5 atom%D	10x0.75ml
CD_2Cl_2 (1665-00-5)		
D39672	Dichloromethane-d₂ M.W.: 86.95 (for NMR Spectroscopy) Assay Min. 99.5 atom%D	10 ml
CD_2Cl_2 (1665-00-5)		
068815	Dichloromethyl Vinyl Silane for Synthesis M. W.: 141.07 Assay 97.0%	100 gm
$C_3H_6Cl_2Si$ (124-70-9)		
068845	2,3-Dichloro-1,4-Naphthoquinone for Synthesis M. W.: 227.04 Assay 98.0%	25 gm
$C_{10}H_4Cl_2O_2$ (117-80-6)		
068935	3:4-Dichloronitro Benzene for Synthesis M. W.: 192.00 Assay 99.0%	100 gm 500 gm
$Cl_2C_6H_3NO_2$ (99-54-7)		
068925	2:4-Dichloronitro Benzene for Synthesis M.W. : 192.0 Assay 97.0%	25 gm 100 gm
$Cl_2C_6H_3NO_2$ (611-06-3)		
069065	Dichlorophene Pract for Synthesis [5,5-Dichloro-2,2-Dihydroxy Diphenyl Methane, bis (5-Chloro-2-Hydroxyphenyl) Methane] M. W.: 269.14 Assay 95.0%	500 gm
$C_{13}H_{10}O_2Cl_2$ (97-23-4)		
069225	2,3-Dichlorophenol M. W.: 163.00 Assay 98.0%	25 gm 100 gm 500 gm
$Cl_2C_6H_3OH$ (576-24-9)		

Product Code	Product Name	Packing
069235	2,4-Dichlorophenol for Synthesis M. W.: 163.00	100 gm 500 gm
$Cl_2C_6H_3OH$ (120-83-2)		
025638	2,4-Dichloro Phenol Pract M.W.: 163.0 Assay (GC) 98.0%	250 gm
$C_6H_4OCl_2$ (120-83-2)		
025636	2,6-Dichloro Phenol M. W.: 163.0 Assay (GC) 98.0%	100 gm 500 gm
$C_6H_4Cl_2O$ (87-65-0)		
508805	2,6-Dichloro Phenol Indophenol Sodium Salt AR for the determination of Ascorbic Acid M. W.: 290.08 (Anhy.) Assay (By Titanometry on anhydrous material) 98.0%	1 gm 5 gm 25 gm
$C_{12}H_6Cl_2NNaO_2 \cdot XH_2O$ (620-45-1)		
069315	2,4-Dichlorophenoxy Acetic Acid M. W.: 221.04 Assay 97.0%	250 gm
$C_8H_6Cl_2O_3$ (94-75-7)		
069365	2,4-Dichlorophenyl Acetic Acid for Synthesis M. W.: 205.04 Assay 99.0%	25 gm 100 gm
$C_8H_6Cl_2O_2$ (19719-28-9)		
069385	3,4-Dichlorophenyl Acetic Acid M. W.: 205.04 Assay 98.0%	5 gm 25 gm
$Cl_2C_6H_3CH_2CO_2H$ (5807-30-7)		
024836	3,5-Dichloro Phenyl Boronic Acid M. W.: 190.82 Assay 98.0%	1 gm 5 gm 25 gm
$Cl_2C_6H_3B(OH)_2$ (67492-50-6)		
069445	1-(3,4-Dichlorophenyl) Piperazine M. W.: 231.12 Assay (GC) 98.0%	5 gm 25 gm
$C_{10}H_{12}Cl_2N_2$ (57260-67-0)		
069645	4,5-Dichlorophthalic Anhydride M. W.: 217.01 Assay 98.0%	5 gm 100 gm
$C_8H_2Cl_2O_3$ (942-06-3)		
069725	4:7-Dichloroquinoline for Synthesis M. W.: 198.05 Assay 99.0%	25 gm
$C_9H_5Cl_2N$ (86-98-6)		
069795	2,6-Dichloroquinone-4-Chloroimide (N,2,6-Trichloro-p-Benzoquinonemide Gibbs Reagent, Reagent for Vitamin B ₆) M.W.: 210.45 Assay 98.0%	5 gm 10 gm
$C_6H_2Cl_3NO$ (101-38-2)		
068875	3:5-DiChlorosalicylaldehyde for Synthesis M. W.: 191.01 Assay 99.0%	5 gm 25 gm
$Cl_2C_6H_2(OH)CHO$ (90-60-8)		
069935	2,4-Dichlorotoluene for Synthesis M. W.: 161.03 Assay 98.0%	100 ml 500 ml
$C_7H_6Cl_2$ (95-73-8)		
069955	3,4-Dichlorotoluene for Synthesis M. W.: 161.03 Assay 98.0%	100 ml 500 ml
$C_7H_6Cl_2$ (95-75-0)		
509565	Diclofenac Sodium AR for Lab use only M. W.: 318.13 Assay (HPLC) 98.5%	5 gm 25 gm 100 gm
$C_{14}H_{10}Cl_2NNaO_2$ (15307-79-6)		

D

Laboratory Chemicals

Product Code	Product Name	Packing
070155 C ₁₈ H ₂₂ O ₂ (80-43-3)	Dicumyl Peroxide M. W.: 270.37 Assay 98.0%	250 gm
028108 C ₂ H ₄ N ₄ (461-58-5)	Dicyandiamide Pure M. W.: 84.08 Assay (HPLC) 98.0%	500 gm 5 kg 25 kg
	Dicyanomethane See Malononitrile	
028111 C ₁₂ H ₂₃ N (101-83-7)	Dicyclohexylamine for Synthesis M. W.: 181.32 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
509755 C ₁₂ H ₂₃ N (101-83-7)	Dicyclohexylamine AR M. W.: 181.32 Assay (GC) 99.0%	1 lit
070235 C ₁₃ H ₂₂ N ₂ (538-75-0)	N,N-Dicyclohexyl Carbodiimide for Synthesis M. W.: 206.33	100 gm 500 gm
824855	N,N'-Dicyclohexylcarbodiimide 1M Solution in Dichloromethane	100 ml
070355 C ₂₀ H ₂₆ O ₄ (84-61-7)	Dicyclo Hexyl Phthalate for Synthesis M. W.: 330.42 Assay 99.0%	100 gm 500 gm
070465 C ₁₀ H ₁₂ (77-73-6)	Dicylopentadiene for Synthesis (Stabilized) M. W.: 132.20	100 ml 500 ml
025622 Nd ₂ O ₃ .Pr ₂ O ₃ (11141-21-2)	Didymium Oxide M. W.: 666.29	25 gm 100 gm
028612 C ₄ H ₁₁ NO ₂ (111-42-2)	Diethanolamine for Synthesis M. W.: 105.14 Assay (acidimetric) 98.0%	500 ml 2.5 lit 25 lit 200 lit
509965 C ₄ H ₁₁ NO ₂ (111-42-2)	Diethanolamine AR/ACS for Biochemistry M. W.: 105.15 Assay 98.0%	500 ml 2.5 lit 25 lit 200 lit
070655 C ₅ H ₁₂ O ₂ (462-95-3)	Diethoxymethane for Synthesis (Formaldehyde Diethyl Acetal, Ethylal) (Stabilized with BHT) M. W.: 104.15 Assay 99.0%	500 ml 2.5 lit
510155 C ₅ H ₁₂ O ₂ (462-95-3)	Diethoxymethane AR (Stabilized with BHT) M.W.: 104.15 Assay 99.0%	500 ml
028120 (C ₂ H ₅) ₂ NH (109-89-7)	Diethylamine for Synthesis M. W.: 73.14 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
510405 (C ₂ H ₅) ₂ NH (109-89-7)	Diethylamine AR M. W.: 73.14 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
721800 (C ₂ H ₅) ₂ NH (109-89-7)	Diethylamine for HPLC & Spectroscopy M. W.: 73.14	1 lit
070805 C ₄ H ₁₁ N.HCl (660-68-4)	Diethylamine Hydrochloride for Synthesis (Diethyl ammonium Chloride) M. W. :109.6 Assay 98.0%	500 gm
070900 C ₄ H ₁₁ N.H ₃ PO ₄ (68109-72-8)	Diethylamine Phosphate M.W : 171.13	100 gm
028122 C ₆ H ₁₅ NO (100-37-8)	2-Diethyl Amino Ethanol (N,N-Diethyl Amino Ethanolamine) M.W.: 117.19 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
510455 C ₆ H ₁₅ NO (100-37-8)	2-Diethyl Amino Ethanol AR M. W.: 117.19	1 lit
070865 (C ₂ H ₅) ₂ NCH ₂ Cl.HCl (869-24-9)	2-Diethyl Amino Ethyl Chloride Hydrochloride for Synthesis M. W.: 172.10 Assay 99.0%	25 gm 100 gm 1 kg
025652 C ₁₀ H ₁₅ N (91-66-7)	N,N-Diethyl Aniline M. W.: 149.25 Assay (GC) 98.5%	500 ml 2.5 lit 25 lit
510495 C ₁₀ H ₁₅ N (91-66-7)	N,N-Diethyl Aniline AR M. W.: 149.25 Assay (GC) 99.0%	500 ml
510615 C ₆ H ₁₀ N ₂ O ₄ (1972-28-7)	Diethyl Azodicarboxylate AR (Dad, Daed, Azocarboxylicacid Diethylester) M. W.: 174.16	5 gm 25 gm 100 gm
	Diethyl Carbamoyl Chloride See Diethyl Carbamyl Chloride,	
070975 C ₅ H ₁₀ ClNO (88-10-8)	Diethyl Carbamyl Chloride (Diethyl Carbamoyl Chloride) M.W : 135.59 Assay 99.0%	100 gm
071125 C ₅ H ₁₀ O ₃ (105-58-8)	Diethyl Carbonate for Synthesis M. W.: 118.13 Assay 99.0%	500 ml 2.5 lit 25 lit
	Diethylene Diamine See Piperazine	
028150 C ₄ H ₁₀ O ₃ (111-46-6)	Diethylene Glycol for Synthesis M. W.: 106.12 Assay (GC) 98.5%	500 ml 2.5 lit 25 lit 200 lit
510705 C ₄ H ₁₀ O ₃ (111-46-6)	Diethylene Glycol AR M. W.: 106.12 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
510795 (C ₂ H ₅ OCH ₂ CH ₂) ₂ O (112-36-7)	Diethylene Glycol Diethylether AR (Diethyldiglycol) M. W.: 162.23	500 ml 2.5 lit

Product Code	Product Name	Packing
071365	Diethylene Glycol Dimethyl Ether (Dimethyl Digol, Diglyme) M. W.: 134.18 Assay (GC) min. 99%	500 ml 2.5 lit 25 lit
$C_6H_{14}O_3$ (111-96-6)		
027522	Diethylene Glycol Mono Butyl Ether (Butyl Carbitol, Butyl Digol) M. W.: 162.23 Assay (GC) 97.0%	500 ml 2.5 lit 25 lit
$C_8H_{18}O_3$ (112-34-5)		
026091	Diethylene Glycol Mono Ethyl Ether for Synthesis (Ethyl Digol) M. W.: 134.18 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
$C_6H_{14}O_3$ (111-90-0)		
510940	Diethylene Glycol Mono Ethyl Ether AR M. W.: 134.18	1 lit
$C_6H_{14}O_3$ (111-90-0)		
025618	Diethylene Glycol Mono Methyl Ether for Synthesis (Methyl Digol) M.W.: 120.15 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
$C_5H_{12}O_3$ (111-77-3)		
026079	Diethylene Triamine for Synthesis M. W.: 103.17 Assay (GC) 97.0%	500 ml 2.5 lit 25 lit
$C_4H_{13}N_3$ (111-40-0)		
025651	Diethylene Triamine Penta Acetic Acid (D.T.P.A.) M. W.: 393.35 Assay 98.0%	100 gm 500 gm 5 kg 25 kg
$C_{14}H_{23}N_3O_{10}$ (67-43-6)		
511545	Diethylene Triamine Penta Acetic Acid (D.T.P.A.) AR M. W.: 393.35 Assay (anhydrous substance) 99.0%	100 gm 500 gm 5 kg
$C_{14}H_{23}N_3O_{10}$ (67-43-6)		
824800	Diethylene Triaminepenta Acetic Acid Pentasodium Salt 40% Aq. Soln. (DTPA Na5)	500 ml
028132	Diethyl Ether M. W.: 74.12 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
$(C_2H_5)_2O$ (60-29-7)		
511080	Diethyl Ether AR M. W.: 74.12 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
$(C_2H_5)_2O$ (60-29-7)		
511085	Diethyl Ether Dry AR (Solvent Ether, Ethyl Ether) Meets Analytical Specification of ACS M. W.: 74.12 Assay 99.5%	500 ml 2.5 lit
$(C_2H_5)_2O$ (60-29-7)		
721900	Diethyl Ether for HPLC (Solvent Ether, Ethyl Ether) M. W.: 74.12	1 lit
$(C_2H_5)_2O$ (60-29-7)		
722000	Diethyl Ether for Pesticide Residue Trace Analysis M. W.: 74.12	1 lit
$(C_2H_5)_2O$ (60-29-7)		

Product Code	Product Name	Packing
071545	Diethyl Ethoxy Methylene Malonate for Synthesis M. W.: 216.23 Assay 98.0%	100 gm 500 gm
$C_{10}H_{16}O_5$ (87-13-8)		
071585	Di-2-Ethyl Hexyl Phosphate M. W.: 322.43	500 gm
$C_{16}H_{35}O_4P$ (298-07-7)		
071625	Diethyl Ketone for Synthesis (3-Pentanone) M. W.: 86.13	500 ml
$CH_3CH_2COCH_2CH_3$ (96-22-0)		
028138	Diethyl Malonate for Synthesis M. W.: 160.17 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
$C_7H_{12}O_4$ (105-53-3)		
511275	Diethyl Malonate AR M. W.: 160.17 Assay 99.0%	500 ml 2.5 lit
$C_7H_{12}O_4$ (105-53-3)		
511365	Diethyl Oxalacetate Sodium Salt AR M.W.: 210.16 Assay 95.0%	500 gm
$C_8H_{11}O_5Na$ (40876-98-0)		
025634	Diethyl Oxalate M.W.: 146.14 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
$C_6H_{10}O_4$ (95-92-1)		
511455	Diethyl Oxalate AR M. W.: 146.14	500 ml
$C_6H_{10}O_4$ (95-92-1)		
511480	N,N-Diethyl-P-Phenylenediamine Sulphate AR $(C_2H_5)_2NC_6H_4NH_4 \cdot H_2SO_4$ M.W.: 262.33 Assay 98.0%	100 gm 500 gm
$(C_2H_5)_2NC_6H_4NH_4 \cdot H_2SO_4$ (6283-63-2)		
028142	Diethyl Phthalate for Synthesis M. W.: 222.24 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
$C_{12}H_{14}O_4$ (84-66-2)		
511605	Diethyl Phthalate AR M.W.: 222.24 Assay 97.0%	1 lit
$C_{12}H_{14}O_4$ (84-66-2)		
071805	Diethyl Pyrocarbonate for Synthesis M.W.: 162.1 Assay 97.0%	5 ml 25 ml 100 ml
$C_6H_{10}O_5$ (1609-47-8)		
071925	Diethyl Succinate for Synthesis M.W.: 174.19 Assay 99.0%	500 ml
$C_8H_{14}O_4$ (123-25-1)		
028144	Diethyl Sulphate M. W.: 154.19 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
$C_4H_{10}SO_4$ (64-67-5)		
	(2R,3R)-(+)-Diethyl Tartrate See (+)-Diethyl L-Tartrate	
025607	Diethyl-D-(-)-Tartarate M. W.: 206.20	100 gm 500 gm
$C_8H_{14}O_6$ (13811-71-7)		
072095	(+)-Diethyl L-Tartrate M.W. 206.20	100 ml 500 ml
$C_8H_{14}O_6$ (87-91-2)		
072015	N,N-Diethyl-M-Toluidine for Synthesis M. W.: 163.27	100 ml 500 ml
$C_{11}H_{17}N$ (91-67-8)		

D

Laboratory Chemicals

Product Code	Product Name	Packing
072165 F ₂ C ₆ H ₃ NH ₂ (367-25-9)	2,4-Difluoro Aniline M. W.: 129.11 Assay 99.0%	25 gm 100 gm
072175 F ₂ C ₆ H ₃ NH ₂ (372-39-4)	3,5-Difluoro Aniline M. W.: 129.11 Assay 98.0%	5 gm
072225 F ₂ C ₆ H ₃ CHO (437-81-0)	2,6-Difluoro Benzaldehyde M. W.: 142.10 Assay 98.0%	5 gm 25 gm
072305 F ₂ C ₆ H ₃ C(O)NH ₂ (18063-03-1)	2,6-Difluoro Benzamide M. W.: 157.12 Assay 97.0%	25 gm
	m-Difluorobenzene See 1,3-Difluorobenzene	
072385 C ₆ H ₄ F ₂ (372-18-9)	1,3-Difluoro Benzene (m-Difluorobenzene) M. W.: 114.10 Assay 99.0%	100 ml 500 ml
072425 (FC ₆ H ₄) ₂ CO (345-92-6)	4,4-Difluoro Benzophenone for Synthesis M. W.: 218.20 Assay 99.0%	100 gm
072795 C ₆ H ₃ F ₂ NO ₂ (446-35-5)	2,4-Difluoro Nitro Benzene M. W.: 159.09 Assay 99.0%	25 gm 100 gm 500 gm
072845 new F ₂ C ₆ H ₃ NO ₂ (2265-94-3)	3,5-Difluoro Nitro Benzene M. W.: 159.09 Assay 99.0%	5 gm
072695 C ₅ H ₂ ClF ₂ N (89402-43-7)	2,3-Difluoro 5-Chloro Pyridine M. W.: 149.53 Assay 95%	5 gm
511785 C ₅ H ₉ O ₂ (11024-24-1)	Digitonin AR M. W.: 1229.34 Assay (Gravimetric) 98.0%	1 gm
	Diglyme See Diethylene Glycol Dimethyl Ether	
	Digol See Diethylene Glycol	
072845 C ₅ H ₈ O (110-87-2)	3,4-Dihydro-2H-Pyran M.W.: 84.12	100 ml 500 ml
072945 (HO) ₂ C ₆ H ₃ COCH ₃ (89-84-9)	2,4-Dihydroxy Acetophenone for Synthesis (4-Acetylresorcinol, Resacetophenone) M. W.: 152.15	100 gm 500 gm
072885 C ₆ H ₁₂ O ₆ (26776-70-5)	1,3-Dihydroxy Acetone for Synthesis (Dimer) M. W.: 180.16	25 gm 100 gm
025645 C ₈ H ₈ O ₃ (490-78-8)	2,5-Dihydroxy Acetophenone (2-Acetyl Hydroquinone, Quinacetophenone) M. W.: 152.15 Assay (GC) 98.0%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
025644 C ₈ H ₈ O ₃ (699-83-2)	2,6-Dihydroxy Acetophenone M.W 152.15 Assay (GC) 99.0%	5 gm 10 gm 25 gm
	1,4-Dihydroxy Anthraquinone See Quinizarine	
512515 C ₇ H ₆ O ₃ (139-85-5)	3,4-Dihydroxy Benzaldehyde AR (Protocatechualdehyde) M. W.: 138.12	25 gm 100 gm 500 gm
	1,4-Dihydroxy Benzene See Hydroquinone	
	o-Dihydroxy Benzene See Pyrocatechol	
	1,2-Dihydroxybenzene-3,5-Disulfonic Acid Sodium Salt See Tiron	
073085 C ₇ H ₆ O ₄ (89-86-1)	2,4-Dihydroxy Benzoic Acid for Synthesis (β-resor-cylic acid) M. W.: 154.12 Assay 98.0%	100 gm 500 gm
073105 C ₇ H ₆ O ₄ (99-10-5)	3,5-Dihydroxy Benzoic Acid for Synthesis (α-resor-cylic acid) M. W.: 154.12 Assay 98.0%	100 gm 500 gm
073125 C ₁₃ H ₁₀ O ₃ (131-56-6)	2,4-Dihydroxy Benzophenone for Synthesis M. W.: 214.22 Assay 99.0%	100 gm 500 gm
073165 (HO ₂ C ₆ H ₄) ₂ CO (611-99-4)	4,4-Dihydroxy Benzophenone for Synthesis M. W.: 214.22	25 gm 100 gm
	1,3-Dihydroxynaphthalene See Naphthoresorcinol	
073255 C ₁₀ H ₈ O ₂ (83-56-7)	1,5-Dihydroxynaphthalene M. W.: 160.17	500 gm
	3,(3-4-Dihydroxy Phenyl) Di- Alanine See DL-DOPA	
	3-(3-4-Dihydroxy Phenyl)-I-Alanine See L-DOPA	
	2,2-Di (4-Hydroxy Phenyl) Propane See Bisphenol A	
073315 C ₉ H ₁₀ O ₃ (938-46-5)	2,5-Dihydroxy Propiophenone M. W.: 166.17 Assay 98.0%	25 gm
	1,8-Dihydroxy-2-(4-Sulfophenylazo) Naphthalene-3, 6-Disulfonic Trisodium Salt See SPADNS	
	3,5-Dihydroxytoluene See Orcinol	
073365 new CH ₂ I ₂ (75-11-6)	Diiodomethane for Synthesis Separation of Minerals M.W : 267.84 Assay 98.0%	100 gm

Product Code	Product Name	Packing
025615 C ₆ H ₁₅ N (108-18-9)	Di-ISO-Propylamine for Synthesis M. W.: 101.19 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
	Diisopropyl Azodiformate See Diisopropylazodicarboxylate	
073405 C ₈ H ₁₄ N ₂ O ₄ (2446-83-5)	DI-ISO-Propyl Azo Dicarboxylate for Synthesis M. W.: 202.21	25 ml 100 ml
028268 C ₆ H ₁₄ O (108-20-3)	Di-ISO-Propyl Ether M. W.: 102.18 Assay (G.C) 98.0%	500 ml 2.5 lit 25 lit 200 lit
512605 C ₆ H ₁₄ O (108-20-3)	Di-ISO-Propyl Ether AR/ACS M. W.: 102.18 Assay (GC) 98.5%	500 ml 2.5 lit 25 lit 200 lit
073505 C ₈ H ₁₉ N (7087-68-5)	N, N-Di-ISO-Propyl Ethylamine for Synthesis M. W.: 129.25	250 ml 500 ml 25 lit
	Diluting Fluide WBC See W.B.C.Diluting Fluid (Turk's)	
512695 C ₈ H ₁₂ O ₂ (126-81-8)	Dimedone AR M. W.: 140.18 Assay (acidimetric) 99.5%	25 gm 100 gm
825950 new	Dimedone Reagent (Reagent for aldehydes)	100 ml
073665 C ₁₀ H ₁₂ O ₃ (829-20-9)	2,4-Dimethoxy Acetophenone for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 98.0%	25 gm 100 gm
073675 C ₁₀ H ₁₂ O ₃ (1201-38-3)	2,5-Dimethoxy Acetophenone for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 99.0%	100 gm 500 gm
073685 C ₁₀ H ₁₂ O ₃ (1131-62-0)	3,4-Dimethoxy Acetophenone M. W.: 180.21 Assay 98.0%	25 gm 100 gm
073715 C ₉ H ₁₀ O ₃ (120-14-9)	3,4-Dimethoxy Benzaldehyde for Synthesis (veratraldehyde) M. W.: 166.17 Assay ≥ 98.0%	100 gm 500 gm
	1,4-Dimethoxybenzene See Hydroquinone Dimethyl Ether	
	3,3'-Dimethoxybenzidine See O-Dianisidine	
073745 (CH ₃ OC ₆ H ₄) ₂ CO (90-96-0)	4,4'-Dimethoxy Benzophenone M. W.: 242.27 Assay 97.0%	25 gm 100 gm

Product Code	Product Name	Packing
073805 C ₄ H ₁₀ O ₂ (110-71-4)	1,2-Dimethoxy Ethane (Ethylene Glycol Dimethyl Ether, Monoglyme) (Stabilised with BHT ~ 100 ppm) M. W.: 90.12 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
073845 C ₃ H ₈ O ₂ (109-87-5)	1,2-Dimethoxy Methane (FormaldehydeDimethyl Acetal, Methylal) M. W.: 76.10 Assay 98.0%	500 ml 2.5 lit
512895 C ₃ H ₈ O ₂ (109-87-5)	1,2-Dimethoxy Methane Anhydrous AR M. W.: 76.10 Assay 99.5%	500 ml 2.5 lit
073905 C ₅ H ₁₂ O ₂ (77-76-9)	2,2-Dimethoxy Propane for Synthesis (Acetone Dimethyl Acetal) M. W.: 104.15 Assay 98.0%	500 ml 2.5 lit
073985 C ₆ H ₁₂ O ₃ (696-59-3)	2:5-Dimethoxy Tetrahydrofuran For Synthesis M. W.: 132.16	100 gm 500 gm
513005 C ₉ H ₁₂ O ₂ (38064-90-3)	2:4-Dimethoxy Toluene AR M. W.: 152.19	1 gm
074115 C ₂₁ H ₁₉ ClO ₂ (40615-36-9)	4,4'-Dimethoxy Trityl Chloride for Biochemistry M. W.: 338.83 Assay 95.0%	5 gm 25 gm 100 gm
027011 C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide M. W.: 87.12 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit 25 lit
513210 C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide AR M. W.: 87.12 Assay (GC) 99.5%	500 ml 1 lit 2.5 lit 25 lit
513215 C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide "Dry" AR M. W.: 87.12 Assay 99.5%	500 ml 2.5 lit
723095 new C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide GC Grade M.W : 87.12 Assay (GC) 99.9%	500 ml 1 lit
723000 C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide For HPLC & Spectroscopy M. W.: 87.12 Assay (GC) 99.7%	500 ml 1 lit
723100 C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide For GC-HS M. W.: 87.12	1 lit 2.5 lit
074225 C ₅ H ₈ O ₂ (541-47-9)	3,3-Dimethyl Acrylic Acid for Synthesis (3-Methyl-2-Butenoic Acid) M. W.: 100.12 Assay 97.0%	100 gm 500 gm
074335 C ₈ H ₁₄ O ₄ (627-93-0)	Dimethyl Adipate M. W.: 174.2 Assay 98.0%	500 ml

D

Laboratory Chemicals

Product Code	Product Name	Packing
025614	Dimethylamine Solution 40% for Synthesis C ₂ H ₇ N (124-40-3) M. W.: 45.08 Assay (CH ₃) ₂ NH abt. 40% w/w	500 ml 2.5 lit 25 lit
	Dimethylamine Hydrochloride See Dimethyl Ammonium Chloride	
074465	4-Dimethyl Amino Antipyrine (Aminopyrine, 4-Dimethylamino-1, 5-Dimethyl-2-Phenylpyrazol-3-one) C ₁₃ H ₁₇ N ₃ O (58-15-1) M. W.: 231.30	25 gm 100 gm
028189	p-Dimethyl Amino Benzaldehyde for Synthesis (EHRlich Reagent) C ₉ H ₁₁ NO (100-10-7) M. W.: 149.19 Assay (non aqueous) 98.0%	100 gm 1 kg 25 kg
513305	p-Dimethyl Amino Benzaldehyde AR/ACS C ₉ H ₁₁ NO (100-10-7) M. W.: 149.19 Assay (Non-aqueous) 99.0%	100 gm 1 kg 25 kg
513350	p-Dimethylaminobenzylidene Rhodanine AR C ₁₂ H ₁₂ N ₂ OS ₂ (536-17-4) M. W.: 264.36	5 gm 25 gm
825990	p-Dimethylamine Benzylidene Rhodamine Solution (Reagent for Au, Hg & Ag) Store at 2-8°C new	100 ml
513375	p-Dimethyl Amino Cinnamaldehyde AR C ₁₁ H ₁₃ NO (6203-18-5) M. W.: 175.23 Assay (HPLC) 98.0%	10 gm 25 gm
028190	N,N-Dimethyl Amino Ethanol C ₄ H ₁₁ NO (108-01-0) M. W.: 89.14 Assay (GC) 99.0%	500 ml 2.5 lit
025627	2-Dimethyl Amino Ethyl Chloride Hydrochloride C ₄ H ₁₀ ClN.HCl (4584-46-7) M. W.: 144.04 Assay (non aqueous) 99.0%	100 gm 1 kg
074675	3-Dimethyl Amino-1-Propylamine C ₅ H ₁₄ N ₂ (109-55-7) M. W.: 102.18 Assay 98.0%	500 ml
074715	3-Dimethyl Aminopropyl Chloride Hydrochloride for Synthesis C ₅ H ₁₂ ClN.HCl (5407-04-5) M. W.: 158.07	100 gm 500 gm
074785	1-(3-Dimethyl Aminopropyl)-3- Ethylcarbodiimide Hydrochloride (25952-53-8) Assay 98.0%	5 gm 25 gm 100 gm 500 gm
074895	p-Dimethyl Amino Pyridine for Synthesis (4-Dimethylaminopyridine) C ₇ H ₁₀ N ₂ (1122-58-3) M. W.: 122.17	100 gm 1 kg
355001	p-Dimethyl Amino Styryl- B-Naphthiazole Methiodide AR	100 mgm

Product Code	Product Name	Packing
028194	Dimethyl Ammonium Chloride for Synthesis C ₂ H ₇ N.HCl (506-59-2) M. W.: 81.55 Assay (argentometric) 97.0%	100 gm 500 gm 5 kg 50 kg
513405	Dimethyl Ammonium Chloride AR (Dimethylamine Hydrochloride) (CH ₃) ₂ NH.HCl (506-59-2) M. W.: 81.54	250 gm
	2,4-Dimethylaniline See 2,4 Xylidine	
	2,6-Dimethylaniline See 2,6 Xylidine	
028196	N,N-Dimethyl Aniline C ₈ H ₁₁ N (121-69-7) M. W.: 121.18 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
513450	N,N-Dimethyl Aniline AR C ₈ H ₁₁ N (121-69-7) M. W.: 121.18 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
074995	Dimethyl Anthranilate C ₉ H ₁₁ NO ₂ (85-91-6) M. W.: 165.19	500 gm
	Dimethyl Arsenic Acid Sodium Salt See Sodium Cacodylate	
075085	5,6-Dimethyl Benzimidazole C ₉ H ₁₀ N ₂ (582-60-5) M. W.: 146.19 Assay 99.0%	25 gm 100 gm
	N,N-Dimethyl Benzylamine See N,N-Dimethyl Aniline	
514115	2,2-Dimethyl Butyric Acid AR C ₆ H ₁₂ O ₂ (595-37-9) M. W.: 116.16	100 ml 500 ml
075285	Dimethyl Carbonate for Synthesis C ₃ H ₆ O ₃ (616-38-6) M. W.: 90.08 Assay 99.0%	500 ml 2.5 lit 25 lit
	5,5-Dimethyl-1,3-Cyclohexanedione See Dimedone	
075395	N,N-Dimethyl Cyclohexylamine for Synthesis C ₈ H ₁₇ N (98-94-2) M. W.: 127.23 Assay 99.0%	500 ml
	Dimethyl Dichlorosilane See Dichloro dimethyl silane	
	Dimethyldigol See Diethylene Glycol Dimethyl Ether	
	2,9-Dimethyl-4,7-Diphenyl-1,10 Phenanthroline See Bathocuproin	
075505	Dimethyl Disulphide C ₂ H ₆ S ₂ (624-92-0) M. W.: 94.2	250 gm
	N,N-Dimethyl Ethanolamine See N,N-Dimethyl Amino Ethanol	

Product Code	Product Name	Packing
028425 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide M. W.: 73.09 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
514360 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide AR M. W.: 73.09 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
514365 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide Specially Dried AR/ACS M. W.: 73.09 Assay (GC) 99.5%	500 ml 2.5 lit
723600 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide for HPLC & Spectroscopy M. W.: 73.09 Assay (GC) 99.5%	500 ml 1 lit
723595 new C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide GC Grade M.W : 73.09 Assay 99.0%	500 ml 1 lit
926500 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide for Molecular Biology M. W.: 73.09	500 ml
723700 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide for Pesticide Residue Trace Analysis M. W.: 73.09	1 lit
727800 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide For GC-HS M. W.: 73.09	1 lit 2.5 lit
D44172 C ₃ HD ₆ NO (185990-36-7)	N,N-Dimethyl-d₆-Formamide (DMF-d ₆) (for NMR Spectroscopy) M.W.: 79.14 Assay Min. 99 atom%D	5 ml
514375 C ₅ H ₁₃ NO ₂ (4637-24-5)	N,N-Dimethyl Formamide Dimethylacetal AR M. W.: 119.16	100 ml 500 ml
075765 C ₈ H ₁₀ (2175-91-9)	6,6-Dimethyl Fulvene M. W.: 106.17	1 gm
075855 C ₄ H ₈ N ₂ O ₂ (95-45-4)	Dimethyl Glyoxime for Industrial Use M. W.: 116.12	5 kg
013046 C ₄ H ₈ N ₂ O ₂ (95-45-4)	Dimethyl Glyoxime (2,3-Butanedione Dioxime) M. W.: 116.12 Assay (Gravimetric via Nickel complex, on dried subs.) 98.0%	100 gm 500 gm
514465 C ₄ H ₈ N ₂ O ₂ (95-45-4)	Dimethyl Glyoxime AR/ACS reagent for Nickel M. W.: 116.12 Assay Gravimetric via Nickel complex, on dried subs.) 99.0%	100 gm 500 gm

Product Code	Product Name	Packing
826040 new	Dimethyl Glyoxime Solution (Reagent for Bi, CO, Ni, Ag)	100 ml
514530 C ₄ H ₆ N ₂ Na ₂ O ₂ ·8H ₂ O (75006-64-3)	Dimethyl Glyoxime Di Sodium Salt Octahydrate AR M. W.: 304.21 Assay (anhydrous non aqueous) 99.0%	250 gm
075965 C ₅ H ₁₀ N ₂ O (80-73-9)	N, N-Dimethyl Imidazolidinone for pesticide residue analysis for Residual Solvent Impurity Profile & Headspace Analysis (1,3-Dimethyl-2-Imidazolidinone) M. W.: 114.15	100 ml 500 ml 2.5 lit
076005 C ₅ H ₈ O ₄ (108-59-8)	Dimethyl Malonate for Synthesis M. W.: 132.11	500 ml 2.5 lit
076065 C ₈ H ₁₀ N ₂ O (138-89-6)	N,N-Dimethyl-4-Nitrosoaniline for Synthesis M. W.: 150.18	25 gm
728250 C ₁₀ H ₂₃ N (7378-99-6)	N,N-Dimethyl Octylamine for HPLC M. W.: 157.3	25 ml
	2,9-Dimethyl 1,10-Phenanthroline Hydrochloride See Neocuproine Hydrochloride	
076155 C ₈ H ₁₀ O (526-75-0)	2,3-Dimethyl Phenol M. W.: 122.16	100 gm
076165 C ₈ H ₁₀ O (105-67-9)	2:4-Dimethyl Phenol for Synthesis M. W.: 122.16	5 ml 100 ml
076175 C ₈ H ₁₀ O (95-87-4)	2,5-Dimethyl Phenol for Synthesis M. W.: 122.16	100 gm
076185 C ₈ H ₁₀ O (576-26-1)	2,6-Dimethyl Phenol for Synthesis M. W.: 122.16	100 gm 500 gm
076195 C ₈ H ₁₀ O (95-65-8)	3,4-Dimethyl Phenol for Synthesis M. W.: 122.16	100 gm
076205 C ₈ H ₁₀ O (108-68-9)	3,5-Dimethyl Phenol for Synthesis M. W.: 122.16	100 gm 500 gm
514895 C ₁₈ H ₂₆ N ₄ O ₄ (62778-12-5)	N,N-Dimethyl P-Phenylene Diamine Oxalate for Synthesis M. W.: 181.21	5 gm 25 gm
514925 C ₈ H ₁₂ N ₂ ·2HCl (536-46-9)	N,N-Dimethyl P-Phenylenediamine Dihydrochloride AR M. W.: 209.12	25 gm
514935 C ₈ H ₁₂ N ₂ H ₂ ·SO ₄ (536-47-0)	N,N-Dimethyl P-Phenylene Diamine Sulphate Salt AR M. W.: 234.27	5 gm 25 gm

Product Code	Product Name	Packing
076405 C ₁₀ H ₁₀ O ₄ (131-11-3)	Dimethyl Phthalate M. W.: 194.19 Assay 99.0%	500 ml 2.5 lit 25 lit
515025 C ₁₀ H ₁₀ O ₄ (131-11-3)	Dimethyl Phthalate AR M. W.: 194.19	1 lit
	Dimethyl Polysiloxane See Silicon oil	
076505 C ₂₆ H ₂₀ N ₂ O ₂ (3073-87-8)	Dimethyl Popop Scintillation Grade [1,4-Bis(4-Methyl-5-Phenyl-2-Oxazolyl)Benzene] M. W.: 392.45	5 gm 25 gm
	2,2-Dimethyl-1,3-Propanediol See Neopentyl Glycol	
515225 C ₆ H ₁₂ N ₂ O (7226-23-5)	Dimethyl Propylene Urea AR (DMPU) M. W.: 128.17	100 gm 500 gm
	2,3 Dimethyl Pyridine See 2,3 Lutidine	
	2,6 Dimethyl Pyridine See 2,6 Lutidine	
	3,4 Dimethyl Pyridine See 3,4 Lutidine	
	3,5 Dimethyl Pyridine See 3,5 Lutidine	
028214 C ₂ H ₆ O ₄ S (77-78-1)	Dimethyl Sulphate for Synthesis M. W.: 126.13 Assay (GC) 99.0%	500 ml
515415 C ₂ H ₆ S (75-18-3)	Dimethyl Sulphide AR M. W.: 62.13	100 ml 500 ml 2.5 lit
	Dimethyl Sulphone See Methyl sulphonyl methane	
028216 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for Synthesis M. W.: 78.13 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
515505 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide AR M. W.: 78.13 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
515510 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide Specially Dried AR M. W.: 78.13 Assay (GC) 99.5%	500 ml 2.5 lit
728300 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for HPLC & Spectroscopy M. W.: 78.13 Assay (GC) 99.8%	500 ml 1 lit 2.5 lit
728295 new C ₂ H ₆ OS (67-68-5)	Dimethyl Sulphoxide GC Grade M.W.: 78.13 Assay (GC) 99.9%	500 ml 1 lit
926590 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for Molecular Biology M. W.: 78.13 Assay 99.0%	100 ml 500 ml

Product Code	Product Name	Packing
728400 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for Pesticide residue analysis M. W.: 78.13	1 lit
728700 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for GC-HS M. W.: 78.13 Assay 99.0%	1 lit 2.5 lit
D54072 C ₂ D ₆ OS (2206-27-1)	Dimethyl-d₆ Sulphoxide (DMSO-d ₆) M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	10x0.75 ml
D54126 C ₂ D ₆ OS (2206-27-1)	Dimethyl-d₆ Sulphoxide (DMSO-d ₆) M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	10 ml 25 ml
076900 new C ₃ H ₈ N ₂ S (534-13-4)	N,N-Dimethyl Thiourea for Synthesis M. W.: 104.17 Assay 98.5%	5 gm 100 gm
028218 C ₉ H ₁₃ N (99-97-8)	N,N-Dimethyl-p-Toluidine M. W.: 135.21 Assay (GC) 98.0%	500 ml
	1,3-Dimethylurea See N,N'-Dimethylurea	
076915 C ₃ H ₈ N ₂ O (96-31-1)	N,N'-Dimethyl Urea for Synthesis (1,3-Dimethylurea) M. W.: 88.11	500 gm
025640 C ₁₄ H ₁₅ N ₃ (60-11-7)	Dimethyl Yellow Indicator pH 2.9-4.0 Red to Orange Yellow Carcinogenic M. W.: 225.3	10 gm 25 gm 100 gm
020127 C ₂₀ H ₁₈ BrN ₃ (518-67-2)	Dimidium Bromide M. W.: 380.29 Assay (Spectrophotometric br) about 95.0%	100 mgm 1 gm
826080 new	Dimidium Bromide Disulphine Blue Indicator Stock Solution (for use in the two phase method for anionic surfactant)	100 ml
028220 C ₆ H ₅ N ₃ O ₄ (97-02-9)	2,4-Dinitro Aniline M. W.: 183.12 Assay (HPLC) 98.0%	100 gm 500 gm
	1,3 Dinitrobenzene See m-Dinitrobenzene	
077115 C ₆ H ₄ (NO ₂) ₂ (99-65-0)	m-Dinitro Benzene tech M. W.: 168.11 Assay (GC) 97.0%	250 gm 500 gm
028224 C ₆ H ₄ (NO ₂) ₂ (99-65-0)	m-Dinitro Benzene for Synthesis M. W.: 168.11 Assay (GC) 98.0%	250 gm 500 gm 25 kg
515605 C ₆ H ₄ (NO ₂) ₂ (99-65-0)	m-Dinitro Benzene AR for determination of 17 Ketosteroids M. W.: 168.11 Assay (GC) 99.0%	25 gm 100 gm 500 gm

Product Code	Product Name	Packing
826110 new	m-Dinitro Benzene Reagent Solution (test reagent for glucose & other reducing sugars)	100 ml
077125 C ₆ H ₄ N ₂ O ₄ (528-29-0)	1,2-Dinitrobenzene M. W.: 168.11	5 gm
077135 C ₆ H ₄ N ₂ O ₄ (100-25-4)	1-4,Dinitro Benzene for Synthesis M. W.: 168.11	5 gm
025633 C ₇ H ₄ N ₂ O ₆ (99-34-3)	3,5-Dinitro Benzoic Acid M. W.: 212.12 Assay (acidimetric) 99.0%	100 gm 500 gm
515785 C ₇ H ₄ N ₂ O ₆ (99-34-3)	3,5-Dinitro Benzoic Acid AR M. W.: 212.12 Assay 99.7%	100 gm 500 gm
	2,4 Dinitro Chloro Benzene See 1-Chloro-2,4-Dinitro Benzene	
077365 C ₆ H ₄ N ₂ O ₅ (51-28-5)	2,4-Dinitro Phenol (1-Hydroxy-2,4-Dinitrobenzene, α-Dinitrophenol) M. W.: 184.11 Assay 97.0%	25 gm 100 gm
028234 C ₆ H ₆ N ₄ O ₄ (119-26-6)	2,4-Dinitro Phenyl Hydrazine M. W.: 198.14 Assay (HPLC) 98.0%	25 gm 100 gm 500 gm
515875 C ₆ H ₆ N ₄ O ₄ (119-26-6)	2,4-Dinitro Phenyl Hydrazine AR Reagent for aldehydes and ketones M. W.: 198.14 Assay (HPLC) 99.0%	25 gm 100 gm 500 gm
826135 new	2,4-Dinitrophenyl Hydrazine Solution For TLC spray (For Detection Of Aldehyde & Ketones)	125 ml
028235 C ₇ H ₄ N ₂ O ₇ (609-99-4)	3,5-Dinitro Salicylic Acid for Synthesis M. W.: 228.12 Assay (HPLC) 98.0%	25 gm 100 gm
515920 C ₇ H ₄ N ₂ O ₇ (609-99-4)	3,5-Dinitro Salicylic Acid AR M. W.: 228.12 Assay (HPLC) 99.0%	25 gm 100 gm
	Diocetyl Sebacate See Bis-2-Ethylhexyl Sebacate	
	Diocetyl Phthalate See Bis-(2-ethyl hexyl) phthalate	
056007 C ₂₀ H ₃₇ NaO ₇ S (577-11-7)	Diocetyl Sodium Sulphosuccinate M. W.: 444.56 Assay (Redox titration, calculated on anhydrous basis) 99-100.5%	500 gm 5 kg 25 kg
028238 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane Pure M. W.: 88.11 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit 25 lit 200 lit
515965 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane AR M. W.: 88.11 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
014623 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane Scintillation Grade M. W.: 88.11 Assay (GC) 99.5%	500 ml 2.5 lit
515970 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane Specially Dried AR M. W.: 88.11 Assay (GC) 99.5%	500 ml 2.5 lit
729495 new C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane GC Grade M.W : 88.11 Assay (GC) 99.9%	500 ml 1 lit
729500 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	500 ml 1 lit
729700 C ₄ H ₈ O ₂ (123-91-1)	1,4- Dioxane for Pesticide residue analysis M. W.: 88.11	1 lit
077675 C ₃ H ₆ O ₂ (646-06-0)	1,3-Dioxolane for Synthesis (Ethylene Glycol Methylene Ether) M. W.: 74.08 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
516055 C ₃ H ₆ O ₂ (646-06-0)	1,3-Dioxolane AR M. W.: 74.08	500 ml 2.5 lit 25 lit 200 lit
077885 C ₁₀ H ₁₆ (138-86-3)	Dipentene for Synthesis M. W.: 136.23	500 ml 1 lit
025617 C ₁₇ H ₂₁ NO.HCl (147-24-0)	Diphenhydramine Hydrochloride M. W.: 291.82 Assay 99.0%	100 gm
	Diphenyl See Biphenyl	
028243 (C ₆ H ₅) ₂ NH (122-39-4)	Diphenylamine for Synthesis Reagent for Nitrate M. W.: 169.23 Assay (GC) 98.0%	250 gm 500 gm
516295 (C ₆ H ₅) ₂ NH (122-39-4)	Diphenylamine AR/ACS M. W.: 169.23 Assay (GC) 99.0%	100 gm 500 gm
826165 new	Diphenylamine Solution (Kopp's Reagent) (Reagent for nitrates & nitrites)	100 ml
	Diphenylamine-4-Sulphonic Acid Barium Salt See Barium Diphenylamine Sulphonate	
	Diphenylamine-4-Sulphonic Acid Sodium Salt See Sodium Diphenylamine Sulphonate	
078185 C ₁₂ H ₁₁ NH ₂ SO ₄ (587-84-8)	Diphenylamine Sulphate M. W.: 267.30 Assay 98.0%	100 gm 500 gm
078255 C ₁₄ H ₁₂ O ₂ (117-34-0)	Diphenyl Acetic Acid for Synthesis M. W.: 212.25 Assay 98.0%	25 gm 100 gm

D

Laboratory Chemicals

Product Code	Product Name	Packing
516475 C ₁₅ H ₁₄ O (102-04-5)	1,3-Diphenyl Acetone AR M. W.: 210.27	100 gm
025594 C ₁₄ H ₁₁ N (86-29-3)	Diphenyl Acetonitrile M. W.: 193.25 Assay (GC) 99.0%	100 gm
516505 (C ₆ H ₄ .NH.C ₆ H ₅) ₂ (531-91-9)	N,N-Diphenyl Benzidine AR M. W.: 336.44 Assay (ex-N) 96.5%	5 gm
826195 new	Diphenyl Benzidine Indicator Solution (Oxidation - Reduction Indicator)	100 ml
826215 new	Diphenyl Carbazide Solution (Reagent for arsenate, Cd, Cr, Hg)	100 ml
013053 C ₁₃ H ₁₄ N ₄ O (140-22-7)	1,5-Diphenyl Carbazide M. W.: 242.28 Assay (HPLC) 97.0%	25 gm 100 gm
516525 C ₁₃ H ₁₄ N ₄ O (140-22-7)	1,5-Diphenyl Carbazide AR/ACS M. W.: 242.28 Assay (HPLC) 98.0%	10 gm 25 gm
078400 C ₁₃ H ₁₂ N ₄ O (538-62-5)	1,5-Diphenyl Carbazone M. W.: 240.27	25 gm
516535 C ₁₃ H ₁₂ N ₄ O (538-62-5)	1,5-Diphenyl Carbazone AR M. W.: 240.27	5 gm 25 gm 100 gm
826245 new	Diphenyl Carbazone Solution (Reagent for Ge & Hg)	100 ml
826265 new	Diphenyl Carbazone Bromophenol Blue (0.5 : 0.05) w/v in 95% Alcohol (For Chloride)	100 ml
	Diphenylcarbinol See Benzhydrol	
078445 (C ₆ H ₅ O) ₂ CO (102-09-0)	Diphenyl Carbonate for Synthesis M. W.: 214.22	250 gm 1 kg
078505 C ₁₂ H ₁₀ Se ₂ (1666-13-3)	Diphenyl Diselenide for Synthesis (Phenyl Diselenide) M. W.: 312.1 Assay 97.0%	1 gm 5 gm 25 gm
078545 C ₁₂ H ₁₀ O (101-84-8)	Diphenyl Ether for Synthesis (Diphenyloxyde,Phenylether) M. W.: 170.21	500 ml 2.5 lit 25 lit
516665 C ₁₂ H ₁₀ O (101-84-8)	Diphenyl Ether AR M. W.: 170.21	1 lit
516855 C ₁₄ H ₁₂ N ₂ O ₂ (23873-81-6)	Diphenyl Glyoxime AR (Anti-Diphe- nylglyoxime) (α -Benzyl Dioxime) M. W.: 240.26	10 gm 25 gm 100 gm
078615 C ₁₃ H ₁₃ N ₃ (102-06-7)	1,3-Diphenyl Guanidine for Synthesis M. W.: 211.26	250 gm

Product Code	Product Name	Packing
078695 C ₁₅ H ₁₂ N ₂ O ₂ (57-41-0)	5,5-Diphenyl Hydantoin for Synthesis M. W.: 252.27	100 gm 500 gm
025620 (C ₆ H ₅) ₂ CH ₂ (101-81-5)	Diphenyl Methane M. W.: 168.24 Assay (GC) 99.0%	500 ml 2.5 lit
	2,5-Diphenyl Oxazole See PPO	
	Diphenyl Oxide See Diphenyl Ether	
	4, 7-Diphenyl-1, 10-Phenanthroline See Bathophenanthroline	
	1,4-Di-2-(5-Phenyl Oxazolyl) Benzene See POPOP	
078745 C ₁₈ H ₁₂ N ₅ O ₆ (1898-66-4)	2,2-Diphenyl-1-Picrylhydrazyl M. W.: 394.32	1 gm 5 gm
	Diphenyl Thiocarbazono See Dithizone	
078805 C ₁₃ H ₁₂ N ₂ S (102-08-9)	N,N-Diphenyl Thiourea for Synthesis M. W.: 228.31 Assay 98.0%	100 gm
	Diphospho Pyridine Nucleotide See Nicotinamide Adenine Dinucleotide	
517045 C ₇ H ₅ NO ₄ (499-83-2)	2,6-Dipicolinic Acid AR M. W.: 167.12 Assay 99.0%	25 gm 100 gm 500 gm
079100 C ₇ H ₁₆ O ₃ (34590-94-8)	Dipropylene Glycol Monomethyl Ether M. W.: 148.20	500 ml 2.5 lit
	2,2-Dipyridyl See 2,2-Bipyridyl	
	2,2'-Diquinolyl See 2,2'-Biquinolone	
	Dish Wash See DW009	
	Disodium Phenyl Phosphate See Phenyl Phosphate Disodium Salt	
	Disulphine Blue See Patent Blue VF	
	Distilled Water See Water Distilled	
517135 (C ₆ H ₄ SCN) ₂ S ₂ (120-78-5)	2,2-Dithio Bisbenzothiazole AR M. W.: 332.49 Assay 99.0%	25 gm
079195 C ₁₄ H ₈ N ₂ O ₈ S ₂ (69-78-3)	5,5-Dithio Bis Extra Pure (2-Nitro Benzoic Acid) M. W.: 396.35 Assay 98.0%	1 gm 5 gm 10 gm 25 gm
079285 C ₄ H ₆ O ₄ S ₂ (505-73-7)	Dithiodiglycollic Acid for Synthesis M. W.: 182.22	25 gm

Product Code	Product Name	Packing
044211	Dithioerythreitol (D.T.E.)	1 gm
C ₄ H ₁₀ O ₂ S ₂ (6892-68-8)	M. W.: 154.24 Assay (Iodometric; ex SH) 97.0%	5 gm
928500	Dithioerythreitol (D.T.E.)	1 gm
C ₄ H ₁₀ O ₂ S ₂ (6892-68-8)	For Molecular Biology M. W.: 154.24	5 gm
	Dithiol See Toluene 3,4 Dithiol	
044149	DL-Dithiothreitol (D.T.T.)	1 gm
C ₄ H ₁₀ O ₂ S ₂ (3483-12-3)	(Cleland's reagent) M. W.: 154.24 Assay (Iodometric; ex SH) 98.0%	5 gm 25 gm
928550	DL-Dithiothreitol (D.T.T.)	1 gm
C ₄ H ₁₀ O ₂ S ₂ (3483-12-3)	for Molecular Biology M. W.: 154.24	5 gm
079395	Dithiooxamide (Rubeanic Acid)	1 gm
C ₂ H ₄ N ₂ S ₂ (79-40-3)	M. W.: 120.20	10 gm
826310 new	Dithioxamide Solution	50 ml
	(Rubeanic Acid Solution) (Reagent for Co, Cu, Fe, Ni)	
013063	Dithizone	5 gm
C ₁₃ H ₁₂ N ₄ S (60-10-6)	M. W.: 256.33	25 gm
517225	Dithizone AR Reagent for	5 gm
C ₁₃ H ₁₂ N ₄ S (60-10-6)	Lead, Mercury and Zinc M. W.: 256.33 Assay (Spectrophotometry) 85.0%	25 gm
826330 new	Dithizone Reagent	100 ml
	(For detection of Pb)	
079525	(-)-Di-o,o'-p-Toluyl-L-Tartaric Acid	25 gm
C ₂₀ H ₁₈ O ₈ (32634-66-5)	for Synthesis M. W.: 386.35 Assay (T) 97.0%	100 gm
025610	(±)-Di-o,o'-p-Toluyl-D-Tartaric Acid	25 gm
C ₂₀ H ₁₈ O ₈ (32634-68-7)	(Anhydrous) M. W.: 386.35 Assay 98.0%	100 gm
	DMSO See Dimethyl Sulphoxide	
079635	n-Docosane for Synthesis	25 gm
C ₂₂ H ₄₆ (629-97-0)	M. W.: 310.60 Assay 99.0%	100 gm
	Docusate Sodium Salt See Dioctyl Sodium Sulphosuccinate	
	Dodecan-1-ol See Lauryl Alcohol	
079705	n-Dodecane for Synthesis	100 ml
C ₁₂ H ₂₆ (112-40-3)	M. W.: 170.34	500 ml

Product Code	Product Name	Packing
730300	1-Dodecane Sulphonic Acid Sodium	5 gm
CH ₃ (CH ₂) ₁₁ SO ₃ Na (2386-53-0)	Salt AR for HPLC M. W.: 272.38	25 gm
	1-Dodecanethiol See n-Dodecyl Mercaptan	
	n-Dodecanoic Acid See Lauric Acid	
079815	Dodecenyl Succinic Anhydride	250 gm
C ₁₆ H ₂₆ O ₃ (26544-38-7)	for Synthesis M.W. : 266.38	
	Dodecyl Alcohol (1-Dodecan-1-ol) See Lauryl Alcohol	
079905	Dodecylamine for Synthesis	100 ml
C ₁₂ H ₂₇ N (124-22-1)	(Laurylamine) M. W.: 185.35 Assay 99.0%	500 ml
	Dodecyl Benzene See 1-Phenyl dodecane	
080035	Dodecyl Benzene Sulphonic Acid	500 gm
C ₁₈ H ₂₉ NaO ₃ S (25155-30-0)	Sodium Salt M. W. : 348.48	25 kg
080105	n-Dodecyl β-D-Glucopyranoside	100 mgm
C ₁₈ H ₃₆ O ₆ (59122-55-3)	for Biochemistry (Dodecyl Glucoside) M. W.: 348.47	500 mgm
080195	tert-Dodecyl Mercaptan	500 ml
C ₁₂ H ₂₅ SH (25103-58-6)	M. W.: 202.40	2.5 lit
080205	n-Dodecyl Mercaptan	500 ml
C ₁₂ H ₂₆ S (112-55-0)	(1-Dodecanethiol) M. W.: 204.4	2.5 lit
080265	1-Dodecyl Pyridinium Chloride	25 gm
C ₁₇ H ₃₀ ClN.XH ₂ O (207234-02-4)	hydrate for Synthesis M. W.: 283.88 (anhy.)	1 kg
080325	Dodecyl Trimethyl Ammonium	100 gm
CH ₃ (CH ₂) ₁₁ N(CH ₃) ₃ Br (1119-94-4)	Bromide for Synthesis (Lauryltrimethyl AmmoniumBromide) M. W.: 308.34 Assay 98.0%	500 gm
517615	Dodecyl Trimethyl Ammonium	25 gm
CH ₃ (CH ₂) ₁₁ N(CH ₃) ₃ Br (1119-94-4)	Bromide AR M. W.: 308.34	100 gm
037079	L-Dopa For Biochemistry	5 gm
C ₉ H ₁₁ NO ₄ (59-92-7)	M. W.: 197.19 Assay (non aqueous) 98.5%	25 gm


Product Code	Product Name	Packing
037038 C ₉ H ₁₁ NO ₄ (63-84-3)	DL-Dopa M. W.: 197.2 Assay (non aqueous) 97.0%	1 gm 5 gm 25 gm
	DOSS See Dioctyl Sodium Sulphosuccinate	
	Dowex See Towex	
025631 C ₂₂ H ₂₄ N ₂ O ₈ .HCl (10592-13-9)	Doxycycline Hydrochloride for Lab Use M. W.: 480.90	1 gm
	DPN See a-Nicotinamide Adenine Dinucleotide	
	DPNH See a-Nicotinamide Adenine Dinucleotide Reduced	
036029	DPX Mountant for Microscopy & Histology	250 ml 500 ml
827000	Drabkin's Solution	1 lit 5 lit
827020	Dragendorff's Reagent	125 ml
	DTPA Penta Sodium Salt See Diethylene Triamine Penta acetic acid Penta Sodium Salt	
	Dulcitol See Dulcitol	
	iso-Dulcitol See L(+)-Rhamnose	
028281 C ₆ H ₁₄ O ₆ (608-66-2)	Dulcitol for Microbiology M. W.: 182.17	25 gm 100 gm
080465	Duolite ®C467 (Chelating Resin) Sodium Form	250 gm 1 kg
080475	Duolite ®XAD 761	250 gm 1 kg
RE0435 Dy (7429-91-6)	Dysprosium Metal Ingot M. W.: 162.50 Assay (Trace metals basis) 99.99%	5 gm 25 gm
RE0440 Dy (7429-91-6)	Dysprosium Metal Lump (1cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	5 gm 25 gm
RE0445 Dy (7429-91-6)	Dysprosium Metal Powder 325 mesh M. W.: 162.50 Assay (Trace metals basis) 99.99%	5 gm 10 gm 25 gm
RE0450 Dy (7429-91-6)	Dysprosium Metal Wire (0.1mm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	5 gm 25 gm
RE0455 Dy (7429-91-6)	Dysprosium Metal Rod (5mmx30cm) M. W.: 162.50 Assay (Trace metals basis) 99.9%	1 PC
RE0460 Dy (7429-91-6)	Dysprosium Metal Foil (0.25mmx40cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	1 PC

Product Code	Product Name	Packing
RE0465 Dy (7429-91-6)	Dysprosium Metal Foil (0.50mmx40cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	1 PC
RE0470 Dy (7429-91-6)	Dysprosium Metal Slab (1cmx40cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	1 PC
RE0475 Dy (7429-91-6)	Dysprosium Metal Disc (0.1mmxdia35cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	1 PC
RE0485 (CH ₃ CO ₂) ₃ Dy.XH ₂ O (304675-49-8)	Dysprosium (III) Acetate M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.9%	25 gm
RE0490 (CH ₃ CO ₂) ₃ Dy.XH ₂ O (304675-49-8)	Dysprosium (III) Acetate M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.99%	10 gm 50 gm
RE0495 (CH ₃ CO ₂) ₃ Dy.XH ₂ O (304675-49-8)	Dysprosium (III) Acetate M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.999%	1 gm 10 gm
RE0505 DyBr ₃ (14456-48-5)	Dysprosium (III) Bromide M. W.: 402.21 Assay (Trace metals basis) 99.95%	1 gm 5 gm
RE0515 Dy ₂ (CO ₃) ₃ .XH ₂ O (38245-35-1)	Dysprosium (III) Carbonate M. W.: 505.03 Assay (Trace metals basis) 99%	25 gm 100 gm
RE0520 Dy ₂ (CO ₃) ₃ .XH ₂ O (38245-35-1)	Dysprosium (III) Carbonate M. W.: 505.03 Assay (Trace metals basis) 99.99%	5 gm 25 gm
RE0525 Dy ₂ (CO ₃) ₃ .XH ₂ O (38245-35-1)	Dysprosium (III) Carbonate M. W.: 505.03 Assay (Trace metals basis) 99.999%	5 gm 25 gm
RE0540 DyCl ₃ .6H ₂ O (15059-52-6)	Dysprosium (III) Chloride M. W.: 376.95 Assay (Trace metals basis) 99.99%	10 gm 50 gm
RE0545 DyCl ₃ .6H ₂ O (15059-52-6)	Dysprosium (III) Chloride M. W.: 376.95 Assay (Trace metals basis) 99.999%	5 gm 25 gm
RE0565 DyF ₃ (13569-80-7)	Dysprosium (III) Fluoride M. W.: 219.50 Assay (Trace metals basis) 99.99%	25 gm
RE0570 DyF ₃ (13569-80-7)	Dysprosium (III) Fluoride M. W.: 219.50 Assay (Trace metals basis) 99.999%	5 gm 25 gm
RE0580 DyI ₃ (15474-63-2)	Dysprosium (III) Iodide M. W.: 543.21 Assay (Trace metals basis) 99.9%	1 gm 5 gm
RE0585 DyI ₃ (15474-63-2)	Dysprosium (III) Iodide M. W.: 543.21 Assay (Trace metals basis) 99.99%	1 gm 5 gm 25 gm
RE0600 Dy(NO ₃) ₃ .XH ₂ O (100641-13-2)	Dysprosium (III) Nitrate M. W.: 348.52 Assay (Trace metals basis) 99.9%	25 gm 100 gm
RE0605 Dy(NO ₃) ₃ .XH ₂ O (100641-13-2)	Dysprosium (III) Nitrate M. W.: 348.52 Assay (Trace metals basis) 99.99%	5 gm 25 gm

Product Code	Product Name	Packing
RE0610 Dy(NO ₃) ₃ .XH ₂ O (100641-13-2)	Dysprosium (III) Nitrate M. W.: 348.52 Assay (Trace metals basis) 99.999%	5 gm 25 gm
RE0625 Dy ₂ (C ₂ O ₄) ₃ .10H ₂ O (24670-07-3)	Dysprosium (III) Oxalate M. W.: 769.21 Assay (Trace metals basis) 99.9%	25 gm 100 gm
RE0630 Dy ₂ (C ₂ O ₄) ₃ .10H ₂ O (24670-07-3)	Dysprosium (III) Oxalate M. W.: 769.21 Assay (Trace metals basis) 99.99%	5 gm 25 gm
RE0635 Dy ₂ (C ₂ O ₄) ₃ .10H ₂ O (24670-07-3)	Dysprosium (III) Oxalate M. W.: 769.21 Assay (Trace metals basis) 99.999%	5 gm 25 gm
RE0650 Dy ₂ O ₃ (1308-87-8)	Dysprosium (III) Oxide M. W.: 373.00 Assay (Trace metals basis) 99.9%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
Re0655 Dy ₂ O ₃ (1308-87-8)	Dysprosium (III) Oxide M. W.: 373.00 Assay (Trace metals basis) 99.99%	25 gm
RE0660 Dy ₂ O ₃ (1308-87-8)	Dysprosium (III) Oxide M. W.: 373.00 Assay (Trace metals basis) 99.999%	5 gm 25 gm
RE0675 Dy(SO ₄) ₃ .XH ₂ O (14373-91-2)	Dysprosium (III) Sulphate M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.9%	25 gm 100 gm
RE0680 Dy(SO ₄) ₃ .XH ₂ O (14373-91-2)	Dysprosium (III) Sulphate M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.99%	5 gm 25 gm

D
Laboratory Chemicals



66 Dysprosium
Dy
162.500
[Xe]4f¹⁰6s²

DYSPROSIUM

Dysprosium, atomic no.: 66, symbol as Dy, weight at 162.50, is most commonly used as in Neodymium-iron-boron high strength permanent magnets. While it has one of the highest magnetic moments of any of the rare earths (10.6uB), this has not resulted in an ability to perform on its own as a practical alternative to Neodymium compositions.

It is however now an essential additive in NdFeB production. It is also used in special ceramic compositions based on BaTiO formulations.



Product Code	Product Name	Packing
829050 new	Edetate Disodium TS acc. to USP E.D.T.A Acid and its Salt See Ethylene Diamine Tetra Acetic Acid and its Salt	500 ml
829100	E.D.T.A 5% w/v Solution	125 ml
829120	E.D.T.A 10% w/v Solution	125 ml
829150	E.D.T.A N/10 Solution	500 ml
829180	E.D.T.A N/50 Solution	500 ml 2.5 lit
829210	E.D.T.A 0.01 M (0.02N) CITRISOL	1 Amp 3 Amp 6 Amp
829280	E.D.T.A 0.01 M (0.02N) CTITRINORM Volumetric Soln. Nist Traceable	1 lit
829320	EDTA 0.1M (0.2N) Volumetric Solution Nist Traceable	1 lit
829360	EDTA 0.1M (0.2N) for 500 ml Volumetric Solution Nist Traceable	1 Amp 3 Amp 6 Amp
829400	EDTA 0.1M (0.2N) Volumetric Solution Nist Traceable	500 ml 1 lit 2.5 lit
829420	EDTA 0.5M (1N) Volumetric Solution Nist Traceable	1 lit
829450	E.D.T.A Caustic Soda Powder (for estimation of milk fat by electronic milko tester) E.G.T.A. See (Ethylene Glycol-O-,O'-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid	52.6 gm
025544 (9006-59-1)	Egg Albumin Flakes (Protein - 95 %)	25 gm 500 gm
082190 (9006-59-1)	Egg Albumin Powder	500 gm
829520	Ehrlich's Reagent	125 ml 500 ml
082225 CH ₃ (CH ₂) ₁₈ CH ₃ (112-95-8)	n-Eicosane for Synthesis M. W.: 282.55 Assay 97%	25 gm 100 gm
025528	Emulsifying Wax	500 gm
015191 C ₁₂ H ₈ Cl ₆ O (72-20-8)	Endrin M. W.: 380.91	100 mgm 1 gm
034025 C ₂₀ H ₆ Br ₂ N ₂ Na ₂ O ₉ (548-24-3)	Eosine Blue for Microscopy C.I. No. 45400 M. W.: 624.09 Dye content (Gravimetry; on dried substance) >85.0%	25 gm 100 gm
034026 C ₂₂ H ₁₁ Br ₄ KO ₅ (6359-05-3)	Eosine Spirit Soluble C.I. No. 45386 M.W.: 714.07 Dye content (spectro, dried) 90.0%	25 gm 100 gm

Product Code	Product Name	Packing
034027	Eosine Yellow Indicator for Microscopy Water Soluble C.I. No. 45380 M. W.: 691.88 Dye content (Gravimetric, dried) 88.0%	25 gm 100 gm 500 gm
C ₂₀ H ₆ Br ₄ Na ₂ O ₅ (17372-87-1)	Eosine Yellow Stain Solution 2% w/v	125 ml 500 ml
829660	Eosinophil Diluting Fluid	125 ml
027706 C ₃ H ₅ ClO (106-89-8)	Epichlorohydrin M. W.: 92.53 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
522265 C ₃ H ₅ ClO (106-89-8)	Epichlorohydrin AR (1-Chloro-2,3-Epoxypropane) M. W.: 92.53 Assay 99.0%	500 ml 2.5 lit 25 lit
	Epinephrine See L-Adrenaline	
	Epsom Salt See Magnesium Sulphate Dried	
829695	Erbium (Er) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
829700	Erbium (Er) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
RE0700 Er (7440-52-0)	Erbium Metal Ingot M. W.: 167.26 Assay (Trace metal basis) 99.99%	10 gm
RE0705 Er (7440-52-0)	Erbium Metal Lump (1 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE0710 Er (7440-52-0)	Erbium Metal Powder 325 Mesh M. W.: 167.26 Assay (Trace metal basis) 99.9%	5 gm 25 gm
RE0715 Er (7440-52-0)	Erbium Metal Wire (0.1mm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE0720 Er (7440-52-0)	Erbium Metal Rod (5cmx30cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	1 PC
RE0725 Er (7440-52-0)	Erbium Metal Foil (0.25mm x 40 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	1 PC
RE0730 Er (7440-52-0)	Erbium Metal Foil (0.50mm x 40 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	1 PC
RE0735 Er (7440-52-0)	Erbium Metal Slab (1cm x 40 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	1 PC
RE0740 Er (7440-52-0)	Erbium Metal Disc (0.1mm x dia35 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	1 PC
RE0755 C ₆ H ₉ ErO ₆ .XH ₂ O (207234-04-6)	Erbium (III) Acetate M. W.: 344.39 Assay (Trace metal basis) 99.9%	5 gm 10 gm 25 gm 100 gm

Product Code	Product Name	Packing
RE0760 C ₆ H ₉ ErO ₆ .XH ₂ O (207234-04-6)	Erbium (III) Acetate M. W.: 344.39 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE0765 C ₆ H ₉ ErO ₆ .XH ₂ O (207234-04-6)	Erbium (III) Acetate M. W.: 344.39 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE0780 Er ₂ (CO ₃) ₃ .XH ₂ O (22992-83-2)	Erbium (III) Carbonate M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.9%	5 gm 25 gm 100 gm
RE0785 Er ₂ (CO ₃) ₃ .XH ₂ O (22992-83-2)	Erbium (III) Carbonate M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE0790 Er ₂ (CO ₃) ₃ .XH ₂ O (22992-83-2)	Erbium (III) Carbonate M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE0805 ErCl ₃ .6H ₂ O (10025-75-9)	Erbium (III) Chloride M. W.: 381.71 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE0810 ErCl ₃ .6H ₂ O (10025-75-9)	Erbium (III) Chloride M. W.: 381.71 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE0815 ErCl ₃ .6H ₂ O (10025-75-9)	Erbium (III) Chloride M. W.: 381.71 Assay (Trace metal basis) 99.999%	20 gm
RE0825 ErI ₃ (13813-42-8)	Erbium (III) Iodide M. W.: 547.97 Assay (Trace metal basis) 99.95%	1 gm 5 gm
RE0840 Er(NO ₃) ₃ .5H ₂ O (10031-51-3)	Erbium (III) Nitrate M. W.: 443.35 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE0845 Er(NO ₃) ₃ .5H ₂ O (10031-51-3)	Erbium (III) Nitrate M. W.: 443.35 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE0850 Er(NO ₃) ₃ .5H ₂ O (10031-51-3)	Erbium (III) Nitrate M. W.: 443.35 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE0865 Er ₂ O ₃ (12061-16-4)	Erbium (III) Oxide M. W.: 382.56 Assay (Trace metal basis) 99.9%	25 gm 100 gm 1 kg
RE0870 Er ₂ O ₃ (12061-16-4)	Erbium (III) Oxide M. W.: 382.56 Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm 500 gm
RE0875 Er ₂ O ₃ (12061-16-4)	Erbium (III) Oxide M. W.: 382.56 Assay (Trace metal basis) 99.999%	5 gm 25 gm 100 gm
RE0890 Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4)	Erbium (III) Sulphate M. W.: 766.82 Assay (Trace metal basis) 99.9%	5 gm 50 gm 100 gm
RE0895 Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4)	Erbium (III) Sulphate M. W.: 766.82 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE0900 Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4)	Erbium (III) Sulphate M. W.: 766.82 Assay (Trace metal basis) 99.999%	5 gm 25 gm

Product Code	Product Name	Packing
	Eriochrome Blue Black B See Solochrome Dark blue	
	Eriochrome Blue Black R See Solochrome Dark blue	
025529	Eriochrome Black T C.I. 14645 M. W.: 461.38	25 gm 100 gm 1 kg
C ₂₀ H ₁₂ N ₃ NaO ₇ S (1787-61-7)		
522415	Eriochrome Black T AR/ACS C.I. 14645 Metal (pH) Indicator M. W.: 461.38	25 gm 100 gm
C ₂₀ H ₁₂ N ₃ NaO ₇ S (1787-61-7)		
829710	Eriochrome Black T Indicator Solution	125 ml
	Eriochrome Blue Black B (Eriochrome Black R) See Solochrome Black R, Solochrome Dark blue	
522505	Eriochrome Cyanine R AR M. W.: 536.40	10 gm 25 gm
C ₂₃ H ₁₅ Na ₃ O ₉ S (3564-18-9)		
082525	Erioglaucine A Certified grade (C.I.No. 42090) M.W.: 792.86	5 gm 25 gm
C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃ (3844-45-9)		
522550	Erioglaucine AR (C.I. No. : 42090) M. W.: 792.86 Dye content Abt. 70.0%	10 gm 25 gm
C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃ (3844-45-9)		
082635	Erythritol (Erythrite) for Biochemistry M.W.: 122.12	5 gm 25 gm 100 gm 500 gm
C ₄ H ₁₀ O ₄ (149-32-6)		
082705	Erythromycin M.W.: 733.93	5 gm 25 gm
C ₃₇ H ₆₇ NO ₁₃ (114-07-8)		
025541	Erythromycin Estolate for Lab Use C ₄₀ H ₇₁ NO ₁₄ .C ₁₂ H ₂₆ SO ₄ M.W.: 1056.39 (3521-62-8)	5 gm
025540	Erythromycin Stearate for Lab Use C ₃₇ H ₆₇ NO ₁₃ .C ₁₈ H ₃₆ O ₂ M.W.: 1018.40 (643-22-1)	5 gm
034029	Erythrosin B for Microscopy C.I. 45430 M. W.: 879.87 Dye content (Gravimetric; on dried substance) >80.0%	25 gm 100 gm
C ₂₀ H ₆ Cl ₄ Na ₂ O ₅ (16423-68-0)		
829820	Esbach's Reagent	125 ml 500 ml
522640	Eschka's Mixture AR For determination of Sulphur in coal Assay (complexometric, Mg) 38-42%	250 gm 1 kg
(8007-09-8)		
	Esculin See Aesculin	
025542	b-Estradiol M. W.: 272.38	1 gm 5 gm 25 gm 100 gm
C ₁₈ H ₂₄ O ₂ (50-28-2)		

E

Laboratory Chemicals

Product Code	Product Name	Packing
082815 C ₁₈ H ₂₂ O ₂ (53-16-7)	Estrone for Biochemistry M. W.: 270.37	1 gm 5 gm
	Ethanediol See Ethylene glycol	
730850	Ethane-1,2-Disulfonic Acid Disodium Salt (Anhydrous) HPLC for Ion Pair Chromatography NaO ₃ SCH ₂ CH ₂ SO ₃ Na M.W.: 234.16 (5325-43-9)	5 gm 25 gm
082985 CH ₃ CH ₂ SO ₃ H (594-45-6)	Ethane Sulphonic Acid M. W.: 110.13 Assay 95.0%	5 gm
082975 C ₂ H ₆ S ₂ (540-63-6)	Ethane Dithiol for Synthesis M. W.: 94.20 Assay (GC) 98.0%	25 ml
028306 C ₂ H ₇ NO (141-43-5)	Ethanolamine Mono for Synthesis M. W.: 61.08 Assay (acidimetric) 99.0%	500 ml 2.5 lit 25 lit
522830 C ₂ H ₇ NO (141-43-5)	Ethanolamine Mono AR/ACS M. W.: 61.08 Assay (Acidimetric) 99.0%	500 ml 2.5 lit 25 lit
083105 C ₂ H ₈ ClNO (2002-24-6)	Ethanolamine Hydrochloride (2-Hydroxymethyl Ammonium Chloride) M. W.: 97.55 Assay 98.0%	500 gm
	Ether Solvent See Diethyl Ether	
	Ethrel See 2-Chloroethyl Phosphonic acid	
044159 C ₂₁ H ₂₀ BrN ₃ (1239-45-8)	Ethidium Bromide M. W.: 394.32 Assay (Non-aqueous, on dried Subs.) 98.0%	1 gm 5 gm
829930	Ethidium Bromide Solution ~1% in Water for Fluorescence Store at 2-8°C	50 ml
083275 C ₁₀ H ₁₂ O ₂ (2142-67-8)	o-Ethoxy Acetophenone for Synthesis M. W.: 164.20 Assay 98.0%	25 gm
083295 C ₁₀ H ₁₂ O ₂ (1676-63-7)	p-Ethoxy Acetophenone for Synthesis M. W.: 164.20 Assay 98.0%	25 gm
083390 new C ₉ H ₁₁ NO ₂ (938-73-8)	2-Ethoxy Benzamide M.W. 165.19 Assay 97.0%	25 gm 100 gm
083355 C ₉ H ₁₀ O ₂ (10031-82-0)	p-Ethoxy Benzaldehyde for Synthesis M. W.: 150.17 Assay 99.0%	25 gm
083415 C ₉ H ₁₀ O ₃ (619-86-3)	p-Ethoxy Benzoic Acid for Synthesis M. W.: 166.17 Assay 99.0%	25 gm
	Ethoxy Carbonil Chloride See Ethyl Chloroformate	

Product Code	Product Name	Packing
	2-Ethoxy Ethanol See Ethylene Glycol Monoethyl Ether	
	2-Ethoxy Ethyl Acetate See Cellosolve acetate	
025527 (61790-81-6)	Ethoxylated Lanolin	500 gm
083465 new C ₈ H ₁₀ O ₂ (94-71-3)	2-Ethoxyphenol M.W : 138.17 Assay 97.5%	100 ml 500 ml
028311 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for Synthesis M. W.: 88.11 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit 25 lit 200 lit
522920 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate AR/ACS M. W.: 88.11 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
522925 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate "Dry" AR M. W.: 88.11	500 ml
730895 new CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate GC Grade M.W : 88.11	1 lit
730900 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	500 ml 1 lit 2.5 lit
731000 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for Pesticide Residue Trace Analysis M. W.: 88.11	1 lit 2.5 lit
731100 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for Protein Sequence Analysis for Biochemistry M. W.: 88.11	500 ml
028312 C ₆ H ₁₀ O ₃ (141-97-9)	Ethyl Acetoacetate for Synthesis M. W.: 130.14 Assay (GC) 97.0%	500 ml 2.5 lit 25 lit 200 lit
523105 C ₆ H ₁₀ O ₃ (141-97-9)	Ethyl Acetoacetate AR M. W.: 130.14	1 lit
028313 C ₅ H ₈ O ₂ (140-88-5)	Ethyl Acrylate for Synthesis M. W.: 100.1 Assay (GC) 99.0%	500 ml 2.5 lit
	Ethylal See Diethoxy Methane	
025532 C ₂ H ₇ N (75-04-7)	Ethylamine Solution for Synthesis (Mono Ethylamine) M. W.: 45.08 Assay (Acidimetric) 70% w/w	500 ml 2.5 lit 25 lit 200 lit
083715 C ₄ H ₁₁ NO (110-73-6)	2-(Ethylamino) Ethanol for Synthesis M.W.: 89.14	250 ml 1 lit

Product Code	Product Name	Packing
083825	n-Ethyl Aniline for Synthesis (Monoethyl Aniline) C ₈ H ₁₁ N (103-69-5) M. W.: 121.18	500 ml 2.5 lit 25 lit 200 lit
083855	3-Ethyl Aniline C ₈ H ₁₁ N (587-02-0) M. W.: 121.18 Assay 98.0%	10 gm 50 gm
083905	4-Ethyl Aniline C ₈ H ₁₁ N (589-16-2) M.W.: 121.18	100 ml 500 ml
083945	Ethyl Anthranilate for Synthesis C ₉ H ₁₁ NO ₂ (87-25-2) M.W.: 165.19 Assay 99.0%	500 ml
028320	Ethyl Benzene C ₆ H ₅ .C ₂ H ₅ (100-41-4) M. W.: 106.17 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
028321	Ethyl Benzoate C ₉ H ₁₀ O ₂ (93-89-0) M. W.: 150.18 Assay(GC) 99.0%	500 ml 2.5 lit
084215	Ethyl Benzoyl Acetate for Synthesis C ₁₁ H ₁₂ O ₃ (94-02-0) M.W.: 192.21 Assay 97.0%	100 ml 500 ml
	Ethyl Bromide See Bromo Ethane	
025530	Ethyl Bromo Acetate for Synthesis C ₄ H ₇ BrO ₂ (105-36-2) M. W.: 167.01 Assay (GC) 97.0%	250 ml 500 ml
084395	Ethyl-3-Bromo Benzoate for Synthesis BrC ₉ H ₉ O ₂ (24398-88-7) M. W.: 229.07 Assay 98.0%	25 gm 100 gm
084415	Ethyl-4-Bromo Benzoate for Synthesis BrC ₉ H ₉ O ₂ (5798-75-4) M. W.: 229.07 Assay 98.0%	25 gm 100 gm
084475	Ethyl-2-Bromo Propionate for Synthesis BrC ₅ H ₉ O ₂ (535-11-5) M. W.: 181.03 Assay 99.0%	100 gm 500 gm
084495	Ethyl-3-Bromo Propionate for Synthesis BrC ₅ H ₉ O ₂ (539-74-2) M. W.: 181.03 Assay 98.0%	100 gm
025538	Ethyl Butyrate C ₆ H ₁₂ O ₂ (105-54-4) M. W.: 116.16 Assay (GC) 98.0%	500 ml
084585	Ethyl Caproate for Synthesis C ₈ H ₁₆ O ₂ (123-66-0) M. W.: 144.21	500 gm
084605	Ethyl Caprylate for Synthesis C ₁₀ H ₂₀ O ₂ (106-32-1) M. W.: 172.26	500 gm
084625	Ethyl Carbazate C ₃ H ₈ N ₂ O ₂ (4114-31-2) M. W.: 104.11 Assay 97.0%	25 gm

Product Code	Product Name	Packing
	Ethyl Carbitol See Diethylene Glycol Monoethyl Ether	
	Ethyl Cellosolve See Ethylene Glycol Monoethyl Ether	
	Ethyl Cellosolve Acetate See Cellosolve Acetate	
028330	Ethyl Cellulose 18-22 CPS (9004-57-3)	100 gm 500 gm
084655	new Ethyl Cellulose Low Viscosity (7 CPS)	500 gm
025522	Ethyl Chloro Acetate for Synthesis C ₄ H ₇ ClO ₂ (105-39-5) M. W.: 122.55 Assay (GC) 98.0%	500 ml 2.5 lit
084715	Ethyl-4-Chloro Aceto Acetate for Synthesis C ₆ H ₉ O ₃ Cl (638-07-3) M. W.: 164.59 Assay 95.0%	100 gm 500 gm
	Ethyl Chlorocarbonate See Ethyl Chloroformate	
084805	Ethyl Chloroformate (Ethyl Chlorocarbonate) C ₃ H ₅ O ₂ Cl (541-41-3) M. W.: 108.52	500 ml 2.5 lit 25 lit
084915	Ethyl-2-Chloro Propionate for Synthesis C ₅ H ₉ O ₂ Cl (535-13-7) M. W.: 136.58 Assay 97.0%	100 ml
025545	Ethyl Cinnamate C ₁₁ H ₁₂ O ₂ (103-36-6) M. W.: 176.22 Assay (GC) 98.0%	500 ml
	Ethyl Cyanide See Propionitrile	
028337	Ethyl Cyanoacetate for Synthesis C ₅ H ₇ NO ₂ (105-56-6) M. W.: 113.12 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
085105	Ethyl Cyclohexane for Synthesis C ₈ H ₁₆ (1678-91-7) M. W.: 112.21 Assay 97.0%	500 ml 2.5 lit
	Ethyl Digol See Diethylene Glycol Mono Ethyl Ether	
085325	n-Ethyl Diisopropylamine (N,N-Diisopropyl Ethylamine) C ₈ H ₁₉ N (7087-68-5) M. W.: 129.24	250 ml 500 ml
	1-Ethyl-3-(3-Dimethyl Amino Propyl)carbodiimide Hydrochloride See 1-(3-Dimethyl amino Propyl)-3-ethyl Carbodiimide Hydrochloride	
	Ethylene Bromide See 1,2-Dibromoethane	
	Ethylene Chloride See 1,2-Dichloroethane	
	Ethylene Chlorohydrine See 2-Chloroethanol	

E

Laboratory Chemicals

Product Code	Product Name	Packing
028016	Ethylene Diamine for Synthesis (1,2-Diamino Ethane) C ₂ H ₈ N ₂ (107-15-3) M. W.: 60.10 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
523455	Ethylene Diamine AR C ₂ H ₈ N ₂ (107-15-3) M. W.: 60.10	500 ml
025521	Ethylenediamine Dihydrochloride C ₂ H ₈ N ₂ ·2HCl (333-18-6) M. W.: 133.03 Assay (Argentometric) 99.0%	100 gm 500 gm
085415	Ethylene Diamine Sulphate for Synthesis C ₂ H ₈ N ₂ H ₂ SO ₄ (22029-36-3) M. W.: 158.177	25 gm
085425	Ethylene Diamine Tetra Acetic Acid C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4) M. W.: 292.25 Assay (Complexometric) 98.0%	100 gm 500 gm 5 kg 25 kg 50 kg
523495	Ethylene Diamine Tetra Acetic Acid AR/ACS For Complexometry C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4) M. W.: 292.25 Assay (Complexometric) 99.0%	100 gm 500 gm 5 kg 25 kg 50 kg
025520	Ethylene-Diamine Tetra Acetic Acid Calcium Disodium Salt C ₁₀ H ₁₂ CaN ₂ Na ₂ O ₈ ·XH ₂ O (304695-78-1) M. W.: 374.27. XH ₂ O Assay (Complexometric; on anhydrous basis) 97-102%	500 gm 25 kg 50 kg
028023	Ethylene-Diamine Tetra Acetic Acid Ferric Mono Sodium Salt C ₁₀ H ₁₂ FeN ₂ NaO ₈ ·3H ₂ O (18154-32-0) M. W.: 421.10 Fe content (on anhydrous basis) 12-14%	100 gm 500 gm 25 kg 50 kg
028024	Ethylene Diamine Tetra Acetic Acid Dipotassium Salt C ₁₀ H ₁₄ K ₂ O ₈ N ₂ ·2H ₂ O (25102-12-9) M.W.: 404.46 Assay (Complexometric) 98.0%	100 gm 500 gm 25 kg 50 kg
523515	Ethylene Diamine Tetra Acetic Acid Dipotassium Salt AR C ₁₀ H ₁₄ K ₂ O ₈ N ₂ ·2H ₂ O (25102-12-9) M. W.: 404.46 Assay (complexometric) 99.0%	100 gm 500 gm 5 kg 25 kg 50 kg
016149	Ethylene Diamine Tetra Acetic Acid Magnesium Disodium Salt C ₁₀ H ₁₂ MgN ₂ O ₈ ·2Na·XH ₂ O (14402-88-1) M. W.: 358.50 (Anhy.)	500 gm 50 kg
028021	Ethylene Diamine Tetra Acetic Acid Disodium Salt C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ ·2H ₂ O (6381-92-6) M. W.: 372.24 Assay (complexometric) 98.0%	100 gm 500 gm 5 kg 25 kg
523525	Ethylene Diamine Tetra Acetic Acid Disodium Salt AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ ·2H ₂ O (6381-92-6) M. W.: 372.24 Assay (Complexometric) 99.5%	100 gm 500 gm 5 kg 25 kg

Product Code	Product Name	Packing
932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt for Molecular Biology C ₁₀ H ₁₄ N ₂ Na ₂ O ₈ ·2H ₂ O (6381-92-6) M. W.: 372.24 Assay (Complexometric) 99.5%	100 gm 500 gm 5 kg
028026	Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt C ₁₀ H ₁₂ N ₂ Na ₄ O ₈ ·2H ₂ O (10378-23-1) M. W.: 416.20 Assay (complexometric) 98.0%	500 gm 5 kg 25 kg
085515	Ethylene Diamine Tetra Acetic Acid tripotassium Salt (Dihydrate) Reagent for Complexometry (KOOCC ₂) ₂ NCH ₂ CH ₂ N(CH ₂ COOK)CH ₂ COOH · 2H ₂ O (65501-24-8) M. W.: 442.54 Assay 98.0%	500 gm 1 kg 5 kg
025526	Ethylenediamine Tetra Acetic Acid Tri Sodium Salt C ₁₀ H ₁₃ N ₂ Na ₃ O ₈ ·2H ₂ O (150-38-9)Anhy. M. W.: 394.22 Assay 98.0%	100 gm 500 gm 50 kg
	Ethylenedibromide See 1,2-Dibromoethane	
	Ethylene Dinitrilotetra Acetic Acid See Ethylenediamine Tetra Acetic Acid	
	Ethylenedichloride See 1,2-Dichloro Ethane	
028296	Ethylene Glycol for Synthesis CH ₂ (OH)CH ₂ OH (107-21-1) M. W.: 62.07 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit 25 lit
523575	Ethylene Glycol AR CH ₂ (OH)CH ₂ OH (107-21-1) M. W.: 62.07	500 ml 2.5 lit 25 lit
	Ethylene Glycol Dimethyl Ether See 1,2-Dimethoxyethane, (Monoglyme)	
	Ethylene Glycol Methylene Ether See 1,3-Dioxolane	
027932	Ethylene Glycol Mono Butyl Ether (2-Butoxy Ethanol) for Synthesis C ₆ H ₁₄ O ₂ (111-76-2) M. W.: 118.18 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
085535	Ethylene Glycol Mono Butyl Ether Acetate for Synthesis (Butyl Cellosolve acetate) C ₈ H ₁₆ O ₃ (112-07-2) M.W : 160.21	500 ml 2.5 lit 25 lit 200 lit
028309	Ethylene Glycol Mono Ethyl Ether (2-Ethoxy Ethanol) for Synthesis C ₄ H ₁₀ O ₂ (110-80-5) M. W.: 90.12 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
029198	Ethylene Glycol Mono Methyl Ether for Synthesis (2-Methoxy Ethanol) C ₃ H ₈ O ₂ (109-86-4) M. W.: 76.10 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
523610	Ethylene Glycol Mono Methyl Ether AR/ACS (2-Methoxy Ethanol) C ₃ H ₈ O ₂ (109-86-4) M. W.: 76.10	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
731250 new	Ethylene Glycol Mono Methyl Ether for HPLC (2-Methoxy Ethanol) M. W.: 76.10 Assay (GC) 99.9%	1 lit
$C_3H_8O_2$ (109-86-4)		
025515	Ethylene Glycol Mono Phenyl Ether (Phenyl cellosolve) M. W.: 138.17 Assay 99.0-100.5%	500 ml 2.5 lit 25 lit 200 lit
$C_8H_{10}O_2$ (122-99-6)		
025525	Ethylene Glycol Mono Stearate M. W.: 328.54	500 gm
$C_{20}H_{40}O_3$ (111-60-4)		
028672	Ethylene Glycol-O,O-bis (2-Amino Ethyl) N,N,N',N'- Tetra Acetic Acid (E.G.T.A.) M. W.: 380.35 Assay (complexometric) 98.0%	10 gm 100 gm
$C_{14}H_{24}N_2O_{10}$ (67-42-5)		
085585	Ethylene Thiourea for Synthesis M. W.: 102.16	500 gm
$C_3H_6N_2S$ (96-45-7)		
085635	Ethylene Urea for Synthesis M. W.: 86.09	500 gm
$C_3H_6N_2O$ (120-93-4)		
085755	Ethyl Eosin for Microscopy Eosin (Spirit Soluble) Certified Grade (C.I.No. 45386) M.W. : 714.03	5 gm
$C_{22}H_{11}Br_4KO_5$ (6359-05-3)		
	N-Ethyl Ethanolamine See 2-(Ethylamino) Ethanol	
025535	Ethyl Formate for Synthesis (Formic Acid Ethyl Ester) M. W.: 74.08 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit
$C_3H_6O_2$ (109-94-4)		
	Ethylglycinate Hydrochloride See Glycine Ethylester Hydrochloride	
085815	Ethyl Heptanoate for Synthesis M. W.: 158.24 Assay (GC) 99.0%	500 gm
$C_9H_{18}O_2$ (106-30-9)		
085885	2-Ethyl Hexanoic Acid for Synthesis (Ethyl Caproic Acid, Octoic Acid) M. W.: 144.21	500 ml 2.5 lit 25 lit
$C_8H_{16}O_2$ (149-57-5)		
523775	2-Ethyl Hexanoic Acid AR M.W.: 144.21	1 lit
$C_8H_{16}O_2$ (149-57-5)		
028345	2-Ethyl-1-Hexanol (2-Ethyl Hexane-1-ol) M. W.: 130.23 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
$C_8H_{18}O$ (104-76-7)		
025533	2-Ethyl Hexyl Acrylate M.W.: 184.28 Assay (GC) 99.0%	500 ml 2.5 lit
$C_{11}H_{20}O_2$ (103-11-7)		
523965	2-Ethyl Hexyl Acrylate AR M.W.: 184.28	1 lit
$C_{11}H_{20}O_2$ (103-11-7)		

Product Code	Product Name	Packing
085775	2-Ethyl Hexyl Methacrylate for Synthesis (Stabilized) M. W.: 198.30 Assay 98.0%	250 ml 1 lit 2.5 lit
$C_{12}H_{22}O_2$ (688-84-6)		
025543	Ethyl-p-Hydroxy Benzoate (Ethyl Paraben) M.W.: 166.17 Assay (GC) 99.0%	500 gm 5 kg 25 kg 50 kg
$C_9H_{10}O_3$ (120-47-8)		
085920 new	Ethyl-p-Hydroxy Benzoate Sodium Salt (Ethyl Paraben Sodium) M.W : 188.16	500 gm
$C_9H_9NaO_3$ (35285-68-8)		
028581	Ethyl Iodide for Synthesis M. W.: 155.97 Assay (GC) 99.0%	100 ml 250 ml
C_2H_5I (75-03-6)		
085955	Ethyl-Iso-Butyrate for Synthesis M. W.: 116.16	500 gm
$C_6H_{12}O_2$ (97-62-1)		
086025	Ethyl-Iso-Valerate for Synthesis M. W.: 130.18	500 gm
$C_7H_{14}O_2$ (108-64-5)		
086075	Ethyl Lactate (Biodegradeble) Solvent Replacement for Optical and Microelectronic Purpose M. W.: 118.13 Assay 98.0%	250 ml 2.5 lit
$C_5H_{10}O_3$ (97-64-3)		
044037	N-Ethyl Maleimide M. W.: 125.13	5 gm 25 gm
$C_6H_7NO_2$ (128-53-0)		
086125	Ethyl Methane Sulfonate (Plant Mutagen) M. W.: 124.16	10 gm 100 gm
$C_3H_8O_3S$ (62-50-0)		
086275	N-Ethyl Methylamine M. W.: 59.11 Assay 97.0%	5 gm 25 gm
C_3H_9N (624-78-2)		
087395	1-Ethyl-2-Methyl Indole M. W.: 159.23	25 gm
$C_{11}H_{13}N$ (40876-94-6)		
	Ethyl Methyl Ketone See Butanone	
087515	N-Ethyl Morpholine for Synthesis (4-Ethylmorpholine) M. W.: 115.17	250 ml 2.5 lit
$C_6H_{13}NO$ (100-74-3)		
028356	Ethyl Oleate for Synthesis M. W.: 310.52 Assay (Saponification) 98.0%	500 ml 2.5 lit 25 lit
$C_{20}H_{38}O_2$ (111-62-6)		
087605	Ethyl Orange Sodium Salt M. W.: 355.39 Dye content 90.0%	10 gm
$C_{16}H_{18}N_3 \cdot Na_2SO_3$ (62758-12-7)		
	Ethyl Orthoformate See Triethyl Orthoformate	

E

Laboratory Chemicals

Product Code	Product Name	Packing
	Ethyl Paraben See Ethyl-p-Hydroxybenzoate	
	Ethyl Paraben Sodium See Ethyl-p-Hydroxybenzoate sodium	
025537 C ₁₀ H ₁₂ O ₂ (101-97-3)	Ethyl Phenyl Acetate M. W.: 164.20	500 ml
025518 C ₆ H ₁₄ N ₂ (5308-25-8)	N-Ethyl Piperazine for Synthesis M. W.: 114.19	250 ml 1 lit
087725 C ₇ H ₁₄ N ₂ O ₂ (120-43-4)	Ethyl Piperazine-1-Carboxylate M. W.: 158.20 Assay 99.0%	25 gm
	Ethyl Potassium Xanthate See Potassium Ethyl Xanthate	
025536 C ₅ H ₁₀ O ₂ (105-37-3)	Ethyl Propionate M. W.: 102.13 Assay (GC) 99.0%	500 ml
087805 C ₅ H ₈ O ₃ (617-35-6)	Ethyl Pyruvate for Synthesis M. W.: 116.12 Assay 98.0%	50 gm 250 gm
	o-Ethyl Salicylamide See 2-Ethoxybenzamide	
025534 2-(OH)C ₆ H ₄ CO ₂ C ₂ H ₅ (118-61-6)	Ethyl Salicylate M. W.: 166.17	500 ml
087900 new C ₆ H ₉ ClO ₃ (14794-31-1)	Ethyl Succinyl Chloride M. W. 164.59 Assay 98.0%	100 ml
087945 C ₄ F ₃ H ₅ O ₂ (383-63-1)	Ethyl Trifluoroacetate for Synthesis M. W.: 142.08 Assay 99.0%	100 gm 500 gm
	Ethyl Triphenyl Phosphonium Bromide See Triphenylethyl Phosphonium Bromide	
088185 C ₉ H ₁₀ O ₃ (121-32-4)	Ethyl Vanilin for Synthesis M. W.: 166.17	100 gm 500 gm
088215 C ₃₁ H ₄₂ N ₃ Cl (2390-59-2)	Ethyl Violet for Microscopy C.I.No.42600 M. W.: 492.14	25 gm
	Ethynyl Carbinol See Propargyl Alcohol	
025539 (8000-48-4)	Eucalyptus Oil Assay (as cineole content) >60.0%	250 ml
088995 (25086-15-1)	Eudragit L-100 for Synthesis	100 gm 250 gm
089015 (3343-24-1)	Eudragit RL-100 for Synthesis	100 gm 250 gm
089035 (3343-24-1)	Eudragit RS -100 for Synthesis	100 gm 250 gm
089055 (25086-15-1)	Eudragit S -100 for Synthesis	100 gm 250 gm

Product Code	Product Name	Packing
028374 C ₁₀ H ₁₂ O ₂ (97-53-0)	Eugenol Pure M. W.: 164.21 Assay (GC) 99.0%	100 ml 500 ml
089150 C ₁₂ H ₁₄ O ₃ (93-28-7)	Eugenol Acetate for Synthesis M. W.: 206.24	500 gm
	Eugenol Methyl Ether See Methyl Eugenol	
089195	Euparal for Microscopy	100 ml
830070	Europium (Eu) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
830080	Europium (Eu) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
RE0910 (7440-53-1)	Europium Metal Ingot Eu M. W.: 151.96 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE0915 (7440-53-1)	Europium Metal Lump (1cm) Eu M. W.: 151.96 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE0925 (62667-64-5)	Europium (III) Acetate Eu(O ₂ C ₂ H ₃) ₃ .XH ₂ O M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.9%	5 gm 25 gm
RE0930 (62667-64-5)	Europium (III) Acetate Eu(O ₂ C ₂ H ₃) ₃ .XH ₂ O M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE0935 (62667-64-5)	Europium (III) Acetate Eu(O ₂ C ₂ H ₃) ₃ .XH ₂ O M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.999%	1 gm 10 gm 50 gm
RE0945 (560069-78-5)	Europium (III) Bromide EuBr ₃ .XH ₂ O M. W.: 391.68 (anhy.) Assay (Trace metal basis) 99.99%	5 gm
RE0955 (86546-99-8)	Europium (III) Carbonate Eu ₂ (CO ₃) ₃ .XH ₂ O M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.9%	5 gm 25 gm
RE0960 (86546-99-8)	Europium (III) Carbonate Eu ₂ (CO ₃) ₃ .XH ₂ O M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE0965 (86546-99-8)	Europium (III) Carbonate Eu ₂ (CO ₃) ₃ .XH ₂ O M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm 25 gm
RE0975 (13759-92-7)	Europium (III) Chloride EuCl ₃ .6H ₂ O M. W.: 366.41 Assay (Trace metal basis) 99.9%	5 gm 25 gm
RE0980 (13759-92-7)	Europium (III) Chloride EuCl ₃ .6H ₂ O M. W.: 366.41 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE0985 (13759-92-7)	Europium (III) Chloride EuCl ₃ .6H ₂ O M. W.: 366.41 Assay (Trace metal basis) 99.999%	1 gm 5 gm 25 gm
RE0995 (10031-53-5)	Europium (III) Nitrate Eu(NO ₃) ₃ .6H ₂ O M. W.: 446.06 Assay (Trace metal basis) 99.9%	1 gm 2 gm 10 gm 50 gm

Product Code	Product Name	Packing
RE1000 Eu(NO ₃) ₃ .6H ₂ O (10031-53-5)	Europium (III) Nitrate M. W.: 446.06 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE1005 Eu(NO ₃) ₃ .6H ₂ O (10031-53-5)	Europium (III) Nitrate M. W.: 446.06 Assay (Trace metal basis) 99.999%	1 gm 5 gm 25 gm
RE1015 Eu ₂ (C ₂ O ₄) ₃ .XH ₂ O (304675-55-6)	Europium (III) Oxalate M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.9%	10 gm 25 gm
RE1020 Eu ₂ (C ₂ O ₄) ₃ .XH ₂ O (304675-55-6)	Europium (III) Oxalate M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1025 Eu ₂ (C ₂ O ₄) ₃ .XH ₂ O (304675-55-6)	Europium (III) Oxalate M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm 25 gm
RE1035 Eu ₂ O ₃ (1308-96-9)	Europium (III) Oxide M. W.: 351.92 Assay (trace metals basis) 99.9%	1 gm 5 gm 25 gm
RE1040 Eu ₂ O ₃ (1308-96-9)	Europium (III) Oxide M. W.: 351.92 Assay (trace metals basis) 99.99%	1 gm 5 gm 25 gm 100 gm
RE1045 Eu ₂ O ₃ (1308-96-9)	Europium (III) Oxide M. W.: 351.92 Assay (trace metals basis) 99.999%	25 gm 100 gm

Product Code	Product Name	Packing
RE1055 Eu ₂ (SO ₄) ₃ .XH ₂ O (20814-06-6)	Europium (III) Sulphate M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.9%	1 gm 5 gm 25 gm
RE1060 Eu ₂ (SO ₄) ₃ .XH ₂ O (20814-06-6)	Europium (III) Sulphate M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.99%	1 gm 5 gm 25 gm
RE1065 Eu ₂ (SO ₄) ₃ .XH ₂ O (20814-06-6)	Europium (III) Sulphate M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.999%	1 gm 5 gm 25 gm
034115 C ₃₄ H ₂₄ N ₆ Na ₄ O ₁₄ S ₄ (314-13-6)	Evans Blue for Microscopy For estimation of blood volume M. W.: 960.82 Dye content (titrimetric dried) About 85.0%	5 gm 25 gm
	Extract of Meat See Meat Extract	
	Extract of Yeast See Yeast Extract	
830180	Exton's Reagent (Test reagent for albumin in urine)	100 ml

Laboratory Chemicals



63 Europium
Eu
151.96
[Xe]4f⁷6s²

EUROPIUM

Europium, atomic no.: 63, symbol as Eu, weight at 151.96, is utilized primarily for its unique luminescent behavior. Excitation of the Europium atom by absorption of ultra violet radiation can result in specific energy level transitions within the atom creating an emission of visible radiation. It is a dopant in some types of glass in lasers and other optoelectronic devices. Europium Oxide (Eu₂O₃) is widely used as a red phosphor in television sets and fluorescent lamps, and as an activator for Yttrium-based phosphors.



Product Code	Product Name	Packing
	Fabric Cleaner Liquid See FCL009	
	Fabric Cleaner Powder See FCP009	
092265	Fast Blue B Salt (C.I. 37235)	25 gm 100 gm 1 kg
$C_{14}H_{12}N_4O_2Cl_2 \cdot ZNCl_2$	M. W.: 475.47 (14263-94-6)	
092295	Fast Blue BB Salt for Microbiology (C.I. 37175)	5 gm
$C_{17}H_{18}ClN_3O_3 \cdot 1/2 ZnCl_2$	M. W.: 415.94 (5486-84-0) Dye content 80.0%	
092325	Fast Blue RR Salt (C.I. 37155)	5 gm 25 gm
$C_{15}H_{14}ClN_3O_3 \cdot 1/2 ZNCl_2$	M. W.: 387.89 (14726-29-5)	
092365	Fast Garnet GBC Salt Purified (C. I. No. 37210)	25 gm
$C_{14}H_{14}N_4O_4S$	M. W.: 334.35 (101-89-3)	
034045	Fast Green for Microscopy C.I. 42000	25 gm 100 gm
$C_{52}H_{54}N_4O_{12}$	M.W.: 927.02 Dye content (titrimetric on dried substance) Abt. 90.0%	
034030	Fast Green FCF for Microscopy C.I. No. 42053	5 gm 25 gm
$C_{37}H_{34}N_2Na_2O_{10}S_3$	M.W.: 808.85 (2353-45-9) Dye content (titrimetry, on dried subs.) >85.0%	
834100 new	Fast Green FCF Solution (Useful for non-lignified tissues)	100 ml
092465	Fast Red E (C.I. 16045)	25 gm
$C_{20}H_{14}N_2O_7S_2 \cdot 2Na$	M. W.: 502.43 (2302-96-2)	
020049	Fast Sulphon Black F C.I. No. 26990	25 gm
$C_{30}H_{17}N_4Na_3O_{11}S_3$	M. W.: 774.6 (3682-47-1) Dye content (titrimetry) Approx 30.0%	
092545	Fast Violet B Salt for Microscopy (C.I.No. 37165)	1 gm 5 gm
$C_{15}H_{16}N_2O_2$	M. W.: 256.30 (14726-28-4) Dye content 85.0%	
	Fehling's Solution A and B See Fehling's Solution 1 and 2	
834200	Fehling's Solution NO. 1 Assay iodometric (CuSO ₄) min. 7.0%w/v	500 ml
834220	Fehling's Solution NO. 2	500 ml
092675	Ferric Acetate Basic	500 gm
$C_4H_7 \cdot FeO_5$	M.W.: 190.93 (10450-55-2)	
092725	Ferric Acetyl Acetonate for Synthesis (Iron. III Acetyl Acetonate)	Discontinued
$C_{15}H_{21}O_6 \cdot Fe$	M. W.: 353.17 (14024-18-1)	

Product Code	Product Name	Packing
	Ferric Alum See Ammonium Ferric Sulphate	
	Ferric Ammonium Citrate See Ammonium Ferric Citrate	
092795	Ferric Ammonium Oxalate	500 gm
$C_6FeO_{12} \cdot 3H_4N$	M. W.: 374.01 (14221-47-7)	
	Ferric Ammonium Sulphate See Ammonium Ferric Sulphate	
834270 new	Ferric Ammonium Sulphate TS acc. to USP	500 ml
834265 new	Ferric Ammonium Sulphate 8% w/v for Chloride (Volhard's Indicator)	100 ml
092855	Ferric Borate	500 gm
$BFeO_3$	M.W.: 114.65 (20542-97-6)	
092900	Ferric Chloride Anhydrous	500 gm 1 kg 5 kg 50 kg
$FeCl_3$	M. W.: 162.21 (7705-08-0) Assay (iodometric) 97.0%	
528615	Ferric Chloride Anhydrous AR	500 gm
$FeCl_3$	M. W.: 162.21 (7705-08-0) Assay (Iodometric) 98.0%	
028691	Ferric Chloride Hexahydrate	500 gm 50 kg
$FeCl_3 \cdot 6H_2O$	M. W.: 270.30 (10025-77-1) Assay (Iodometric) 98.0%	
528620	Ferric Chloride Hexahydrate AR/ACS	500 gm
$FeCl_3 \cdot 6H_2O$	M. W.: 270.30 (10025-77-1) Assay (Iodometric) 98.0%	
834320	Ferric Chloride Solution 10% (Gerhardt's Reagent)	125 ml 1 lit
	Assay 9.9-10.1%	
834325 new	Ferric Chloride TS acc. to USP	500 ml
028381	Ferric Citrate	500 gm
$C_6H_5FeO_7 \cdot 3H_2O$	M. W.: 298.99 (2338-05-8) Iron (Fe) Iodometric 18-20%	
	Ferric Diphosphate Hydrate See Ferric Pyrophosphate	
028384	Ferric Nitrate (Iron (III) Nitrate)	500 gm 25 kg 50 kg
$Fe(NO_3)_3 \cdot 9H_2O$	M. W.: 404.00 (7782-61-8) Assay (oxidimetric) 98.0%	
528650	Ferric Nitrate Nonahydrate AR/ACS	500 gm
$Fe(NO_3)_3 \cdot 9H_2O$	M. W.: 404.00 (7782-61-8) Assay (Oxidimetric) 99-101%	
093155	Ferric Oxide Black	500 gm
Fe_2O_3	M. W.: 159.69 (1309-37-1)	
028386	Ferric Oxide Red (Iron Oxide Red)	500 gm 5 kg 50 kg
Fe_2O_3	M. W.: 159.69 (1309-37-1) Assay (Iodometric) 98.5%	
528675	Ferric Perchlorate AR	100 gm
$Fe(ClO_4)_3 \cdot XH_2O$	M. W.: 354.20 (Anhy.) (15201-61-3) Assay 97.0%	

Product Code	Product Name	Packing
028385 FePO ₄ .4H ₂ O (31096-47-6)	Ferric ortho Phosphate M. W.: 222.88 Assay (by cerimetry, Fe) 24%	500 gm
528705 FePO ₄ .4H ₂ O (31096-47-6)	Ferric ortho Phosphate AR M. W.: 222.88	500 gm
093195 Fe ₄ (P ₂ O ₇) ₃ (10058-44-3)	Ferric Pyrophosphate Pure Iron. III Pyro Phosphate M. W.: 745.21	500 gm
026094 Fe ₂ (SO ₄) ₃ .XH ₂ O (15244-10-7)	Ferric Sulphate M. W.: 399.88 Assay (as Fe) (Iodometric) 20.5%	500 gm 25 kg 50 kg
528795 Fe ₂ (SO ₄) ₃ .XH ₂ O (15244-10-7)	Ferric Sulphate Hydrate AR [Iron (III) Sulphate Hydrate] M. W.: 399.88 (anhydrous)	500 gm
093285 Fe ₂ (C ₄ H ₄ O ₆) ₃ (2944-68-5)	Ferric Tartrate M. W.: 555.90	500 gm
093445 Fe(C ₅ H ₅) ₂ (102-54-5)	Ferrocene for Synthesis (Dicyclopentadienyliron) M.W. : 186.03	100 gm 1 kg
834360	Ferroin Indicator Solution 0.1 Wt% in H₂O	500 ml
834365	Ferroin Solution 0.025M AR (Redox Indicator)	25 ml 100 ml 500 ml
834369	Ferroin Indicator Solution in Sulphuric Acid	100 ml
529000 C ₉ H ₆ INO ₄ S (547-91-1)	Ferron AR M. W.: 351.12	5 gm
	Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate	
025450 FeCO ₃ (563-71-3)	Ferrous Carbonate M. W.: 115.86 Assay 97.0%	500 gm
028394 FeCl ₂ .XH ₂ O (13478-10-9)	Ferrous Chloride Hydrate Tech. M. W.: 162.78	500 gm
529035 FeCl ₂ .XH ₂ O (13478-10-9)	Ferrous Chloride Hydrate AR M. W.: 162.78	250 gm
025443 C ₄ H ₂ FeO ₄ (141-01-5)	Ferrous Fumarate Pure M. W.: 169.90 Assay (Fe) 31-33%	500 gm
093595 C ₁₂ H ₂₂ FeO ₁₄ .XH ₂ O (699014-53-4)	Ferrous Gluconate for Synthesis M. W.: 446.14 (anhy.)	500 gm
025449 C ₂ FeO ₄ .2H ₂ O (6047-25-2)	Ferrous Oxalate Dihydrate M. W.: 179.89 Assay 98.0%	100 gm 500 gm

Product Code	Product Name	Packing
025446 Fe ₃ (PO ₄) ₂ .8H ₂ O (10028-23-6)	Ferrous Phosphate M. W.: 501.60	500 gm
025444 C ₄ H ₄ FeO ₄ .4H ₂ O	Ferrous Succinate Tetrahydrate M. W.: 243.92 Assay 99.0%	500 gm
028400 FeSO ₄ .7H ₂ O (7782-63-0)	Ferrous Sulphate Heptahydrate Purified M. W.: 278.01 Assay (Redox titration) 99.0%	500 gm 5 kg 25 kg 50 kg
529075 FeSO ₄ .7H ₂ O (7782-63-0)	Ferrous Sulphate Heptahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 278.01 Assay (Redox titration) 99.5%	500 gm
028401 FeSO ₄ .XH ₂ O (13463-43-9)	Ferrous Sulphate Hydrate (Ferrous Sulphate Exsiccated (Dried)) M. W.: 151.91 (anhy.) Assay (FeSO ₄) 86-90%	500 gm
026096 FeS (1317-37-9)	Ferrous Sulphide Fused Sticks for Producing H ₂ S M. W.: 87.92 Assay (Oxidimetry) 95.0%	1 kg 50 kg
737530 C ₂₀ H ₁₃ N ₄ NaO ₆ S ₂ (69898-45-9)	Ferrozine for Biochemistry [3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine-4, 4"-Disulphonic Acid Sodium Salt, PDT Disulphonate] (for Spectrophotometric det. of Fe) M. W.: 492.46	1 gm 5 gm
093775 C ₁₀ H ₁₀ O ₄ (537-98-4)	trans-Ferulic Acid for Synthesis M. W.: 194.2	10 gm 50 gm
	Feuigen Solution See Schiff's Reagent	
034121	Field's Stain A	25 gm 1 kg
025432	Field's Stain B	25 gm 1 kg
834430	Field's Stain Solution A	125 ml 500 ml
834440	Field's Stain Solution B	125 ml 500 ml
	Floor Wash See F.W009	
015025 MgO ₃ Si (1343-88-0)	Florisil 60-100™ Mesh for Column-Chromatography M.W. : 100.39 TM of US Silicate	100 gm 500 gm 1 kg
026099 HBF ₄ (16872-11-0)	Fluo Boric Acid Abt. 40% M.W.: 87.81 Assay 38.5-42.5%	500 ml 5 lit
094025 C ₁₃ H ₁₀ (86-73-7)	Fluorene for Synthesis M. W.: 166.22	100 gm 500 gm

F

Laboratory Chemicals

Product Code	Product Name	Packing
094105 C ₁₄ H ₁₂ O (24324-17-2)	9-Fluorene Methanol M. W.: 196.24 Assay 99.0%	25 gm 100 gm
094205 C ₁₄ H ₈ O ₃ (784-50-9)	9-Fluorenone-2-Carboxylic Acid M. W.: 224.21	1 gm
094195 C ₁₃ H ₈ O (486-25-9)	9-Fluorenone for Synthesis M.W. : 180.20 Assay 98.0%	100 gm 500 gm
028406 C ₂₀ H ₁₂ O ₅ (2321-07-5)	Fluorescein C.I. No. 45350 M. W.: 332.31 Dye Content : Abt. 95.0%	25 gm 100 gm 1 kg
834700 new	Fluorescein Indicator Solution (Adsorption indicator for precipitation analysis)	100 ml
834705 new	Fluorescein Solution (Reagent for Bromate)	100 ml
529870 C ₃₀ H ₂₆ N ₂ O ₁₃ (1461-15-0)	Fluorescein Complexone AR (Calcein Indicator) M. W.: 622.55 Abs. Max. (1N NaOH) 499 nm	1 gm 5 gm
094385 C ₂₁ H ₁₁ NO ₅ S (3326-32-7)	Fluorescein-iso-Thiocyanate M.W.: 389.38 Assay (HPLC) 98.0%	100 mgm 1 gm
028409 C ₂₀ H ₁₀ Na ₂ O ₅ (518-47-8)	Fluorescein Sodium C.I. No. 45350 M. W.: 376.3 Assay (by spectro. In buffer pH 8.0 Calc. on dried basis 98.0%	25 gm 100 gm 1 kg
010910 (68611-47-2)	Fluorescent F 254 Indicator for TLC	50 gm
834730	Fluorescent stains kit for mycobacteria	KIT
094495 C ₈ H ₇ FO (403-42-9)	4-Fluoro Acetophenone for Synthesis M. W.: 138.14 Assay 99.0%	100 gm 500 gm
094675 C ₆ H ₆ FN (348-54-9)	2-Fluoro Aniline for Synthesis M. W.: 111.12 Assay 99.0%	100 ml 500 ml
094985 C ₆ H ₆ FN (372-19-0)	3-Fluoro Aniline M. W.: 111.12	25 gm 100 gm
094995 C ₆ H ₆ FN (371-40-4)	4-Fluoro Aniline for Synthesis (p-fluoroaniline) (1-Amino-4-Fluorobenzene) M. W.: 111.12	100 ml 500 ml
095055 FC ₆ H ₄ CHO (459-57-4)	4-Fluoro Benzaldehyde M. W.: 124.11 Assay 98.0%	100 gm 500 gm
095060 new C ₆ H ₅ F (462-06-6)	Fluoro Benzene for Synthesis M.W : 96.11 Assay 99.0%	500 ml 2.5 lit

Product Code	Product Name	Packing
095085 C ₄ H ₄ FN ₃ O (2022-85-7)	5-Fluoro Cytosin for Biochemistry M. W.: 129.09	250 mgm 1 gm 5 gm
529900 C ₆ H ₃ FN ₂ O ₄ (70-34-8)	1-Fluoro-2, 4-Dinitro Benzene AR M. W.: 186.10 Assay (GC) 99.0%	25 gm 100 gm
095195 FC ₆ H ₃ (NO ₂)NH ₂ (369-36-8)	2-Fluoro-5-Nitro Aniline for Synthesis M. W.: 156.11 Assay 98.0%	25 gm 100 gm
095255 FC ₆ H ₄ NO ₂ (350-46-9)	1-Fluoro-4-Nitro Benzene for Synthesis M. W.: 141.10 Assay 98.0%	100 gm 500 gm
095345 FC ₆ H ₄ OH (367-12-4)	2-Fluoro Phenol M. W.: 112.10 Assay 97.5%	25 ml 100 ml
529925 FC ₆ H ₄ OH (371-41-5)	4-Fluoro Phenol AR M. W.: 112.10 Assay 98.5%	100 gm 500 gm
095495 C ₈ H ₇ FO ₂ (405-50-5)	4-Fluoro Phenyl Acetic Acid for Synthesis M. W.: 154.14	25 gm 100 gm
095515 C ₁₀ H ₁₃ FN ₂ (2252-63-3)	1-(4-Fluoro Phenyl) Piperazine M. W.: 180.22 Assay 98.0%	10 gm
095625 C ₅ H ₄ FN (372-48-5)	2-Fluoro Pyridine M. W.: 97.02 Assay 98.0%	10 gm
530035 C ₂₄ H ₁₆ O ₇ (596-09-8)	Fluoro Science Diacetate AR M. W.: 416.38	5 gm
530145 C ₇ H ₇ F (352-32-9)	4-Fluoro Toluene AR M. W.: 110.13 Assay 97.0%	100 ml
025442 C ₄ H ₃ FN ₂ O ₂ (51-21-8)	5-Fluoro Uracil M. W.: 130.08 Assay (Acidimetric, dried basis) 99.0-102.0%	1 gm 5 gm
095735 H ₂ SiF ₆ (16961-83-4)	Fluosilicic Acid for Synthesis M.W. : 144.90	500 ml
FM0055 C ₁₈ H ₁₇ NO ₄ (79990-15-1)	•FMOC-D-Alanine M. W.: 311.33	1 gm 5 gm 25 gm
FM0065 C ₁₈ H ₁₇ NO ₄ (35661-39-3)	•FMOC-L-Alanine M. W.: 311.33	5 gm 25 gm 100 gm
FM0075 C ₁₅ H ₁₃ NO ₂ (84418-43-9)	•FMOC-Amide for Biochemistry M. W.: 239.27	1 gm
FM0085 C ₁₉ H ₁₉ NO ₄ (135112-27-5)	•FMOC-2-Aminobutric Acid M. W.: 325.36	1 gm 5 gm

Product Code	Product Name	Packing
FM0095	•FMOC-D-Arginine	1 gm 25 gm
FM0105	•FMOC-L-Arginine C ₂₁ H ₂₄ N ₄ O ₄ (91000-69-0)	1 gm 5 gm 25 gm 100 gm
FM0115	•FMOC-D-Asparagine C ₁₉ H ₁₈ N ₂ O ₅ (108321-39-7)	1 gm 5 gm 25 gm
FM0125	•FMOC-L-Asparagine C ₁₉ H ₁₈ N ₂ O ₅ (71989-16-7)	5 gm 25 gm 100 gm
FM0135	•FMOC-L-Aspartic Acid-4- Benzy Ester for Biochemistry C ₂₆ H ₂₃ NO ₆ (86060-84-6)	10 gm 25 gm
FM0145	•FMOC-S-Benzyl-L-Cysteine (FMOC-L-Cys(BZL)-OH) (53298-33-2)	10 gm 25 gm
FM0155	•FMOC-O-Benzyl-L-Serine for Biochemistry C ₂₅ H ₂₃ NO ₅ (83792-48-7)	10 gm 25 gm
FM0165	•FMOC-Chloride for Biochemistry C ₁₅ H ₁₁ ClO ₂ (28920-43-6)	1 gm 25 gm
FM0175	•FMOC-D-Citrulline (200344-33-8)	100 mgm 500 mgm
FM0185	•FMOC-L-Citrulline C ₂₁ H ₂₃ N ₃ O ₅ (133174-15-9)	1 gm 5 gm
FM0195	•FMOC-L-Glutamic Acid-Benzyl Ester for Biochemistry C ₂₇ H ₂₅ NO ₆ (123639-61-2)	10 gm 25 gm
FM0205	•FMOC-D-Glutamine C ₂₀ H ₂₀ N ₂ O ₅ (112898-00-7)	500 mgm 25 gm
FM0215	•FMOC-L-Glutamine C ₂₀ H ₂₀ N ₂ O ₅ (71989-20-3)	5 gm 25 gm 100 gm
FM0225	•FMOC-L-Glycine (29022-11-5)	5 gm 25 gm 100 gm
FM0235	•FMOC-D-Isoleucine C ₂₁ H ₂₃ NO ₄ (143688-83-9)	500 mgm
FM0245	•FMOC-L-Isoleucine C ₂₁ H ₂₃ NO ₄ (71898-23-6)	5 gm 25 gm 100 gm
FM0255	•FMOC-D-Leucine C ₂₁ H ₂₃ NO ₄ (114360-54-2)	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
FM0265	•FMOC-L-Leucine C ₂₁ H ₂₃ NO ₄ (35661-60-0)	5 gm 25 gm 100 gm
FM0275	•FMOC-Lys (Alloc)-OH for Biochemistry C ₂₅ H ₂₈ N ₂ O ₆ (146982-27-6)	1 gm 5 gm
FM0285	•FMOC-N-e-Z-L-Lysine for Biochemistry C ₂₉ H ₃₀ N ₂ O ₆ (86060-82-4)	10 gm 25 gm
FM0295	•FMOC-D-Methionine C ₂₀ H ₂₁ NO ₄ S (112883-40-6)	1 gm 5 gm 25 gm
FM0315	•FMOC-L-Methionine C ₂₀ H ₂₁ NO ₄ S (71989-28-1)	5 gm 25 gm 100 gm
FM0325	•FMOC-4-Nitro-L-Phenylalanine for Biochemistry C ₂₄ H ₂₀ N ₂ O ₆ (95753-55-2)	5 gm
FM0335	•FMOC-D-Norleucine C ₂₁ H ₂₃ NO ₄ (112883-41-7)	1 gm 5 gm
FM0345	•FMOC-L-Norleucine C ₂₁ H ₂₃ NO ₄ (77284-32-3)	1 gm 5 gm
FM0355	•FMOC-D-Norvaline C ₂₀ H ₂₁ NO ₄ (144701-24-6)	1 gm 5 gm
FM0365	•FMOC-L-Norvaline C ₂₀ H ₂₁ NO ₄ (135112-28-6)	1 gm 5 gm
FM0375	•FMOC-Osu for Biochemistry C ₁₉ H ₁₅ NO ₅ (82911-69-1)	5 gm 25 gm
FM0385	•FMOC-D-Phenylalanine C ₂₄ H ₂₁ NO ₄ (86123-10-6)	1 gm 5 gm 25 gm 100 gm
FM0395	•FMOC-L-Phenylalanine C ₂₄ H ₂₁ NO ₄ (35661-40-6)	5 gm 25 gm 100 gm
FM0405	•FMOC-D-Phenylglycine for Biochemistry C ₂₃ H ₁₉ NO ₄ (111524-95-9)	10 gm 25 gm
FM0415	•FMOC-L-Phenylglycine for Biochemistry C ₂₃ H ₁₉ NO ₄ (102410-65-1)	10 gm 25 gm
FM0425	•FMOC-D-Proline C ₂₀ H ₁₉ NO ₄ (101555-62-8)	1 gm 5 gm 25 gm

F

Laboratory Chemicals

Product Code	Product Name	Packing
FM0435 C ₂₀ H ₁₉ NO ₄ (71989-31-6)	• FMOC-L-Proline M. W.: 337.37	5 gm 25 gm 100 gm
FM0445 C ₁₈ H ₁₇ NO ₅ (116861-26-8)	• FMOC-D-Serine M. W.: 327.33	500 mgm 25 gm
FM0455 C ₁₈ H ₁₇ NO ₅ (73724-45-5)	• FMOC-L-Serine M. W.: 327.33	5 gm 25 gm 100 gm
FM0465 C ₁₉ H ₁₉ NO ₅ .H ₂ O (157355-81-2)	• FMOC-D-Threonine M. W.: 359.37	5 gm 25 gm 100 gm
FM0475 C ₁₉ H ₁₉ NO ₅ .H ₂ O (73731-37-0)	• FMOC-L-Threonine M. W.: 359.37	5 gm 25 gm 100 gm
FM0485 C ₂₆ H ₂₂ N ₂ O ₄ (86123-11-7)	• FMOC-D-Tryptophan M. W.: 426.46	1 gm 5 gm 25 gm
FM0495 C ₂₆ H ₂₂ N ₂ O ₄ (35737-15-6)	• FMOC-L-Tryptophan M. W.: 426.46	5 gm 25 gm 100 gm
FM0505 C ₂₄ H ₂₁ NO ₅ (112883-29-1)	• FMOC-D-Tyrosine M. W.: 403.43	1 gm 5 gm 25 gm
FM0515 C ₂₄ H ₂₁ NO ₅ (92954-90-0)	• FMOC-L-Tyrosine M. W.: 403.43	5 gm 25 gm 100 gm
FM0525 C ₂₀ H ₂₁ NO ₄ (84624-17-9)	• FMOC-D-Valine M. W.: 339.39	1 gm 5 gm 25 gm
FM0635 C ₂₀ H ₂₁ NO ₄ (68858-20-8)	• FMOC-L-Valine M. W.: 339.39	5 gm 25 gm 100 gm
044043 C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)	Folic Acid for Biochemistry M. W.: 441.40 Assay (ex N on dry material) 94.0-101.0%	5 gm 10 gm 25 gm 100 gm
835020	Folin & Ciocalteu's Phenol Reagent	125 ml 250 ml 500 ml
835030	Folin & Ciocalteu's Phenol Reagent AR Suitable for use in protein determination (2.0 normal)	125 ml 500 ml
802860	Folin & Wu's Alkaline Copper Solution	500 ml
835100	Folin & Wu's Phosphate Molybdate Solution Percentage of H ₃ PO ₄ 30-35% w/v	100 ml 500 ml
835210 new	Food adulteration test kit (For the detection of common adulterants in food products)	20x25 te
835250 new	Formaldehyde 4% Buffered (pH 6.9) For Histology	5 lit

Product Code	Product Name	Packing
835270 new	Formaldehyde 20% Solution AR Stabilized with 10% methanol	500 ml 1 lit 2.5 lit
028421	Formaldehyde Solution 37-41% w/v for Synthesis (Formalin) CH ₂ O (50-00-0) M. W.: 30.03 Assay (acidimetric after oxidation) 37-41% w/v	500 ml 2.5 lit 5 lit 30 lit 100 lit
531140	Formaldehyde Solution 37-41% w/v AR/ACS CH ₂ O (50-00-0) M. W.: 30.03 Assay (acidimetric after oxidation) 37.0-41.0%v	500 ml 2.5 lit 30 lit 100 lit
937500 (50-00-0)	Formaldehyde Solution for Molecular Biology Assay 36.5-38.0%	500 ml
	Formaldehyde Diethyl Acetal See Diethoxy Methane (DEM)	
	Formaldehyde Dimethyl Acetal See 1,2 Dimethoxy methane	
	Formaldehyde Sodium Bisulphite See Sodium Formaldehyde Bisulphite	
	Formalin See Formaldehyde	
028422 CH ₃ NO (75-12-7)	Formamide M. W.: 45.04 Assay(GC) 98.5%	500 ml 2.5 lit 25 lit 200 lit
531160 CH ₃ NO (75-12-7)	Formamide AR/ACS M. W.: 45.04 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
937530 CH ₃ NO (75-12-7)	Formamide for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	500 ml 1 lit
737800 CH ₃ NO (75-12-7)	Formamide for UV Spectroscopy M. W.: 45.04	1 lit
096005	Formamidine Acetate for Synthesis NH=CHNH ₂ .CH ₃ COOH M. W.: 104.11 (3473-63-0) Assay 99.0%	100 gm 500 gm
	Formdiethylamide See N,N Dimethylformamide	
028428 H.COOH (64-18-6)	Formic Acid for Synthesis M. W.: 46.03 Assay(acidimetric) about 85.0%	500 ml 2.5 lit 25 lit
028430 H.COOH (64-18-6)	Formic Acid for Synthesis M. W.: 46.03 Assay (acidimetric) 98.0%	500 ml 2.5 lit 25 lit
531190 H.COOH (64-18-6)	Formic Acid AR M. W.: 46.03 Assay(acidimetric) 98.0%	500 ml 2.5 lit

Product Code	Product Name	Packing
	Formic Acid Ethyl Ester See Ethyl Formate	
737845	2-Formyl Benzene-Sulphonic Acid Sodium Salt (Benzaldehyde-2-Sulphonic Acid Sodium Salt)	100 gm 500 gm
C ₇ H ₅ NaO ₄ S (1008-72-6)	M. W.: 208.17 Assay 95.0%	
531235	4-Formyl Benzoic Acid AR	25 gm
HO ₂ CC ₆ H ₄ CHO (619-66-9)	M. W.: 150.13 Assay 96.5-103.5%	
	Formyldimethyl Aniline See p-Dimethylamino Benzaldehyde	
531305	N-Formyl Piperidine AR (Piperidine -1-Carboxaldehyde)	100 gm 500 gm
C ₆ H ₁₁ NO (2591-86-8)	M. W.: 113.16 Assay 99.0%	
835500	Fouchet's Reagent for Bile Pigment	125 ml
028433	D-Fructose Pure	100 gm 250 gm 500 gm 50 kg
C ₆ H ₁₂ O ₆ (57-48-7)	M. W.: 180.16	
531345	D-Fructose AR	100 gm 500 gm
C ₆ H ₁₂ O ₆ (57-48-7)	M. W.: 180.16	
096325	D-Fructose-1,6-Diphosphate Trisodium Salt for Biochemistry	1 gm 5 gm
(81028-91-3)		
034031	Fuchsin Acid for Microscopy C.I. No. 42685	25 gm 100 gm
C ₂₀ H ₁₇ N ₃ O ₉ S ₃ Na ₂ (3244-88-0)	M. W.: 585.55 Dye content (titrimetry, dried) >60.0%	
034032	Fuchsin Basic for Microscopy C.I. No. 42510	25 gm 100 gm 1 kg
C ₂₀ H ₂₀ N ₃ Cl (632-99-5)	M. W.: 337.86 Dye content (titrimetry, dried substance) >88.0%	
	Fuchsin (NB) See New Fuchsin	
835600	Fuchsin Basic 0.1% Aqueous Solution	125 ml 500 ml
096415	L-Fucose for Biochemistry	1 gm 5 gm
C ₆ H ₁₂ O ₅ (2438-80-4)	M. W.: 164.16	
033053	Fuller's Earth for adsorption purpose pH (10% Suspension)-3.0-5.0	500 gm
(8031-18-3)		
028435	Fumaric Acid for Synthesis	500 gm 5 kg 50 kg
C ₄ H ₄ O ₄ (110-17-8)	M. W.: 116.07 Assay (acidimetric) 99.0%	
531365	Fumaric Acid AR	500 gm
C ₄ H ₄ O ₄ (110-17-8)	M. W.: 116.07 Assay 99.5%	
	Fumaric Acid Disodium Salt See Sodium Fumarate	
	Fungal Diastase See Diastase	

Product Code	Product Name	Packing
096725	Furan for Synthesis	100 ml
C ₄ H ₄ O (110-00-9)	M. W.: 68.07 Assay 99.0%	500 ml 2.5 lit
025433	3-Furanboronic Acid	1 gm 5 gm
C ₄ H ₅ BO ₃ (55552-70-0)	M. W.: 111.89	
025435	Furazolidone for Lab Use	5 gm
C ₈ H ₇ N ₃ O (67-45-8)	M. W.: 225.16	
	Furfural See Furfuraldehyde	
028438	Furfuraldehyde (FURFURAL)	500 ml 2.5 lit 25 lit
C ₅ H ₄ O ₂ (98-01-1)	M. W.: 96.09 assay (ex CHO) 98-101%	
531410	Furfuraldehyde AR/ACS (FURFURAL)	500 ml
C ₅ H ₄ O ₂ (98-01-1)	M. W.: 96.09 Assay (GC) 99.0%	
025437	Furfuryl Alcohol for Synthesis	500 ml 2.5 lit 25 lit
C ₅ H ₆ O ₂ (98-00-0)	M. W.: 98.10 Assay (GC) 98.0%	
	6-Furfuryl Amino Purine See Kinetine	
096915	Furfurylamine for Synthesis	500 ml 2.5 lit 25 lit 200 lit
C ₅ H ₅ NO (617-89-0)	M. W.: 97.12	
097225	2-Furoic Acid for Synthesis	100 gm 500 gm
C ₅ H ₄ O ₃ (88-14-2)	M. W.: 112.08	
097335	2-Furoyl Chloride for Synthesis (Furan-2-Carbonyl Chloride)	100 ml
C ₅ H ₃ ClO ₂ (527-69-5)	M. W.: 130.53	
025445	Fusion Mixture	500 gm
531455	Fusion Mixture AR	500 gm

F

Laboratory Chemicals



Product Code	Product Name	Packing
	Gaba See p-Amino Butyric Acid	
839060	Gadolinium (Gd) Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO₃ Nist Traceable	100 ml 500 ml
839070	Gadolinium (Gd) 1000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml 500 ml
RE1075 Gd (7440-54-2)	Gadolinium Metal Ingot M. W.: 157.25 Assay (Trace metal basis) 99.99%	10 gm
RE1080 Gd (7440-54-2)	Gadolinium Metal Lump (1 cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1085 Gd (7440-54-2)	Gadolinium Metal Powder 325 mesh M. W.: 157.25 Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm
RE1090 Gd (7440-54-2)	Gadolinium Metal Rod (5mmx30cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	1 PC
RE1095 Gd (7440-54-2)	Gadolinium Metal Foil (0.25mmx40cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	1 PC
RE1100 Gd (7440-54-2)	Gadolinium Metal Foil (0.50mmx40cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	1 PC
RE1105 Gd (7440-54-2)	Gadolinium Metal SLAB (1cmx40cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	1 PC
RE1110 Gd (7440-54-2)	Gadolinium Metal Disc (0.1mmx35cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	1 PC
RE1125 Gd(CH ₃ CO ₂) ₃ .XH ₂ O (100587-93-7)	Gadolinium (III) Acetate M. W.: 334.39 Assay (Trace metal basis) 99.9%	5 gm 25 gm 100 gm
RE1130 Gd(CH ₃ CO ₂) ₃ .XH ₂ O (100587-93-7)	Gadolinium (III) Acetate M. W.: 334.39 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1135 Gd(CH ₃ CO ₂) ₃ .XH ₂ O (100587-93-7)	Gadolinium (III) Acetate M. W.: 334.39 Assay (Trace metal basis) 99.999%	5 gm 10 gm 25 gm
RE1145 Gd ₂ (CO ₃) ₃ .XH ₂ O (38245-36-2)	Gadolinium (III) Carbonate M. W.: 494.53 Assay (Trace metal basis) 99%	25 gm 100 gm 500 gm
RE1150 Gd ₂ (CO ₃) ₃ .XH ₂ O (38245-36-2)	Gadolinium (III) Carbonate M. W.: 494.53 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE1155 Gd ₂ (CO ₃) ₃ .XH ₂ O (38245-36-2)	Gadolinium (III) Carbonate M. W.: 494.53 Assay (Trace metal basis) 99.99%	25 gm
RE1160 Gd ₂ (CO ₃) ₃ .XH ₂ O (38245-36-2)	Gadolinium (III) Carbonate M. W.: 494.53 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE1175 GdCl ₃ .6H ₂ O (13450-84-5)	Gadolinium (III) Chloride M. W.: 371.70 Assay (Trace metal basis) 99.9%	10 gm 25 gm 100 gm 1 kg

Product Code	Product Name	Packing
RE1180 GdCl ₃ .6H ₂ O (13450-84-5)	Gadolinium (III) Chloride M. W.: 371.70 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1185 GdCl ₃ .6H ₂ O (13450-84-5)	Gadolinium (III) Chloride M. W.: 371.70 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE1195 GdI ₃ (13572-98-0)	Gadolinium (III) Iodide M.W.: 537.96 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE1210 Gd(NO ₃) ₃ .XH ₂ O(X=6) (94219-55-3)	Gadolinium (III) Nitrate M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE1215 Gd(NO ₃) ₃ .XH ₂ O(X=6) (94219-55-3)	Gadolinium (III) Nitrate M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1220 Gd(NO ₃) ₃ .XH ₂ O(X=6) (94219-55-3)	Gadolinium (III) Nitrate M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.999%	25 gm
RE1230 Gd ₂ (C ₂ O ₄) ₃ .10H ₂ O (22992-15-0)	Gadolinium (III) Oxalate M. W.: 578.55 Assay (Trace metal basis) 99%	25 gm 100 gm 500 gm
RE1240 Gd ₂ (C ₂ O ₄) ₃ .10H ₂ O (22992-15-0)	Gadolinium (III) Oxalate M. W.: 578.55 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1245 Gd ₂ (C ₂ O ₄) ₃ .10H ₂ O (22992-15-0)	Gadolinium (III) Oxalate M. W.: 578.55 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE1255 Gd ₂ O ₃ (12064-62-9)	Gadolinium (III) Oxide M. W.: 362.50 Assay (Trace metal basis) 99.9%	5 gm 25 gm 100 gm 500 gm
RE1260 Gd ₂ O ₃ (12064-62-9)	Gadolinium (III) Oxide M. W.: 362.50 Assay (Trace metal basis) 99.99%	25 gm 50 gm 250 gm 1 kg
RE1265 Gd ₂ O ₃ (12064-62-9)	Gadolinium (III) Oxide M. W.: 362.50 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE1270 Gd ₂ O ₃ (12064-62-9)	Gadolinium (III) Oxide M. W.: 362.50 Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE1285 Gd ₂ (SO ₄) ₃ .8H ₂ O (13450-87-8)	Gadolinium (III) Sulphate M. W.: 746.81 Assay (Trace metal basis) 99.9%	10 gm 50 gm 100 gm
RE1295 Gd ₂ (SO ₄) ₃ .8H ₂ O (13450-87-8)	Gadolinium (III) Sulphate M. W.: 746.81 Assay (Trace metal basis) 99.999%	5 gm 25 gm
	X-Gal See 5-Bromo-4-Chloro-3-Indolyl-B-D-Galactopyranoside	
025356 C ₆ H ₁₄ ClNO ₅ (1772-03-8)	D-Galactosamine Hydrochloride M. W.: 215.63 Assay (Non-aqueous) 98.0%	100 mgm 1 gm 5 gm

Product Code	Product Name	Packing
	Galactitol See Dulcitol	
038026	D-Galactose	25 gm
$C_6H_{12}O_6$ (59-23-4)	M.W 180.16	100 gm
030512	Gallic Acid	100 gm
$C_7H_6O_5 \cdot H_2O$ (5995-86-8)	M. W.: 188.14 Assay (acidimetric) 98.0%	500 gm 25 kg
839085 new	Gallic Acid Solution (Reagent for Cerium)	100 ml
839100	Gallium (Ga) Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 Nist Traceable	100 ml 500 ml
839110	Gallium (Ga) 1000 ppm Single Element Std. Soln. for ICP in 2% HNO_3	50 ml 100 ml
044045 (9000-70-8)	Gelatin for Bacteriology	500 gm 50 kg
025346 (1405-41-0)	Gentamicin Sulphate for Lab Use	1 gm 5 gm 25 gm
034033 $C_{25}H_{30}ClN_3$ (548-62-9)	Gentian Violet Powder M. W.: 407.99 Dye content (spectrophotometry; on dried substance) Abt. 75.0%	25 gm 100 gm 1 kg
535205 (548-62-9)	Gentian Violet AR (C.I. No. 42555+42535)	25 gm 100 gm
839200	Gentian Violet Alcoholic Solution	125 ml
839210	Gentian Violet Aqueous Solution	125 ml
103995 (554-91-6)	b-Gentiobiose for Biochemistry Assay (GC) 85.0%	100 mgm 1 gm
104195 $(CH_3)_2C=CHCH_2CH_2C(CH_3)=CHCH_2OH$ (106-24-1)	Geraniol for Synthesis M. W.: 154.25 Assay 98.0%	100 gm 500 gm
104205 $CH_3CO_2CH_2CH=C(CH_3)CH_2CH_2CH=(CH_3)_2$ (105-87-3)	Geraniol Acetate for Synthesis M. W.: 196.29 Assay 97.5%	500 gm
104315 $C_{14}H_{24}O_2$ (106-29-6)	Geranyl Butyrate for Synthesis M. W.: 224.34	500 gm
104325 $C_{11}H_{18}O_2$ (105-86-2)	Geranyl Formate for Synthesis M. W.: 182.26	500 gm
104335 $C_{18}H_{24}O_2$ (102-22-7)	Geranyl Phenyl Acetate for Synthesis M. W.: 272.38	500 gm
104345 $C_{13}H_{22}O_2$ (105-90-8)	Geranyl Propionate for Synthesis M. W.: 210.31	500 gm
839265	Germanium (Ge) Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 Nist Traceable	100 ml 500 ml

Product Code	Product Name	Packing
839270	Germanium (Ge) 1000 ppm Single Element Std. Soln. for ICP in 5% HNO_3 1% HF	100 ml
104505 Ge (7440-56-4)	Germanium (Metal) Lump M. W.: 72.64 Assay 99.9%	5 gm
104515 Ge (7440-56-4)	Germanium (Metal) Powder M.W.: 72.64 Assay 99.9%	10 gm
028446 GeO_2 (1310-53-8)	Germanium Dioxide M. W.: 104.64 Assay (trace metals basis) 99.999%	1 gm 10 gm 25 gm
044047 $C_{19}H_{22}O_6$ (77-06-5)	Gibberellic Acid M.W.: 346.38 Assay - min. 90%	1 gm 10 gm 100 gm 1 kg
	Gibbs Reagent See 2,6, Dichloroquinone-4-Chlorimide	
	Giemsa's Azur Eosin Methylene Blue Solution See Giemsa's Staining Solution	
034034 $C_{14}H_{14}ClN_3S$ (51811-82-6)	Giemsa's Stain for Microscopy for staining blood smears and protozoa M. W.: 291.8	10 gm 25 gm 100 gm
839300	Giemsa's Stain Solution (AZUR-eosin-methylene blue soln.)	125 ml 250 ml
535915 (123-46-6)	Girard's Reagent T AR (Acethydrazide Trimethyl Ammonium Chloride)	25 gm 100 gm 500 gm
	Glass Cleaner, Kolin See G.C009	
025353	Glass Wool	250 gm
025835	Glass Beads 3.5 - 4.5 mm	500 gm
104725 $C_6H_{12}O_7$ (526-95-4)	D-Gluconic Acid (45-50%) M. W.: 196.16	500 ml 2.5 lit
104805 $C_6H_{13}NO_5 \cdot HCl$ (66-84-2)	D (+) Glucosamine Hydrochloride for Biochemistry (2-Amino-2-Deoxy-D-Glucose) M. W.: 215.63	25 gm 100 gm
	D-Glucose Anhydrous/Monohydrate See Dextrose Anhydrous / Monohydrate	
	Glucose Reagent (o-Toluidine) See o-Toluidine	
039016 (9001-37-0)	Glucose Oxidase (GOD) Aspergillus Niger Lyophilised Powder Containing 75% Protein Activity 100,000 - 150,000 Units/g Protein	10000 Units 100000 Units
104945 (150399-99-8)	D-Glucose 1-Phosphate Disodium Salt Tetrahydrate for Biochemistry	1 gm 5 gm 25 gm

G

Laboratory Chemicals

Product Code	Product Name	Packing
104965 (3671-99-6)	D-Glucose 6-Phosphate Disodium Salt Dihydrate for Biochemistry	1 gm 5 gm 25 gm
536125 (3671-99-6)	Glucose 6-Phosphate Disodium Salt Dihydrate AR for Biochemistry	1 gm
104995 C ₆ H ₁₁ O ₉ PK ₂ .2H ₂ O (5996-14-5)	Glucose-1-Phosphate Dipotassium Salt for Biochemistry M. W.: 272.35	100 mgm 500 mgm 1 gm
536335 C ₆ H ₁₁ O ₉ PNa ₂ .XH ₂ O (56401-20-8)	Glucose-1-Phosphate Disodium Salt AR for Biochemistry M. W.: 304.10 (Anhy.)	1 gm
105155 (9001-40-5)	Glucose-6-Phosphate Dehydrogenase from Microorganism Lyophilized Powder, Activity ~ 400-450U/mg	1000 units
839440	Glucose Stock Standard solution 1% Assay (Benedice's test) 0.95-1.05% w/v	125 ml
105265 (9001-42-7)	α-Glucosidase from Microorganism Lyophilized Powder, Activity ~ 100-150 U/mg (α-D-Glucoside Glucohydrolase)	100 mgm
105305 (9029-11-2)	L-Glutamate Dehydrogenase from Microorganism Lyophilized Powder, Activity ~ 220-260U/mg (Glutamate Dehydrogenase)	2000 units
044515 C ₅ H ₉ NO ₄ (6893-26-1)	D-Glutamic Acid for Biochemistry M. W.: 147.13 Assay 99.0%	1 gm 5 gm 25 gm
037102 C ₅ H ₉ NO ₄ (56-86-0)	L-Glutamic Acid for Biochemistry M. W.: 147.13 Assay (Non. aq.) 99.0%	100 gm 250 gm 500 gm 10 kg
	L-Glutamic Acid Mono Sodium Salt See Sodium-L-Glutamate	
025345 C ₅ H ₁₀ N ₂ O ₃ (56-85-9)	L-Glutamine for Biochemistry M. W.: 146.15 Assay (Non-aq. dried) 99.0%	25 gm 100 gm 1 kg
105415 (7300-59-6)	L-γ-Glutamyl-p-Nitroanilide Monohydrate [GPNA, L-Glutamic Acid 1-(4-Nitroanilide)] for Biochemistry	1 gm 5 gm 25 gm
839600	Glutaraldehyde 2% Solution in water	1 lit 5 lit
839610	Glutaraldehyde 8% Solution in Water Fixing Agent	100 ml
036080 C ₅ H ₈ O ₂ (111-30-8)	Glutaraldehyde Soln. 25% M. W.: 100.12 Assay (Glutaraldehyde) 25.0%	500 ml 2.5 lit 25 lit
105595 (110-94-1)	Glutaric Acid for Synthesis M. W.: 132.11	100 gm 500 gm

Product Code	Product Name	Packing
037109 C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	Glutathione Reduced for Biochemistry M. W.: 307.33 Assay (Iodometric) 98.0%	1 gm 5 gm 25 gm
028454 C ₃ H ₈ O ₃ (56-81-5)	Glycerine Purified (Glycerol) M. W.: 92.09 Assay (GC) 98.0%	500 ml 1 lit 2.5 lit 5 lit 25 lit
537055 C ₃ H ₈ O ₃ (56-81-5)	Glycerine AR M. W.: 92.09 Assay (GC) 99.5%	500 ml 1 lit 2.5 lit 5 lit 25 lit 200 lit
839650 new	Glycerin TS acc. to USP	500 ml
105685 (9030-66-4)	Glycerokinase from Cellulomonas sp. Lyophilized Powder, Activity~80-120U/mg (ATP: Glycerol 3-Phosphotransferase, Glycerol Kinase)	1000 units
	Glycerol See Glycerine	
105795 C ₃ H ₇ ClO ₂ (96-24-2)	Glycerol A-Chloro Hydrin for Synthesis M. W.: 110.54 Assay 98.0%	500 gm
940500 C ₃ H ₈ O ₃ (56-81-5)	Glycerol for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	500 ml
105885 C ₄ H ₈ O ₃ (99569-11-6)	Glycerol Formal (Mixture of Alpha & Beta Isomers) M. W.: 104.10	100 ml 500 ml
	Glycerol Jelly Kaiser's See Kaiser's glycerol gelatin	
026105 C ₁₇ H ₃₅ .COO.CH ₂ .CHOH.CH ₂ OH (31566-31-1)	Glycerol Monostearate Self Emulsifying M. W.: 358.56	500 gm 1 kg
028456 C ₉ H ₁₄ O ₆ (102-76-1)	Glycerol Triacetate for Biochemistry M. W.: 218.21 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
041007 C ₁₅ H ₂₆ O ₆ (60-01-5)	Glycerol Tributryrate for Biochemistry M. W.: 302.36	100 ml 500 ml 25 lit
105995 (9046-28-0)	L-α-Glycerophosphate Oxidase From Microorganism Lyophilized Powder, (sn-Glycerol-3-Phosphate:Oxygen 2-Oxidoreductase, L-Glycerol 3-Phosphate Oxidase) Activity~22-28U/mg	1000 units
537235 C ₃ H ₆ O ₂ (57044-25-4)	R (+)Glycidol AR M. W.: 74.08 Assay (GC) 97.0%	1 gm 5 gm
537255 C ₃ H ₆ O ₂ (60456-23-7)	S (-)Glycidol AR M. W.: 74.08 Assay (GC) 97.0%	1 gm 5 gm

Product Code	Product Name	Packing
028458 C ₂ H ₅ NO ₂ (56-40-6)	Glycine Pure M. W.: 75.07 Assay (Non-aq.) 99.0%	250 gm 500 gm 5 kg 25 kg 50 kg
537345 C ₂ H ₅ NO ₂ (56-40-6)	Glycine AR for Biochemistry, Bacteriology Tissue Culture Buffering Substance Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 75.07 Assay (Non-aqueous, on dried subs.) 99.5%	100 gm 500 gm 5 kg 25 kg 50 kg
940600 C ₂ H ₅ NO ₂ (56-40-6)	Glycine for Molecular Biology M. W.: 75.07 Assay (Non-aqueous) 99.0%	100 gm 500 gm
106185 C ₄ H ₆ N ₂ O ₂ (106-57-0)	Glycine Anhydride M. W.: 114.10	25 gm 100 gm
106295 C ₉ H ₁₁ NO ₂ .HCl (2462-31-9)	Glycine Benzyl Ester HCL for Biochemistry M.W. : 201.65	5 gm 25 gm
106385 C ₉ H ₁₁ NO ₂ C ₇ H ₈ O ₃ S (1738-76-7)	Glycine Benzyl Ester P-Toluene Sulfonate for Biochemistry M. W.: 337.39 Assay (T) 99.0%	25 gm
106405 NH ₂ CH ₂ COOC ₂ H ₅ .HCl (623-33-6)	Glycine Ethyl Ester Hydrochloride for Synthesis M. W.: 139.58 Assay 99.0%	100 gm 500 gm
025336 C ₂ H ₅ NO ₂ .HCl (6000-43-7)	Glycine Hydrochloride M. W.: 111.53	100 gm
106525 NH ₂ CH ₂ COOCH ₃ .HCl (5680-79-5)	Glycine Methyl Ester HCl for Synthesis M. W.: 125.55 Assay 99.0%	100 gm 500 gm
038042 (C ₆ H ₁₀ O ₅) _x (9005-79-2)	Glycogen for Biochemistry from Oyster Assay 85.0%	1 gm 5 gm 25 gm
026106 C ₂ H ₄ O ₃ (79-14-1)	Glycolic Acid (65 % in water) M. W.: 76.05 Assay (acidimetric) Abt. 65.0%	500 ml 2.5 lit 25 lit
037113 C ₄ H ₈ N ₂ O ₃ (556-50-3)	N-Glycyl Glycine for Biochemistry M. W.: 132.12 Assay (non-aqueous) 99.0%	10 gm 100 gm
106705 (107-22-2)	Glyoxal (Solution 40% In Water) for Synthesis	500 ml 2.5 lit
537625 (107-22-2)	Glyoxal (Solution 40% In Water) AR	1 lit
537695 (1149-16-2)	Glyoxal Bis-(2-Hydroxyanil) AR Reagent for Calcium & Uranium	25 gm



Product Code	Product Name	Packing
	Glyoxaline See Imidazole	
839850 (298-12-4)	Glyoxylic Acid Solution 50% for Synthesis	250 ml 2.5 lit
839910	Gold (Au) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl Nist Traceable	250 ml
839960	Gold (Au) 1000 ppm Single Element Std. Soln. for ICP in Diluted HCl , Nist Traceable	100 ml 500 ml
839980	Gold (Au) 10000 ppm Single Element Std. Soln. for ICP in Diluted HCl , Nist Traceable	100 ml 500 ml
037115 Au (7440-57-5)	Gold Metal Powder M. W.: 196.97	1 gm
537865 Au (7440-57-5)	Gold Metal AR M. W.: 196.97 Assay (trace total basis) 99.999%	1 gm 5 gm
	Gold Chloride See Chloroauric Acid	
	Gower's Reagent See R.B.C. Diluting Fluid (Gower's)	
840050	Gram's Colour Staining kit	Kit
840090	Gram's Crystal Violet	125 ml
840120	Gram's Decolourizer	500 ml
840150	Gram's Fuchsin Basic 0.1%	125 ml
106955	Gram's Iodine for Microscopical Staining	25 gm 100 gm
840200	Gram's Iodine Solution Iodine content 0.33%	125 ml
840203	Gram's Iodine Staining Solution	125 ml
840250	Gram's Safranin 0.5% w/v	125 ml
025362 C (7782-42-5)	Graphite Fine Powder Pract A.W.: 12.01	500 gm
107105 C ₇ H ₈ O ₂ (90-05-1)	Guaiacol (o-Methoxyphenol) M.W. : 124.14	500 ml
107285 (593-85-1)	Guanidine Carbonate for Synthesis	100 gm 1 kg
107310 CH ₅ N ₃ .HCl (50-01-1)	Guanidine Hydrochloride (Guanidinium Chloride) M. W.: 95.53 Assay (Argentometric) 98.0%	100 gm 1 kg
540865 CH ₅ N ₃ .HCl (50-01-1)	Guanidine Hydrochloride AR for Biochemistry M. W.: 95.53 Assay (Argentometric) 98.0%	100 gm 500 gm
941100 (50-01-1)	Guanidine Hydrochloride for Molecular Biology	100 gm 500 gm
	Guanidine Hydrothiocyanate See Guanidine Thiocyanate	

G

Laboratory Chemicals

Product Code	Product Name	Packing
025325 CH ₆ N ₄ O ₃ (506-93-4)	Guanidine Nitrate M.W.: 122.08 Assay (Non-aqueous) 98.0%	250 gm
044324 C ₂ H ₆ N ₄ S (593-84-0)	Guanidine Thiocyanate M. W.: 118.16 Assay 99.0%	100 gm 500 gm
	Guanidinium Rhodanide See Guanidine Thiocyanate	
042035 C ₅ H ₅ N ₅ O (73-40-5)	Guanine for Biochemistry M. W.: 151.13 Assay (dried, Non-aqueous) 97.0%	5 gm 25 gm 100 gm
042036 C ₅ H ₅ N ₅ O.HCl (635-39-2)	Guanine Hydrochloride for Biochemistry M. W.: 187.59 Assay (Acidimetric) 98.0%	1 gm 5 gm 25 gm
025349 C ₅ H ₅ N ₅ O½H ₂ SO ₄ (10333-92-3)	Guanine Sulphate for Biochemistry M. W.: 200.20 Assay 99.0%	1 gm 5 gm
107485 (118-00-3)	Guanosine for Biochemistry (D-Guanosine)	10 gm 25 gm
042059 C ₁₀ H ₁₂ N ₅ NaO ₈ PXH ₂ O (5550-12-9)	Guanosine-5-Monophosphate Disodium Salt for Biochemistry M.W. : 407.19 (anhy.) Assay (On dried metrial spectrophotometric 260nm)96.0%	1 gm 5 gm 25 gm
	Guanylhydrazine Bicarbonate Salt See Aminoguanidine Bicarbonate	

Product Code	Product Name	Packing
025368 (9000-30-0)	Guar gum Powder of Endosperm	500 gm
541045 (9000-30-0)	Guar Gum AR	500 gm
	Gum Acacia See Acacia	
025347 (9000-28-6)	Gum Ghatti Suitable for Urea Nitrogen estimation	100 gm 500 gm
840390	Gum Ghatti Solution	125 ml
	Gum Guar See Guar Gum	
107675 (9000-36-6)	Gum Karaya for Synthesis	500 gm 25 kg
054525 (8050-09-7)	Gum Rosin	250 gm 1 kg
033215 (9000-65-1)	Gum Tragacanth Powder	500 gm
	Gum Xanthan See Xanthan Gum	
840590	Gunzburg Reagent (Test reagent for free HCl in gastric juice)	100 ml
	Gerber Reagent See Osmic Acid Solution	
107705	Gypsum Powder Pract (Natural Hydrated Calcium Sulphate)	500 gm



GADOLINIUM

Gadolinium, atomic no.: 64, symbol as Gd, weight at 157.25, is utilized for both its high magnetic moment (7.94uB) and in phosphors and scintillated material. When mixed with EDTA dopants, it is used as an injectable contrast agent for patients undergoing magnetic resonance imaging. With its high magnetic moment, Gadolinium can reduce relaxation times and thereby enhance signal intensity.



NMR SOLVENTS



Product Code	Product Name	CAS No.
D00990	Acetic-d ₃ Acid-d	1186-52-3
D01269	Acetone-d ₆	666-52-4
D01548	Acetonitrile-d ₃	2206-26-0
D06957	Ammonium-d ₄ Formate-d	65387-23-7
D08757	Ammonium-d ₈ Sulphate	13814-01-2
D12357	Anthracene-d ₁₀	1719-06-8
D14175	Benzene-d ₆	1076-43-3
D15417	Benzoic-d ₅ Acid	1079-02-3
D16227	Biphenyl-d ₁₀	1486-01-7
D18927	Boric Acid-d ₃	14149-58-7
D28827	Chlorobenzene - d ₅	3114-55-4
D29727	Chloroform -d	865-49-6
D29754	Chloroform -d, Cont. 0.03 v/v % TMS	865-49-6
D39663	Dichloromethane-d ₂	1665-00-5
D54072	Dimethyl Sulphoxide-d ₆ (DMSO-d ₆)	2206-27-1
D63126	Hexane-d ₁₄	21666-38-6
D73026	Methyl-d ₃ Alcohol	1849-29-2
D73206	Methyl-d ₃ Alcohol-d (Methanol-d ₄)	811-98-3
D44172	N,N-Dimethyl-d ₆ -Formamide (DMF-d ₆)	185990-36-7
D79578	Naphthalene-d ₈	1146-65-2
D84078	Paraformaldehyde-d ₂	32008-59-6
D87678	Phenol-d ₆	13127-88-3
D89478	2-Propanol-d ₁	3972-26-7
D93078	Pyridine-d ₅	7291-22-7
D96678	Sodiumacetate -d ₃	39230-37-0
D98568	Terephthalic -d ₄ -Acid	60088-54-2
D99036	Tetramethylsilane (TMS)	75-76-3
D99450	Toluene-d ₈	2037-26-5
D99900	Trifluoroacetic acid-d (TFA-d)	599-00-8



..... and many more

HPLC SOLVENTS

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorbtion.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.



Product Code	Product Name	CAS No.
720750	1,2-Dichloroethane	107-06-2
729500	1,4-Dioxane	123-91-1
709700	1-Butanol	71-36-3
714900	1-Chloro Butane (n-Butyl Chloride)	109-69-3
753020	1-Methyl-2-Pyrrolidone	872-50-4
759200	1-Octanol	111-87-5
765800	1-Propanol	71-23-8
765860	2-Propanol	67-63-0
700380	Acetone	67-64-1
700630	Acetonitrile	75-05-8
700580	Acetonitrile for preparative	75-05-8
706950	Benzene	71-43-2
711100	Butanone	78-93-3
713910	Carbo Tech	56-23-5
715910	Chloroform	67-66-3
717600	Cyclohexane	110-82-7
720950	Dichloromethane	75-09-2
721900	Diethyl Ether (Solvent Ether, Ethyl Ether)	60-29-7
728300	Dimethyl Sulphoxide	67-68-5
730900	Ethyl Acetate	141-78-6
743560	Hexane	110-54-3
747000	Iso Butyl Methyl Ketone	108-10-1
747500	Iso Octane	540-84-1
752140	Methanol	67-56-1
752650	Methyl Acetate	79-20-9
723000	N,N-Dimethyl Acetamide	127-19-5
723600	N,N-Dimethyl Formamide	68-12-2
743100	n-Heptane	142-82-5
743600	n-Hexane	110-54-3
762700	n-Pentane	109-66-0
762825	Petroleum Ether 40-60°C	8032-32-4
762835	Petroleum Ether 60-80°C	8032-32-4
766500	Pyridine	110-86-1
710000	tert-Butanol	75-65-0
712900	tert-Butyl Methyl Ether	1634-04-4
774000	Tetrachloroethylene	127-18-4
774380	Tetrahydrofuran	109-99-9
775500	Toluene	108-88-3
775790	Trichloro Ethylene	79-01-6
776140	Trifluoro acetic Acid	76-05-1
779600	Water	7732-18-5

..... and many more

Product Code	Product Name	Packing
	HABA See 2-(4-Hydroxy benzeneazo) Benzoic Acid	
044184 (9008-02-0)	Haemoglobin Powder	100 gm 500 gm
110215 $C_{16}H_{14}O_6 \cdot H_2O$ (517-28-2)	Haematoxylin Stain C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (Spectrophotometry) 80.0%	5 gm 25 gm
034037 $C_{16}H_{14}O_6 \cdot H_2O$ (517-28-2)	Haematoxylin Stain Certified C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (Spectrophotometry) >95.0%	5 gm 25 gm
844050	Haematoxylin Delafield Staining Soln.	125 ml
844070	Haematoxylin (Ehrlich) Staining Soln.	125 ml
	Haematoxylin Harri's Staining Solution See Papanicolaous Solution 1a Harris	
844100	Haematoxylin Solution Modified Acc. to Gill II for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	500 ml
844120	Haematoxylin Solution Modified Acc. to Gill III for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	500 ml
844140	Haematoxylin Mayer's Solution (Hemalum Mayer's)	100 ml 500 ml
844000	Hafnium (Hf) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 Nist Traceable	100 ml 500 ml
844020	Hafnium (Hf) 1000 ppm Single Element Std. Soln. for ICP in HNO_3	100 ml
540955 HfO_2 (12055-23-1)	Hafnium Oxide AR M. W.: 210.49 Assay 99.9%	1 gm 5 gm 25 gm 100 gm
	Hand Wash See HW009	
844035 new	Hanus' Solution (for determining Iodine number)	100 ml
025344 $C_{13}H_{14}N_2O$ (304-21-2)	Harmaline M. W.: 214.26	1 gm
025342 $C_{13}H_{12}N_2O$ 442-51-3	Harmine M. W.: 212.25 Assay 98.0%	1 gm
110135 $C_{10}H_{15}F_6N_6OP$ (148893-10-1)	HATU for Peptide Synthesis [O-(7-Azabenzotriazol-1-yl)- N,N,N,N-Tetramethyl-Uronium Hexafluorophosphate] M. W.: 380.23	1 gm 5 gm 25 gm
	Hayem's Reagent See R.B.C. Diluting Fluid	

Product Code	Product Name	Packing
110175 $C_{11}H_{16}F_6N_5OP$ (94790-37-1)	HBTU Solid Phase PeptideSynthesis Reagent (O-(1H -Benzotriazol -1-Yl) N,N,N,N-Tetramethyluroniumhexa Fluorophosphate) M. W.: 379.24 Assay (HPLC) 99.0%	5 gm 25 gm 100 gm
110205 $C_{11}H_{15}ClF_6N_5OP$ (330645-87-9)	HCTU for Synthesis (O-(6-Chlorobenzotriazol-1yl)- N,N,N,N-Tetramethyluronium Hexafluorophosphate) M. W.: 413.69 Assay (HPLC) 98.0%	5 gm 25 gm 100 gm
	Hemalum (Mayer's) See Hematoxylin Mayer's Solution	
541545 (9025-56-3)	Hemicellulase AR for Biochemistry	5 gm 25 gm
110565 $C_{34}H_{32}ClFeN_4O_4$ (16009-13-5)	Hemin for Biochemistry M.W. : 651.94 Assay (HPLC) 90.0%	1 gm 5 gm
110635	Heparin Sodium Pure Does not contain preservative Assay 150 U/mg	20,000 Unit vial 1,00,000 Unit vial
044147 $C_8H_{18}N_2O_4S$ (7365-45-9)	HEPES (Buffer) Suitable for Tissue Culture Work pKa - 7.5 M. W.: 238.30 Assay (potentiometric) 99.0%	25 gm 100 gm 500 gm
110720	HEPES Sodium Salt (Buffer)	25 gm 100 gm 500 gm
844200 new	HEPS Buffer Solution 1 M Solution in Water	100 ml 500 ml
110755 (111-71-7)	1-Heptaldehyde for Synthesis	1 lit
028471 (142-82-5)	Heptane Fraction from petroleum	500 ml 2.5 lit 25 lit 200 lit
028473 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-Heptane for Synthesis M. W.: 100.21 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
542005 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-Heptane AR M. W.: 100.21 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
743100 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-Heptane for HPLC & Spectroscopy M. W.: 100.21 Assay (GC) 99.0%	500 ml 1 lit
743140 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-Heptane for Pesticide Residue Trace Analysis M. W.: 100.21	1 lit 2.5 lit
743160 (22767-50-6)	1-Heptanesulphonic Acid Sodium Salt Anhydrous AR for HPLC	25 gm 100 gm

Product Code	Product Name	Packing
743180	1-Heptane Sulphonic Acid Sodium Salt AR Monohydrate for HPLC M. W.: 220.27 Assay (Acidimetric) 99.0%	5 gm 25 gm 100 gm
C ₇ H ₅ NaO ₃ S.H ₂ O (207300-90-1)		
110945	Heptanoic Acid for Synthesis (Ethanolic acid, Oenanthalic Acid) M. W.: 130.18 Assay (GC) 98.0%	500 ml
CH ₃ (CH ₂) ₅ COOH (111-14-8)		
111155	n-Heptanol , for Synthesis (Heptan-1-OL, n-Heptyl Alcohol) M. W.: 116.21	500 ml 2.5 lit 25 lit
C ₇ H ₁₆ O (111-70-6)		
542075	n-Heptanol AR (Ethanolic acid, Oenanthalic Acid) M. W.: 116.21	500 ml 2.5 lit 25 lit
C ₇ H ₁₆ O (111-70-6)		
	n-Heptyl Alcohol See n-Heptanol	
111305	Hesperidin M. W.: 610.56 Assay 80.0%	10 gm 100 gm 500 gm
C ₂₈ H ₃₄ O ₁₅ (520-26-3)		
542115	Hexachloro Benzene AR M. W.: 284.78	5 gm 25 gm
C ₆ Cl ₆ (118-74-1)		
025340	Hexachloro Ethane M. W.: 236.74 Assay (GC) 98.0%	500 gm 5 kg
C ₂ Cl ₆ (67-72-1)		
	Hexachloro Platinic (IV) Acid Hydrate See Chloro Platinic Acid Abt 40% Pt	
	1-Hexa Decanol See Cetyl Alcohol	
111615	n-Hexa Decane for Synthesis M. W.: 226.45 Assay 95.0%	100 ml 250 ml 500 ml
C ₁₆ H ₃₄ (544-76-3)		
542295	n-Hexa Decane AR M. W.: 226.45 Assay (GC) 95.0%	250 ml 500 ml
C ₁₆ H ₃₄ (544-76-3)		
743320	1-Hexa Decane Sulphonic Acid Sodium Salt (Anhydrous) HPLC M. W.: 328.49	5 gm 25 gm
CH ₃ (CH ₂) ₁₅ SO ₃ Na (15015-81-3)		
111745	Hexa Decylamine for Synthesis M. W.: 241.46 Assay 98.0%	5 gm 25 gm
CH ₃ (CH ₂) ₁₅ NH ₂ (143-27-1)		
	Hexadecyl Trimethyl Ammonium Bromide See N-Cetyl-N,N,N-Trimethyl Ammonium Bromide	
542485	Hexafluoro Phosphoric Acid 55% AR M. W.: 145.97	500 gm
HPF ₆ (16940-81-1)		
111805	1,1,1,3,3,3-Hexafluoro 2-Propanol for Synthesis M. W.: 168.04 Assay 99.0%	25 gm 100 gm
(CF ₃) ₂ CHOH (920-66-1)		

Product Code	Product Name	Packing
743405	1,1,1,3,3,3-Hexafluoro 2-Propanol for Spectroscopy	100 ml
(920-66-1)		
112115	Hexamethyl Disilane for Synthesis M. W.: 146.38	100 ml
C ₆ H ₁₈ Si ₂ (1450-14-2)		
112195	1,1,1,3,3,3-Hexamethyl Disilazane for Synthesis (Hmds, Bis-(Trimethylsilyl) Amine) M. W.: 161.39	100 ml 500 ml 2.5 lit
C ₆ H ₁₉ NSi ₂ (999-97-3)		
112295	Hexamethyl Disiloxane for Synthesis M. W.: 162.38	100 ml 500 ml
(CH ₃) ₃ SiOSi(CH ₃) ₃ (107-46-0)		
	Hexamethylene Glycol See 1,6-Hexanediol	
	Hexamethylene Tetramine See Hexamine	
112345 new	Hexamethylphosphoric Acid Triamide (HMPA) M.W: 179.2 Assay 98.5%	100 ml 500 ml
[(CH ₃) ₂ N] ₃ PO (680-31-9)		
028483	Hexamine (Hexamethylene Tetramine) M. W.: 140.19 Assay (acidimetric on dried subs.) 99.0%	500 gm 5 kg 25 kg 50 kg
(CH ₂) ₆ N ₄ (100-97-0)		
542535	Hexamine AR/ACS M. W.: 140.19 Assay (acidimetric on dried subs.) 99.5%	500 gm 5 kg 25 kg
(CH ₂) ₆ N ₄ (100-97-0)		
112405	Hexan-1-OL for Synthesis (n-Hexyl Alcohol, n-Hexanol) M. W.: 102.18 Assay 98.0%	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ O (111-27-3)		
542795	Hexan-1-OL AR (n-Hexyl Alcohol, n-Hexanol) M. W.: 102.18 Assay 98.5%	500 ml 2.5 lit 25 lit
C ₆ H ₁₄ O (111-27-3)		
112455 new	Hexane 65-70°C (FG) Fraction From Petroleum M.W : 86.18 Assay 85.0%	500 ml 1 lit 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)		
028485	Hexane Fraction from Petroleum M. W.: 86.18	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)		
542810	Hexane AR Fraction from Petroleum M. W.: 86.18	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)		
743560	Hexane for HPLC & Spectroscopy M. W.: 86.18	1 lit 2.5 lit
C ₆ H ₁₄ (110-54-3)		
D63126	Hexane-d₁₄ (for NMR Spectroscopy) M.W.: 100.29 Assay Min. 99 atom%D	5 ml
C ₆ D ₁₄ (21666-38-6)		

Product Code	Product Name	Packing
112460 new	n-Hexane C ₆ H ₁₄ (110-54-3) M.W. 86.18 Assay 95.0%	500 ml 2.5 lit 25 lit 200 lit
743605 new	n-Hexane HPLC & Spectroscopy C ₆ H ₁₄ (110-54-3) M.W. 86.18 Assay 95.0%	1 lit 2.5 lit
028488	n-Hexane for Synthesis CH ₃ (CH ₂) ₄ CH ₃ (110-54-3) M. W.: 86.18 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
542820	n-Hexane AR CH ₃ (CH ₂) ₄ CH ₃ (110-54-3) M. W.: 86.18 Assay (GLC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
743600	n-Hexane for HPLC & Spectroscopy CH ₃ (CH ₂) ₄ CH ₃ (110-54-3) M. W.: 86.18 Assay (GLC) 99.0%	1 lit 2.5 lit
743650	n-Hexane for Pesticide Residue Trace Analysis CH ₃ (CH ₂) ₄ CH ₃ (110-54-3) M. W.: 86.18	1 lit 2.5 lit
112515	1,6-Hexanediol (Hexamethylene Glycol) for Synthesis HO(CH ₂) ₆ OH (629-11-8) M. W.: 118.17	500 gm
743700	1-Hexane Sulphonic Acid Sodium Salt Anhydrous For HPLC C ₆ H ₁₃ O ₃ SNa (2832-45-3) M. W.: 188.22 Assay 99.0%	25 gm 100 gm
743705	1-Hexane Sulphonic Acid Sodium Salt Monohydrate For HPLC C ₆ H ₁₃ NaO ₃ S.H ₂ O (207300-91-2) M. W.: 206.24 Assay (cation exchange) 99.0%	5 gm 25 gm 100 gm
	n-Hexanoic Acid See Caproic Acid	
	n-Hexanol See Hexan-1-OL	
112635	Hexokinase from Microorganism Lyophilized Powder, Activity ~ 150-200U/mg (9001-51-8)	5000 units
	n-Hexyl Alcohol See Hexan-1-OL	
543415	1-Hexyl-3-Methyl Imidazolium Chloride AR C ₁₀ H ₁₉ ClN ₂ (171058-17-6) M. W.: 202.72 Assay (HPLC) 98.5%	5 gm 25 gm
112805	4-Hexyl Resorcinol for Synthesis C ₁₂ H ₁₈ O ₂ (136-77-6) M. W.: 194.27 Assay 98.0%	25 gm
743840	Hexylamine for HPLC CH ₃ (CH ₂) ₅ NH ₂ (111-26-2) M. W.: 101.19	250 ml

Product Code	Product Name	Packing
029243	Hexylene Glycol C ₆ H ₁₄ O ₂ (107-41-5) M. W.: 118.18 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
033135	High Vacuum Silicon Grease (Vacuum Grease)	50 gm 250 gm 1 kg
028497	Hippuric Acid Cryst. C ₉ H ₉ NO ₃ (495-69-2) M. W.: 179.18 Assay (acidimetric) 99.0%	100 gm 1 kg
112955	Hippuric Acid Sodium Salt C ₉ H ₈ NO ₃ Na.XH ₂ O (532-94-5) M. W.: 201.15 Anhy	25 gm 100 gm
113135	Histamine Acid Phosphate for Biochemistry (Histamine Biphosphate mono hydrate) C ₅ H ₉ N ₃ 2H ₃ PO ₄ .H ₂ O (51-74-1) M. W.: 325.15	1 gm 5 gm
037221	L-Histidine for Biochemistry C ₆ H ₉ N ₃ O ₂ (71-00-1) M. W.: 155.16 Assay (ex Non-aqueous) 98.0%	25 gm 500 gm
941920 new	L-Histidine Hydrochloride Monohydrate for Molecular Biology C ₆ H ₁₀ ClN ₃ O ₂ .H ₂ O (5934-29-2) M.W : 209.63 Assay 99.0%	25 gm 100 gm
037118	L-Histidine Monohydrochloride Monohydrate C ₆ H ₉ N ₃ O ₂ .HCl.H ₂ O (5934-29-2) M. W.: 209.63 Assay (Argentometric; ex Cl) 99.0%	25 gm 100 gm 500 gm
844267	Histological Fixative-Formalin Neutral Sodium Salt Bufferd pH 7.0 at 25°C	5 lit
	HOBT See 1-Hydroxybenzotriazole	
844395	Holmium (Ho) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO₃ Nist Traceable	100 ml 500 ml
844400	Holmium (Ho) 1000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml 500 ml
RE1305	Holmium Metal Ingot Ho (7440-60-0) M. W.: 164.93 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1310	Holmium Metal Lump Ho (7440-60-0) M. W.: 164.93 Assay (Trace metal basis) 99.99%	5 gm
RE1315	Holmium Metal Powder 325 mesh Ho (7440-60-0) M. W.: 164.93 Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm
RE1320	Holmium Metal Wire (0.1mm) Ho (7440-60-0) M. W.: 164.93 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1325	Holmium Metal Rod (5mmx30cm) Ho (7440-60-0) M. W.: 164.93 Assay (Trace metal basis) 99.99%	1 PC

H

Laboratory Chemicals

Product Code	Product Name	Packing
RE1330 Ho (7440-60-0)	Holmium Metal Foil (0.25mmx40 cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	1 PC
RE1335 Ho (7440-60-0)	Holmium Metal Foil (0.50mmx40 cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	1 PC
RE1340 Ho (7440-60-0)	Holmium Metal SLAB (1cmx40cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	1 PC
RE1345 Ho (7440-60-0)	Holmium Metal Disc (0.1mmxdia 35cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	1 PC
RE1360 Ho(O ₂ C ₂ H ₃) ₃ .XH ₂ O (312619-49-1)	Holmium (III) Acetate M. W.: 342.07 Assay (Trace metal basis) 99.9%	1 gm 5 gm 25 gm
RE1365 Ho(O ₂ C ₂ H ₃) ₃ .XH ₂ O (312619-49-1)	Holmium (III) Acetate M. W.: 342.07 Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE1370 Ho(O ₂ C ₂ H ₃) ₃ .XH ₂ O (312619-49-1)	Holmium (III) Acetate M. W.: 342.07 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE1380 Ho ₂ (CO ₃) ₃ .XH ₂ O (38245-34-0)	Holmium (III) Carbonate M. W.: 509.88 Assay (Trace metal basis) 99.90%	10 gm 50 gm 100 gm
RE1390 HoCl ₃ .6H ₂ O (14914-84-2)	Holmium (III) Chloride M. W.: 379.38 Assay (Trace metal basis) 99.90%	5 gm 25 gm 100 gm
RE1400 HoI ₃ (13813-41-7)	Holmium (III) Iodide M.W.: 545.64 Assay (Trace metal basis) 99.95%	1 gm 5 gm
RE1415 Ho ₂ O ₃ (12055-62-8)	Holmium (III) Oxide M. W.: 377.86 Assay (Trace metal basis) 99.9%	5 gm 10 gm 50 gm
RE1420 Ho ₂ O ₃ (12055-62-8)	Holmium (III) Oxide M. W.: 377.86 Assay (Trace metal basis) 99.99%	5 gm 10 gm 50 gm
RE1425 Ho ₂ O ₃ (12055-62-8)	Holmium (III) Oxide M. W.: 377.86 Assay (Trace metal basis) 99.999%	1 gm 5 gm 25 gm
RE1440 Ho ₂ (SO ₄) ₃ .8H ₂ O (13473-57-9)	Holmium (III) Sulphate M.W. : 762.17 Assay (Trace metal basis) 99.9%	5 gm 25 gm
RE1445 Ho ₂ (SO ₄) ₃ .8H ₂ O (13473-57-9)	Holmium (III) Sulphate M.W. : 762.17 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1450 Ho ₂ (SO ₄) ₃ .8H ₂ O (13473-57-9)	Holmium (III) Sulphate M.W. : 762.17 Assay (Trace metal basis) 99.999%	5 gm 25 gm
	Homidium Bromide See Ethidium Bromide	
113415 (1415-93-6)	Humic Acid	500 gm 5 kg

Product Code	Product Name	Packing
543965 C ₂₇ H ₄₂ ClNO ₂ (121-54-0)	Hyamine 1622 for Tensile Test AR M. W.: 448.10 Assay (Non-aqueous) (on dried subs.) 99.0%	25 gm 100 gm
844460	Hyamine 1622 Soln. 0.004m	500 ml 2.5 lit
844465 new	Hyamine 1622 Solution 0.004M (0.004N) Standardized Solution Nist Traceable store at 2-8°C	1 lit
844455 new	Hyamine 1622 Solution 0.04M (0.04N) Standardized Solution Nist Traceable store at 2-8°C	1 lit
028501	Hydrazine Dihydrochloride (Hydrazine Chloride) H ₄ N ₂ .2HCl (5341-61-7) M. W.: 104.97 Assay (Oxidimetric) 97.0%	100 gm 500 gm
844500 new	Hydrazine Hydrate 24-26% Solution in Water	500 ml 2.5 lit
844510 new	Hydrazine Hydrate N ₂ H ₄ .H ₂ O (7803-57-8) M.W. 50.06 Assay 60.0%	500 ml 2.5 lit
028500	Hydrazine Hydrate 80% H ₄ N ₂ .H ₂ O (7803-57-8) M. W.: 50.06 Assay (iodometric) 80.0%	500 ml 2.5 lit 25 lit
543985	Hydrazine Hydrate 80% AR H ₄ N ₂ .H ₂ O (7803-57-8) M.W.:50.06 Assay 80.0%	500 ml 2.5 lit 25 lit
028502	Hydrazine Hydrate 99% for Synthesis H ₄ N ₂ .H ₂ O (7803-57-8) M. W.: 50.06 Assay (Oxidimetric) 99.0%	500 ml 2.5 lit 25 lit
543990	Hydrazine Hydrate 99% AR H ₄ N ₂ .H ₂ O (7803-57-8) M. W.: 50.06 Assay (Oxidimetric) 99.0%	500 ml 2.5 lit
028503	Hydrazine Sulphate Purified H ₄ N ₂ .H ₂ SO ₄ (10034-93-2) M. W.: 130.12 Assay (By iodometric) 99.0%	100 gm 500 gm 25 kg
544105	Hydrazine Sulphate AR/ACS H ₄ N ₂ .H ₂ SO ₄ (10034-93-2) M. W.: 130.12 Assay (By iodometric) 99.0%	100 gm 500 gm
	Hydrazinium Chloride See Hydrazine Dihydrochloride	
	Hydrazinium Sulphate See Hydrazine Sulphate	
025334	Hydrazobenzene C ₁₂ H ₁₂ .N ₂ (122-66-7) M. W.: 184.24 Assay (HPLC) 98.0%	100 gm
	2-Hydrazone-2-3-Dihydromethyl Benzothiazole Hydrochloride (MBTH) See 3 Methyl-2 Benzothiazolinone Hydrazone Hydrochloride (MBTH)	
544215	Hydrindantine Dihydrate AR C ₁₈ H ₁₄ O ₈ (5950-69-6) M. W.: 358.30	25 gm
544305	Hydriodic Acid AR/ACS HI (10034-85-2) M. W.: 127.91 Assay (Acid-base titration) 54-56%	250 ml

Product Code	Product Name	Packing
028516	Hydrobromic Acid in Glacial acetic acid M.W. : 80.91 Assay (Argentometric) About 33.0%	500 ml 2.5 lit
HBr (10035-10-6)		
028505	Hydrobromic Acid M. W.: 80.91 Assay(acidimetric) 48.0-49.0%	500 ml 2.5 lit
Hbr (10035-10-6)		
544425	Hydrobromic Acid AR/ACS M.W. : 80.91 Assay (acidimetric) 48.0%-49.0%	500 ml 2.5 lit
HBr (10035-10-6)		
113445	new Hydrochloric Acid HCl M.W. : 36.46 Assay 30.0%	500 ml 2.5 lit
HCl (7647-01-0)		
113450	new Hydrochloric Acid HCl M.W. : 36.46 Assay 32.0%	500 ml 2.5 lit
HCl (7647-01-0)		
113460	Hydrochloric Acid (1.18) HCl M.W. : 36.46 Assay 35-38%	500 ml 2.5 lit 5 lit
HCl (7647-01-0)		
(Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)		
544475	Hydrochloric Acid (1.18) AR HCl M.W. : 36.46 Assay 35.4%	500 ml 2.5 lit 5 lit 25 lit
HCl (7647-01-0)		
(Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)		
744580	Hydrochloric Acid Abt. 36% (1.18) EL M.W. : 36.46 Assay 36.0%	500 ml 2.5 lit
HCl (7647-01-0)		
844620	Hydrochloric Acid N/1	500 ml
844640	Hydrochloric Acid N/10 (Hydrochloric Acid 0.1 N Solution)	500 ml 2.5 lit
844685	new Hydrochloric Acid 0.01M Solution	500 ml 1 lit 2.5 lit
844680	Hydrochloric Acid 0.01M (0.01N) Volumetric Solution	1 Amp 3 Amp 6 Amp
844700	Hydrochloric Acid 0.02 M (0.02N) Volumetric Solution	500 ml
844720	Hydrochloric Acid 0.05 M (0.05N) Volumetric Solution	500 ml 1 lit 2.5 lit
844725	new Hydrochloric Acid 0.05M (0.05N) Standardized Solution Nist Traceable	1 lit
844730	Hydrochloric Acid 0.1 M (0.1N) 1.82350g HCl for 500 ml. 0.1N Volumetric Solution	1 Amp 3 Amp 6 Amp
844735	new Hydrochloric Acid 0.1M (0.1N) Standardized Solution Nist Traceable	1 lit
844780	Hydrochloric Acid 0.1M (0.1N) Volumetric Solution	500 ml 2.5 lit

Product Code	Product Name	Packing
844800	Hydrochloric Acid 0.2 M (0.2N) Volumetric Solution	500 ml
844803	new Hydrochloric Acid 0.2M (0.2N) Standardized Solution Nist Traceable	1 lit
844805	new Hydrochloric Acid 0.25M (0.25N) Standardized Solution Nist Traceable	1 lit
844820	new Hydrochloric Acid 0.357 mol/L (1/2.8N) Solution	500 ml 1 lit 2.5 lit
844840	Hydrochloric Acid 0.5 M (0.5N) Volumetric Soln.	500 ml 1 lit 2.5 lit
844845	new Hydrochloric Acid 0.5M (0.5N) Standardized Solution Nist Traceable	1 lit
844860	Hydrochloric Acid 1.0M (1.0N) Volumetric Solution	500 ml 1 lit 2.5 lit
844862	new Hydrochloric Acid 1M (1N) Standardized Solution Nist Traceable	1 lit
844865	new Hydrochloric Acid 1N acc. to USP	500 ml
844870	Hydrochloric Acid 2 M (2N) CTITRINORM Volumetric Solution	500 ml 1 lit 2.5 lit
844875	new Hydrochloric Acid 2M (2N) Standardized Solution Nist Traceable	1 lit
844890	new Hydrochloric Acid 3.571 mol/L (1/0.28N) Solution	500 ml 1 lit 2.5 lit
844900	new Hydrochloric Acid 3N (3 mol/L) Solution	500 ml 1 lit 2.5 lit
844910	Hydrochloric Acid 4 M (4 N) Volumetric Solution	500 ml 1 lit 2.5 lit
844915	new Hydrochloric Acid 4M in Dioxane	1 lit
844990	Hydrochloric Acid 5 M (5N) CTITRINORM Volumetric Solution	500 ml 1 lit 2.5 lit
844995	new Hydrochloric Acid 5M (5N) Standardized Solution Nist Traceable	1 lit
845000	Hydrochloric Acid 6M (6N) Volumetric Solution	500 ml 1 lit 2.5 lit
845005	new Hydrochloric Acid 6M (6N) Standardized Solution Nist Traceable	1 lit
845050	new Hydrochloric Acid 10%	500 ml 2.5 lit
845055	new Hydrochloric Acid 25% ACIPUR HCl M.W. 36.46 (7647-01-0) About 25.0%	500 ml 1 lit 2.5 lit

H

Laboratory Chemicals

Product Code	Product Name	Packing
845060 new	Hydrochloric Acid 32% ACIPUR HCl (7647-01-0) M.W : 36.46 Assay 32.0%	500 ml 1 lit 2.5 lit
845065 new	Hydrochloric Acid 37% ACIPUR for Trace Metal Analysis HCl (7647-01-0) M.W. 36.46 Assay 37.0%	500 ml 1 lit 2.5 lit
942120	Hydrochloric Acid Fuming 37% for Molecular Biology (7647-01-0)	500 ml
113505	Hydrocortisone For Lab Use $C_{21}H_{30}O_5$ (50-23-7) M. W.: 362.46	1 gm 5 gm
113535	Hydrocortisone Acetate For Lab Use $C_{23}H_{32}O_6$ (50-03-3) M. W.: 404.51	1 gm 5 gm
028514	Hydrofluoric Acid HF (7664-39-3) M. W.: 20.01 Assay(acidimetric) 39.0-43.0%	500 ml 2.5 lit 5 lit
544735	Hydrofluoric Acid AR/ACS HF (7664-39-3) M. W.: 20.01 Assay 40.0-42.0%	500 ml
744120	Hydrofluoric Acid EL grade HF (7664-39-3) M. W.: 20.01 Assay 40.0-42.0%	500 ml
544738	Hydrofluoric Acid AR/ACS HF (7664-39-3) M. W.: 20.01 Assay 48.0-51.0%	500 ml 2.5 lit
845100 new	Hydrofluoric Acid Acipur for Trace Metal Analysis HF (7664-39-3) M.W : 20.01 Assay 48.0%	500 ml 1 lit 2.5 lit
	Hydrogen Hexa Chloro Platinate (IV) See Platinic Chloride	
845150	Hydrogen Bromide 2M (2N) Volumetric Solution	1 lit
845160	Hydrogen Chloride 0.1M (0.1N) in 2-Propanole	100 ml 500 ml
845200	*Hydrogen Peroxide Solution about 6% w/v H_2O_2 20 Volumes H_2O_2 (7722-84-1) M. W.: 34.01 Assay(H_2O_2) 6.0% w/v	1 lit
845250	*Hydrogen Peroxide Solution about 30% w/v H_2O_2 100 Volumes H_2O_2 (7722-84-1) M. W.: 34.01 Assay(H_2O_2) 30.0% w/v	500 ml 5 lit
845300	*Hydrogen Peroxide Solution AR 30% 100 Volumes H_2O_2 (7722-84-1) M. W.: 34.01 Assay : Contains not less than 30% w/v	500 ml 5 lit

Product Code	Product Name	Packing
030011	Hydroquinone for Synthesis $C_6H_4(OH)_2$ (123-31-9) M. W.: 110.11 Assay (GC) 99.0%	100 gm 500 gm 25 kg
544875	Hydroquinone AR $C_6H_4(OH)_2$ (123-31-9) M. W.: 110.11 Assay 99.5%	100 gm 500 gm
113835	Hydroquinone Dimethyl Ether for Synthesis $C_6H_4(OCH_3)_2$ (150-78-7) M. W.: 138.16	250 gm 1 kg
025322	Hydroquinone Monomethyl Ether $C_7H_8O_2$ (150-76-5) M. W.: 124.14 Assay (GC) 98.0%	100 gm 250 gm
	p-Hydroxy Acetanilide See Paracetamol	
028521	2-Hydroxy Acetophenone $C_8H_8O_2$ (118-93-4) M.W 136.15 Assay (GC) 95.0%	100 ml 500 ml
114015	3-Hydroxy Acetophenone for Synthesis (m-Hydroxyacetophenone) $HOC_6H_4COCH_3$ (121-71-1) M. W.: 136.15	25 gm 100 gm
028522	4-Hydroxy Acetophenone $CH_3.CO.C_6H_4.OH$ (99-93-4) M. W.: 136.15 Assay (GC) 99.0%	100 gm 500 gm
114075	1-Hydroxy Adamantane $C_{10}H_{16}O$ (768-95-6) M. W.: 152.23 Assay 99.0%	5 gm 25 gm
028525	p-Hydroxy Azobenzene absorption indicator $C_{12}H_{10}N_2O$ (1689-82-3) M. W.: 198.23 Assay 98.0%	25 gm
545025	1-Hydroxy-7-Azabenzotriazole (Hoat) AR Protecting Reagent $C_5H_4N_4O$ (39968-33-7) M. W.: 136.11	1 gm 5 gm 25 gm
	2-Hydroxy Benzaldehyde See Salicylaldehyde	
028526	m-Hydroxy Benzaldehyde $C_7H_6O_2$ (100-83-4) M. W.: 122.12 Assay (Acidimetric) 98.0%	100 gm 500 gm
028527	p-Hydroxy Benzaldehyde $C_7H_6O_2$ (123-08-0) M. W.: 122.12 Assay (GC) 98.0%	100 gm 500 gm
114255	4-Hydroxy Benzamide $C_7H_7NO_2$ (619-57-8) M. W.: 137.14 Assay 98.0%	5 gm 25 gm
545045	2-(4-Hydroxybenzeneazo) Benzoic Acid for Automatic analysis AR $C_{13}H_{10}N_2O_3$ (1634-82-8) M. W.: 242.24 Assay (HPLC) 99.0%	1 gm 5 gm
028529	p-Hydroxy Benzoic Acid $C_6H_4(OH).COOH$ (99-96-7) M. W.: 138.12 Assay (acidimetric) 99.0%	100 gm 500 gm

Product Code	Product Name	Packing
114425	m-Hydroxy Benzoic Acid for Synthesis M. W.: 138.12	500 gm
HOC ₆ H ₄ CO ₂ H (99-06-9)		
545235	p-Hydroxy Benzoic Acid Sodium Salt AR for Biochemistry	25 gm 100 gm 1 kg
HOC ₆ H ₄ CO ₂ Na (114-63-6)		
114515	p-Hydroxy Benzophenone M. W.: 198.22 Assay 98.0%	100 gm 500 gm
HOC ₆ H ₄ COC ₆ H ₅ (1137-42-4)		
114585 new	1-Hydroxy Benzotriazole Anhydrous (HOBT) M.W : 135.12 Assay 99.0%	25 gm 100 gm 500 gm
C ₆ H ₅ N ₃ O (2592-95-2)		
	[(2-Hydroxy-1,1-Bis (Hydroxymethyl) Ethyl) Amino]-1-Ethanesulphonic Acid See TAPS Buffer	
114635	6-Hydroxy-3-Coumaranone M. W.: 150.13 Assay 97.0%	1 gm 5 gm
C ₈ H ₆ O ₃ (6272-26-0)		
066214	o-Hydroxy Biphenyl M. W.: 170.21 Assay 99.0%	500 gm 2.5 kg
C ₁₂ H ₁₀ O (90-43-7)		
066213	p-Hydroxy Diphenyl M. W.: 170.21 Assay (GC) 98.0%	100 gm 500 gm
C ₁₂ H ₁₀ O (92-69-3)		
114805	Hydroxy Ethyl Cellulose (Hv 45) mPas	500 gm
(9004-62-0)		
114815	Hydroxy Ethyl Cellulose HV 145 mPas	500 gm
(9004-62-0)		
114825	Hydroxy Ethyl Cellulose HV 270 mPas	500 gm
(9004-62-0)		
	N,N-bis-(2-Hydroxyethyl)-2-Amino Ethane Sulphonic Acid See BES Buffer	
	4-Hydroxy-2,4-Dinitrobenzene See 2,4-Dinitrophenol	
	N-(2-Hydroxyethyl) Ethylenediamine See N-(2-Aminoethyl) Ethanolamine	
	N,N-BIS-(2-Hydroxy Ethyl) Glycine See Bicine Buffer	
115155 new	2-Hydroxy Ethyl Methacrylate M.W: 130.14 Assay 96.5%	500 ml
C ₆ H ₁₀ O ₃ (868-77-9)		
	2-(Hydroxyethyl) Methylamine See - 2-(Methylamino) Ethanol	
115205	4-(2-Hydroxy Ethyl) Morpholine (2-Morpholinoethanol) M. W.: 131.17	500 ml
C ₆ H ₁₃ NO ₂ (622-40-2)		
115315	n-(2-Hydroxy Ethyl) Phthalimide (2-Phthalimidoethanol) M. W.: 191.18	100 gm 500 gm
C ₁₀ H ₉ NO ₃ (3891-07-4)		

Product Code	Product Name	Packing
	n-(2-Hydroxy Ethyl) Piperazine-N-2- Ethane Sulphonic Acid Sodium Salt See HEPES Sodium Salt Buffer	
	n-(2-Hydroxy Ethyl) Piperazine-N-2- Ethane Sulphonic Acid See HEPES (Buffer)	
115515	1-(2-Hydroxy Ethyl) Piperidine (1-Piperidine Ethanol, 2-Piperidino Ethanol) M. W.: 129.20	100 ml 500 ml
C ₇ H ₁₅ NO (3040-44-6)		
	[(2-Hydroxy-1,1-Bis(Hydroxymethyl) Ethyl) Amino]-Ethanesulphonic Acid See TES Buffer	
	2-Hydroxy -1(2-Hydroxy-4-Sulpho-1- Naphthylazo)-3-Naphthoic Acid See Patton And Reeder's Reagent	
115605	4-Hydroxy Indole (4-Indolol) for Synthesis M. W.: 135.15	5 gm
C ₈ H ₇ NO (2380-94-1)		
115635	5-Hydroxy Indole for Synthesis M. W.: 133.15 Assay 97.0%	1 gm 5 gm
C ₈ H ₇ NO (1953-54-4)		
115735	5-Hydroxy Isophthalic Acid for Synthesis M. W.: 182.13	25 gm 100 gm
HOC ₆ H ₃ -1,3-(CO ₂ H) ₂ (618-83-7)		
028523	Hydroxylamine Hydrochloride for Synthesis (Hydroxyl Ammonium Chloride) M. W.: 69.49 Assay 98.0%	100 gm 500 gm 50 kg
NH ₂ OH.HCl (5470-11-1)		
545325	Hydroxylamine Hydrochloride AR/ACS M. W.: 69.49 Assay 99.0%	100 gm 500 gm
NH ₂ OH.HCl (5470-11-1)		
new	Hydroxylamine Hydrochloride AR (Mercury Free) M.W : 69.49	100 gm 500 gm
H ₄ CINO (54-70-1)		
new	Hydroxylamine Hydrochloride Solution TS acc. USP	500 ml
new	Hydroxylamine Hydrochloride Solution (For determining Pb & for benzaldehyde test as per IP) M.W. 257.31	250 ml
C ₁₆ H ₃₀ BN (33725-74-5)		
115845	Hydroxylamine Phosphate (Hydroxylammonium Phosphate) M. W.: 65.37	25 gm 100 gm
(NH ₂ OH) ₃ .H ₃ PO ₄ (20845-01-6)		
028524	Hydroxylamine Sulphate (Hydroxyl Ammonium Sulphate) M. W.: 164.13 Assay (oxidimetric) 97.0%	500 gm 50 kg
(NH ₂ OH) ₂ .H ₂ SO ₄ (10039-54-0)		
545335	Hydroxylamine Sulphate AR/ACS M. W.: 164.13 Assay (Oxidimetric) 99.0%	500 gm
(NH ₂ OH) ₂ .H ₂ SO ₄ (10039-54-0)		

H

Laboratory Chemicals

Product Code	Product Name	Packing
	Hydroxyl Ammonium Chloride See- Hydroxylamine Hydrochloride	
	Hydroxyl Ammonium Sulphate See Hydroxylamine Sulphate	
	3-Hydroxy-4-Methoxy Benzaldehyde See Iso Vaniline	
	4-Hydroxy-3-Methoxy Benzaldehyde See Vanillin	
116105 HOC ₆ H ₃ (CH ₃)CO ₂ H (499-76-3)	4-Hydroxy-3-Methyl Benzoic Acid M. W.: 152.15 Assay 97.0%	5 gm
116225 C ₁₀ H ₇ O ₃ Na (5980-33-6)	7-Hydroxy-4-Methyl Coumarin Sodium Salt (β-Methylumbelliferrone Sodium Salt) M. W.: 198.15	25 gm
116255 C ₁₀ H ₈ O ₃ (90-33-5)	7-Hydroxy-4-Methyl-Coumarin (β-Methylumbelliferone) M. W.: 176.17	100 gm 500 gm
	2-Hydroxymethyl Furan See Furfuryl Alcohol	
116365 C ₆ H ₆ O ₃ (67-47-0)	5-Hydroxy Methyl Furfural M. W.: 126.11 Assay (HPLC) 99.0%	1 gm 5 gm
	2-Hydroxy Methyl-2-Methyl -1,3 Propanediol See 1,1,1, triss(hydroxy methane ethane)	
	4-Hydroxy-4-Methyl Pentan-2-One See Diacetone Alcohol	
	4-Hydroxy-4-Methyl-2-Pentanone See Diacetone Alcohol	
116505 C ₁₁ H ₈ O ₂ (708-06-5)	2-Hydroxy-1-Naphthaldehyde M. W.: 172.18 Assay (GC) 88.0%	25 gm 100 gm
116705 C ₂₀ H ₁₂ N ₂ Na ₂ O ₁₁ S ₃ (165660-27-5)	Hydroxy Naphthol Blue ACS Certified grade M. W.: 598.50	5 gm 25 gm
545445 C ₂₀ H ₁₂ N ₂ Na ₂ O ₁₁ S ₃ (165660-27-5)	Hydroxy Naphthol Blue AR Indicator For Calcium determination M. W.: 598.50	5 gm 25 gm
	2-Hydroxy-1-Nitroso-3,6-Naphthalene Disulfonic Acid Disodium Salt See Nitroso R Salt	
	2-Hydroxy-5-Nonyl Acetophenone Oxime See Aldoxime	
	DL-α-Hydroxyphenyl Acetic Acid See DL-Mandelic Acid	
116825 HOC ₆ H ₄ CH ₂ CO ₂ H (156-38-7)	4-Hydroxy Phenyl Acetic Acid for Synthesis M. W.: 152.15	25 gm 100 gm

Product Code	Product Name	Packing
	L-Hydroxy Phenylalanine See L-DOPA	
	2-(4'-Hydroxyphenylazo) Benzoic Acid See 2-(4-Hydroxy benzene azo) Benzoic Acid	
116945 C ₅ H ₁₁ NO (5382-16-1)	4-Hydroxy Piperidine (4-Piperidinol) M. W.: 101.15	25 gm 100 gm
037120 C ₅ H ₉ NO ₃ (51-35-4)	L-Hydroxy Proline for Biochemistry M. W.: 131.13 Assay (Non-aqueous) 99.0%	1 gm 5 gm 25 gm 100 gm
117165 HOC ₆ H ₄ COC ₂ H ₅ (70-70-2)	4-Hydroxy Propiophenone (p-Hydroxypropiophenone) M. W.: 150.17	100 gm 500 gm
117275 C ₄₂ H ₇₀ O ₃₅ .C ₂ H ₅ O (128446-35-5)	2-Hydroxy Propyl Beta Cyclodextrine for Synthesis M. W.: 1180.04	25 gm 100 gm
028683 C ₃ H ₈ O ₂ .XCH ₄ (9004-65-3)	Hydroxy Propyl Methyl Cellulose 3000 cPs + M. W.: 318.233	500 gm
025333 (9004-65-3)	Hydroxy Propyl Methyl Cellulose 5 cPs	1 kg
025332 C ₃ H ₈ O ₂ .XCH ₄ (9004-65-3)	Hydroxy Propyl Methyl Cellulose 15 cPs M. W.: 318.233	1 kg
025329 C ₃ H ₈ O ₂ .XCH ₄ (9004-65-3)	Hydroxy Propyl Methyl Cellulose 50 cPs M. W.: 318.233	1 kg
025331 (9004-65-3)	Hydroxy Propyl Methyl Cellulose	500 gm
	6-Hydroxypurine See Hypoxanthine	
117555 C ₅ H ₅ NO (142-08-5)	2-Hydroxy Pyridine for Synthesis M. W.: 95.10 Assay 98.0%	100 gm 500 gm
117585 C ₅ H ₅ NO (109-00-2)	3-Hydroxy Pyridine for Synthesis M. W.: 95.10 Assay 98.0%	25 gm 100 gm 500 gm
025337 C ₅ H ₅ NO (626-64-2)	4-Hydroxy Pyridine M.W.: 95.10 Assay (By GC) 95.0%	25 gm 100 gm
013079 C ₉ H ₇ NO (148-24-3)	8-Hydroxy Quinoline (Oxine) M. W.: 145.16 Assay (HClO ₄ titration) 99.0-101.0%	100 gm 500 gm
545475 C ₉ H ₇ NO (148-24-3)	8-Hydroxy Quinoline AR/ACS (Oxine) Reagent for Vanadium Magnesium M. W.: 145.16 Assay (HClO ₄ titration) 99.0%	100 gm 500 gm

Product Code	Product Name	Packing
845450 new	8-Hydroxy Quinoline Solution (Oxine Reagent) Reagent for Al, In, Mo, Co, Cd	100 ml
117725 C ₄ H ₅ NO ₃ (6066-82-6)	n-Hydroxy Succinimide for Synthesis M. W.: 115.09	100 gm 500 gm
117815 C ₁₁ H ₁₂ N ₂ O ₃ (4350-09-8)	5-Hydroxy-L-Trpytophan for Biochemistry M. W.: 220.22	1 gm
033216 (61790-53-2)	Hyflosupercel (Filter AID)	500 gm 1 kg 10 kg

Product Code	Product Name	Packing
	Hypo See Sodium Thiosulphate	
025330 H ₃ PO ₂ (6303-21-5)	Hypophosphorous Acid M. W.: 66.00 Assay 30-32%	500 ml
545505 H ₃ PO ₂ (6303-21-5)	Hypophosphorous Acid AR M. W.: 66.00 Assay (acidimetric) 50.0%	500 ml
042060 C ₅ H ₄ N ₄ O (68-94-0)	Hypoxanthine for Biochemistry M. W.: 136.11 Assay (Non-aqueous) 99.0%	5 gm 25 gm 100 gm

H

Laboratory Chemicals

Acid & Bases



Product Code	Product Name	CAS No.
494825	Chloro Sulphonic Acid AR	7790-94-5
025732	Chloro Sulphonic Acid Pract 97.0%	7790-94-5
026099	Fluo Boric Acid Abt. 40%	16872-11-0
095735	Fluosilicic Acid for Synthesis	16961-83-4
544305	Hydriodic Acid AR/ACS 54-56%	10034-85-2
028505	Hydrobromic Acid 48.0-49.0%	10035-10-6
544425	Hydrobromic Acid AR/ACS 48.0%-49.0%	10035-10-6
028516	Hydrobromic Acid in Glacial acetic acid About 33.0%	10035-10-6
113460	Hydrochloric Acid (1.18) 35-38%	7647-01-0
544475	Hydrochloric Acid (1.18) AR 35.4%	7647-01-0
744580	Hydrochloric Acid Abt. 36% (1.18) EL	7647-01-0
942120	Hydrochloric Acid Fuming 37% for Molecular Biology	7647-01-0
028514	Hydrofluoric Acid 39.0-43.0%	7664-39-3
544735	Hydrofluoric Acid AR 40.0-42.0%	7664-39-3
544738	Hydrofluoric Acid AR 48.0-51.0%	7664-39-3
744120	Hydrofluoric Acid EL grade 40.0-42.0%	7664-39-3
025330	Hypophosphorous Acid 30-32%	6303-21-5
545505	Hypophosphorous Acid AR 50.0%	6303-21-5
029270	Molybdic Acid 85.0%	7782-91-4
587100	Molybdic Acid AR/ACS 87.0%	7782-91-4
756355	Nitric Acid EL 69-71%	7697-37-2
169215	Nitric Acid (1.41-1.42) 69-72%	7697-37-2
594655	Nitric Acid (1.42) AR/ACS 69-72%	7697-37-2
177615	Oleum 20% Pract	8014-95-7
029420	ortho-Phosphoric Acid (Also for Steel Industry) 85.0%	7664-38-2
037137	ortho-Phosphoric Acid 85.0% (Phosphoric Acid)	7664-38-2
609725	ortho-Phosphoric Acid AR Manganese free 88.0%	7664-38-2

• Store at 0-4°C and Keep dry

Product Code	Product Name	Packing
	ICP Single/Multi Element Standard Solution Manufactured from the High Purity D.I. Water, Metal Free Acids and High Purity Metals & Metal Salts. Manufactured in intensively Controlled clean room for prevention of cross contamination. Each element solutions are NIST TRACEABLE STANDARD See Complete List Standard Solution Page No.- 193	
106815 C ₃ H ₄ N ₂ (288-32-4)	Imidazole (Glyoxaline) M.W.: 68.08 Assay (GC) 99.0%	100 gm 500 gm 5 kg
546015 C ₃ H ₄ N ₂ (288-32-4)	Imidazole AR/ACS M. W.: 68.08 Assay (By acidimetric) 99.5%	100 gm 500 gm
948100 C ₃ H ₄ N ₂ (288-32-4)	Imidazole for Molecular Biology M. W.: 68.08 Assay (GC) 99.5%	25 gm 100 gm 500 gm
028547 C ₄ H ₇ NO ₄ (142-73-4)	Imino Diacetic Acid for Synthesis M. W.: 133.10 Assay (acidimetric) 99.0%	250 gm
120875 C ₁₉ H ₂₄ N ₂ .HCl (113-52-0)	Imipramine Hydrochloride for Biochemistry M. W.: 316.87	5 gm 25 gm 100 gm
036061	Immersion Oil Natural	500 ml
120940	Immersion Oil for Microscopy Wt. per ml at 20°C Abt. 0.97 gm	25 ml 100 ml 500 ml
	1,2,3-Indanetrione See Ninhydrin	
121005 C ₉ H ₈ O (83-33-0)	1-Indanone for Synthesis (α-Hydrindone) M. W.: 132.16	25 gm
121195 C ₉ H ₈ (95-13-6)	Indene M. W.: 116.16 Assay 99.0%	100 ml
121205	Indian Ink Used as Stain for Proteins on Nitrocellulose Blotting Membranes	100 ml
PA0781	Indicator Paper pH 1-10 Wide Range (10bks)	200 lvs
PA0783	Indicator Paper Universal pH 1-10 (Including Colour Scale 100 leaves)	200 lvs
PA0785	Indicator Paper Universal pH 1-10 (Without Colour Scale) Accurate to 1pH Unit	1 refill
PA0786	Indicator Paper Universal pH 1-10 (Including Colour Scale) Accurate to 1pH Unit	1 roll
PA0791	Indicator Paper pH 1.0-14.0 Full Range (10 bks)	200 lvs
PA0801	Indicator Paper pH 2.0-4.5 Narrow Range (10 bks)	200 lvs

Product Code	Product Name	Packing
PA0811	Indicator Paper pH 2.0-10.5 Wide Range (10 bks)	200 lvs
PA0821	Indicator Paper pH 3.5-6.0 Narrow Range (10 bks)	200 lvs
Pa0826	Indicator Paper pH 3.8-5.4 (10 bks) Plastic Box	200 lvs
PA0836	Indicator Paper pH 5.0-7.5 Narrow Range (10 bks)	200 lvs
PA0851	Indicator Paper pH 5.4-7.0 (10 bks) Plastic Box	200 lvs
PA0866	Indicator Paper pH 6.4-8.0 (10 bks) Plastic Box	200 lvs
PA0871	Indicator Paper pH 6.5-9.0 Narrow Range (10 bks)	200 lvs
PA0886	Indicator Paper pH 8.0-10.5 Narrow Range (10 bks)	200 lvs
PA0891	Indicator Paper pH 8.2-10.0 (10 bks) Plastic Box	200 lvs
PA0896	Indicator Paper Multi Range (Contains each of the above 6 ranges)	Box
849000	Indigo Carmine Indicator Solution	100 ml
546025 C ₁₆ H ₈ N ₂ O ₈ S ₂ Na ₂ (860-22-0)	Indigo Carmine AR for Microscopy C.I. No. 73015 M. W.: 466.36 Dye content (titrimetry, on dried subs.) 85.0%	25 gm 100 gm 1 kg
121415	Indion® 190 Ion Exchange Resin Catalyst grade) (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121420	Indion® 225H Ion Exchange Resin (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg 5 kg
121425	Indion® 236 Ion Exchange Resin (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121430	Indion® 454 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121435	Indion® 464 Ion Exchange Resin (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121440	Indion® 730 Ion Exchange Resin (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	1 kg
121445	Indion® 790 Ion Exchange Resin (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121450	Indion® 810 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
124455	Indion® 820 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg

Product Code	Product Name	Packing
121460	Indion® 830S Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121465	Indion® 860 Ion Exchange Resin (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121470	Indion® 890 Ion Exchange Resin (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121475	Indion® BSR Ion Exchange Resin (Chelating resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121480	Indion® CAM-1 Ion Exchange Resin (Nuclear grade) (mixed bed resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121485	Indion® CAM-28 Ion Exchange Resin (mixed bed resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121490	Indion® GS-300 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121495	Indion® GS-400 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	250 gm 1 kg
121500	Indion® NPA2 Ion Exchange Resin (Industrial grade) (Product of Ion Exchange India Ltd)	100 gm 500 gm
849300	Indium (In) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	250 ml
849350	Indium (In) 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO ₃	100 ml
546065	Indium Metal Ingots AR In (7440-74-6)	10 gm 100 gm 500 gm
014028	Indium Nitrate In (NO ₃) ₃ ·5H ₂ O (13770-61-1)	10 gm
028554	Indium Oxide In ₂ O ₃ (1312-43-2)	10 gm
028555	Indium Sulphate In ₂ (SO ₄) ₃ (13464-82-9)	10 gm
028556	Indium Trichloride Trihydrate InCl ₃ ·3H ₂ O (10025-82-8)	10 gm
546095	Indole Crystalline AR For estimation of DNA C ₈ H ₇ N (120-72-9)	25 gm 100 gm 1 kg
849415	Indole Solution (Reagent for Nitrites)	100 ml

Product Code	Product Name	Packing
849418	new Iodine Solution For TLC Spray (Universal Reagent for Organic Compounds)	125 ml
028558	Indole-3-Acetic Acid for Biochemistry Plant Growth Hormone C ₁₀ H ₉ NO ₂ (87-51-4)	5 gm 25 gm 100 gm
121835	3-Indole Acetonitrile for Biochemistry M. W.: 156.18 Assay (GC) 97.0%	5 gm 25 gm 100 gm
028559	Indole-3-Butyric Acid for Biochemistry Plant Growth Hormone C ₁₂ H ₁₃ NO ₂ (133-32-4)	5 gm 25 gm 100 gm
122005	Indole-5-Carbonitrile (5-Cyano Indole) C ₉ H ₆ N ₂ (15861-24-2)	5 gm 10 gm
122105	Indole-3-Carboxaldehyde for Synthesis C ₉ H ₇ NO (487-89-8)	25 gm 100 gm
122155	Indole-3-Carboxylic Acid for Biochemistry C ₉ H ₇ NO ₂ (771-50-6)	5 gm 25 gm
122165	Indole-5-Carboxylic Acid C ₉ H ₇ NO ₂ (1670-81-1)	1 gm
122245	Indole-3-Propionic Acid for Biochemistry C ₁₁ H ₁₁ NO ₂ (830-96-6)	5 gm 25 gm
122315	Indolinone for Synthesis [1-(2,6-dichlorophenyl)-2-indolinone] C ₁₄ H ₉ Cl ₂ NO (15362-40-0)	25 gm 100 gm
028561	Inosine for Biochemistry C ₁₀ H ₁₂ N ₄ O ₅ (58-63-9)	10 gm 25 gm 100 gm
042058	Inosine-5-Monophosphate Disodium Salt Dihydrate for Biochemistry C ₁₀ H ₁₁ N ₄ Na ₂ O ₈ P ₂ H ₂ O (20813-76-7)	5 gm 25 gm
122405	meso-Inositol for Biochemistry C ₆ H ₁₂ O ₆ (87-89-8)	25 gm 100 gm 1 kg
038046	Inulin for Biochemistry (C ₆ H ₁₀ O ₅) _x (9005-80-5)	25 gm 100 gm
546125	I.N.T. AR Reagent for LDH determination C ₁₉ H ₁₃ ClIN ₅ O ₂ (146-68-9)	1 gm 5 gm
	Assay (Argentometric; on dried) 98.0%	

Product Code	Product Name	Packing
545215 HI ₀₃ (7782-68-5)	Iodic Acid AR M. W.: 175.91 Assay 99.5%	100 gm
028564	Iodine Resublimed Meets Analytical Specification of IP, BP, Ph. Eur. M. W : 253.81 Assay (Oxidimetric) 99.5%	100 gm 500 gm 25 kg
I ₂ (7553-56-2)		
545255 I ₂ (7553-56-2)	Iodine Resublimed AR M. W : 253.81 Assay (Oxidimetric) 99.8%	100 gm 500 gm
849600	Iodine Solution 1% w/v	125 ml
849650	Iodine 10% w/v	2.5 lit
849655	Iodine 20% w/v	2.5 lit
849700	Iodine Solution N/10 (0.1 N)	500 ml
849725 new	Iodine 0.02365M (0.0473N) Standardized Solution Nist Traceable	1 lit
849730	Iodine 0.0241M (0.0482N) Standardized Solution Nist Traceable	1 lit
849750	Iodine 0.025 M (0.05 N) Volumetric Solution	1 lit
849780	Iodine 0.005 M (0.01 N) Volumetric Solution	500 ml 2.5 lit
849810	Iodine 0.05M (0.1N) Standardized Solution Nist Traceable	1 lit
849815 new	Iodine 0.05 M (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
849840	Iodine Solution 0.05 M Citrisol 6.3450 g I ₂ For 500 ml. 0.1 N solution	1 Amp 3 Amp 6 Amp
849845 new	Iodine 0.1N acc. to USP	500 ml
849850	Iodine 0.5M (1N) Standardized Solution Nist Traceable	1 lit
849870 new	Iodine 1N (0.5M) Solution	250 ml 500 ml
	Iodine Chloride See Iodine Monochloride	
	Iodine Gram's See Gram's Iodine	
849888 new	Iodine Iodate 1/64N (1/128M) Concentrate Solution For 1 lit	1 lit
849885 new	Iodine Iodate 0.01N (0.005M) Concentrate Solution For 1 lit	1 lit
	Iodine Lugol's See Lugol's Iodine	
122715 BrI (7789-33-5)	Iodine Mono Bromide for Synthesis M. W.: 206.81 Assay 98.0%	100 gm

Product Code	Product Name	Packing
849890	Iodine Mono Bromide 1.0 M (in Dichloro methane)	1 lit
028566 ICl (7790-99-0)	Iodine Mono Chloride for Synthesis M. W.: 162.36 Assay (iodometric) 98.0%	5x50 gm
849900	Iodine Mono Chloride Solution 1.0 M (in Dichloro methane)	100 ml 500 ml
549025 I ₂ O ₅ (12029-98-0)	Iodine Pentoxide AR for Flue Gas Analysis M. W.: 333.81 Assay 98.0%	100 gm
849930 new	Iodine Phosphoric Acid Solution (Magnine Reagent) (Reagent for Cellulose)	25 ml
028569 ICl ₃ (865-44-1)	Iodine Trichloride M. W.: 233.26 Assay (Iodometric) 97.0%	25 gm
122855 ICH ₂ CONH ₂ (144-48-9)	Iodo Acetamide for Synthesis M. W.: 184.96	5 gm
549165 ICH ₂ CO ₂ H (64-69-7)	Iodo Acetic Acid AR M. W.: 185.95 Assay 99.5%	5 gm 25 gm
123015 C ₆ H ₅ I (591-50-4)	Iodo Benzene for Synthesis M. W.: 204.01 Assay 98.0%	100 gm 500 gm
549305 C ₆ H ₅ I(O ₂ CH ₃) ₂ (3240-34-4)	Iodo Benzene Diacetate AR (Diacetoxyiodobenzene) M. W.: 322.10 Assay 98.0%	100 gm
123225 IC ₆ H ₄ CO ₂ H (88-67-5)	2-Iodo Benzoic Acid M. W.: 248.02 Assay 98.0%	25 gm 100 gm
113245 new	1-Iododecane Extra Pure for Synthesis M.W : 268.18 Assay 98.0%	25 gm 100 gm
C ₁₀ H ₂₁ I (2050-77-3)		
	1-Iodobutane See n-Butyl Iodide	
	Iodoeosin See Erythrosin B	
	Iodo Ethane See Ethyl Iodide	
028583 CHI ₃ (75-47-8)	Iodoform Pure M. W.: 393.73 Assay (Iodometric ex I) 98.0%	25 gm 250 gm
123365 C ₈ H ₆ IN (16066-91-4)	5- Iodo Indole M. W.: 243.04 Assay 98.0%	5 gm 25 gm
	Iodo Methane See Methyl Iodide	
549455 C ₆ H ₅ IO (540-38-5)	4- Iodo Phenol AR M. W.: 220.01 Assay 99.0%	25 gm 100 gm
	2-(4-Iodo Phenyl)-3(p-Nitro Phenyl) 5-Phenyl Tetra Zolium Chloride See I.N.T.	

Product Code	Product Name	Packing
	1-Iodo-2,5-Pyrrolidinedion See n-Iodosuccinimide	
849990	Iodophor Disinfectant	1 lit 5 lit
849995	Iodophor-FD	1 lit 5 lit 10x5 lit
549565	n-Iodo Succinimide AR (Nis, 1-Iodo-2,5-Pyrrolidinedione) Ion Exchange Resins M. W.: 224.98 Assay 95.0%	25 gm 100 gm
$C_4H_4INO_2$ (516-12-1)		
	Ion Exchange Resins See Ceralite	
123965	a-Ionone for Synthesis M. W.: 192.30 Assay 90.0%	100 ml 500 ml
$C_{13}H_{20}O$ (127-41-3)		
124005	b-Ionone for Synthesis M. W.: 192.30 Assay 96.0%	100 ml 500 ml
$C_{13}H_{20}O$ (79-77-6)		
	IP TG See Isopropyl β -D-1-Thiogalactopyranoside	
028596	Iridium Metal Powder M. W.: 192.22 Assay (Trace metal basis) 99.9%	1 gm
Ir (7439-88-5)		
124190	Iridium Trichloride Iridium Content 46% Approx M.W 298.58 Assay 99.0%	1 gm
$IrCl_3$ (10025-83-9)		
	Iris Blue B See Lacmoid,	
850040	Iron (Fe) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 Nist Traceable	100 ml 250 ml 500 ml
850042 new	Iron (Fe) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
850130	Iron (Fe) 1000 ppm Single Element Std. Soln. for ICP in HNO_3 Nist Traceable	100 ml 500 ml
850160	Iron 10000 ppm Single Element Std. Soln. for ICP in HNO_3 Nist Traceable	100 ml 500 ml
850070	Iron (Fe) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
850100	Iron (Fe) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
	Iron (III) See Ferric	
549975	Iron Wire 0.57 mm Diameter AR M. W.: 55.85	100 gm
Fe (7439-89-6)		

Product Code	Product Name	Packing
028601	Iron (Metal) Powder 300 Mesh Electrolytic At. W. 55.85 Assay (Redox titration) 95.0%	1 kg 5 kg 50 kg
Fe (7439-89-6)		
028597	Iron Filings about 100 Mesh At.W. : 55.85 Assay (Redox titration) 99.5%	1 kg 5 kg
Fe (7439-89-6)		
	Iron Alum See Ammonium Ferric Sulphate	
550065	Iron Oxalate AR M.W. : 179.90 Assay (trace metal basis) 99.9%	25 gm
$C_2FeO_4 \cdot 2H_2O$ (6047-25-2)		
	Iron Oxide See Ferric Oxide Red	
124215	Iron Reduced Extra Pure A. W.: 55.85 Assay 99.0%	1 kg
Fe (7439-89-6)		
	Iron (II) Sulphate See Ferrous Sulphate	
850200	Iron (II) Sulphate 0.1M (0.1N) Volumetric Solution, Nist Traceable	1 lit
	Iron (III) Sulphate See Ferric Sulphate	
	Iron Sulphide See Ferrous Sulphide	
550105	Isatin AR for Synthesis (Indole-2,3-dione) (Spectrophotometric det.of Proline and Thiophene) M. W.: 147.13	25 gm 100 gm
$C_8H_5NO_2$ (91-56-5)		
124555	Isatoic Anhydride for Synthesis (Anthranilic Acid N-Carboxylic Acid Anhydride) M. W.: 163.13	100 gm 500 gm
$C_8H_5NO_3$ (118-48-9)		
027211	Iso Amyl Acetate for Synthesis M. W.: 130.19 Assay (GC) 95.0%	500 ml 2.5 lit 25 lit 200 lit
$C_7H_{14}O_2$ (123-92-2)		
550325	Iso Amyl Acetate AR M. W.: 130.19 Assay (GC) 95.0%	500 ml 2.5 lit
$C_7H_{14}O_2$ (123-92-2)		
027212	Iso Amyl Alcohol for Synthesis also for Milk testing M. W.: 88.15 Assay Isomer (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
$C_5H_{11}OH$ (123-51-3)		
550345	Iso Amyl Alcohol AR/ACS M. W.: 88.15 Assay (GC) isomers 99.0%	500 ml 1 lit 2.5 lit 25 lit 200 lit
$C_5H_{11}OH$ (123-51-3)		
949000	Iso Amyl Alcohol for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	100 ml
$C_5H_{11}OH$ (123-51-3)		
025992	Iso Amyl Iodide M. W.: 198.05 Assay (GC) 97.0%	100 ml
$C_5H_{11}I$ (541-28-6)		

Product Code	Product Name	Packing
	1-Iso Benzofuranone See Phthalide	
027505	Iso Butanol for Synthesis (Iso Butyl Alcohol)	500 ml 1 lit
C ₄ H ₁₀ O (78-83-1)	M. W.: 74.12 Assay (GC) 99.0%	2.5 lit 25 lit 200 lit
550365	Iso Butanol AR/ACS (Iso Butyl Alcohol)	500 ml 1 lit
C ₄ H ₁₀ O (78-83-1)	M. W.: 74.12 Assay (GC) 99.0%	2.5 lit 25 lit
124765	Iso Butyl Acetate for Synthesis (acetic acid isobutyl ester)	500 ml 2.5 lit 25 lit 200 lit
CH ₃ COOCH ₂ CH(CH ₃) ₂ (110-19-0)	M. W.: 116.16	
	Iso Butyl Alcohol See Iso-Butanol	
124905	Iso Butyl Benzene for Synthesis [(2-methylpropyl) benzene]	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₅ CH ₂ CH(CH ₃) ₂ (538-93-2)	M. W.: 134.22	
550415	Iso Butyl Benzene AR	500 ml
C ₆ H ₅ CH ₂ CH(CH ₃) ₂ (538-93-2)	M. W.: 134.22 Assay 99.0%	
125015	Iso Butyl Benzoate for Synthesis	500 gm
C ₆ H ₅ CO ₂ CH ₂ CH(CH ₃) ₂ (120-50-3)	M. W.: 178.23 Assay 98.0%	
025222	Iso Butyl Bromide (1-Bromo-2 Methyl Propane)	100 ml 500 ml
C ₄ H ₉ Br (78-77-3)	M. W.: 137.03 Assay (GC) 98.0%	
125205	Iso Butyl Butyrate for Synthesis	500 gm
CH ₃ CH ₂ CH ₂ CO ₂ CH ₂ CH(CH ₃) ₂ (539-90-2)	M. W.: 144.21 Assay 98.0%	
125215 new	Iso Butyl Chloro Formate for Synthesis	100 ml 500 ml
C ₅ H ₉ ClO ₂ (543-27-1)	M.W : 136.58 Assay 98.0%	
125225	Iso Butyl Cinnamate for Synthesis	500 gm
C ₁₃ H ₁₆ O ₂ (122-67-8)	M. W.: 204.26 Assay 98.0%	
125235	Iso Butyl Formate for Synthesis	500 gm
C ₅ H ₁₀ O ₂ (542-55-2)	M. W.: 102.13 Assay 97.0%	
125255	Iso Butyl Iodide for Synthesis (1-Iodo-2-Methyl Propane)	100 ml 500 ml
C ₄ H ₉ I (513-38-2)	M. W.: 184.02 Assay 97.0%	
027528	Iso Butyl Methyl Ketone for Synthesis (Methyl Iso Butyl Ketone)	500 ml 2.5 lit 25 lit 200 lit
(CH ₃) ₂ CH.CH ₂ .CO.CH ₃ (108-10-1)	M. W.: 100.16 Assay (GC) 99.0%	


Product Code	Product Name	Packing
550385	Iso Butyl Methyl Ketone AR/ACS	500 ml 2.5 lit 25 lit 200 lit
(CH ₃) ₂ CH.CH ₂ .CO.CH ₃ (108-10-1)	M. W.: 100.16 Assay (GC) 99.0%	
747000	Iso Butyl Methyl Ketone for HPLC & Spectroscopy	1 lit
(CH ₃) ₂ CH.CH ₂ .CO.CH ₃ (108-10-1)	M. W.: 100.16 Assay (GC) 99.5%	
125535	Iso Butyl Phenyl Acetate for Synthesis	500 gm
C ₁₂ H ₁₆ O ₂ (102-13-6)	M. W.: 192.25 Assay 98.0%	
125555	Iso Butyl Propionate for Synthesis	500 gm
C ₇ H ₁₄ O ₂ (540-42-1)	M. W.: 130.18 Assay 98.0%	
125575	Iso Butyl Salicylate for Synthesis	500 gm
C ₁₁ H ₁₄ O ₃ (87-19-4)	M. W.: 194.23 Assay 98.0%	
125665	Iso Butyraldehyde for Synthesis (2-methylpropionaldehyde)	500 ml 2.5 lit 25 lit 200 lit
(CH ₃) ₂ CHCHO (78-84-2)	M. W.: 72.11	
025223	Iso Butyric Acid	500 ml 2.5 lit
C ₄ H ₈ O ₂ (79-31-2)	M. W.: 88.11 Assay (GC) 98.0%	
125785	Iso Butyric Anhydride for Synthesis	500 ml
C ₈ H ₁₄ O ₃ (97-72-3)	M. W.: 158.19	
125825	Iso Butyryl Chloride for Synthesis (2-methylpropionyl chloride)	250 ml 1 lit
(CH ₃) ₂ CHCOCl (79-30-1)	M. W.: 106.55	
125915	3-Iso Chromanone	1 gm 5 gm
C ₉ H ₈ O ₂ (4385-35-7)	M. W.: 148.16	
550505	DL-Iso Citric Acid Tri-Sodium Salt AR for Biochemistry	1 gm
C ₆ H ₅ Na ₃ O ₇ .XH ₂ O (1637-73-6)	M. W.: 258.07 (Anhydrous)	
	Iso Dulcitate See L(+) Rhamnose	
126055	Iso Eugenol for Synthesis (2-methoxy-4-propenylphenol) (4-Propenyl-2-methoxyphenol)	100 ml
CH ₃ OC ₆ H ₃ (CH=CHCH ₃)OH (97-54-1)	M. W.: 164.20	
126215	Iso Eugenyl Acetate for Synthesis	500 gm
C ₁₂ H ₁₄ O ₃ (93-29-8)	M. W.: 206.24 Assay 98.0%	
037123	L-Iso-Leucine for Biochemistry	25 gm 100 gm 1 kg
C ₆ H ₁₃ NO ₂ (73-32-5)	M. W.: 131.17 Assay (Non-aqueous) 99.0%	
126325	DL-Iso leucine for Biochemistry (2-amino-3-methylpentanoic acid)	5 gm 25 gm
C ₆ H ₁₃ NO ₂ (443-79-8)	M. W.: 131.17	

Product Code	Product Name	Packing
	Isoniazide See Isonicotinic Acid Hydrazide	
029332	Iso Nicotinic Acid	100 gm
C ₆ H ₅ NO ₂ (55-22-1)	M. W.: 123.11 Assay (acidimetric) 98.0%	500 gm
028606	Iso Nicotinic Acid Hydrazide (Iso Niazid)	100 gm
C ₆ H ₇ N ₃ O (54-85-3)	M. W.: 137.14 Assay (Oxidimetric) 99.0%	500 gm
126435	Iso Nipecotinic Acid for Synthesis	25 gm
C ₆ H ₁₁ NO ₂ (498-94-2)	M. W.: 129.16 Assay 97.0%	100 gm
030518	Iso Octane	500 ml
C ₈ H ₁₈ (540-84-1)	M. W.: 114.23 Assay (GC) 99.5%	2.5 lit 25 lit
550555	Iso Octane AR/ACS	500 ml
C ₈ H ₁₈ (540-84-1)	M. W.: 114.23 Assay (GC) 99.5%	2.5 lit
747500	Iso Octane for HPLC & Spectroscopy	1 lit
C ₈ H ₁₈ (540-84-1)	M. W.: 114.23 Assay (GC) 99.7%	2.5 lit
747510 new	Iso Octane PRA For Pesticide Residue Trace Analysis (2,2,4-Trimethylpentane)	1 lit
C ₈ H ₁₈ (540-84-1)	M.W. 114.23 Assay (GC) 99.8%	
550558 new	Iso Octane for Dry (2,2,4-Trimethylpentane)	500 ml
C ₈ H ₁₈ (540-84-1)	M.W. 114.23 Assay (GC) 99.5%	2.5 lit
029452	Iso Pentane	500 ml
C ₅ H ₁₂ (78-78-4)	M. W.: 72.15 Assay (GC) 99.0%	2.5 lit 25 lit 200 lit
550595	Iso Pentane AR	500 ml
C ₅ H ₁₂ (78-78-4)	M. W.: 72.15 Assay (GC) 99.5%	2.5 lit 25 lit 200 lit
	Iso Pentanoic Acid See Iso Valeric Acid	
029524	Iso-Phorone for Synthesis	500 ml
C ₉ H ₁₄ O (78-59-1)	M. W.: 138.21 Assay (GC) 95.0%	2.5 lit
551375	Iso Phorone AR	1 lit
C ₉ H ₁₄ O (78-59-1)	M. W.: 138.21	
126745	Iso Phthalaldehyde	100 gm
C ₈ H ₆ O ₂ (626-19-7)	M. W.: 134.13 Assay 97.0%	
025234	Iso Phthalic Acid	500 gm
C ₈ H ₆ O ₄ (121-91-5)	M. W.: 166.13 Assay (acidimetric) 98.5%	
	Iso Propanol See 2-Propanol	

Product Code	Product Name	Packing
029693	Iso Propyl Acetate	500 ml
C ₅ H ₁₀ O ₂ (108-21-4)	M. W.: 102.13 Assay (GC) 99.0%	2.5 lit 25 lit 200 lit
	Iso Propyl Alcohol See 2-Propanol	
	di-Isopropylamine See Diisopropylamine	
029724	Iso Propylamine for Synthesis	500 ml
C ₃ H ₉ N (75-31-0)	M. W.: 59.11 Assay (GC) 99.0%	2.5 lit
551585	Iso Propylamine AR	1 lit
C ₃ H ₉ N (75-31-0)	M. W.: 59.11	
126945	4-Iso Propyl Aniline for Synthesis	100 ml
(CH ₃) ₂ CHC ₆ H ₄ NH ₂ (99-88-7)	M. W.: 135.21	
027485	Iso Propyl Bromide	250 ml
C ₃ H ₇ Br (75-26-3)	M. W.: 123.00 Assay 98.0%	500 ml 2.5 lit
025233	Iso Propyl Chloro Acetate	500 ml
ClCH ₂ CO ₂ CH(CH ₃) ₂ (105-48-6)	M. W.: 136.58 Assay 99.0%	
	Iso Propyl Ether See Di-iso-Propyl Ether	
127065	Iso Propyl Iodide for Synthesis	100 ml
C ₃ H ₇ I (75-30-9)	(2-Iodopropane) M. W.: 169.99	500 ml
066311	Iso Propyl Myristate	500 ml
C ₁₇ H ₃₄ O ₂ (110-27-0)	M. W.: 270.45 Assay 95.0%	2.5 lit 25 lit 200 lit
125530 new	Isopropyl Palmitate	500 ml
C ₁₉ H ₃₈ O ₂ (142-91-6)	M.W. 852	2.5 lit
127205	1-Iso Propyl Piperazine 1-(1-Methyl Ethyl) Piperazine	5 gm
C ₇ H ₁₆ N ₂ (4318-42-7)	M. W.: 128.22	
127315	Iso Propyl β-D-1-Thiogalactopyranoside for Biochemistry (Non-Mammalian) (Dioxane free) (IPTG) (TSE-BSE Certificate not Applicable)	1 gm 5 gm 25 gm
C ₉ H ₁₈ O ₅ S (367-93-1)	M. W.: 238.30	
127405	(-) Iso Pulegol for Synthesis	500 gm
C ₁₀ H ₁₈ O (89-79-2)	M. W.: 154.25 Assay 98.0%	
127505	Iso Quinoline Tech	100 ml
C ₉ H ₇ N (119-65-3)	M. W.: 129.16 Assay 97.0%	500 ml
850800	Isotonic Sodium Sulphate Copper Sulphate Solution	500 ml

	Product Code	Product Name	Packing
I	127635	Iso Valeraldehyde for Synthesis	100 ml
	C ₅ H ₁₀ O	M. W.: 86.13	500 ml
	(590-86-3)		2.5 lit
J	551695	Iso Valeric Acid AR (3-Methyl Butyric Acid)	100 ml
	C ₅ H ₁₀ O ₂	M. W.: 102.13	500 ml
K	127845	Iso Vaniline Pure	25 gm
	C ₈ H ₈ O ₃	M. W.: 152.15 Assay 95.0%	100 gm
	028608	Itaconic Acid for Synthesis	500 gm
	C ₅ H ₆ O ₄	M. W.: 130.10 Assay (Acidimetric) 99.0%	5 kg
	025100	Jack Bean Meal	100 gm
	(9002-13-5)		500 gm
	131005	Janus Green (B.M.S. & Redox Indicator) (C.I. 11050)	10 gm
	C ₃₀ H ₃₁ ClN ₆	M. W.: 511.06	25 gm
	034041	Jenner's Stain for Microscopy	25 gm
	(62851-42-7)		100 gm
	852050	JSB Stain Solution No. 1	125 ml
	852070	JSB Stain Solution No. 2	125 ml
	854100	Kaiser'S Glycerol Gelatin Solution	100 ml
		Kalignost See Sodium Tetra Phenyl Borate	

Product Code	Product Name	Packing
559145	Kanamycin Sulphate AR (Kanamycin Mono Sulphate)	1 gm 5 gm 25 gm
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄	M. W.: 582.58 Assay 95-105%	
(25389-94-0)		
033059	Kaolin Pure	500 gm 25 kg
H ₂ Al ₂ Si ₂ O ₈ .H ₂ O	M. W.: 258.20	
(1332-58-7)		
019059	Karl Fischer Reagent Pyridine Free Single Solution	2x250 ml
131215	Kerosene (Low Odour)	500 ml 2.5 lit
(8008-20-6)		
044073	a-Keto Glutaric Acid	25 gm 100 gm
C ₅ H ₆ O ₅	M. W.: 146.10	
(328-50-7)	Assay (acidimetric) 99.0%	
033062	Kieselguhr White Purified and Ignited	500 gm 1 kg 10 kg 25 kg
(61790-53-2)		
559255	Kinetin AR Plant growth Stimulator, Causes rapid cell division	100 mgm 250 mgm 1 gm 10 gm
C ₁₀ H ₉ N ₅ O	M. W.: 215.21	
(525-79-1)	Assay (Non-aqueous) 99.0%	
131405	Kojic Acid (5-Hydroxy-2-Hydroxymethyl -4-Pyranone)	1 gm 25 gm 100 gm 1 kg
C ₆ H ₆ O ₄	M. W.: 142.11	
(501-30-4)		
854500	Kovac's Indole Reagent	100 ml
854600	Kraut's Reagent (Test Reagent for Choline)	100 ml



LANTHANUM

57 Lanthanum

La

138.91

 [Xe]5d¹6s²

a : 1.88








ρp: 1.10







Lanthanum, atomic no.: 57, symbol as La, weight at 138.91, is the first element in the rare earth or Lanthanide series. It is the model for all the other trivalent rare earths. After Cerium, it is the second most abundant of the rare earths.

Lanthanum-rich Lanthanide compounds have been used extensively for cracking reactions in FCC catalysts, especially to manufacture high-octane gasoline from heavy crude oil.

Lanthanum-Rich Rare Earth metals play the important roles in hydrogen storage batteries. Lanthanum Fluoride is used in phosphor lamp coatings.



Product Code	Product Name	Packing
Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic		
HAND WASH GEL/ SOAP		
DI032	HWS09 (Hand Wash Soap) 	100 ml 500 ml 5 lit
Description	Liquid Microbicidal Handwash Soap	
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.	
Action Use	Fights germs leaving hands soft and totally clean Domestic Medical Industrial	
DI050	HWG09 Dispenser Pump 	50 ml 500 ml
Description	(Instant hand Sanitizer) Liquid Handrub Antiseptic with Triple Action	
Contents	Denatured Alcohol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate crosspolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume	
Action Use	Kills 99.9% of germs in seconds without water Domestic, Medical, Industrial	
ENVIRONMENT DISINFECTANT		
DI280	ED005 Air and surface spray 	250 ml 500 ml 5 lit
Description	disinfectant solution for preventing cross infection	
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours	
Action Use	An air and surface sprayable disinfectant for preventing cross infections Medical Industrial	
DI325	ED009 Aerial Fumigant and Surface and Water Disinfectant Solution 	1 lit 5 lit 25 lit
Description		
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide	
Action Use	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation Medical Industrial	
SURFACE DISINFECTANT		
DI500	SD005 Disinfectant Cleaner for Floors & Hard Surfaces 	500 ml 5 lit
Description		
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.	
Use	Domestic Medical Industrial	
DI522	SD009 Disinfectant Solution for Floors & Hard Surfaces 	500 ml 5 lit
Description		
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.	
Use	Domestic Medical Industrial	
DI541	SD014 Disinfectant for hospital, hotels, food and pharmaceutical industry 	1 lit 5 lit
Description		
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl ammonium chloride	
Action Use	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing equipments Medical, Industrial	

Product Code	Product Name	Packing
	Cedepol™ also known as Teepol See 056011	
LABORATORY DISINFECTANT		
DI675	LD009 Disinfectant Solution for heat sensitive Lab ware 	500 ml 5 lit
Description		
Contents	5 % w/v Phenol, Permitted colours.	
Action Use	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material Medical Industrial	
INSTRUMENT DISINFECTANT		
DI770	ID018 Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments 	500 ml 1 lit 2.5 lit 5 lit
Description		
Contents	12% Enzymes (Combination of Proteases, Lipases and Amylases), Non Ionic surfactants, Preservatives	
Action Use	Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms Medical, Industrial	
DI774	ID045 High Efficiency Rust Remover 	1 lit 5 lit
Description		
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).	
Action Use	Removal of Rust from Surgical/Medical Instruments and Surfaces. Medical, Industrial	
DI792	ID063 High level Surgical Instrument Sterilizing and Disinfectant Solution 	500 ml 5 lit
Description		
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitor.	
Action Use	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection Medical	
DI810	ID072 2.4% Glutaraldehyde Solution for High Level Disinfection 	1 lit 5 lit
Description		
Contents	2.45% w/v Glutaraldehyde	
Action Use	Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution Medical	
DI819	ID090 Aldehyde Free High level Disinfectant for medical devices. 	250 ml 5 lit
Description		
Contents	3% w/v poly(hexamethylenebiguanide) hydrochloride PHMB 10% w/v Didecyl dimethyl ammonium chloride	
Action Use	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general purposes Medical, Industrial	

L

Laboratory Chemicals

Product Code	Product Name	Packing
DI837	ID099	500 ml 5 lit
Description	For high level disinfection.	
Contents	0.55% w/v ortho-Phthalaldehyde, Permitted colours.	
Action Use	Glutaraldehyde free, High level Surgical Medical	
	Criton X100 See 030632	
	Criton X100 for Molecular Biology See 923500	
	Criton X100 Scintillation Grade See 014630	
	Clentron MA 01 Alkaline For Industrial & Laboratory Cleaning See 025714	
	Clentron MA 02 Neutral For Cleaning Laboratory Glassware Instruments See 025715	
	Clentron MA 03 Phosphate Free For Specific Cleaning work in Laboratories See 025716	
DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND DAIRY/FOOD, INDUSTRY		
DI910	DW009 (Dish Wash)	500 ml
	Iodophor Disinfectant See 849990	
	Iodophor-FD See 849995	
	Lysol (Cresol and Soap Solution) See 033218	
	Sodium Hypochlorite Solution See 023039	
DI918	FCL09 (Fabric Cleaner Liquid)	1 lit
DI927	FCP09 (Fabric Cleaner Powder)	1 kg
DI936	TC009 (Toilet Cleaner)	500 ml 1 lit
DI945	TW009 (Tiles Wash)	500 ml 1 lit
DI963	GC009 (Glass Cleaner)	500 ml
	Lab Lemco Paste & Powder See Meat extract Paste & Powder	
025070 C ₁₈ H ₁₅ O ₈ N (42249-61-6)	Lacmoid pH Indicator M. W.: 373.07	5 gm 25 gm
134005 (9028-36-8)	D-Lactate Dehydrogenase from Microorganism Lyophilized Powder Activity ~400-450u/mg (D-LDH, D-Lactic Dehydrogenase)	5000 units

Product Code	Product Name	Packing
029001 C ₃ H ₆ O ₃ (50-21-5)	L-(+)-Lactic Acid (DL-Lactic Acid) M. W.: 90.08 Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	500 ml 2.5 lit 25 lit 200 lit
560735 C ₃ H ₆ O ₃ (50-21-5)	L-(+)-Lactic Acid AR M. W.: 90.08 Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	500 ml 2.5 lit 25 lit 200 lit
859230	Lactic Acid 0.1 N Solution	500 ml 2.5 lit
859250 new	Lactic Acid 1N Solution	500 ml 1 lit 2.5 lit
	Lactic Acid Lithium Salt See Lithium Lactate	
859260	Lactophenol (Cotton Blue) Solution for Microscopy	500 ml
859280	Lactophenol (Mountant) Special for Fungi	500 ml
859300	Lactophenol Picric Acid Solution	100 ml 500 ml
029002 C ₁₂ H ₂₂ O ₁₁ .H ₂ O (10039-26-6)	Lactose (α-Lactose Monohydrate) M. W.: 360.31	500 gm 25 kg 50 kg
560915 C ₁₂ H ₂₂ O ₁₁ .H ₂ O (10039-26-6)	Lactose Monohydrate AR M. W.: 360.31	500 gm 25 kg
033069 (8006-54-0)	Lanolin Anhydrous Saponification value 90-105	500 gm
859400	Lanthanum (La) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
859402 new	Lanthanum (La) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
859430	Lanthanum (La) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
RE1460 La (7439-91-0)	Lanthanum Metal Ingot M. W.: 138.91 Assay (Trace metal basis) 99.99%	25 gm
RE1465 La (7439-91-0)	Lanthanum Metal Lump (1cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1470 La (7439-91-0)	Lanthanum Metal Wire (0.1mm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1475 La (7439-91-0)	Lanthanum Metal Rod (5mmx30cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	1 PC
RE1480 La (7439-91-0)	Lanthanum Metal Foil (0.25mmx40 cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	1 PC

Product Code	Product Name	Packing
RE1485 La (7439-91-0)	Lanthanum Metal Foil (0.50mmx40 cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	1 PC
RE1490 La (7439-91-0)	Lanthanum Metal SLAB (1cmx40cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	1 PC
RE1495 La (7439-91-0)	Lanthanum Metal Disc (0.1mmx35cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	1 PC
RE1510 La(CH ₃ CO ₂) ₃ .XH ₂ O (100587-90-4)	Lanthanum Acetate M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1515 La(CH ₃ CO ₂) ₃ .XH ₂ O (100587-90-4)	Lanthanum Acetate M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.99%	25 gm 250 gm
RE1520 La(CH ₃ CO ₂) ₃ .XH ₂ O (100587-90-4)	Lanthanum Acetate M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE1522 new La(CH ₃ CO ₂) ₃ .xH ₂ O (917-70-4)	Lanthanum Acetate Hydrate M.W. 316.04 (Anhydrous) Assay 97.0%	25 gm 100 gm
RE1530 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.5%	25 gm 100 gm 500 gm
RE1535 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1540 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.99%	100 gm 500 gm
RE1545 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE1555 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.0%	100 gm 500 gm
RE1560 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1565 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.99%	100 gm 500 gm
RE1570 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE1575 new LaCl ₃ .7H ₂ O (10025-84-0)	Lanthanum Chloride Heptahydrate AR/ACS M.W : 371.37	100 gm
RE1585 LaFa ₃ (13709-38-1)	Lanthanum Fluoride M. W.: 195.91 Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1590 LaFa ₃ (13709-38-1)	Lanthanum Fluoride M. W.: 195.91 Assay (Trace metal basis) 99.99%	100 gm 500 gm

Product Code	Product Name	Packing
RE1595 LaFa ₃ (13709-38-1)	Lanthanum Fluoride M. W.: 195.91 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE1610 La(OH) ₃ (14507-19-8)	Lanthanum Hydroxide M. W.: 189.93 Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1615 La(OH) ₃ (14507-19-8)	Lanthanum Hydroxide M. W.: 189.93 Assay (Trace metal basis) 99.99%	100 gm
RE1620 La(OH) ₃ (14507-19-8)	Lanthanum Hydroxide M. W.: 189.93 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE1630 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.0%	100 gm 500 gm
RE1635 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1640 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.99%	100 gm 500 gm
RE1645 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.999%	25 gm 100 gm
859500	Lanthanum Nitrate 0.1M	500 ml 1 lit
RE1665 new La ₂ (C ₂ O ₄).xH ₂ O (312696-10-9)	Lanthanum Oxalate AR M.W : 541.87 Assay 99.5%	10 gm
RE1685 La ₂ O ₃ (1312-81-8)	Lanthanum Oxide M. W.: 325.82 Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1690 La ₂ O ₃ (1312-81-8)	Lanthanum Oxide M. W.: 325.82 Assay (Trace metal basis) 99.99%	100 gm 1 kg
RE1700 La ₂ O ₃ (1312-81-8)	Lanthanum Oxide M. W.: 325.82 Assay (Trace metal basis) 99.999%	100 gm 500 gm
RE1715 La ₂ (SO ₄) ₃ .XH ₂ O (57804-25-8)	Lanthanum Sulphate M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.9%	100 gm 500 gm
RE1720 La ₂ (SO ₄) ₃ .XH ₂ O (57804-25-8)	Lanthanum Sulphate M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.99%	100 gm 500 gm
RE1725 La ₂ (SO ₄) ₃ .XH ₂ O (57804-25-8)	Lanthanum Sulphate M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm 500 gm
029011 C ₁₂ H ₂₄ O ₂ (143-07-7)	Lauric Acid M. W.: 200.32 Assay (acidimetric) 99.0%	500 gm
134315 C ₁₅ H ₂₈ NNaO ₃ (137-16-6)	n-Lauroylsarcosine Sodium Salt (Sarkosyl NI, N-Dodecanoyl-N-Methylglycine Sodium Salt, Sodium N-Dodecanoyl-N-Methylglycine) M. W.: 293.38	25 gm 100 gm



L

Laboratory Chemicals

Product Code	Product Name	Packing
028276 C ₁₂ H ₂₆ O (112-53-8)	Lauryl Alcohol M. W.: 186.34 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
	Lauryl Amine See Dodecylamine	
	Lauryl Mercaptan See 1-Dodecanethiol	
	Lauryl Sulphate Sodium Salt See Sodium Lauryl Sulphate	
134485 C ₁₄ H ₁₄ O ₂ P ₂ S ₄ (19172-47-5)	Lawesson's Reagent [2,4-Bis (4-Methoxyphenyl) 2,4-Dithioxo-1,3,2,4-Dithiadiphosphetane] M. W.: 404.47	25 gm 100 gm
859630	Lead (Pb) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
859660	Lead (Pb) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
859690	Lead (Pb) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
029018 Pb (7439-92-1)	Lead Metal Lumps M. W.: 207.2 Assay 99.0%	500 gm
561185 Pb (7439-92-1)	Lead (Metal) Powder AR 325 Mesh (90%) At.W. 207.2 Assay (Complexometric) 99.5%	500 gm
561188 Pb (7439-92-1)	Lead (Metal) Granular AR At.W. 207.2 Assay (Complexometric) 99.0%	500 gm
025043 Pb (7439-92-1)	Lead Metal Foil M. W.: 207.2 Assay 97.0%	500 gm
561191 Pb (7439-92-1)	Lead (Metal) Foil AR About 0.2mm thickness At W. 207.2 Assay (Complexometric) 99.0%	500 gm
134705 Pb (7439-92-1)	Lead Metal Rod M. W.: 207.2	50 gm
	Lead Acetate Basic Anhydrous See Lead (II) hydroxide Acetate Anhydrous	
029021 C ₄ H ₆ O ₄ Pb.3H ₂ O (6080-56-4)	Lead Acetate Trihydrate (Lead (II) Acetate) M. W.: 379.33 Assay (Complexometric) 99.0-103.0%	500 gm 25 kg 50 kg
561285 C ₄ H ₆ O ₄ Pb.3H ₂ O (6080-56-4)	Lead Acetate Trihydrate AR/ACS (Lead (II) Acetate) M. W.: 379.33 Assay 99.5%	500 gm 25 kg 50 kg

Product Code	Product Name	Packing
859825 new	Lead Acetate TS acc. to USP	500 ml
859830	Lead Acetate Basic 18-20% Solution	1 lit 5 lit
	Lead Acetate Basic See Lead (II) Hydroxide Acetate	
PA1125	Lead Acetate Paper	200 lvs
134825 ASH ₃ O ₄ XPb (7645-25-2)	Lead Arsenate M. W.: 347.12	100 gm 500 gm
025044 BH ₃ O ₃ XPb (35498-15-8)	Lead Borate M. W.: 328.85	250 gm
029023 PbBr ₂ (10031-22-8)	Lead (II) Bromide M. W.: 367.01 Assay (Pb) 99.0%	500 gm
029024 (PbCO ₃) ₂ Pb(OH) ₂ (1319-46-6)	Lead (II) Carbonate Basic M.W.: 775.63 Assay 77.0% (Pb)	500 gm
134955 new PbCO ₃ (598-63-0)	Lead Carbonate M.W : 267.21 Assay 98.0%	500 gm
561555 PbCO ₃ (598-63-0)	Lead (II) Carbonate AR/ACS M.W.: 267.21 Assay (Complexometric) 99.0%	250 gm
029025 PbCl ₂ (7758-95-4)	Lead (II) Chloride Anhydrous for Synthesis M. W.: 278.10 Assay (Argentometric) 98.0%	500 gm
134995 PbCrO ₄ (7758-97-6)	Lead (II) Chromate M. W.: 323.18	500 gm
561615 PbCrO ₄ (7758-97-6)	Lead (II) Chromate AR M. W.: 323.18 Assay (PbCrO ₄) 99.0%	100 gm 250 gm
029029 PbO ₂ (1309-60-0)	Lead Dioxide M. W.: 239.20 Assay (oxidimetric) 94.0%	500 gm 50 kg
561675 PbO ₂ (1309-60-0)	Lead Dioxide AR M. W.: 239.20 Assay (Oxidimetric) 97.0%	250 gm
135105 PbF ₂ (7783-46-2)	Lead (II) Fluoride M. W.: 245.20 Assay 98.0%	500 gm
859900 Pb(BF ₄) ₂ (13814-96-5)	Lead (II) Fluoroborate 50% Solution for Electroplating M. W.: 380.81	1 kg
029022 (CH ₃ COO) ₂ Pb.Pb(OH) ₂ (51404-69-4)	Lead (II) Hydroxide Acetate Anhydrous (Lead Acetate basic Lead Sub Acetate) Assay (Pb) 72.75%, Assay (CH ₃ COOH) 21.5-24.0%	1 Kg 2.5 kg 5 kg

Product Code	Product Name	Packing
135295 PbI ₂ (10101-63-0)	Lead (II) Iodide M. W.: 461.01 Assay 98.0%	100 gm
029040 PbO (1317-36-8)	Lead Monoxide (Lead II Oxide yellow) M. W.: 223.20 Assay (ex Pb Complexometric) 98.0%	500 gm 1 kg 50 kg
561725 PbO (1317-36-8)	Lead Monoxide AR/ACS (Lead II Oxide) M. W.: 223.20 Assay (by complexometry) 99.0%	250 gm
029038 Pb(NO ₃) ₂ (10099-74-8)	Lead Nitrate (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.0%	500 gm 5 kg 25 kg 50 kg
561815 Pb(NO ₃) ₂ (10099-74-8)	Lead Nitrate AR/ACS (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.5%	500 gm 25 kg 50 kg
860110	Lead (II) Nitrate 0.01M (0.02N) Volumetric Solution Nist Traceable	1 lit
860140	Lead (II) Nitrate 0.5M (1N) Volumetric Solution Nist Traceable	1 lit
135475 PbC ₂ O ₄ (814-93-7)	Lead (II) Oxalate Pure M. W.: 295.22	500 gm
029041 Pb ₃ O ₄ (1314-41-6)	Lead (II, IV) Oxide Red (Lead red)Pb ₃ O ₄ M. W.: 685.60 Assay (Redox titration) 85.0%	500 gm 50 kg
	Lead Oxide Yellow See Lead Monoxide	
	Lead Peroxide See Lead Dioxide	
029039 Pb ₃ (PO ₄) ₂ (7446-27-7)	Lead (II) Phosphate M. W.: 811.54	250 gm
135645 Pb(C ₁₈ H ₃₅ O ₂) ₂ (1072-35-1)	Lead (II) Stearate Pure M. W.: 774.15	500 gm
	Lead Sub-Acetate See Lead (II) Hydroxide Acetate	
029046 PbSO ₄ (7446-14-2)	Lead (II) Sulphate M. W.: 303.25 Assay (ex Pb) 98.5%	500 gm
135715 PbS (1314-87-0)	Lead (II) Sulphide Pure M. W.: 239.27	500 gm
135795 C ₄ H ₄ O ₆ Pb (815-84-9)	Lead (II) Tartrate M. W.: 355.27	500 gm
564665 Pb(CH ₃ CO ₂) ₄ (546-67-8)	Lead Tetra Acetate AR M. W.: 443.38	100 gm 1 kg
135865 Pb(SCN) ₂ (592-87-0)	Lead Thiocyanate Pure M. W.: 323.36 Assay 99.0%	100 gm 500 gm

Product Code	Product Name	Packing
135935 O ₃ PbS ₂ (13478-50-7)	Lead (II) Thiosulphate M. W.: 319.32	500 gm
034042 (12627-53-1)	Leishman's Stain for Microscopy (Eosine Methylene Blue Compound)	25 gm 100 gm 1 kg
860370	Leishman's Stain Solution Stain and solvent separate	250 ml 500 ml
860400	Leishman's Stain Solution with Buffer	250 ml 500 ml
	Lemon Grass Oil See oil of lemon grass	
037121 C ₆ H ₁₃ NO ₂ (61-90-5)	L-Leucine for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	25 gm 100 gm 1 kg
136255 C ₇ H ₁₅ NO ₂ .HCl (7517-19-3)	L-Leucine Methyl Ester HCL for Biochemistry M. W.: 181.66 Assay 98.0%	25 gm 100 gm
564875 C ₆ H ₁₃ NO ₂ (328-38-1)	D-Leucine AR M. W.: 131.17	1 gm 5 gm 25 gm
	L-iso-Leucine for Biochemistry See L-isoleucine for Biochemistry	
136270 new C ₆ H ₁₃ NO ₂ (616-06-8)	DL-NOR-Leucine for Biochemistry M.W : 131.17 Assay 99.0%	5 gm 25 gm
136405 (CH ₃) ₂ CHCH ₂ CH(NH ₂)CH ₂ OH (7533-40-6)	L-Leucinol for Biochemistry M. W.: 117.19 Assay 96.0%	5 gm 25 gm
136515 C ₅ H ₈ O ₃ (123-76-2)	Levulinic Acid for Synthesis M. W.: 116.12 Assay 98.0%	250 gm 1 kg
	Levulose See D-Fructose	
860500	Light Green Solution 0.1% for Microscopy Animal Tissue Staining	250 ml
860530	Light Green Stain Solution (0.5 % w/v)	125 ml
025060 C ₂₇ H ₃₄ N ₂ O ₄ S	Light Green (C.I. 42040) M. W.: 482.65 Dye content (titanometry, dried subs) Abt. 95.0%	25 gm 100 gm
034043 C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃ (5141-20-8)	Light Green for Microscopy Light Green SF Yellowish C.I. No. 42095 M. W.: 792.86 Dye content (by titanometry) 90.0%	25 gm 100 gm
025055 C ₁₄ H ₂₂ N ₂ O (137-58-6)	Lignocaine Base M. W.: 234.34 Assay 99.0%	100 gm 500 gm
025051 C ₁₄ H ₂₂ N ₂ O.HCl.H ₂ O (6108-05-0)	Lignocaine Hydrochloride Monohydrate M. W.: 288.81 Assay (non-aqueous) 99.0%	100 gm 500 gm

L

Laboratory Chemicals

Product Code	Product Name	Packing
	Ligroin' Reagent See Petroleum Ether	
860640	Lime Water	500 ml
136615 new	D(+) Limonene for Synthesis C ₁₀ H ₁₆ (5989-27-5) M.W : 136.24	500 ml
136845	Linallyl Acetate for Synthesis C ₁₂ H ₂₀ O ₂ (115-95-7) M. W.: 196.29	500 gm
136855	Linallyl Anthranilate for Synthesis C ₁₇ H ₂₃ NO ₂ (7149-26-0) M. W.: 273.37	500 gm
136865	Linallyl Benzoate for Synthesis C ₁₇ H ₂₂ O ₂ (126-64-7) M. W.: 258.36	500 gm
136875	Linallyl Butyrate for Synthesis C ₁₄ H ₂₄ O ₂ (78-36-4) M. W.: 224.34	500 gm
136885	Linallyl Cinnamate for Synthesis C ₁₉ H ₂₄ O ₂ (78-37-5) M. W.: 284.39	500 gm
136895	Linallyl Formate for Synthesis C ₁₁ H ₁₈ O ₂ (115-99-1) M. W.: 182.26	500 gm
136905	Linallyl Propionate for Synthesis C ₁₃ H ₂₂ O ₂ (144-39-8) M. W.: 210.31	500 gm
136955	Linalool for Synthesis C ₁₀ H ₁₈ O (78-70-6) M. W.: 154.25 Assay 97.0%	500 gm
025049	Lincomycin Hydrochloride C ₁₈ H ₃₄ N ₂ O ₆ S.HCl.H ₂ O M. W.: 461.01 (7179-49-9)	Mill. Unit
039095	Lipase ex microorganism activity 16 units/mg protein	25 gm 100 gm 500 gm
137115	Lipoprotein Lipase from Pseudomonas SP. Lyophilized powder, Activity~ 20U/mg-solid)	10 mgm 50 mgm
	(9004-02-8)	
	Liquid Paraffin See Paraffin Liquid,	
	Liquoid See Sodium Polyanethole Sulphonate	
	Liquor Ammonia See Ammonia Solution all grade	
137255	Lissamine Rodhamine B C ₂₇ H ₂₉ ClN ₂ O ₆ S ₂ (62796-29-6) M. W.: 577.11	1 gm
137285	Lissamine Fast Yellow (C.I. 18965) C ₁₆ H ₁₀ Cl ₂ N ₄ Na ₂ O ₇ S ₂ M. W.: 551.29 (6359-98-4)	25 gm

Product Code	Product Name	Packing
137315	Lissamine Green B (C.I. 44090) C ₂₇ H ₂₅ N ₂ NaO ₇ S ₂ (3087-16-9) M. W.: 576.62	25 gm
137345	Lissamine Red (C.I. 18055) C ₂₀ H ₁₈ N ₄ O ₉ S ₂ Na ₂ (4321-69-1) M. W.: 566.48	25 gm
	Litharge See Lead Monoxide	
860920	Lithium (Li) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
860950	Lithium (Li) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
860980	Lithium (Li) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
029811	Lithium Metal Li [7439-93-2] A.W. : 6.94 Assay - min. 99.5%	100 gm
029060	Lithium Acetate C ₂ H ₃ LiO ₂ .2H ₂ O (6108-17-4) M. W.: 102.02 Assay (Non-aqueous) 99.0%	250 gm
565280	Lithium Acetate AR C ₂ H ₃ LiO ₂ .2H ₂ O (6108-17-4) M. W.: 102.02	250 gm
027078	Lithium Aluminium Hydride for Synthesis LiAlH ₄ (16853-85-3) M. W.: 37.95 Assay (Iodometric) 97.0%	100 gm
861080 new	Lithium Azide 20% w/w Solution in water	100 gm
029064	Lithium Bromide Anhydrous LiBr (7550-35-8) M. W.: 86.85 Assay (Argentometric; on dried basis) 99.0%	500 gm
029065	Lithium Carbonate Li ₂ CO ₃ (554-13-2) M. W.: 73.89 Assay 98.5%	250 gm 500 gm 25 kg
565395	Lithium Carbonate AR/ACS Li ₂ CO ₃ (554-13-2) M. W.: 73.89 Assay (acidimetric) 99.0%	100 gm 250 gm
565398	Lithium Carbonate AR Li ₂ CO ₃ (554-13-2) M. W.: 73.89	250 gm 1 kg
029067	Lithium Chloride Anhydrous LiCl (7447-41-8) M. W.: 42.39 Assay (Argentometric; on dried material) 99.0%	250 gm 500 gm
565435	Lithium Chloride Anhydrous AR LiCl (7447-41-8) M. W.: 42.39 Assay (argentometric) 99.0%	100 gm 250 gm
861020 new	Lithium Chloride 1M Solution In Acetic Acid	250 ml
861024 new	Lithium Chloride 1M Solution In Ethanol	250 ml

Product Code	Product Name	Packing
565475 Li ₃ C ₆ H ₅ O ₇ ·4H ₂ O (6080-58-6)	tri-Lithium Citrate Tetrahydrate AR M. W.: 281.99 Assay (Non-aqueous) (ex citrate) 98.5%	250 gm
029069 LiF (7789-24-4)	Lithium Fluoride M. W.: 25.94 Assay (acidimetric) 97.0%	500 gm
565585 LiF (7789-24-4)	Lithium Fluoride AR M. W.: 25.94	250 gm
029073 LiOH·H ₂ O (1310-66-3)	Lithium Hydroxide Monohydrate M. W.: 41.96 Assay (acidimetric) 98.0%	100 gm 500 gm 5 kg 50 kg
565625 LiOH·H ₂ O (1310-66-3)	Lithium Hydroxide Monohydrate AR/ACS M. W.: 41.96 Assay (Acidimetric) 99.0%	100 gm 500 gm
025056 LiI·3H ₂ O (7790-22-9)	Lithium Iodide for Synthesis M. W.: 187.90	100 gm
029075 CH ₃ ·CHOH·COOLi (867-55-0)	Lithium Lactate for Synthesis M. W.: 96.01 Assay 98.0%	100 gm 500 gm
025040 LiBO ₂ (13453-69-5)	Lithium Meta Borate Anhydrous M. W.: 49.75 Assay 95.0%	250 gm
565955 LiBO ₂ (13453-69-5)	Lithium Meta Borate Anhydrous AR M. W.: 49.75 Assay (acidimetric) 99.5%	250 gm
137965 Li ₂ MoO ₄ (13568-40-6)	Lithium Molybdate for Synthesis M.W. : 173.82	50 gm 100 gm
029076 LiNO ₃ (7790-69-4)	Lithium Nitrate Anhydrous M. W.: 68.95 Assay 98.0%	500 gm
565995 LiNO ₃ (7790-69-4)	Lithium Nitrate AR Anhydrous M. W.: 68.95	500 gm
138165 Li ₂ C ₂ O ₄ (553-91-3)	Lithium Oxalate Extra Pure M. W.: 101.90	100 gm
011612 C ₁₂ LiO ₄ ·3H ₂ O (13453-78-6)	Lithium Perchlorate Trihydrate M. W.: 160.44 Assay (argentometric) 99.0%	25 gm 100 gm
138215 Li ₃ PO ₄ (10377-52-3)	Lithium Phosphate Extra Pure M. W.: 115.79	100 gm 500 gm
029080 Li ₂ SO ₄ ·H ₂ O (10102-25-7)	Lithium Sulphate Monohydrate M. W.: 127.95 Assay (ion exchange) 98.0%	250 gm 500 gm 25 kg
566035 Li ₂ SO ₄ ·H ₂ O (10102-25-7)	Lithium Sulphate Monohydrate AR/ACS M. W.: 127.95 Assay (Ion exchange) 99.0%	250 gm 500 gm 25 kg
566065 Li ₂ B ₄ O ₇ (12007-60-2)	di - Lithium Tetra Borate AR/ACS M. W.: 169.12 Assay (Acidimetry) 99.0%	100 gm 1 kg

Product Code	Product Name	Packing
138365 Li ₂ WO ₄ (13568-45-1)	Lithium Tungstate M. W.: 261.72 Assay 98.0%	25 gm 100 gm
020060 (1393-92-6)	Litmus Granular (pH Indicator) pH 5.0-8.0 red to blue	10 gm 25 gm 100 gm 500 gm
861220	Litmus Blue Solution	125 ml 500 ml
PA1154	Litmus Blue Indicator Paper 10bks : 200lvs	100 lvs 200 lvs
PA1151	Litmus Red Indicator Paper 10bks : 200lvs	100 lvs 200 lvs
861250	Litmus Red Solution	125 ml 500 ml
138415 new	Liver Extract Powder For Bacteriological Purpose store at 2 - 8°C	500 gm
	Löffler's Methylene Blue Solution Alkaline See Methylene blue alkaline (Löffler's) Staining Solution	
861390	Lugol's 1% Solution (Iodine-Potassium Iodide solution) for Microscopy	125 ml 500 ml
138485 C ₈ H ₇ N ₃ O ₂ (521-31-3)	Luminol for Chemiluminescence M. W.: 177.16 Assay 97.0%	5 gm 25 gm
861450	Lutetium (Lu) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
861470	Lutetium (Lu) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
RE1735 Lu (7439-94-3)	Lutetium Metal Ingot M. W.: 174.96 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE1740 Lu (7439-94-3)	Lutetium Metal Lump (1cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1745 Lu (7439-94-3)	Lutetium Metal Wire (0.1mm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE1750 Lu (7439-94-3)	Lutetium Metal Rod (5mmx30cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	1 PC
RE1755 Lu (7439-94-3)	Lutetium Metal Foil (0.25mmx40 cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	1 PC
RE1760 Lu (7439-94-3)	Lutetium Metal Foil (0.50mmx40 cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	1 PC
RE1765 Lu (7439-94-3)	Lutetium Metal SLAB (1cmx40cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	1 PC

Product Code	Product Name	Packing
RE1770 Lu (7439-94-3)	Lutetium Metal Disc (0.1mmx35cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	1 PC
Re1780 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE1785 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE1790 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE1795 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE1805 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE1810 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE1815 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE1820 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE1830 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE1835 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE1840 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE1845 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE1855 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9%	1 gm 5 gm 25 gm
RE1860 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.99%	2 gm 10 gm
RE1865 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm
RE1870 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE1880 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.9%	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
RE1885 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.99%	1 gm 5 gm 25 gm
RE1890 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE1895 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE1905 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE1910 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE1915 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE1920 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.9999%	1 gm 5 gm
138675 C ₇ H ₉ N (583-61-9)	2,3-Lutidine for Synthesis M. W.: 107.15 Assay 99.0%	100 ml 500 ml
138745 C ₇ H ₉ N (108-47-4)	2, 4-Lutidine for Synthesis M. W.: 107.15 Assay 99.0%	5 gm 25 gm
138845 C ₇ H ₉ N (108-48-5)	2, 6-Lutidine for Synthesis M. W.: 107.15 Assay 98.0%	500 ml
138805 C ₇ H ₉ N (583-58-4)	3, 4-Lutidine for Synthesis M. W.: 107.15	100 ml 500 ml
138905 C ₇ H ₉ N (591-22-0)	3, 5-Lutidine for Synthesis (3,5-Dimethyl Pyridine) M. W.: 107.15 Assay 98.0%	100 ml 500 ml
139105 (8023-70-9)	Lycopodium for Synthesis	500 gm
139285 C ₆ H ₁₄ N ₂ O ₂ .H ₂ O (39665-12-8)	L-Lysine (Base) Monohydrate Store at 2 - 8°C M. W.: 164.20	10 gm 25 gm 100 gm
037129 C ₆ H ₁₄ N ₂ O ₂ HCl (657-27-2)	L-Lysine Monohydrochloride For Biochemistry M. W.: 182.65 Assay (Non-aqueous) 99.0%	100 gm 500 gm
025053 C ₆ H ₁₄ N ₂ O ₂ .HCl (657-27-2)	L-Lysine Monohydrochloride For Feed experiments M. W.: 182.65 Assay (NT/HPLC, on dry basis) 99.0-101.0%	2.5 kg
033218 (12772-68-8)	Lysol (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	500 ml 5 lit

Product Code	Product Name	Packing
139355 (12650-88-3)	Lysozyme for Biochemistry	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
139415 C ₅ H ₁₀ O ₅ (1114-34-7)	D-Lyxose for Biochemistry M. W.: 150.13	1 gm 5 gm

L



Karl Fischer Reagent

Pyridine Free Single Solution

- Practically odorless as free of Pyridine and chlorinated hydro-carbons.
- High accuracy of end point determination.
- Factor : 1 ml of reagent@ 5 mg of water.
- Fast reaction rate and consequent short titration duration.

Laboratory Chemicals

10100010010101010101
101001010010100
01010100010
1000011001010100010101
310
50101010100010101



Product Code	Product Name	Packing
144005	Macerozyme R-10 for Biochemistry	500 mgm 1 gm 5 gm
	Magenta Acid See Fuchsin Acid	
	Magenta Basic See Fuchsin Basic	
863100	Magnesium (Mg) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
863102	Magnesium (Mg) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
863030	Magnesium (Mg) 1000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml 500 ml
863060	Magnesium (Mg) 10000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml 500 ml
029085	Magnesium (Metal) Powder Mg (7439-95-4)	100 gm 500 gm 25 kg
029086	Magnesium (Metal) Ribbon Mg (7439-95-4)	25 gm
029089	Magnesium (Metal) Turning acc. Grignard reaction Mg (7439-95-4)	250 gm 500 gm 25 kg
029090	Magnesium Acetate Tetrahydrate (CH ₃ .COO) ₂ Mg.4H ₂ O M. W.: 214.46 (16674-78-5) Assay (Complexometric) 98-102%	500 gm 5 kg 25 kg 50 kg
568065	Magnesium Acetate Tetrahydrate AR/ACS (CH ₃ .COO) ₂ Mg.4H ₂ O M. W.: 214.46 (16674-78-5) Assay (Complexometric) 99.5-102.0%	250 gm
959200	Magnesium Acetate Tetrahydrate for Molecular Biology (CH ₃ .COO) ₂ Mg.4H ₂ O M. W.: 214.46 (16674-78-5)	100 gm 500 gm
024964	Magnesium Aluminium Silicate MgAl ₂ (SiO ₄) ₂ (12511-31-8)	500 gm
024953	Magnesium Borate B ₂ MgO ₄ (13703-82-7)	250 gm
144305	Magnesium Bromide (Hexahydrate) MgBr ₂ .6H ₂ O M. W.: 292.20 (13446-53-2) Assay 98.0%	500 gm 25 kg 50 kg
029093	Magnesium Carbonate Basic Light ~MgCO ₃ .Mg(OH) ₂ .5H ₂ O M.W.:485.0 (39409-82-0) Assay (As Mg; Complexometric) 24.0%	250 gm 500 gm 5 kg 25 kg
568105	Magnesium Carbonate Basic Light AR ~MgCO ₃ .Mg(OH) ₂ .5H ₂ O M.W.:485.0 (39409-82-0) Assay (complexometric, as Mg) 24.0%	500 gm

Product Code	Product Name	Packing
863185	Magnesium Chloride 0.01M (0.02N) Standardized Solution Nist Traceable	1 lit
863190	Magnesium Chloride 0.5M Volumetric Solution	500 ml 1 lit 2.5 lit
863200	Magnesium Chloride 1M Volumetric Solution	500 ml 1 lit 2.5 lit
029096	Magnesium Chloride Hexahydrate Purified Cryst. MgCl ₂ .6H ₂ O M. W.: 203.30 (7791-18-6) Assay (Complexometric) 98.0%	500 gm 5 kg 25 kg 50 kg
568135	Magnesium Chloride Hexahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. MgCl ₂ .6H ₂ O M. W.: 203.30 (7791-18-6) Assay (Complexometric) 99.0%	500 gm 5 kg 25 kg 50 kg
959340	Magnesium Chloride for Molecular Biology MgCl ₂ .6H ₂ O M. W.: 203.30 (7791-18-6) Assay (Complexometric) 99.0%	500 gm
144515	Magnesium Chromate CrH ₂ O ₄ Mg (13423-61-5)	500 gm
029098	Magnesium Citrate Nonahydrate Mg ₃ (C ₆ H ₅ O ₇) ₂ .9H ₂ O M. W.: 613.25 (153531-96-5) Assay (Complexometric; on dired subs.) 97.0%	500 gm 25 kg 50 kg
	tri-Magnesium Dicitrate See Magnesium Citrate	
029100	Magnesium Fluoride MgF ₂ M. W.: 62.30 (7783-40-6) Assay (Complexometric, after loss on ignition at 700°C) 97.0%	500 gm 2.5 kg
568175	Magnesium Fluoride Special AR MgF ₂ M. W.: 62.30 (7783-40-6) HISURE	500 gm
144725	Magnesium Gluconate for Synthesis C ₁₂ H ₂₂ MgO ₁₄ .XH ₂ O M. W.: 414.60 (Anhy.) (3632-91-5) Assay 98.0%	250 gm
029102	Magnesium Hydroxide Mg(OH) ₂ M. W.: 58.33 (1309-42-8) Assay (complexometric) 95.0%	250 gm
029106	Magnesium Nitrate Hexahydrate Purified Mg(NO ₃) ₂ .6H ₂ O M. W.: 256.41 (13446-18-9) Assay (Complexometric) 98.0%	500 gm 50 kg
568215	Magnesium Nitrate Hexahydrate AR/ACS Mg(NO ₃) ₂ .6H ₂ O M. W.: 256.41 (13446-18-9) Assay (Complexometric) 99.0%	500 gm 5 kg 50 kg
024971	Magnesium Oxalate C ₂ O ₄ Mg M. W.: 112.32 (547-66-0)	250 gm
029108	Magnesium Oxide Heavy MgO M. W.: 40.30 (1309-48-4) Assay (Complexometric; on ignited sub.) 98.0-100.5%	500 gm 25 kg 50 kg

Product Code	Product Name	Packing
029109 MgO (1309-48-4)	Magnesium Oxide Light Meets BP, Ph, Eur, USP M. W.: 40.30 Assay (Complexometric; on ignited subs.) 98.0-100.5%	500 gm 5 kg 25 kg
568255 MgO (1309-48-4)	Magnesium Oxide Light AR/ACS M. W.: 40.30 Assay 98.0%	500 gm 25 kg 50 kg
145005 Mg(ClO ₄) ₂ ·XH ₂ O (64010-42-0)	Magnesium Perchlorate Hydrate M. W.: 223.21 (Anhy.) Assay (Complexometric) 82.0-83.0%	100 gm 500 gm
568285 Mg(ClO ₄) ₂ ·XH ₂ O (64010-42-0)	Magnesium Perchlorate Hydrate AR M. W.: 223.21 (Anhy.) Assay (complexometric) 83.0%	100 gm 500 gm
029101 MgHPO ₄ ·3H ₂ O (7782-75-4)	Magnesium Phosphate Dibasic Pure M. W.: 174.34 Assay (ex Mg) 98.0%	500 gm 25 kg 50 kg
024965 Mg ₃ (PO ₄) ₂ X H ₂ O (53408-95-0)	Magnesium Phosphate Hydrate HISURE M. W.: 262.86 Assay (ex Mg) (on dried basis) 98.0%	500 gm
024978 [CH ₃ (CH ₂) ₁₆ COO] ₂ Mg (557-04-0)	Magnesium Stearate Precipitated M. W.: 591.27 Assay (as Mg; on dried substance) 3.8-5.0%	500 gm 25 kg 50 kg
863240	Magnesium Sulphate 0.1M Volumetric Solution	500 ml 1 lit 2.5 lit
863245	Magnesium Sulphate 1M Volumetric Solution	500 ml 1 lit 2.5 lit
145250 new	Magnesium Sulphate Anhydrous Meets Analytical Specification of IP, BP, Ph. Eur. (Magnesium Sulphate Dry) M. W.: 120.37 Assay 99.0%	500 gm 50 kg
MgSO ₄ (7487-88-9)		
029117 MgSO ₄ ·7H ₂ O (10034-99-8)	Magnesium Sulphate Heptahydrate Pure M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.0%	500 gm 5 kg 25 kg 50 kg
568325 MgSO ₄ ·7H ₂ O (10034-99-8)	Magnesium Sulphate Heptahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.5-103.0%	500 gm 5 kg 25 kg 50 kg
024963 MgSO ₄ ·XH ₂ O (22189-08-8)	Magnesium Sulphate Dried M. W.: 120.37 (anhydrous) Assay (complexometric) 62-70.0%	500 gm 25 kg 50 kg
959580	Magnesium Sulphate for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	500 gm
MgSO ₄ ·7H ₂ O (10034-99-8)		
145305 MgS (12032-36-9)	Magnesium Sulphide M. W.: 56.37	500 gm

Product Code	Product Name	Packing
029122 2MgO·3SiO ₂ ·XH ₂ O (39365-87-2)	Magnesium Trisilicate M. W.: 260.86 (Anhy.) Assay (MgO) 29.0% (on ignited subs.) Assay (SiO ₂) 65.0%(on ignited subs.)	500 gm 25 kg
568505 C ₁₂ H ₉ N ₃ O ₄ (74-39-5)	Magneson I AR Sensitivity: detects 1ppm Mg M. W.: 259.22 Dye Content (titrimetry; on dried subs.) 80.0%	25 gm 100 gm
568510 C ₁₆ H ₁₁ N ₃ O ₃ (5290-62-0)	Magneson II AR Reagent for Mg M. W.: 293.28 Dye content (titrimetry, dried) 95.0%	25 gm 100 gm
863340	Magneson Reagent	125 ml 500 ml
145500 C ₅₂ H ₅₄ N ₄ O ₁₂ (2437-29-8)	Malachite Green for Microscopy (Malachite Green Oxalate) C.I. No. 42000 M. W.: 927.02 Dye Content (titrimetry, dried subs.) About 90.0%	25 gm 100 gm 1 kg
863430	Malachite Green solution 1% w/v	100 ml
863460	Malarial parasite staining kit	KIT
145545 (9001-64-3)	Malate Dehydrogenase from Microorganism Lyophilized powder, activity ~ 80-100U/mg (MDH, Malic Dehydrogenase)	1000units
029124 CH(COOH) : CH.COOH (110-16-7)	Maleic Acid for Synthesis M. W.: 116.07 Assay (acidimetric; calculated on anhydrous subs.) 98.0-101.0%	500 gm 2.5 kg 25 kg 50 kg
568600 CH(COOH):CH.COOH (110-16-7)	Maleic Acid AR M. W.: 116.07 Assay 99.5%	500 gm
029125 C ₄ H ₂ O ₃ (108-31-6)	Maleic Anhydride for Synthesis M. W.: 98.06 Assay (acidimetric) 97.0%	500 gm 25 kg 50 kg
029126 C ₄ H ₄ N ₂ O ₂ (123-33-1)	Maleic Hydrazide M.W. : 112.09 Assay (Acidimetric) 97.0%	100 gm 1 kg 10 kg
029127 C ₄ H ₆ O ₅ (617-48-1)	DL-Malic Acid Purified M. W.: 134.09 Assay (Acidimetric) 99.0%	500 gm 5 kg 50 kg
568635 C ₄ H ₆ O ₅ (617-48-1)	DL-Malic Acid AR for Biochemistry M. W.: 134.08 HISURE	250 gm 1 kg
863500 new	Mallory Phosphotungstic Haematoxylin Solution (Stain for Connective Tissue)	100 ml
146445 C ₃ H ₆ N ₂ O ₂ (108-13-4)	Malonamide for Synthesis M. W.: 102.09 Assay 97.0%	25 gm 100 gm 500 gm

M

Laboratory Chemicals

Product Code	Product Name	Packing
029129 CH ₂ (COOH) ₂ (141-82-2)	Malonic Acid M. W.: 104.06 Assay (acidimetric) 98.0%	100 gm 500 gm 25 kg
568705 CH ₂ (COOH) ₂ (141-82-2)	Malonic Acid AR M. W.: 104.06 Assay (acidimetric) 99.0%	100 gm 250 gm 1 kg
D67626 C ₃ D ₄ O ₄	Malonic-d₂ Acid-d₂ M.W.: 108.10 (for NMR Spectroscopy) Assay Min. 99.5 atom%D	10 gm
	Malonic Dinitrile See Malononitrile	
021930 C ₃ H ₂ N ₂ (109-77-3)	Malononitrile M.W. : 66.06 Assay (By GC) 98.0%	100 gm 500 gm
039013 (9000-92-4)	Malt Diastase	500 gm
029128	Malt Extract Powder Bacteriology	500 gm
146635 (9050-36-6)	Maltodextrine Powder	500 gm
029131 C ₁₂ H ₂₂ O ₁₁ .H ₂ O (6363-53-7)	Maltose Cryst. M. W.: 360.32	100 gm 250 gm 500 gm 25 kg
	Maltose Extrapure AR See in Culture Media Bases	
	Maltose Monohydrate See in Culture Media Bases	
146745 C ₈ H ₈ O ₃ (17199-29-0)	L (+) Mandelic Acid S (+) Mandelic Acid M. W.: 152.15 Assay 99.0%	100 gm
146755 C ₈ H ₈ O ₃ (611-71-2)	D (-) Mandelic Acid (R (-) Mandelic Acid M. W.: 152.15 Assay 98.0%	100 gm
146765 C ₈ H ₈ O ₃ (90-64-2)	DL-Mandelic Acid for Synthesis M. W.: 152.15	100 gm 500 gm
863640	Manganese (Mn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
863642 new	Manganese (Mn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
863670	Manganese (Mn) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863690	Manganese (Mn) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863710	Manganese (Mn) 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
863730	Manganese (Mn) 10000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml

Product Code	Product Name	Packing
568895 Mn (7439-96-5)	Manganese (Metal) AR Powder Electrolytic At. W.:54.94 Assay (Complexometric) 99.0%	250 gm
146855 Mn (7439-96-5)	Manganese (Metal) Flakes At. W.: 54.94	500 gm
029134 (CH ₃ COO) ₂ .Mn.4H ₂ O (6156-78-1)	Manganese (II) Acetate Cryst. Tetrahydrate M. W.: 245.09 Assay (complexometric) 99.0%	500 gm 25 kg 50 kg
568940 (CH ₃ COO) ₂ .Mn.4H ₂ O (6156-78-1)	Manganese (II) Acetate AR Tetrahydrate M. W.: 245.09 Assay (Complexometric) 99.50%	500 gm 25 kg 50 kg
146905 MnB ₄ O ₇ (12228-91-0)	Manganese Borate M.W. : 84.77	500 gm
146985 MnBr ₂ (13446-03-2)	Manganese (II) Bromide M. W.: 214.75 Assay 98.0%	500 gm
029136 MnCO ₃ .XH ₂ O (34156-69-9)	Manganese (II) Carbonate M. W.: 114.95 (anhy.) Assay (complexometric Mn) 43-46%	500 gm 25 kg 50 kg
029137 MnCl ₂ .4H ₂ O (13446-34-9)	Manganese (II) Chloride M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	500 gm 5 kg 25 kg 50 kg
568985 MnCl ₂ .4H ₂ O (13446-34-9)	Manganese (II) Chloride Tetrahydrate AR M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	500 gm 25 kg 50 kg
024991	Manganese Citrate	500 gm
029139 MnO ₂ (1313-13-9)	Manganese Dioxide tech M. W.: 86.94 Assay (Iodometric) 75.0-85.0%	500 gm 5 kg 25 kg 50 kg
569015 MnO ₂ (1313-13-9)	Manganese Dioxide AR M. W.: 86.94 Assay (Iodometric) 92.0-94.0%	500 gm
147275 MnF ₃ (7783-53-1)	Manganese Fluoride M. W.: 111.93 Assay 98.0%	500 gm
863830	Manganese Nitrate 45-50% Solution in Dilute Nitric Acid	500 ml
029145 C ₂ MnO ₄ .2H ₂ O (6556-16-7)	Manganese Oxalate M. W.: 178.99 Assay (Oxidimetric) 98.0%	500 gm
024988	Manganese Phosphate Heptahydrate	500 gm
029147 MnSO ₄ .H ₂ O (10034-96-5)	Manganese (II) Sulphate Monohydrate M. W.: 169.01 Assay (Complexometric ex Mn) 98.0%	500 gm 5 kg 50 kg

Product Code	Product Name	Packing
569075	Manganese (II) Sulphate Monohydrate AR (Manganous Sulphate)	500 gm 5 kg 50 kg
MnSO ₄ ·H ₂ O (10034-96-5)	M. W.: 169.01 Assay (Complexometric) 99.0%	
147495	Manganese (II) Sulphide	500 gm
MnS (18820-29-6)	M. W.: 87.00 Assay 98.0%	
863940 new	Mann's Stain (Stain for acidophilic inclusion bodies)	100 ml
147510	D-Mannitol Pure	250 gm 500 gm 1 kg 5 kg 25 kg 50 kg
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.17	
569165	D-Mannitol AR Meets Analytical Specification of IP, BP, USP.	250 gm 500 gm 5 kg 25 kg
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.17 Assay 99.0%	
569205	D-Mannose AR	10 gm 25 gm 100 gm
C ₆ H ₁₂ O ₆ (3458-28-4)	M. W.: 180.16	
	Manoxol OT See Dioctyl Sodium Sulphosuccinate	
029150	Marble Chips	500 gm
CaCO ₃ (471-34-1)	M. W.: 100.09	
863955 new	Marquis Reagent	25 ml
147525	Martius Yellow for Microscopy C. I. No. 10315	25 gm
(O ₂ N) ₂ C ₁₀ H ₅ OH (605-69-6)	M. W.: 234.17 Dye content 85.0%	
034046	May And Grunwald's Stain for Microscopy	25 gm
863970	May Grunwald's Eosin-Methylene Blue Solution	125 ml 500 ml
	Mayer's Hemalum Solution For Microscopy See Hematoxyline Mayer's solution	
864070	Mayer's Mucicarmine Staining Solution	100 ml 500 ml
864100	Mayer's Solution (Reagent for Detection of Alkaloids)	125 ml 500 ml
	MBTH See 3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride,	
865450 new	MBTH 0.05% w/v Aqueous Indicator Solution (for Cyanide)	100 ml
024990	Meat Extract Paste for Bacteriology	500 gm
147655	Meat Extract Powder for Bacteriology	500 gm
147705 new	Mecke Reagent	25 ml
029152	Melamine Pure	500 gm
C ₃ H ₆ N ₆ (108-78-1)	M. W.: 126.12 Assay (ex N, Non-aqueous) 97.5%	

Product Code	Product Name	Packing
147765	Melatonin	1 gm 5 gm 25 gm
C ₁₃ H ₁₆ N ₂ O ₂ (73-31-4)	M. W.: 232.28 Assay (TLC) 98.0%	
038051	D+Melibiose for Biochemistry	1 gm 5 gm
C ₁₂ H ₂₂ O ₁₁ (585-99-9)	M. W.: 342.30	
147875	Menadione for Biochemistry	25 gm
C ₁₁ H ₈ O ₂ (58-27-5)	M. W.: 172.18	
024979	Menadione Sodium Bisulphite For Lab use	25 gm
C ₁₁ H ₉ NaO ₅ S·3H ₂ O (57414-02-5)	M. W.: 330.28 Assay (Calculated as C ₁₁ HgO ₅ S. Na with reference to anhydrous subs. dried) (Oxidimetric) 94.0%	
029153	Menthol Crystal Natural	100 gm
C ₁₀ H ₂₀ O (2216-51-5)	M. W.: 156.27 Assay (GC) 99.0%	
	Mercapto Acetic Acid See Thioglycolic Acid	
	Mercapto Acetic Acid Sodium Salt See Sodium Thioglycolate	
	Mercapto Benzene See Thiophenol	
147965	2-Mercapto Benzimidazole	500 gm 25 kg
C ₇ H ₆ N ₂ S (583-39-1)	M. W.: 150.20	
580105	2-Mercapto Benzoic Acid AR	100 gm 500 gm
C ₇ H ₆ O ₂ S (147-93-3)	M. W.: 154.19	
148115	2-Mercapto Benzothiazole for Synthesis	100 gm 500 gm
C ₇ H ₅ NS ₂ (149-30-4)	M. W.: 167.25	
580165	2-Mercapto Benzothiazole AR (2-Benimidazol Ethiol)	25 gm 100 gm 500 gm
C ₇ H ₅ NS ₂ (149-30-4)	M. W.: 167.25 Assay (Acidimetric) 99.0%	
864400 new	Mercapto Benzothiazole Solution (Reagent for Bi, Cd, Pb)	100 ml
044143	2-Mercapto Ethanol for Synthesis	100 ml 500 ml
HS·CH ₂ CH ₂ OH (60-24-2)	M. W.: 78.13 Assay (GC) 99.0%	
580225	2-Mercapto Ethanol AR Suitable for Molecular Biology	100 ml 500 ml
HS·CH ₂ CH ₂ OH (60-24-2)	M. W.: 78.13	
	3-Mercapto-1,2-Propane Diol for Preparing Ligands See 1-Thioglycerol	
148265	2-Mercapto Propionic Acid for Synthesis	100 gm
C ₃ H ₆ O ₂ S (79-42-5)	M. W.: 106.14 Assay 95.0%	

M

Laboratory Chemicals

Product Code	Product Name	Packing
148275	3-Mercapto Propionic Acid for Synthesis M. W.: 106.14 Assay 99.0%	100 ml 500 ml
$C_3H_6O_2S$ (107-96-0)		
148395	6-Mercapto Purine for Biochemistry M. W.: 170.19	1 gm 5 gm 25 gm
$C_5H_4N_4S.H_2O$ (6112-76-1)		
029160	Mercuric Acetate Mercury (II) Acetate M. W.: 318.68 Assay (Precipitation titration) 98.0%	25 gm 100 gm 250 gm
$(CH_3.COO)_2Hg$ (1600-27-7)		
580535	Mercuric Acetate AR/ACS M. W.: 318.68 Assay (Precipitation titration) 99.0%	25 gm 100 gm 250 gm
$(CH_3.COO)_2Hg$ (1600-27-7)		
148505	Mercuric Ammonium Chloride for Synthesis M. W.: 252.07 Assay 97.0%	100 gm
$(HgNH_2)Cl$ (10124-48-8)		
148535	Mercuric Ammonium Thiocyanate for Synthesis	100 gm 500 gm
580545	Mercuric Bromide AR/ACS (Mercury II Bromide) M. W.: 360.40 Assay (by complexometric) 99.0%	25 gm 100 gm
$HgBr_2$ (7789-47-1)		
029163	Mercuric Chloride M. W.: 271.50 Assay (Complexometric ex Hg) 99.0%	25 gm 100 gm 250 gm 500 gm 1 kg
$HgCl_2$ (7487-94-7)		
580575	Mercuric Chloride AR/ACS Reagent for Zinc M. W.: 271.50 Assay (Complexometric ex Hg) 99.5%	25 gm 100 gm 250 gm 500 gm 1 kg
$HgCl_2$ (7487-94-7)		
864500	Mercuric Chloride Solution 5%	125 ml
864520 new	Mercuric Chloride TS acc. to USP	100 ml
029165	Mercuric Iodide Red M. W.: 454.40 Assay (Oxidimetric) 99.0%	25 gm 100 gm 250 gm
HgI_2 (7774-29-0)		
580635	Mercuric Iodide Red AR/ACS M. W.: 454.40 Assay (Oxidimetric) 99.0%	25 gm 100 gm 250 gm
HgI_2 (7774-29-0)		
029166	Mercuric Nitrate Monohydrate (Mercury II Nitrate) M. W.: 342.62 Assay (by precipitation titration of Hg) 98.0%	25 gm 100 gm 250 gm
$Hg(NO_3)_2.H_2O$ (7783-34-8)		
580815	Mercuric Nitrate AR/ACS M. W.: 342.62	25 gm 100 gm 250 gm
$Hg(NO_3)_2.H_2O$ (7783-34-8)		
864640	Mercuric (II) Nitrate 0.005M (0.01N) Volumetric Solution	1 lit
864660	Mercuric (II) Nitrate 0.01M (0.02N) Volumetric Solution	1 lit

Product Code	Product Name	Packing
864670	Mercuric (II) Nitrate 0.05M (0.1N) Volumetric Solution	1 lit
864675	Mercuric (II) Nitrate 0.07M (0.14N) Volumetric Solution	1 lit
029168	Mercuric Oxide Red HgO M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	25 gm 100 gm 500 gm
(21908-53-2)		
580935	Mercuric Oxide Red AR/ACS HgO M. W.: 216.59	100 gm 500 gm
(21908-53-2)		
029169	Mercuric Oxide Yellow HgO M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	100 gm 500 gm
(21908-53-2)		
581045	Mercuric Oxide Yellow AR HgO M. W.: 216.59	25 gm 100 gm 500 gm
(21908-53-2)		
029174	Mercuric Sulphate (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	25 gm 100 gm 250 gm 500 gm
$HgSO_4$ (7783-35-9)		
581085	Mercuric Sulphate AR/ACS (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	100 gm 250 gm 500 gm
$HgSO_4$ (7783-35-9)		
864700	Mercuric (II) Sulphate 20gm/lit in Sulphuric Acid	1 lit
864705	Mercuric (II) Sulphate 80gm/lit in Sulphuric Acid	1 lit
864710	Mercuric (II) Sulphate 200gm/lit in Sulphuric Acid	1 lit
581105	Mercuric Thiocyanate AR $Hg(SCN)_2$ M. W.: 316.75 Assay (complexometric) 98.0%	100 gm
(592-85-8)		
029177	Mercuric Chrome Granular $C_{20}H_8Br_2HgNa_2O_6$ M. W.: 750.67 Assay (Spectrophotometry, dried) 97.0%	25 gm 100 gm
(129-16-8)		
029179	Mercurous Chloride (Mercury (I) Chloride) M. W.: 472.09 Assay (iodometric) 99.0%	25 gm 100 gm 500 gm
Hg_2Cl_2 (10112-91-1)		
581315	Mercurous Chloride AR/ACS M. W.: 472.09 Assay (iodometric) 99.5%	100 gm 500 gm
Hg_2Cl_2 (10112-91-1)		
029182	Mercurous Nitrate Dihydrate (Mercury (I) Nitrate) M. W.: 561.22 Assay (Oxidimetric) 95.0%	25 gm 100 gm 250 gm
$Hg_2(NO_3)_2.2H_2O$ (14836-60-3)		
581355	Mercurous Nitrate AR/ACS (Mercury (I) Nitrate) M. W.: 561.22	25 gm 100 gm 250 gm
$Hg_2(NO_3)_2.2H_2O$ (14836-60-3)		
148595 new	Mercurous Sulphate (Mercury (I) Sulphate) Assay 96.0%	25 gm
Hg_2SO_4 (7783-36-0)		

Product Code	Product Name	Packing
864760 new	Mercurous (Mercury) (I) Nitrate 0.1M (0.1N) Standardized Solution Nist Traceable	1 lit
	Mercury (II) See Mercuric	
864860	Mercury (Hg) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
864890	Mercury (Hg) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
864910	Mercury (Hg) 10,000 ppm Single Element Std. Soln for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
029185	Mercury (Metal) Pure Hg (7439-97-6)	100 gm 250 gm 500 gm
581645	Mercury (Metal) AR/ACS Hg (7439-97-6)	100 gm 250 gm 500 gm
148505	Mercury Ammoniated HgH ₂ NCl (10124-48-8)	500 gm
149205	Merrifield Resin 2% Crosslinked, 200-400 Mesh C ₂₅ H ₂₅ Cl (55844-94-5)	5 gm 25 gm
044141	MES Buffer C ₆ H ₁₃ NO ₄ S.H ₂ O (145224-94-8)	25 gm 100 gm
149385	Mesityl Oxide for Synthesis (4-Methyl-3-Penten-2-one,1 sopropylidene Acetone) C ₆ H ₁₀ O (141-79-7)	500 ml
581875	Mesityl Oxide AR C ₆ H ₁₀ O (141-79-7)	500 ml
149515	Mesitylene for Synthesis (1,3,5-Trimethylbenzene) C ₆ H ₃ (CH ₃) ₃ (108-67-8)	500 ml 2.5 lit
581985	Mesitylene AR C ₆ H ₃ (CH ₃) ₃ (108-67-8)	500 ml
024998	Metanilic Acid H ₂ N.C ₆ H ₄ SO ₃ H (121-47-1)	250 gm 500 gm
582025	Metanil Yellow AR C.I. No. 13065 C ₁₈ H ₁₄ N ₃ NaO ₃ S (587-98-4)	25 gm 100 gm
	Meta Phosphoric Acid See m-Phosphoric Acid	

Product Code	Product Name	Packing
149765	Methacrylamide for Synthesis C ₄ H ₇ NO (79-39-0)	250 gm 500 gm
024974	Methacrylic Acid CH ₂ : C(CH ₃)COOH (79-41-4)	500 ml 2.5 lit 25 lit 200 lit
	Methanamide See Formamide	
024972	Methane Sulphonic Acid for Synthesis CH ₄ O ₃ S (75-75-2)	500 ml 2.5 lit 25 lit 200 lit
582405	Methane Sulphonic Acid Sodium Salt AR CH ₃ SO ₃ Na (2386-57-4)	25 gm 100 gm
752040	Methane Sulphonic Acid Sodium Salt for HPLC CH ₃ SO ₃ Na (2386-57-4)	25 gm 100 gm
029191	Methane Sulphonyl Chloride CH ₃ ClO ₂ S (124-63-0)	500 ml 2.5 lit 25 lit
029192	Methanol for Synthesis CH ₄ O (67-56-1)	500 ml 1 lit 2.5 lit 5 lit 25 lit 200 lit
582495	Methanol AR/ACS Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, CH ₄ O (67-56-1)	500 ml 2.5 lit 25 lit 200 lit
582500	Methanol "Dry" AR CH ₄ O (67-56-1)	500 ml 2.5 lit
752135	Methanol EL CH ₄ O (67-56-1)	2.5 lit
149785 new	Methanol Semiconductor Grade CH ₃ OH (67-56-1)	2.5 lit
752138 new	Methanol GC Grade Assay 99.9%	500 ml 1 lit
752140	Methanol for HPLC & UV Spectroscopy CH ₄ O (67-56-1)	500 ml 1 lit 2.5 lit
752200	Methanol for Pesticide Residue Trace Analysis (methyl alcohol) CH ₄ O (67-56-1)	1 lit 2.5 lit
752220	Methanol for LC-MS CH ₄ O (67-56-1)	1 lit 2.5 lit

M

Laboratory Chemicals

Product Code	Product Name	Packing
752180 CH ₄ O (67-56-1)	Methanol for HPLC Gradient Grade M. W.: 32.04 Assay 99.8%	500 ml 1 lit 2.5 lit
752270	Methanol With 0.1% Acetic Acid for LCMS	2.5 lit
752320	Methanol With 0.1% Formic Acid for LCMS	2.5 lit
752370	Methanol With 0.1% Trifluoro Acetic Acid for LCMS	2.5 lit
865305 new	50/50 Methanol / Water for HPLC Grade	2.5 lit
865300 new	Methanol 20% V/V Solution in Water With Sodium Phosphate Monobasic for HPLC	500 ml 1 lit 2.5 lit
865310 new	Methanol 50% Solution in Water for Protein Sequence Analysis	500 ml 1 lit 2.5 lit
024982	DL-Methionine for Feed experiment M. W.: 149.21	2.5 kg
037132 C ₅ H ₁₁ NO ₂ S (59-51-8)	DL-Methionine for Biochemistry M. W.: 149.21 Assay (Perchloric acid titration dried subs.) 99.0-101.0%	100 gm 500 gm 1 kg
037131 C ₅ H ₁₁ NO ₂ S (63-68-3)	L-Methionine for Biochemistry M. W.: 149.21 Assay (Non-aqueous; ex S) 99.0%	25 gm 100 gm 1 kg
582715 C ₉ H ₁₀ O ₂ (586-37-8)	3-Methoxy Acetophenone AR M. W.: 150.17 Assay 97.0%	25 gm 100 gm
150005 C ₉ H ₁₀ O ₂ (100-06-1)	4-Methoxy Acetophenone for Synthesis M. W.: 150.18 Assay 99.0%	100 gm 500 gm
	2-Methoxy Aniline See o-Anisidine	
	3-Methoxy Aniline See m-Anisidine	
	4-Methoxy Aniline See p-Anisidine	
150095 C ₁₃ H ₁₂ N ₂ O (2396-60-3)	p-Methoxy Azobenzene Absorption Indicator M. W.: 212.25	1 gm
	P-Methoxy Benzaldehyde See Anisaldehyde	
150165 C ₈ H ₈ O ₂ (591-31-1)	3-Methoxy Benzaldehyde for Synthesis (m-Anisaldehyde) M. W.: 136.15	25 gm 100 gm
	Methoxy Benzene See Anisole	

Product Code	Product Name	Packing
	2-Methoxy Benzoic Acid See o-Anisic Acid	
	3-Methoxy Benzoic Acid See m-Anisic Acid (m-Methoxy Benzoic Acid)	
	4-Methoxy Benzoic Acid See (p-Methoxy Benzoic acid) p-Anisic Acid	
150485 C ₈ H ₇ ClO ₂ (100-07-2)	4-Methoxy Benzoyl Chloride for Synthesis (p-Anisoyl Chloride) M. W.: 170.59	100 ml 500 ml
011395 C ₈ H ₁₀ O ₂ (105-13-5)	4-Methoxy Benzyl Alcohol M. W.: 138.16	100 gm 500 gm
150625 C ₈ H ₁₁ NO (5071-96-5)	3-Methoxy Benzylamine M. W.: 137.18 Assay 98.0%	5 gm
150635 C ₈ H ₁₁ NO (2393-23-9)	4-Methoxy Benzylamine for Synthesis M. W.: 137.18	100 gm
150665 new C ₉ H ₉ NO (104-47-2)	4-Methoxybenzyl Cyanide for Synthesis (4-Methoxyphenyl) Acetonitrile M. W.: 147.18	100 ml
	2-Methoxy Ethanol See Ethylene Glycol Mono Methyl Ether (Methyl Cellosolve)	
150705 C ₅ H ₁₀ O ₃ (110-49-6)	2-Methoxy Ethyl Acetate for Synthesis (Ethylene glycol Monomethyl Ether Acetate, Methyl Cellosolve Acetate, Methyl Glycol Acetate) M. W.: 118.13	500 ml
150765 C ₁₄ H ₁₂ O ₃ (131-57-7)	4-Methoxy-2-Hydroxy Benzophenone M. W.: 228.24 Assay 98.0%	100 gm 500 gm
150835 C ₉ H ₉ NO (1006-94-6)	5-Methoxy Indole for Synthesis M. W.: 147.18	1 gm 5 gm 25 gm
	o-Methoxy Phenol See Guaiacol (Liquid)	
	4-Methoxy Phenol See Hydroquinone Monomethyl Ether	
151265 C ₉ H ₁₀ O ₃ (7021-09-2)	a-Methoxy Phenyl Acetic Acid M. W.: 166.17	5 gm 25 gm
151285 C ₉ H ₁₀ O ₃ (93-25-4)	2-Methoxy Phenyl Acetic Acid for Synthesis M. W.: 166.17	25 gm 100 gm
151295 C ₉ H ₁₀ O ₃ (1798-09-0)	3-Methoxy Phenyl Acetic Acid M. W.: 166.17	5 gm 25 gm

Product Code	Product Name	Packing
151305	4-Methoxy Phenyl Acetic Acid for Synthesis M. W.: 166.17	100 gm 500 gm
$C_9H_{10}O_3$ (104-01-8)		
	4-Methoxyphenyl Acetonitrile See 4-Methoxybenzyl Cyanide	
151705	1-Methoxy-2-Propanol for Synthesis (Propylene Glycol Monomethyl Ether) M. W.: 90.12	500 ml 2.5 lit 25 lit
$C_4H_{10}O_2$ (107-98-2)		
151895	1-Methoxy-2-Propanol Acetate for Synthesis M. W.: 132.16	500 ml 2.5 lit
$C_6H_{12}O_3$ (108-65-6)		
151975	2-Methoxy Propene (Isopropenyl Methyl Ether) M. W.: 72.11	250 ml
C_4H_8O (116-11-0)		
152275	3-Methoxy Propylamine for Synthesis (1-Amino-3-Methoxy Propane) M. W.: 89.14	500 ml 25 lit
$C_4H_{11}NO$ (5332-73-0)		
152355	7-Methoxy-1-Tetralone M. W.: 176.21 Assay 99.0%	1 gm 5 gm
$C_{11}H_{12}O_2$ (6836-19-7)		
152495	n-Methyl Acetamide for Synthesis M. W.: 73.09 Assay 99.0%	500 ml
C_3H_7NO (79-16-3)		
024957	Methyl Acetate Pract M. W.: 74.08 Assay (GC) 90.0%	500 ml 2.5 lit 25 lit
$C_3H_6O_2$ (79-20-9)		
029202	Methyl Acetate for Synthesis M. W.: 74.08 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
$CH_3.COO.CH_3$ (79-20-9)		
	Methylal See 1,2-Dimethoxymethane	
752650	Methyl Acetate for HPLC M. W.: 74.08 Assay (GC) 99.8%	500 ml 2.5 lit
$C_3H_6O_2$ (79-20-9)		
024987	Methyl Acetoacetate M. W.: 116.12 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
$C_5H_8O_3$ (105-45-3)		
152785	4-Methyl Acetophenone for Synthesis M. W.: 134.18	100 gm 500 gm
$C_9H_{10}O$ (122-00-9)		
029205	Methyl Acrylate M. W.: 86.09 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
$C_4H_6O_2$ (96-33-3)		
153205	Methyl Acetate AR M.W : 74.08	500 ml
$C_3H_6O_2$ (79-20-9)		
	3-Methyl Acrylic Acid See Crotonic Acid	

Product Code	Product Name	Packing
D73026	Methyl-d₃ Alcohol M.W.: 35.07 (for NMR Spectroscopy) Assay Min. 99.5 atom%D	25 ml
CHD_3O (1849-29-2)		
D73206	Methyl-d₃ Alcohol-d (Methanol-d₄) M.W.: 36.07 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	10x0.5 ml 10x0.6 ml 10x0.75 ml 10 ml
CD_4O (811-98-3)		
	Methyl Alcohol See Methanol	
024970	Methylamine Soln. 40% (Monomethylamine Soln.) M. W.: 31.07 Assay Abt. 40.0% (w/v)	500 ml 2.5 lit 25 lit 200 lit
CH_3NH_2 (74-89-5)		
865350	Methylamine (2m) in THF Store At 2 - 8°C	500 ml
	Methylamine Hydroxchloride See Methylammonium Chloride	
152925	Methyl-2-Amino-5-Bromobenzoate M. W.: 230.06 Assay 96.0%	25 gm
$BrC_8H_8NO_2$ (52727-57-8)		
153105	2-(Methyl Amino) Ethanol for Synthesis [Monomethyl ethanol amine, MMEA, N-Methylethanol amine, (2-Hydroxy Ethyl) Methylamine] M. W.: 75.11	500 ml 2.5 lit 25 lit 200 lit
C_3H_9NO (109-83-1)		
	p-(Methyl Amino) Phenol Sulphate See Metol	
029210	Methyl Ammonium Chloride (Methylamine Hydrochloride) M. W.: 67.52 Assay (Non-aqueous) 99.0%	250 gm 1 kg 50 kg
$CH_3.NH_2.HCl$ (593-51-1)		
153225	n-Methyl Aniline (Monomethyl Aniline) M. W.: 107.16	500 ml 2.5 lit 25 lit 200 lit
C_7H_9N (100-61-8)		
583835	n-Methyl Aniline AR M. W.: 107.16 Assay 98.0%	1 lit
C_7H_9N (100-61-8)		
153345	2-Methyl Anisole M. W.: 122.16 Assay 99.0%	100 ml
$C_8H_{10}O$ (578-58-5)		
153355	3-Methyl Anisole M. W.: 122.16 Assay 99.0%	100 ml 500 ml
$C_8H_{10}O$ (100-84-5)		
153295	4-Methyl Anisole for Synthesis (p-Cresylmethyl Ether, p-Methoxytoluene, Methyl-p-Cresol) M. W.: 122.16	500 ml
$C_8H_{10}O$ (104-93-8)		
153415	Methyl Anthranilate for Synthesis M. W.: 151.16	500 ml 2.5 lit 25 lit
$C_8H_9NO_2$ (134-20-3)		

M

Laboratory Chemicals

Product Code	Product Name	Packing
153625	2-Methyl Benzaldehyde (O-Tolualdehyde)	25 gm 100 gm
CH ₃ C ₆ H ₄ CHO (529-20-4)	M. W.: 120.15 Assay 97.0%	
153645	3-Methyl Benzaldehyde (M-Tolualdehyde)	5 gm 25 gm
CH ₃ C ₆ H ₄ CHO (620-23-5)	M. W.: 120.15 Assay 97.0%	
584045	4-Methyl Benzaldehyde AR (P-Tolualdehyde)	100 gm 500 gm
CH ₃ C ₆ H ₄ CHO (104-87-0)	M. W.: 120.15 Assay 97.0%	
029214	Methyl Benzoate for Synthesis	250 ml 500 ml
C ₆ H ₅ .COOCH ₃ (93-58-3)	M. W.: 136.15 Assay (GC) 99.0%	
	2-Methyl Benzoic Acid See o-Toluic Acid	
	3-Methyl Benzoic Acid See m-Toluic Acid	
	4-Methyl Benzoic Acid See p-Toluic Acid	
153775	2-Methyl Benzonitrile for Synthesis (O-Tolunitrile)	100 ml 500 ml
CH ₃ C ₆ H ₄ CN (529-19-1)	M. W.: 117.15 Assay (GC) 97.0%	
153795	3-Methyl Benzonitrile for Synthesis (M-Tolunitrile)	100 gm 500 gm
CH ₃ C ₆ H ₄ CN (620-22-4)	M. W.: 117.15 Assay 99.0%	
153815	4-Methyl Benzonitrile for Synthesis (P-Tolunitrile)	100 gm 500 gm
CH ₃ C ₆ H ₄ CN (104-85-8)	M. W.: 117.15 Assay 98.0%	
153905	4-Methyl Benzophenone for Synthesis (Phenyl-p-tolyl)	100 gm 500 gm
C ₁₄ H ₁₂ O (134-84-9)	M. W.: 196.24	
584315	3-Methyl 2-Benzothiazolinone Hydrazone Hydrochloride Monohydrate (M.B.T.H.) AR	10 gm 25 gm
C ₈ H ₉ N ₃ .HCl.H ₂ O (38894-11-0)	M. W.: 233.72 Assay (Non-aqueous, by autotitrater) 98.0%	
154015	2-Methyl Benzyl Alcohol	10 gm
C ₈ H ₁₀ O (89-95-2)	M. W.: 122.16 Assay 98.0%	
154025	3-Methyl Benzyl Alcohol	25 gm
C ₈ H ₁₀ O (587-03-1)	M. W.: 122.16 Assay 98.0%	
154035	4-Methyl Benzyl Alcohol	25 gm 100 gm
C ₈ H ₁₀ O (589-18-4)	M. W.: 122.16 Assay 98.0%	
	N-Methyl Benzylamine See N-Benzylmethylamine	
154045	2-Methyl Benzyl Amine	5 ml 25 ml
C ₈ H ₁₁ N (89-93-0)	M. W.: 121.18 Assay 96.0%	

Product Code	Product Name	Packing
154055	3-Methyl Benzyl Amine	5 ml
C ₈ H ₁₁ N (100-81-2)	M. W.: 121.18 Assay 98.0%	
154065	4-Methyl Benzyl Amine	100 ml
C ₈ H ₁₁ N (104-84-7)	M. W.: 121.18 Assay 97.0%	
034047	Methyl Blue for Microscopy C.I. No. 42780	25 gm 100 gm
C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ (28983-56-4)	M. W.: 799.80 Dye content (titrimetry, on dried substance) >60.0%	
865750 new	Methyl Blue Aqueous Solution	100 ml
154195	Methyl-4-Bromobenzoate	10 gm
C ₈ H ₇ BrO ₂ (619-42-1)	M. W.: 215.04 Assay 99.0%	
154235	Methyl-4-Bromo-Crotonate Pract for Synthesis	100 ml
C ₅ H ₇ BrO ₂ (1117-71-1)	M. W.: 179.01	
	2-Methyl Butane See Iso-Pentane	
	3-Methyl-1-Butanol See ISO-Amyl alcohol	
	2-Methyl-2-Butanol See tert-Amyl Alcohol	
074225	3-Methyl-2-Butenoic Acid for Synthesis	100 gm 500 gm
C ₅ H ₈ O ₂ (541-47-9)	M. W.: 100.12 Assay 97.0%	
	Methyl-Tert-Butyl Ether See tert Butyl Methyl Ether	
	Methyl-iso-Butyl Ketone See iso Butylmethyl Ketone	
	Methyl Carbitol See Diethylene Glycol Mono Methyl Ether	
154415	Methyl Butyrate for Synthesis	500 ml
C ₅ H ₁₀ O ₂ (623-42-7)	M. W.: 102.13 Assay 98.0%	
154505	4-Methyl Catechol (3,4-Dihydroxytoluene)	500 gm
C ₇ H ₈ O ₂ (452-86-8)	M. W.: 124.14	
	Methyl Cellosolve See Ethylene Glycol Mono Methyl Ether	
024986	Methyl Cellulose 350-550 cPs	500 gm
(9004-67-5)		
025967	Methyl Cellulose 4000 cPs	500 gm
(9004-67-5)		
024977	Methyl Chloroacetate	500 ml
C ₃ H ₅ ClO ₂ (96-34-4)	M. W.: 108.52 Assay (GC) 97.5%	
154785 new	Methyl 4-Chlorobutyrate	50 ml
C ₅ H ₉ ClO ₂ (3153-37-5)	M.W. 136.58 Assay 98.0%	

Product Code	Product Name	Packing
584665 ClCO ₂ CH ₃ (79-22-1)	Methyl Chloro Formate AR M. W.: 94.50 Assay 99.0%	500 ml 2.5 lit 25 lit 200 lit
154755 C ₂ H ₃ O ₂ Cl (79-22-1)	Methyl Chloroformate for Synthesis (Chloroformic acid methyl ester) M. W.: 94.50	500 ml 2.5 lit 25 lit 200 lit
154805 C ₄ H ₇ ClO ₂ (17639-93-9)	Methyl-2-Chloropropionate for Synthesis (2-chloropropionic acid methyl ester) M. W.: 122.55	500 ml 2.5 lit
154895 C ₁₀ H ₁₀ O ₂ (103-26-4)	Methyl Cinnamate for Synthesis M. W.: 162.19 Assay (GC) 99.0%	500 gm
154975 C ₆₃ H ₉₁ CoN ₁₃ O ₁₄ P (13422-55-4)	Methyl Cobalamin for Biochemistry M. W.: 1344.38	250 mgm 1 gm
	Methyl Cyanide See Acetonitrile	
155085 C ₄ H ₅ NO ₂ (105-34-0)	Methyl Cyanoacetate for Synthesis (Cyanoacetic Acid Methyl Ester) M. W.: 99.08	500 ml 2.5 lit
155195 C ₇ H ₁₄ (108-87-2)	Methyl Cyclohexane for Synthesis M. W.: 98.19	500 ml 2.5 lit 25 lit 200 lit
584965 C ₇ H ₁₄ (108-87-2)	Methyl Cyclohexane AR M. W.: 98.19	500 ml 2.5 lit
155285 C ₆ H ₁₁ NHCH ₃ (100-60-7)	n-Methyl Cyclohexylamine for Synthesis M. W.: 113.20 Assay 99.0%	100 ml 500 ml
155375 C ₆ H ₁₂ (96-37-7)	Methyl Cyclopentane for Synthesis M. W.: 84.16	100 ml 500 ml
585075 C ₆ H ₁₂ (96-37-7)	Methyl Cyclopentane AR M. W.: 84.16	500 ml
155455 C ₃ H ₄ Cl ₂ O ₂ (116-54-1)	Methyl Dichloro Acetate for Synthesis M. W.: 142.97 Assay 99.0%	500 ml
155555 C ₅ H ₁₃ NO ₂ (105-59-9)	N-(Methyl Diethanol) Amine for Synthesis [MDEA 2,2-Methyliminodiethanol, N,N-Bis (2-Hydroxyethyl) Methylamine] M. W.: 119.16	500 ml 2.5 lit
	Methyl Digol (Methyl Diglycol) See Diethylene Glycol Monomethyl Ether	
	2-Methyl 1:3 Dioxolan See Propylene Carbonate	

Product Code	Product Name	Packing
585165 C ₇ H ₁₀ N ₂ O ₂ (110-26-9)	N,N-Methylene-Bis-Acrylamide AR Specially Purified for Electrophoresis M. W.: 154.17 Assay (acidimetric) 99.0%	25 gm 100 gm 500 gm
960500 C ₇ H ₁₀ N ₂ O ₂ (110-26-9)	N'N'-Methylen-Bis-Acrylamide for Molecular Biology (Bis-acrylamide) M. W.: 154.17	25 gm 100 gm 500 gm
034048 C ₁₆ H ₁₈ ClN ₃ S.XH ₂ O (61-73-4)	Methylene Blue for Microscopy C.I. No. 52015 [X=2-3] M. W.: 319.86 (+)aq. Dye content (titrimetry, on dried substance) >96.0%	25 gm 100 gm 1 kg
585205 C ₁₆ H ₁₈ ClN ₃ S.XH ₂ O (61-73-4)	Methylene Blue for Microscopy AR [X=2-3] M. W.: 319.86aq. Dye content (titrimetry, on dried substance) >97.0%	25 gm 100 gm 1 kg
865630	Methylene Blue Alkaline (Löffler's)	125 ml 500 ml
865650	Methylene Blue Aqueous Staining Solution	125 ml 500 ml
865670	Methylene Blue Gabbots Solution	500 ml
155795 (61-73-4)	Methylene Blue Polychrome (M.S.)	25 gm
865715 new	Methylene Blue Solution 0.5% for Microscopy	500 ml
865750 new	Methylene Blue TS acc. to USP	125 ml
865710 (61-73-4)	Methylene Blue Tablet for Milk Testing	25 tab
	Methylene Chloride See Dichloromethane	
	Methylene Dibenzene See Diphenylmethane	
155865 C ₇ H ₇ NO ₂ (14268-66-7)	3,4-Methylene Dioxy Aniline M. W.: 137.14 Assay 97.0%	25 gm
	Methylene Iodide See Diiodomethane	
	Methylene Succinic Acid See Itaconic Acid	
	N-Methyl Ethanolamine See 2-(Methylamino)ethanol	
	Methyl Ethyl Ketone See Butanone	
024997 C ₁₁ H ₁₄ O ₂ (93-15-2)	Methyl Eugenol M. W.: 178.23 Assay (GC) 98.0%	100 ml 500 ml
156075 C ₂ H ₅ NO (123-39-7)	N-Methyl Formamide for Synthesis (N-Formylmethylamine) M. W.: 59.07	500 ml 2.5 lit
156145 HCO ₂ CH ₃ (107-31-3)	Methyl Formate for Synthesis M. W.: 60.05 Assay 99.0%	500 ml 2.5 lit 25 lit

M

Laboratory Chemicals

Product Code	Product Name	Packing
156345	α-Methyl-D-(+)-Glucoside (Methyl- α -D-Glucopyranoside) M. W.: 194.18	100 gm 500 gm
C ₇ H ₁₄ O ₆ (97-30-3)	Methyl Glycol See Ethyleneglycol Monomethylether	
156465	Methyl Glyoxal for Synthesis M. W.: 72.06 Assay 40% in water	25 ml
C ₃ H ₄ O ₂ (78-98-8)	2-Methyl Glyoxaline See 2-Methylimidazole	
156555	Methyl Green for Microscopical Staining (C.I. 42590)	5 gm 10 gm 25 gm
156595	Methyl Green Certified Grade (C.I. 42590) M. W.: 608.78	25 gm
C ₂₇ H ₃₅ Cl ₂ N ₃ .ZnCl ₂ (7114-03-6)	865775 new Methyl Green Staining Solution (Aqueous)	100 ml
865780 new	Methyl Green Staining Solution (Alcoholic) (for plant tissues, supravital stain for small organisms)	100 ml
157515	Methyl-m-Hydroxy-Benzoate for Synthesis M. W.: 152.15	25 gm 100 gm
C ₈ H ₈ O ₃ (19438-10-9)	029231 Methyl-p-Hydroxy Benzoate for Synthesis M. W.: 152.15 Assay (Saponification) 99-101%	500 gm 5 kg 25 kg
C ₆ H ₄ (OH).COO.CH ₃ (99-76-3)	157525 Methyl-p-Hydroxy Benzoate Sodium Salt M. W.: 174.13 Assay 99.0%	500 gm 5 kg 25 kg
C ₈ H ₇ NaO ₃ (5026-62-0)	156695 2-Methyl Imidazole for Synthesis M. W.: 82.11	100 gm 500 gm
C ₆ H ₆ N ₂ (693-98-1)	156785 2-Methyl Indole for Synthesis M. W.: 131.18 Assay 98.0%	100 gm
C ₉ H ₉ N (95-20-5)	156805 3-Methyl Indole for Synthesis M. W.: 131.18	5 gm 25 gm
C ₉ H ₉ N (83-34-1)	156905 Methyl Indole-5-Carboxylate M. W.: 175.18 Assay 99.0%	1 gm 5 gm
C ₁₀ H ₉ NO ₂ (1011-65-0)	028585 Methyl Iodide for Synthesis M. W.: 141.94 Assay (GC) 99.0%	100 ml 250 ml
CH ₃ I (74-88-4)	156985 Methyl Ionone for Synthesis M. W.: 206.33	500 gm
C ₁₄ H ₂₂ O (1335-46-2)	Methyl iso Butyl Ketone See Iso-Butyl Methyl Ketone	

Product Code	Product Name	Packing
157075	Methyl Iso Butyl Carbinol for Synthesis (4-Methyl-2-Pentanol) M. W.: 102.18 Assay 98.0%	500 ml 2.5 lit
C ₆ H ₁₄ O (108-11-2)	157195 Methyl Iso Eugenol for Synthesis M. W.: 178.23 Assay 98.0%	500 gm
C ₁₁ H ₁₄ O ₂ (93-16-3)	585585 Methyl Iso Propyl Ketone AR (3-Methy-2-Butanone, Mipk) M. W.: 86.13 Assay 98.5%	25 ml 100 ml
C ₆ H ₁₂ O (563-80-4)	157425 Methyl-a-D-Mannopyranoside for Biochemistry M. W.: 194.18	10 gm 25 gm
C ₇ H ₁₄ O ₆ (617-04-9)	029234 Methyl Methacrylate Monomer M. W.: 100.12 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
CH ₂ :C(CH ₃)COO.CH ₃ (80-62-6)	029235 N-Methyl Morpholine M. W.: 101.15 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
C ₅ H ₁₁ NO (109-02-4)	157655 2-Methyl Naphthalene for Synthesis M. W.: 142.20 Assay 97.0%	500 gm
C ₁₀ H ₇ CH ₃ (91-57-6)	157715 Methyl-2-Naphthyl Ether for Synthesis M. W.: 158.20	250 gm 1 kg
C ₁₀ H ₇ OCH ₃ (93-04-9)	157775 Methyl Nicotinate for Synthesis (Methyl 3-pyridine carboxylate nicotinic acid methyl ester) meets analytical specification of BP M. W.: 137.14	100 gm 500 gm
C ₇ H ₇ NO ₂ (93-60-7)	157905 2-Methyl-5-Nitro Imidazole for Synthesis M. W.: 127.10	100 gm 500 gm
C ₄ H ₅ N ₃ O ₂ (696-23-1)	020065 Methyl Orange pH Indicator C.I. No. 13025 M. W.: 327.34 Dye content (titrimetry, dried) >85.0%	25 gm 100 gm 1 kg
C ₁₄ H ₁₄ N ₃ NaO ₃ S (547-58-0)	865850 Methyl Orange Indicator Solution	125 ml
865855	Methyl Orange Mixed Indicator Solution Methyl Orange with Bromo Cresol green	100 ml
865857 new	Methyl Orange-Xylene Cyanol Solution in Water	100 ml
865863 new	Methyl Orange TS acc. to USP	125 ml
	Methyl Orthoformate See Trimethylorthoformate	
	Methyl Paraben See Methyl-p-Hydroxybenzoate	
	2-Methyl-2, 4-Pentanediol See Hexylene Glycol	

Product Code	Product Name	Packing
	4-Methyl Pentane-2-One See ISO Butyl Methyl Ketone	
	4-Methyl-2-Pentanol See Methyl-Isobutyl Carbinol	
	4-Methyl-3-Penten-2-one See Mesityl Oxide	
	n-Methyl Phenazonium Methosulphate See Phenazine methosulphate, (PMS)	
158105 C ₉ H ₁₀ O ₂ (101-41-7)	Methyl Phenyl Acetate for Synthesis M. W.: 150.17 Assay 98.0%	500 ml
158195 CH ₃ C ₆ H ₄ CH ₂ CO ₂ H (644-36-0)	2-Methyl Phenyl Acetic Acid M. W.: 150.17 Assay (GC) 97.0%	100 gm 500 gm
158235 CH ₃ C ₆ H ₄ CH ₂ CO ₂ H (621-36-3)	3-Methyl Phenyl Acetic Acid M. W.: 150.17 Assay 99.0%	25 gm 100 gm
158255 CH ₃ C ₆ H ₄ CH ₂ CO ₂ H (622-47-9)	4-Methyl Phenyl Acetic Acid M. W.: 150.17 Assay 97.0%	25 gm 100 gm
	Methyl Phenyl Ketone See Acetophenone	
158345 C ₁₁ H ₁₆ N ₂ (2946-76-1)	1-(2-Methyl Phenyl Piperazine) M. W.: 176.26	5 gm 25 gm
158395 C ₁₁ H ₁₆ N ₂ (39593-08-3)	1-(4-Methyl Phenyl) Piperazine M. W.: 176.26 Assay 98.0%	5 gm
158485 C ₁₀ H ₁₀ N ₂ O (89-25-8)	3-Methyl-1-Phenyl-5-Pyrazolone for Synthesis M. W.: 174.20 Assay 99.0%	25 gm 500 gm
158565 CH ₃ SO ₂ C ₆ H ₅ (3112-85-4)	Methyl Phenyl Sulphone M. W.: 156.20 Assay (GC) 98.0%	25 gm
158655 CH ₃ SOC ₆ H ₅ (1193-82-4)	Methyl Phenyl Sulphoxide M. W.: 140.20 Assay 97.0%	5 gm 25 gm
158725 C ₅ H ₁₂ N ₂ (109-01-3)	1-Methyl Piperazine for Synthesis M. W.: 100.16	100 ml 500 ml
158805 C ₆ H ₁₁ NO (1445-73-4)	1-Methyl-4-Piperidone M. W.: 113.16	100 ml 500 ml
	2-Methyl Propan-1-ol See ISO Butanol	
	2-Methyl Propan-2-ol See tert-Butanol	
	2-Methyl Propionaldehyde See Iso Butyraldehyde	
158895 CH ₃ CH ₂ CO ₂ CH ₃ (554-12-1)	Methyl Propionate for Synthesis M. W.: 88.11 Assay 98.0%	100 ml 500 ml

Product Code	Product Name	Packing
	2-Methyl Propionic Acid See Iso Butyric Acid	
	2-Methyl Propionyl Chloride See Iso-Butyryl Chloride	
159005 C ₁₀ H ₁₂ O (5337-93-9)	4-Methyl Propiophenone for Synthesis M. W.: 148.20	100 ml 250 ml
159095 C ₅ H ₁₀ O (107-87-9)	Methyl Propyl Ketone (2-Pentanone) M. W.: 86.13 Assay 98.0%	500 ml 2.5 lit
865895	Methyl Purple (pH Indicator) Solution AR	125 ml 250 ml
159205 C ₆ H ₁₂ O ₅ (612-05-5)	Methyl-β-D-Xylo-Pyranoside M. W.: 164.16	5 gm 10 gm
	2-Methyl Pyridine See a-Picoline	
	3-Methyl Pyridine See β-Picoline	
	4-Methyl Pyridine See g-Picoline	
159545 C ₆ H ₇ NO ₂ (6973-60-0)	1-Methyl-2-Pyrrolicarboxylic Acid M. W.: 125.13 Assay 97.0%	5 gm 25 gm
029251 C ₅ H ₉ NO (872-50-4)	N-Methyl-2-Pyrrolidone M. W.: 99.13 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
585995 C ₅ H ₉ NO (872-50-4)	1-Methyl-2-Pyrrolidone (Nmp) AR/ACS M. W.: 99.13 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
753020 C ₅ H ₉ NO (872-50-4)	1-Methyl-2-Pyrrolidone for HPLC & Spectroscopy M.W. : 99.13 Assay (By GC) 99.5%	1 lit
753035 new C ₅ H ₉ NO (872-50-4)	N-Methyl-2-Pyrrolidone GC Grade M.W. 99.13 Assay 99.8%	500 ml 1 lit
753040 C ₅ H ₉ NO (872-50-4)	N-Methyl-2-Pyrrolidone for GC-HS M. W.: 99.13 Assay (GC) 99.0%	1 lit 2.5 lit
	2-Methyl Quinoline See Quinaldine	
159685 C ₁₀ H ₉ N (491-35-0)	4-Methyl Quinoline for Synthesis M. W.: 143.19	5 gm 25 gm
586085 C ₁₅ H ₁₅ N ₃ O ₂ (493-52-7)	Methyl Red AR/ACS pH Indicator C.I. No. 13020 M. W.: 269.30	25 gm 100 gm 1 kg
159765 C ₁₅ H ₁₅ N ₃ O ₂ (493-52-7)	Methyl Red pH Indicator Certified Grade (C.I. No. 13020) M. W.: 269.30	25 gm 100 gm

M

Laboratory Chemicals

Product Code	Product Name	Packing
159785	Methyl Red Sodium Salt (Water Soluble) M. W.: 291.28	25 gm 1 kg
$C_{15}H_{14}N_3NaO_2$ (845-10-3)		
866040	Methyl Red Indicator Solution	125 ml 500 ml
866043 new	Methyl Red TS acc. to USP	125 ml
866048 new	Methyl Red- Methylene Blue Solution acc to USP	125 ml
159865	2-Methyl Resorcinol for Synthesis M. W.: 124.14 Assay 98.0%	100 gm
$C_7H_8O_2$ (608-25-3)		
029256	Methyl Salicylate Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 152.15 Assay (GC) 99.0-100.5%	500 ml 2.5 lit 25 lit 200 lit
$C_6H_4(OH).COOCH_3$ (119-36-8)		
159955	a-Methyl Styrene for Synthesis M. W.: 118.18 Assay 98.0%	500 ml
C_9H_{10} (98-83-9)		
160015	N-Methyl Succinimide M. W.: 113.11 Assay 98.0%	5 gm 25 gm
$C_5H_7NO_2$ (1121-07-9)		
160095	Methyl Sulphonyl Methane (dimethyl sulphone, methyl sulphone) M. W.: 94.13	500 gm
$(CH_3)_2SO_2$ (67-71-0)		
	Methyl Sulphoxide See Dimethyl sulphoxide	
160155	Methyl Testosterone Purum for Biochemistry For Lab Use M. W.: 302.45 Assay (HPLC) 97.0%	1 gm 5 gm
$C_{20}H_{30}O_2$ (58-18-4)		
029254	2-Methyl Tetrahydrofuran for Synthesis M. W.: 86.13 Assay 98.0%	100 ml 500 ml 2.5 lit
$C_5H_{10}O$ (96-47-9)		
	4-Methyl Thiazolyl Tetrazolium Bromide See M.T.T Tetrazolium	
160185 new	Methyl Thioglycolate M.W : 106.14	500 gm
$C_3H_6O_2S$ (2365-48-2)		
160315	Methyl Trichloro Silane for Synthesis M. W.: 149.48 Assay (GC) 98.0%	100 ml 500 ml
CH_3SiCl_3 (75-79-6)		
160205	Methyl Triphenyl Phosphonium Bromide for Synthesis M. W.: 357.22	100 gm 500 gm
$C_{19}H_{18}BrP$ (1779-49-3)		
586125	Methyl Thymol Blue (pH Indicator) AR (Methyl Red Thymol Blue)	5 gm 25 gm
020071	Methyl Thymol Blue Complexone Indicator For Complexometric titration M. W.: 844.76	1 gm 5 gm
$C_{37}H_{40}N_2Na_4O_{13}S$ (1945-77-3)		

Product Code	Product Name	Packing
	Methyl-p-Toluate See p-Toluic Acid Methyl Ester	
586215	Methyl-4-Toluene Sulphonate AR M. W.: 186.23 Assay (GC) 97.0%	500 gm
$CH_3C_6H_4SO_3CH_3$ (80-48-8)		
586325	b-Methyl Umbelliferon AR (7-Hydroxy-4-Methyl Coumarin) M. W.: 176.17	10 gm 25 gm 100 gm
$C_{10}H_8O_3$ (90-33-5)		
	Methyl Violet 10B See Crystal Violet	
020072	Methyl Violet for Microscopy Dye Content (Spectrophotometry on dried substance) 75.0%	25 gm 100 gm 1 kg
866180	Methyl Violet 6B Aqueous Solution	125 ml
029266	Metol for Photographic purpose M. W.: 344.39 Assay (Acidimetric) 99.0%	100 gm 500 gm
$C_{14}H_{18}N_2O_2.H_2SO_4$ (55-55-0)		
024992	Metronidazole for Lab Use M. W.: 171.15	5 gm
$C_6H_9N_3O_3$ (443-48-1)		
024960	Mica Powder Pract Mesh Size (Passing through 200 Mesh) 95.0%	500 gm
160485 new	Microcrystalline Wax (White)	1 kg
866260	Miller's Reagent for Fluorine	100 ml
866270	Millon's Reagent (For Protein)	125 ml 500 ml
024989	Mimosine (Leucenol) for Biochemistry M. W.: 198.18 Assay 98.0%	100 mgm 1 gm
$C_8H_{10}N_2O_4$ (500-44-7)		
	Mineral Oil Light/Heavy See Paraffine Liquid Light/Heavy	
054001 (308080-99-1)	Molecular Sieves Type 3A 1.5mm	250 gm 5 kg 25 kg
160765 (308080-99-1)	Molecular Sieves 3A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	250 gm 1 kg 5 kg
D77260	Molecular Sieve 3A, Deuterated Assay Min. 99.5 atom%D	5 gm
054004 (70955-01-0)	Molecular Sieves Type 4A 1.5mm	250 gm 5 kg 25 kg
160805 (70955-01-0)	Molecular Sieves 4A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	250 gm 1 kg 5 kg
D77778	Molecular Sieve 4A, Deuterated Assay Min. 99.5 atom%D	5 gm
054010 (69912-79-4)	Molecular Sieves Type 5A 1.5mm	250 gm 5 kg 25 kg

Product Code	Product Name	Packing
160865 (69912-79-4)	Molecular Sieves 5A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	250 gm 1 kg 5 kg
054015 (63231-69-6)	Molecular Sieves Type 13x1.5mm	250 gm 5 kg 25 kg
016905 SiO ₂ (63231-69-6)	Molecular Sieves 13X 1/16" Pellets (UOP) (formerly Union Carbide USA) M. W.: 60.08	250 gm 1 kg 5 kg
866320	Molish's Reagent	125 ml
866370	Molybdenum (Mo) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
866400	Molybdenum (Mo) 1000 ppm Single Element Std. Soln. for ICP in 1% HNO ₃ & 1%.HF	100 ml
161005 Mo (7439-98-7)	Molybdenum Metal Powder M. W.: 95.94	100 gm 500 gm
586935 Mo (7439-98-7)	Molybdenum Metal Powder AR M. W.: 95.94 Assay (Trace metals basis) 99.9%	25 gm 100 gm 500 gm
161145 Mo (7439-98-7)	Molybdenum Sheet 0.1 mm Thick (150mm X 100 mm) M.W. : 95.94 Assay (Trace metal basis) 99.9%	1 PC
161165 Mo (7439-98-7)	Molybdenum Sheet 0.1 mm Thick (75mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	1 PC
029268 MoS ₂ (1317-33-5)	Molybdenum Disulphide Powder M. W.: 160.06 Assay (Complexometric) (after ignition at 500-600°C) 98.0%	100 gm 500 gm
024973 MoO ₃ (1313-27-5)	Molybdenum Trioxide (Molybdic Anhydride) M. W.: 143.95 Assay (Complexometric) 99.0%	100 gm 500 gm
587092 MoO ₃ (1313-27-5)	Molybdenum Trioxide AR/ACS M. W.: 143.95 Assay (Complexometric) 99.5%	100 gm 500 gm
587095 MoO ₃ (1313-27-5)	Molybdenum Trioxide AR M. W.: 143.95	25 gm
029270 H ₂ MoO ₄ +H ₂ O (7782-91-4)	Molybdic Acid M.W. : 161.95 Assay (Complexometric as MoO ₃) 85.0%	100 gm 500 gm
587100 H ₂ MoO ₄ +H ₂ O (7782-91-4)	Molybdic Acid AR/ACS M.W. : 161.95 Assay (Complexometric as MoO ₃) 87.0%	100 gm 500 gm
	Molybdic Anhydride See Molybdenum Trioxide	
	dodeca-Molybdo Phosphoric Acid See Phosphomolybdic Acid	

Product Code	Product Name	Packing
587145 C ₃₆ H ₆₁ NaO ₁₁ (22373-78-0)	Monensin Sodium AR M. W.: 692.85 Assay (TLC) 90.0-95.0%	1 gm 5 gm 25 gm
	Mono-Chloro Acetic Acid See Chloro Acetic Acid-mono	
	Mono-Ethanolamine See Ethanolamine Mono	
	Mono Ethylamine Solution See Ethylamine Solution	
	Mono Ethylaniline See N-Ethylaniline	
	Mono Ethylene Glycol See EthyleneGlycol	
	Monoglyme See Ethylene Glycol Dimethyl Ether	
	Mono-iso-Propylamine See Isopropylamine	
	Mono Methyl Ethanolamine See 2-(Methylamino) Ethanol	
	Mono-Sodium-L- Glutamate See Sodium-L- Glutamate	
	Mono Thioglycerol for Synthesis See 1-Thioglycerol	
	Mordant Black II See Eriochrome Black T	
044164 C ₇ H ₁₅ NO ₄ S (1132-61-2)	MOPS Buffer M.W.: 209.26 Assay (Alkalimetry) 99.0%	25 gm 100 gm 500 gm
044505 C ₇ H ₁₅ NO ₅ S (68399-77-9)	MOPSO Buffer M.W.: 225.30 Assay 99.0%	100 gm
587185 C ₁₅ H ₁₀ O ₇ .2H ₂ O (6472-38-4)	Morin AR Reagent for Al, Be, Sn, Ti, Oz C.I. 75660 M. W.: 338.27 Assay (HPLC) 96.0%	1 gm 5 gm
866480 new	Morin Reagent (Reagent for Al)	100 ml
	Morpholinio Ethane Sulphonic Acid See MES Buffer	
	3-Morpholio-2-Hydroxypropane Sulphonic Acid See MOPSO Buffer,	
866490	Morner's Reagent	125 ml
029272 C ₄ H ₉ NO (110-91-8)	Morpholine for Synthesis M. W.: 87.12 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
587355 C ₄ H ₉ NO (110-91-8)	Morpholine AR/ACS M. W.: 87.12 Assay (GC) 99.5%	500 ml 2.5 lit

M

Laboratory Chemicals

Product Code	Product Name	Packing
161495 C ₆ H ₁₃ NO ₂ (622-40-2)	2-Morpholino Ethanol for Synthesis M. W.: 131.17	500 ml
	Morpholino Ethane Sulphonic Acid See MES Buffer	
	3-Morpholio-2-Hydroxypropane Sulphonic Acid See MOPSO Buffer,	
	Morpholinopropanesulphonic Acid See MOPS	
587445 C ₁₈ H ₁₆ N ₅ SBr (298-93-1)	M.T.T. Tetrazolium AR M. W.: 414.33 Assay (Argentometric) 98.0%	100 mgm 250 mgm 1 gm
	Mucicarmine (Mayer) Staining Solution See Mayer mucicarmine solution	
866520	Muller's Fixative	250 ml
new ICP Multi-Element Standard Solutions - Nist Traceable		
866566	Multi Element Standard Solution for ICP - 20 Elements; 10 mg/L each Ce, Dy, Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO ₃ Nist Traceable	50 ml 100 ml
866568	Multi Element Standard Solution for ICP- 32 Elements; 100 mg/L each Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co, Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, Ni, Nb, Pb, Rb, Sb, Se, Sr, Ti, Tl, V, U, Zn, in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866570	Multi Element Standard Solution for ICP- 3 Elements; 10 mg/L each P, S, Si, in H ₂ O Nist Traceable	50 ml 100 ml
866572	Multi Element Standard Solution for ICP -10 Elements; 10 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866574	Multi Element Standard Solution for ICP -9 Elements; 10 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866576	Multi Element Standard Solution for ICP -8 Elements; 10 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866578	Multi Element Standard Solution for ICP - 6 Elements; 10 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl Nist Traceable	50 ml 100 ml

Product Code	Product Name	Packing
866580	Multi Element Standard Solution for ICP -10 Elements; 100 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866582	Multi Element Standard Solution for ICP -9 Elements; 100 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866584	Multi Element Standard Solution for ICP -8 Elements; 100 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866586	Multi Element Standard Solution for ICP - 6 Elements; 100 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl Nist Traceable	50 ml 100 ml
866588	Multi Element Standard Solution for ICP -4 Elements; 1000 mg/L each Ca, K, Mg, Na in 2% HNO ₃ Nist Traceable	50 ml 100 ml
866589	Multi Element Standard Solution for ICP - 18 Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, W, Ge, Te, Os, Re, Sn, in 5% HCl Nist Traceable	50 ml 100 ml
866590	Multi Element Standard Solution for ICP - 18 Elements; 10 mg/L "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO ₃ Nist Traceable	50 ml 100 ml
	Murexide See Ammonium Purpurate	
	Mycostatin See Nystatin	
161685 C ₂₃ H ₄₂ NCl (139-08-2)	Myristalkonium Chloride for Synthesis M. W.: 368.04	25 gm
024961 CH ₃ (CH ₂) ₁₂ .COOH (544-63-8)	Myristic Acid for Biochemistry M. W.: 228.38 Assay (NaOH) 99.0%	5 gm 25 gm
024976 CH ₃ (CH ₂) ₁₂ .COOH (544-63-8)	Myristic Acid M. W.: 228.38 Assay (GC) 98.0%	500 gm
161835 CH ₃ (CH ₂) ₁₃ OH (112-72-1)	Myristyl Alcohol for Synthesis (Tetradecanoic Acid) M. W.: 214.39	100 ml 500 ml

Product Code	Product Name	Packing
	NAD See b-Nicotinamide Adenine Dinucleotide	
	NADH See b-Nicotinamide Adenine Dinucleotide Reduced	
	NADP See b-Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt	
024889	Nalidixic Acid free Acid for Lab Use M. W.: 232.24 Assay (Acidimetric, dried bases) 99.0%	25 gm 100 gm
C₁₂H₁₂N₂O₃ (389-08-2)		
592285	Naphazoline Hydrochloride AR M. W.: 246.74	10 gm 25 gm
C₁₄H₁₄N₂.HCl (550-99-2)		
166515	1-Naphthaldehyde for Synthesis (α -Naphthaldehyde) M. W.: 156.18	100 ml 500 ml
C₁₀H₇CHO (66-77-3)		
029277	Naphthalene for Synthesis M. W.: 128.17 Assay (GC) 99.0%	500 gm
C₁₀H₈ (91-20-3)		
592395	Naphthalene AR M. W.: 128.17 Assay (GC) 99.0%	500 gm
C₁₀H₈ (91-20-3)		
029764	Naphthalene Scintillation grade M. W.: 128.17 Assay (GC) 99.0%	500 gm 1 kg
C₁₀H₈ (91-20-3)		
D79578	Naphthalene-d₈ M.W.: 136.23 (for NMR Spectroscopy) Assay Min. 98.0 atom%D	1 gm
C₁₀D₈ (1146-65-2)		
029298	1-Naphthalene Acetic Acid M. W.: 186.21 Assay (GC) 95.0%	25 gm 100 gm 500 gm
C₁₂H₁₀O₂ (86-87-3)		
	Naphthalene Black 12B See Amido Black 10B	
	1,3-Naphthalene Diol See Naphthoresorcinol	
756140	Naphthalene-2-Sulphonic Acid Sodium Salt AR for HPLC M. W.: 230.22 Assay (HPLC) 95.0%	5 gm 25 gm
C₁₀H₇NaO₃S (532-02-5)		
592495	2, 7-Naphthalenediol AR M. W.: 160.17 Assay 97.0%	10 gm 25 gm
C₁₀H₆(OH)₂ (582-17-2)		
756125	5,12-Naphthcenequinone (Electronic Grade) M. W.: 258.27 Assay 97.0%	1 gm 5 gm
C₁₈H₁₀O₂ (1090-13-7)		
592625	a-Naphthoflavone AR M. W.: 272.30 Assay (TLC) 98.0%	1 gm 5 gm 25 gm
C₁₉H₁₂O₂ (604-59-1)		
029290	1-Naphthol for Synthesis (a-Naphthol) M. W.: 144.17 Assay (GC) 99.0%	100 gm 500 gm
C₁₀H₇.OH (90-15-3)		

Product Code	Product Name	Packing
592665	1-Naphthol AR M. W.: 144.17 Assay (GC) 99.0%	100 gm 500 gm
C₁₀H₇.OH (90-15-3)		
868330	a-Naphthol Solution	125 ml
029291	2-Naphthol for Synthesis (b-Naphthol) M. W.: 144.17 Assay (GC) 98.0%	250 gm 500 gm
C₁₀H₇.OH (135-19-3)		
592675	2-Naphthol AR M. W.: 144.17 Assay (ex Ce) 99.0%	100 gm 500 gm
C₁₀H₇.OH (135-19-3)		
166865	Naphthol as-Acetate for Microscopy M. W.: 305.33 Assay 99.0%	100 mgm 500 mgm
C₁₉H₁₅NO₃ (1163-67-3)		
	1-(2-Naphtholazo-3,6-Disulphonic Acid)-2-Naphthol-4-Sulphonic Acid Disodium Salt See Hydroxynaphthol Blue	
020075	a-Naphthol Benzein (pH Indicator) M. W.: 374.44	5 gm 25 gm
C₂₇H₁₈O₂ (145-50-6)		
868350 new	a-Naphthol Benzein Indicator Solution (pH yellow 6.5-9.8 green)	100 ml
	p-Naphthol Benzein See a-Naphtholbenzein	
	Naphthol Black for Microscopy See Amido Black 10 B	
	Naphthol Blue Black See Amido Black 10B	
034055	Naphthol Green B for Microscopy C.I. No. 10020 M. W.: 878.47	25 gm 100 gm
(C₁₀H₅.N.NaO₅S)₃Fe (19381-50-1)		
592715	Naphthol Hydroxamic Acid AR for Calcium Determination M.W. : 213.19	5 gm
C₁₂H₇NO₃ (7797-81-1)		
167085	Naphthol Orange for Microscopy M. W.: 350.32	5 gm
C₁₆H₁₁N₂NaO₄S (523-44-4)		
020076	a-Naphtholphthalein pH Indicator M. W.: 418.45	1 gm 5 gm
C₂₈H₁₈O₄ (596-01-0)		
592735	b-Naphthol Violet AR	25 gm
592805	1,2-Naphthoquinone-4-Sulphonic Acid Sodium Salt AR M. W.: 260.20 Assay (iodometric) 99.0%	5 gm 25 gm
C₁₀H₅NaO₅S (521-24-4)		
167255	1,4-Naphthoquinone for Synthesis M. W.: 158.15 Assay 97.0%	100 gm 250 gm
C₁₀H₆O₂ (130-15-4)		
592855	Naphthoresorcinol AR (1,3-Dihydroxynaphthalene) M. W.: 160.17 Assay (GC) About 98.0%	1 gm 5 gm
C₁₀H₆(OH)₂ (132-86-5)		

N

Laboratory Chemicals

Product Code	Product Name	Packing
868380 new	Naphthoresorcinol solution (EFGRIVE)(Reagent for glycuronic acid & glycuronates)	100 ml
167475	2-Naphthoxyacetic Acid for Synthesis (β-Naphthoxy Acetic Acid) M. W.: 202.21 Assay 97.0%	25 gm 100 gm 500 gm
C ₁₂ H ₁₀ O ₃ (120-23-0)		
593125	1-Naphthyl Acetate AR Naphthol free Substrate for esterase M. W.: 186.21 Assay (GC) 99.5%	5 gm 25 gm
C ₁₂ H ₁₀ O ₂ (830-81-9)		
593135	2-Naphthyl Acetate AR (β-Naphthyl Acetate) M. W.: 186.21	5 gm 25 gm
C ₁₂ H ₁₀ O ₂ (1523-11-1)		
	1-Naphthyl Acetic Acid See 1-Naphthalene Acetic Acid	
167565	1-Naphthylamine Pract M. W.: 143.19 Assay (GC) About 98.0%	500 gm
C ₁₀ H ₇ .NH ₂ (134-32-7)		
593235	1-Naphthylamine AR M. W.: 143.19 Assay 99.0%	100 gm 500 gm
C ₁₀ H ₇ .NH ₂ (134-32-7)		
868420	a-Naphthylamine Solution	100 ml
593335	2-Naphthylamine AR (Beta-Naphthylamine) M. W.: 143.19 Assay (TLC) 98.0%	1 gm
C ₁₀ H ₉ N (91-59-8)		
029300	1-Naphthylamine Hydrochloride (1-Naphthyl Ammonium Chloride) M. W.: 179.65 Assay (ex Cl) 98.0%	100 gm
C ₁₀ H ₇ .NH ₂ .HCl (552-46-5)		
593425	n-1-Naphthylethylene Diamine Dihydrochloride AR/ACS M. W.: 259.18 Assay (argentometric) 98.0%	5 gm 10 gm 25 gm
C ₁₂ H ₁₄ N ₂ .2HCl (1465-25-4)		
	1-Naphthylphosphate Sodium Salt See Sodium-1-Naphthyl Phosphate	
868500	Neisser's Metachromatic stains kit	KIT
868520	Neisser's Stain A Soln. (Methylene Blue)	125 ml
868530	Neisser's Stain B Soln. (Crystal Violet)	125 ml
868540	Neisser's Stain C Soln. (Chrysodine)	125 ml
593515	Neocuproine AR M. W.: 208.27 Assay (HClO ₄ , titration dried) 99.0%	1 gm 5 gm
C ₁₄ H ₁₂ N ₂ (484-11-7)		
593520	Neocuproine Hydrochloride AR Monohydrate M. W.: 262.74 Assay Non-aqueous) 99.0%	1 gm 5 gm
C ₁₄ H ₁₂ N ₂ .HCl.H ₂ O (41066-08-4)		

Product Code	Product Name	Packing
868650	Neodymium (Nd) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	250 ml
868660	Neodymium (Nd) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
RE1930	Neodymium Metal Ingot Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	25 gm 100 gm
(7440-00-8)		
RE1935	Neodymium Metal Lump Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	25 gm
(7440-00-8)		
RE1940	Neodymium Metal Powder Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	5 gm 25 gm
(7440-00-8)		
RE1945	Neodymium Metal Wire 0.1mm Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	5 gm 25 gm
(7440-00-8)		
RE1950	Neodymium Metal Rod 5mmx30cm Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	1 PC
(7440-00-8)		
RE1955	Neodymium Metal Foil 0.25 mmx40cm Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	1 PC
(7440-00-8)		
RE1960	Neodymium Metal Foil 0.50 mmx40cm Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	1 PC
(7440-00-8)		
RE1965	Neodymium Metal SLAB 1cmx40cm Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	1 PC
(7440-00-8)		
RE1970	Neodymium Metal Disc 0.1mmxdia 35cm Nd M. W.: 144.24 Assay (Trace metal basis) 99.99%	1 PC
(7440-00-8)		
RE1985	Neodymium (III) Acetate Nd(O ₂ C ₂ H ₃) ₃ .xH ₂ O M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
(334869-71-5)		
RE1990	Neodymium (III) Acetate Nd(O ₂ C ₂ H ₃) ₃ .xH ₂ O M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
(334869-71-5)		
RE1995	Neodymium (III) Acetate Nd(O ₂ C ₂ H ₃) ₃ .xH ₂ O M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
(334869-71-5)		
RE2010	Neodymium (III) Carbonate Nd ₂ (CO ₃) ₃ .xH ₂ O M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
(38245-38-4)		
RE2015	Neodymium (III) Carbonate Nd ₂ (CO ₃) ₃ .xH ₂ O M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
(38245-38-4)		
RE2020	Neodymium (III) Carbonate Nd ₂ (CO ₃) ₃ .xH ₂ O M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
(38245-38-4)		
RE2035	Neodymium (III) Chloride NdCl ₃ .xH ₂ O M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
(10024-93-8)		

Product Code	Product Name	Packing
RE2040 NdCl ₃ .xH ₂ O (10024-93-8)	Neodymium (III) Chloride M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2045 NdCl ₃ .xH ₂ O (10024-93-8)	Neodymium (III) Chloride M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
Re2055 NdI ₃ (13813-24-6)	Neodymium (III) Iodide M. W.: 524.95 Assay (Trace metal basis) 99.95%	5 gm 25 gm 100 gm
RE2070 Nd(NO ₃) ₃ .6H ₂ O (16454-60-7)	Neodymium (III) Nitrate M. W.: 438.35 Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE2075 Nd(NO ₃) ₃ .6H ₂ O (16454-60-7)	Neodymium (III) Nitrate M. W.: 438.35 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2080 Nd(NO ₃) ₃ .6H ₂ O (16454-60-7)	Neodymium (III) Nitrate M. W.: 438.35 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE2090 Nd ₂ O ₃ (1313-97-9)	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99%	25 gm 100 gm 500 gm
RE2095 Nd ₂ O ₃ (1313-97-9)	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.9%	10 gm 25 gm 250 gm 500 gm
RE2100 Nd ₂ O ₃ (1313-97-9)	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.99%	25 gm 100 gm 1 kg
RE2105 Nd ₂ O ₃ (1313-97-9)	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2120 Nd ₂ (SO ₄) ₃ .8H ₂ O (13477-91-3)	Neodymium (III) Sulphate M. W.: 720.78 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2125 Nd ₂ (SO ₄) ₃ .8H ₂ O (13477-91-3)	Neodymium (III) Sulphate M. W.: 720.78 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2130 Nd ₂ (SO ₄) ₃ .8H ₂ O (13477-91-3)	Neodymium (III) Sulphate M. W.: 720.78 Assay (Trace metal basis) 99.999%	2 gm 10 gm
044205 C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ .XH ₂ O (1405-10-3)	Neomycin Sulphate M.W.: 908.9 (anhydrous)	5 gm 25 gm 500 gm
024898 C ₅ H ₁₂ O ₂ (126-30-7)	Neopentyl Glycol M. W.: 104.15 Assay (GC) 98.0%	500 gm 25 kg
593590 C ₃₈ H ₂₈ N ₈ Cl ₂ (298-95-3)	Neotetrazolium Chloride AR M.W.: 667.60 Assay 75.0%	1 gm
	Neothorine See Arsenazo I	
868740	Nessler's Reagent (For detection of Ammonia and Ammonium salt)	100 ml
868760	Nessler's Reagent King's (For Serum Urea Nitrogen)	100 ml

Product Code	Product Name	Packing
	Neutral Red 4 See Carminic Acid	
593630	Neutral Red AR (pH Indicator) C.I. No. 50040 (Neutral Red Chloride) M. W.: 288.78	10 gm 25 gm 100 gm
C ₁₅ H ₁₇ ClN ₄ (553-24-2)	Dye content (spectrophotometry, on dried subs.) abt. 60.0%	1 kg
868790	Neutral Red pH Indicator Solution	125 ml
	Neutral Red Chloride See Neutral Red Indicator	
868800 new	Neutral Red Metachromatic Staining Solution	125 ml
868795 new	Neutral Red (Jensen) As Counterstain	125 ml
868805 new	Neutral Red TS acc. to USP	125 ml
034184	New Fuchsin for Microscopy C.I. No. 42520 M. W.: 365.91	25 gm 100 gm
C ₂₂ H ₂₄ ClN ₃ (3248-91-7)	Dye content (Titanometry on dried subs.) Abt. 90.0%	
868820	Newman's Stain Soln.	100 ml
167905	New Methylene Blue M. W.: 347.91	5 gm 25 gm
C ₁₈ H ₂₂ ClN ₃ S (1934-16-3)	Dye content : About 70.0%	
	Niacin See Nicotinic Acid	
	Niacinamide See Nicotinamide	
868870	Nickel (Ni) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
868900	Nickel (Ni) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
868920	Nickel (Ni) 10,000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
029855 Ni (7440-02-0)	Nickel (Metal) Powder At. W.: 58.69 Assay (Complexometric) 99.5%	500 gm
029310 (CH ₃ COO) ₂ Ni.4H ₂ O (6018-89-9)	Nickel Acetate M. W.: 248.84 Assay (Complexometric) 98.0%	100 gm 500 gm 25 kg
029312 (12635-27-7)	Nickel Aluminium Alloy Powder (50% Ni & 50% Al)	500 gm
	Nickel Ammonium Sulphate See Ammonium Nickel Sulphate	
029314	Nickel (II) Borate	100 gm
168085 Br ₂ Ni (13462-88-9)	Nickel (II) Bromide M. W.: 218.50 Assay 98.0%	25 gm 100 gm
026230	Nickel (II) Carbonate Purified (Nickel Hydroxide Carbonate)	250 gm 500 gm
NiCO ₃ .2Ni(OH) ₂ .4H ₂ O (12607-70-4)	M.W.: 376.23 Assay (Ni) : 40.0-45.0%	5 kg 25 kg

N

Laboratory Chemicals

Product Code	Product Name	Packing
029316 NiCl ₂ ·6H ₂ O (7791-20-0)	Nickel (II) Chloride (Hexahydrate) M. W.: 237.69 Assay (Complexometric) (ex Ni) 97.0%	250 gm 500 gm 5 kg 25 kg
593715 NiCl ₂ ·6H ₂ O (7791-20-0)	Nickel (II) Chloride (Hexahydrate) AR M. W.: 237.69 Assay (Ni) 98.0%	500 gm
168235 NiF ₂ (10028-18-9)	Nickel (II) Fluoride M. W.: 96.69	100 gm 500 gm
168000 new Ni (7440-02-0)	Nickel Foil M.W : 58.71 Assay 99.9%	250 gm
	Nickel (II) Hydroxide Carbonate See Nickel (II) Carbonate	
029322 Ni(NO ₃) ₂ ·6H ₂ O (13478-00-7)	Nickel (II) Nitrate (Hexahydrate) M. W.: 290.79 Assay (Complexometric ex Ni) 98.0%	250 gm 500 gm 50 kg
593745 Ni(NO ₃) ₂ ·6H ₂ O (13478-00-7)	Nickel (II) Nitrate (Hexahydrate) AR M. W.: 290.79 Assay (Complexometric) 99.0%	250 gm 500 gm 5 kg
168325 NiC ₂ O ₄ ·2H ₂ O (6018-94-6)	Nickel (II) Oxalate M. W.: 182.76	500 gm
029325 NiO (1313-99-1)	Nickel (II) Oxide (Black) M. W.: 74.69 Assay (Complexometric as Ni) 78.0-79.0%	100 gm 500 gm
168375 NiO (1313-99-1)	Nickel (II) Oxide HISURE M. W.: 74.69 Assay (Trace metal basis) 99.99%	25 gm
168405 NiO (1313-99-1)	Nickel Oxide Green M. W.: 74.69	500 gm
024893 Ni ₃ (PO ₄) ₂ ·8H ₂ O	Nickel Phosphate M. W.: 510.18	250 gm
024876 Ni(NH ₂ ·SO ₃) ₂ ·4H ₂ O (13770-89-3)	Nickel Sulphamate 60% w/w Solution M. W.: 322.9 Assay (Complexometric Content of Ni) 11.0%	500 gm 2.5 kg 25 kg
029329 NiSO ₄ ·6H ₂ O (10101-97-0)	Nickel Sulphate Hexahydrate Purified M. W.: 262.85 Assay (Complexometric) 98.0%	500 gm 1 kg 5 kg 25 kg 50 kg
593765 NiSO ₄ ·7H ₂ O (10101-97-1)	Nickel Sulphate Heptahydrate AR/ACS M. W.: 280.85 Assay 99.0%	500 gm
168535 Ni ₃ S ₂ (12035-72-2)	Nickel Sulphide M. W.: 240.21 Assay 99.0%	100 gm 500 gm
044068 C ₆ H ₆ N ₂ O (98-92-0)	Nicotinamide for Biochemistry M. W.: 122.13 Assay (Non-aqueous) 98.5%	100 gm 1 kg

Product Code	Product Name	Packing
168715	β-Nicotinamide Adenine Dinucleotide Extrapure for biochemistry (Oxidised) (β-NAD, DPN) (NAD Free Acid) M.W. 663.44 Assay (UV) 98%	100 mg 1 gm 5 gm 25 gm
C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ (53-84-9)		
168735	β-Nicotinamide Adenine Dinucleotide Disodium Salt Extrapure for Biochemistry (β-NADH, DPNH) M.W. 709.46 Assay(UV) 98%	100 mg 1 gm 5 gm
C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ Na ₂ (606-68-8)		
168745	β-Nicotinamide Adenine Dinucleotide Lithium Salt Extrapure for Biochemistry (Oxidised) (β-NAD-Li) M.W.: 669.36 Assay 95%	1 gm 5 gm
C ₂₁ H ₂₆ N ₇ O ₁₄ P ₂ Li (64417-72-7)		
168755	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt Extrapure for Biochemistry (β-NADP, TPN) M.W. 765.4 Assay 98%	25 mgm 100 mgm 500 mgm 1 gm 5 gm
C ₂₁ H ₂₇ N ₇ O ₁₇ P ₃ Na (1184-16-3)		
168775	β-Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt Extrapure for Biochemistry (β-NADPH, TPNH) M.W. 833.35 (Anhy. basis) Assay(UV) 95.0%	25 mg 100 mg 1 gm
C ₂₁ H ₂₆ N ₇ Na ₄ O ₁₇ P ₃ ·XH ₂ O (2646-71-1)		
	iso-Nicotinic Acid See Iso Nicotinic Acid	
	iso-Nicotinic Acid Hydrazide See Iso Nicotinic Acid Hydrazide	
044069 C ₆ H ₅ NO ₂ (59-67-6)	Nicotinic Acid M. W.: 123.11 Assay (acidimetric, on dried substances) 99.5%	25 gm 100 gm 500 gm 1 kg
024897 C ₃₈ H ₄₂ N ₃ Cl (4692-38-0)	Night Blue for Microscopy M. W.: 576.23 C.I. 44085	25 gm
034058 (8005-03-6)	Nigrosin for Microscopy (Water Soluble) C.I. No. 50420	25 gm 100 gm
034131 (11099-03-9)	Nigrosin (Alcohol soluble) C.I. No. 50415	25 gm 100 gm 1 kg
869200	Nigrosine 10% Solution For Negative Staining	125 ml
	Nile Blue A See Nile Blue Sulphate	
024875 C ₂₀ H ₂₀ ClN ₃ O (2381-85-3)	Nile Blue Chloride C.I. : 51180 M. W.: 353.85 Dye content >90.0%	25 gm
034059 C ₄₀ H ₃₈ N ₆ O ₂ ·H ₂ SO ₄ (3625-57-8)	Nile Blue Sulphate for Microscopy (Nile Blue Hydrogen Sulphate) M. W.: 732.84 Dye content (spectrophotometric) > 90.0%	10 gm 25 gm

Product Code	Product Name	Packing
869235 new	Nile Blue Sulphate Solution	10 ml
594445	Nile Red AR C ₂₀ H ₁₈ N ₂ O ₂ (7385-67-3)	1 gm 5 gm
594475	Ninhydrin AR C ₉ H ₄ O ₃ .H ₂ O (485-47-2)	10 gm 25 gm 100 gm 1 kg
869280	Ninhydrin Solution	125 ml
869285 new	Ninhydrin Solution for TLC Spray (for detection of amino acids)	125 ml
869290	Niobium (Nb) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
869300	Niobium (Nb) 1000 ppm Single Element Std. Soln for ICP in 5% HNO ₃ 1% in HF Nist Traceable	50 ml 100 ml
168965	Niobium Metal Powder Nb (7440-03-1)	10 gm
594540	Niobium Pentoxide AR (Niobium (v) oxide) Nb ₂ O ₅ (1313-96-8)	10 gm 50 gm 500 gm
024885	Nioxime C ₆ H ₈ (=NOH) ₂ (492-99-9)	5 gm
169075	Nitrazine Yellow Indicator (C. I. No. 14890) C ₁₆ H ₈ N ₄ Na ₂ O ₁₁ S ₂ (5423-07-4)	5 gm 25 gm
169215	Nitric Acid (1.41-1.42) HNO ₃ (7697-37-2) (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes)	500 ml 2.5 lit
594655	Nitric Acid (1.42) AR/ACS HNO ₃ (7697-37-2) (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole box)	500 ml 2.5 lit
756355	Nitric Acid EL HNO ₃ (7697-37-2)	2.5 lit
756360 new	Nitric Acid Acipur for Trace Metal Analysis HNO ₃ (7697-37-2)	500 ml 2.5 lit
869400	Nitric Acid 0.01M (0.01N) Volumetric Solution in H ₂ O Nist Traceable	1 lit
869420	Nitric Acid 0.1M (0.1N) Volumetric Solution in H ₂ O Nist Traceable	1 lit

Product Code	Product Name	Packing
869425 new	Nitric Acid 0.1 Mol/l (0.1N) For 1000 ml Solution	1 amp
869460	Nitric Acid 1M (1N) for Volumetric Solution in H ₂ O Nist Traceable	1 lit
869480	Nitric Acid 2M (2N) Volumetric Solution in H ₂ O Nist Traceable	1 lit
869500	Nitric Acid 4M (4N) Volumetric Solution in H ₂ O Nist Traceable	1 lit
869520	Nitric Acid 8M (8N) Volumetric Solution in H ₂ O Nist Traceable	1 lit
869530 new	Nitric Acid 10 mol/L Solution.	500 ml 1 lit 2.5 lit
029338	Nitritotriacetic Acid (NTA) Complexometric Indicator and Reagent C ₆ H ₉ NO ₆ (139-13-9)	100 gm 500 gm
594725	Nitrilo tri Acetic Acid (NTA) AR N(CH ₂ COOH) ₃ (139-13-9)	100 gm 250 gm 500 gm
169335	p-Nitro Acetanilide for Synthesis C ₈ H ₈ N ₂ O ₃ (104-04-1)	100 gm 500 gm
169445	3-Nitro Acetophenone for Synthesis C ₈ H ₇ NO ₃ (121-89-1)	100 gm 500 gm
169505	p-Nitro Acetophenone for Synthesis C ₈ H ₇ NO ₃ (100-19-6)	250 gm 1 kg
024873	m-Nitro Aniline (3-Nitro Aniline) Pract C ₆ H ₆ N ₂ O ₂ (99-09-2)	250 gm
029341	o-Nitro Aniline (2-Nitro Aniline) C ₆ H ₆ N ₂ O ₂ (88-74-4)	250 gm
029343	p-Nitro Aniline (4-Nitro Aniline) C ₆ H ₆ N ₂ O ₂ (100-01-6)	250 gm 500 gm
594865	4-Nitro Aniline AR for Determination Of Phenol C ₆ H ₆ N ₂ O ₂ (100-01-6)	25 gm 100 gm 500 gm
169615	2-Nitro Anisole for Synthesis (o-Nitroanisole) C ₇ H ₇ NO ₃ (91-23-6-)	500 ml 2.5 lit 25 lit 200 lit
594955	•Nitro B.T. AR Used for estimating dehydrogenase enzymes Totally soluble formazan free C ₄₀ H ₃₀ N ₁₀ O ₆ Cl ₂ (298-83-9)	100 mgm 250 mgm 1 kg

N

Laboratory Chemicals

Product Code	Product Name	Packing
970100 C ₄₀ H ₃₀ Cl ₂ N ₁₀ O ₆ (298-83-9)	• Nitro B.T. for Microscopy and for Molecular Biology M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	1 gm
024886 NO ₂ C ₆ H ₄ CHO (552-89-6)	o-Nitro Benzaldehyde M. W.: 151.12 Assay (GC) 98.0%	100 gm 1 kg
595065 NO ₂ C ₆ H ₄ CHO (552-89-6)	• o-Nitro Benzaldehyde AR M. W.: 151.12 Assay (GC) 99.0%	10 gm 25 gm 1 kg
169735 O ₂ NC ₆ H ₄ CHO (99-61-6)	3-Nitro Benzaldehyde for Synthesis (m-Nitrobenzaldehyde) M. W.: 151.12	100 gm 500 gm
595075 O ₂ NC ₆ H ₄ CHO (555-16-8)	4-Nitro Benzaldehyde AR M. W.: 151.12	25 gm 100 gm
169885 C ₇ H ₆ N ₂ O ₃ (619-80-7)	4-Nitro Benzamide for Synthesis M. W.: 166.13	25 gm 100 gm
029353 C ₆ H ₅ .NO ₂ (98-95-3)	Nitro Benzene M. W.: 123.11 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
595135 C ₆ H ₅ .NO ₂ (98-95-3)	Nitro Benzene AR/ACS M. W.: 123.11 Assay (By GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
595485 C ₆ H ₄ N ₃ O ₂ .BF ₄ (456-27-9)	4-Nitro Benzene Diazonium Tetrafluoroborate AR M. W.: 236.92 Assay 97.0%	5 gm 25 gm
	3-Nitro Benzene-1,2-Dicarboxylic Acid See 3-Nitrophthalic Acid	
	4-Nitro Benzene-1,2-Dicarboxylic Acid See 4-Nitrophthalic Acid	
170025 C ₆ H ₄ ClNO ₄ S (98-74-8)	4-Nitro Benzene Sulfonyl Chloride for Synthesis M. W.: 221.62 Assay 97.0%	100 gm
029355 C ₆ H ₄ NNaO ₅ S (127-68-4)	m-Nitro Benzene Sulphonic Acid Sodium Salt M. W.: 225.16 Assay(dried) 98.0%	250 gm 1 kg
024896 C ₇ H ₅ N ₃ O ₂ .HNO ₃ (27896-84-0)	5-Nitro Benzimidazole Nitrate 5, 6 Photo pure M. W.: 226.15 Assay (acidimetric) 98.0%	25 gm
595695 C ₇ H ₅ N ₃ O ₂ (94-52-0)	5-Nitro Benzimidazole AR M. W.: 163.13	25 gm
024887 C ₇ H ₅ NO ₄ (121-92-6)	m-Nitro Benzoic Acid M.W.: 167.12 Assay (HPLC) 98.0%	100 gm 500 gm

Product Code	Product Name	Packing
170145 C ₇ H ₅ NO ₄ (552-16-9)	o-Nitro Benzoic Acid M. W.: 167.12 Assay 95.0%	100 gm 500 gm
029361 NO ₂ .C ₆ H ₄ COOH (62-23-7)	p-Nitro Benzoic Acid for Synthesis M. W.: 167.12 Assay (HPLC) 99.0%	500 gm 25 kg
170225 C ₇ H ₄ N ₂ O ₂ S (2942-06-5)	6-Nitro Benzothiazole M. W.: 180.18 Assay 99.0%	5 gm
170295 C ₇ H ₄ ClNO ₃ (122-04-3)	4-Nitro Benzoyl Chloride for Synthesis M. W.: 185.56 Assay 98.0%	100 gm 500 gm
170375 C ₇ H ₇ NO ₃ (619-73-8)	4-Nitro Benzyl Alcohol for Synthesis (p-Nitrobenzyl Alcohol) M. W.: 153.14	25 gm 100 gm
170485 BrC ₇ H ₆ NO ₂ (100-11-8)	4-Nitro Benzyl Bromide for Synthesis M. W.: 216.03 Assay 99.0%	25 gm 100 gm 500 gm
595745 NO ₂ .C ₆ H ₄ .CH ₂ .C ₅ H ₄ N (1083-48-3)	4-(4-Nitro Benzyl) Pyridine extra Pure AR M. W.: 214.23 Assay (Non-aqueous) 99.0%	5 gm 25 gm
	Nitro Blue Tetrazolium Chloride See Nitro B.T.	
	Nitro Carbol See Nitromethane	
595905 C ₆ H ₅ NO ₄ (3316-09-4)	4-Nitro Catechol AR M. W.: 155.11 Assay 97.0%	5 gm
027925 (9004-70-0)	Nitro Cellulose	500 gm
	O-Nitro Chlorobenzene (ONCB) See 1-Chloro-2-Nitrobenzene	
	M-Nitro Chlorobenzene (MNCB) See 1-Chloro-3-Nitrobenzene	
	P-Nitro Chlorobenzene (PNCB) See 1-Chloro-4-Nitrobenzene	
596225 C ₂ H ₅ NO ₂ (79-24-3)	Nitro Ethane AR M. W.: 75.07 Assay 99.0%	250 ml 500 ml
170665 C ₈ H ₆ N ₂ O ₂ (6146-52-7)	5-Nitro Indole for Synthesis M. W.: 162.15	5 gm 25 gm
170775 C ₈ H ₅ NO ₆ (618-88-2)	5-Nitro Isophthalic Acid for Synthesis M. W.: 211.13	500 gm
029371 CH ₃ NO ₂ (75-52-5)	Nitro Methane M. W.: 61.04 Assay (GC) 98.0%	500 ml 2.5 lit
596335 CH ₃ NO ₂ (75-52-5)	Nitro Methane AR/ACS M. W.: 61.04	500 ml 2.5 lit

Product Code	Product Name	Packing
170885 C ₈ H ₇ NO ₅ (5081-36-7)	4-Nitro-3-Methoxybenzoic Acid M. W.: 197.14 Assay 98.0%	5 gm
596400 C ₂₀ H ₁₆ N ₄ (2218-94-2)	Nitron AR M. W.: 312.38 Assay 97.0%	1 gm 5 gm
170995 C ₁₀ H ₇ NO ₂ (86-57-7)	1-Nitro Naphthalene for Synthesis (A-Nitro Naphthalene) M. W.: 173.17 Assay 99.0%	100 gm 500 gm
029377 NO ₂ .C ₆ H ₄ .OH (88-75-5)	o-Nitro Phenol (2-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	500 gm
596545 O ₂ NC ₆ H ₄ OH (88-75-5)	o-Nitro Phenol Indicator AR M. W.: 139.11	25 gm 100 gm
029379 C ₆ H ₅ NO ₃ (100-02-7)	p-Nitro Phenol (4-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	100 gm 500 gm
596575 O ₂ NC ₆ H ₄ OH (554-84-7)	m-Nitro Phenol Indicator AR (3-Nitrophenol) M. W.: 139.11	5 gm 25 gm 100 gm
596585 C ₆ H ₅ NO ₃ (100-02-7)	p-Nitro Phenol Indicator AR M. W.: 139.11 Assay (GC) 99.0%	25 gm 100 gm 500 gm
	4-(4-Nitro Phenyl Azo)-1-Naphthol See Magneson II	
	4-(4-Nitro Phenyl Azo)-Resorcinol See Magneson I	
171185 CH ₃ CO ₂ C ₆ H ₄ NO ₂ (830-03-5)	p-Nitro Phenyl Acetate (4-Nitrophenyl Acetate) M. W.: 181.15	5 gm 25 gm 100 gm
171225 C ₈ H ₇ NO ₄ (104-03-0)	p-Nitro Phenyl Acetic Acid M. W.: 181.15 Assay 98.0%	5 gm 25 gm 100 gm
171285 C ₈ H ₆ N ₂ O ₂ (555-21-5)	p-Nitro Phenyl Acetonitrile for Synthesis M. W.: 162.15 Assay 98.0%	100 gm 500 gm
171415 C ₉ H ₁₀ N ₂ O ₄ .H ₂ O (207591-86-4)	4-Nitro-L-Phenylalanine Monohydrate for Biochemistry M. W.: 228.20 Assay 98.0%	25 gm
171525 C ₁₂ H ₁₅ NO ₈ (369-07-3)	o-Nitro Phenyl B-D-Galactopyranoside Extra Pure for Biochemistry M. W.: 301.25 Assay 98.0%	500 mg 5 gm 10 gm


Product Code	Product Name	Packing
596785 C ₆ H ₇ N ₃ O ₂ (100-16-3)	4-Nitro Phenyl Hydrazine AR (p-Nitrophenylhydrazine) M. W.: 153.14	10 gm 25 gm
596805 C ₆ H ₄ NNa ₂ O ₆ P.6H ₂ O (4264-83-9)	4-Nitro Phenyl Phosphate Disodium Salt Hexahydrate AR M. W.: 371.15 Assay (Absorptiometric) 98.0%	5 gm 25 gm
171615 (68189-42-4)	4-Nitrophenyl Phosphate Di(TRIS) Salt (pNPP DTRIS SALT) for Biochemistry	1 gm 5 gm 25 gm
171695 O ₂ NC ₆ H ₃ -1,2-(CO ₂ H) ₂ (603-11-2)	3-Nitro Phthalic Acid for Synthesis (3-Nitrobenzene-1,2-Dicarboxylic Acid) M. W.: 211.13	100 gm 500 gm
171715 C ₈ H ₅ NO ₆ (610-27-5)	4-Nitro Phthalic Acid for Synthesis (4-Nitrobenzene-1, 2-Dicarboxylic Acid) M. W.: 211.13	100 gm 500 gm
024877 C ₈ H ₃ N ₃ O ₂ (31643-49-9)	4-Nitrophthalonitrile M. W.: 173.13 Assay 99.0%	5 gm 25 gm 100 gm
171785 C ₃ H ₇ O ₂ N (79-46-9)	2-Nitro Propane for Synthesis M. W.: 89.09 Assay 96.0%	100 ml
013090 C ₁₀ H ₆ (OH).NO (131-91-9)	1-Nitroso-2-Naphthol M. W.: 173.16 Assay (Titanometry) 95.0%	100 gm 500 gm
596895 C ₁₀ H ₆ (OH).NO (131-91-9)	1-Nitroso-2-Naphthol AR M. W.: 173.17 Assay(dried) 98.0%	25 gm 100 gm
869650 new	1-Nitroso-2-Naphthol Solution (Reagent for Co, Fe, Ni & Pd)	100 ml
596905 C ₁₀ H ₆ (OH)NO (132-53-6)	2-Nitroso-1-Naphthol AR Reagent for Cobalt and Zirconium M. W.: 173.17 Assay(Titanometric) 95.0%	5 gm 25 gm
596915 C ₁₀ H ₅ NNa ₂ S ₂ O ₈ (525-05-3)	Nitroso-R-Salt AR Sensitivity to Cobalt 1:1000000 M. W.: 377.26	25 gm 100 gm
869670 new	Nitroso-R Salt Solution (Reagent for cobalt & Iron)	100 ml
	Nitrotetrazolium Blue Chloride See Nitro B.T.	
024894 NO ₂ .C ₆ H ₄ .CH ₃ (99-08-1)	m-Nitro Toluene for Synthesis (3-Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit

N

Laboratory Chemicals

Product Code	Product Name	Packing
029393	o-Nitro Toluene for Synthesis (2 Nitro Toluene)	500 ml 2.5 lit
NO ₂ .C ₆ H ₄ .CH ₃ (88-72-2)	M. W.: 137.14 Assay (GC) 99.0%	25 lit 200 lit
029395	p-Nitro Toluene for Synthesis (4-Nitro Toluene)	500 gm 25 Kg
NO ₂ .C ₆ H ₄ CH ₃ (99-99-0)	M. W.: 137.14 Assay (GC) 99.0%	
171995	5-Nitro Uracil for Biochemistry	5 gm 25 gm
C ₄ H ₃ N ₃ O ₄ (611-08-5)	M. W.: 157.08 Assay 98.0%	
172075	5-Nitro-m-Xylene	10 gm
C ₈ H ₉ NO ₂ (99-12-7)	M. W.: 151.16 Assay 99.0%	
172265	n-Nonadecane for Synthesis	250 ml
C ₁₉ H ₄₀ (629-92-5)	M. W.: 268.53 Assay 98.0%	
597095	n-Nonadecane AR	250 ml
C ₁₉ H ₄₀ (629-92-5)	M. W. : 268.53	
172355	n-Nonanol for Synthesis (Nonan-1-ol)	100 ml 500 ml
C ₉ H ₂₀ O (143-08-8)	M. W.: 144.25	
172415	n-Nonane for Synthesis	100 ml 500 ml
CH ₃ (CH ₂) ₇ CH ₃ (111-84-2)	M. W.: 128.26	
757180	1-Nonanesulphonic Acid Sodium Salt AR For HPLC	5 gm 25 gm
CH ₃ (CH ₂) ₈ SO ₃ Na (35192-74-6)	M. W.: 230.30	

Product Code	Product Name	Packing
172465	Nonanoic Acid	100 ml
C ₉ H ₁₈ O ₂ (112-05-0)	M. W.: 158.24 Assay 97.0%	500 ml
172505	Nonidet P 40 (NP-40, 4-nonylphenyl polyethylene glycol) Non Ionic Surfactant	100 ml 500 ml
(9016-45-9)		
	Nonyl Alcohol See N-Nonanol	
172705	Nonyl Phenol	500 ml 2.5 lit
C ₁₅ H ₂₄ O (104-40-5)	M. W.: 220.35	
	4-Nonylphenyl-Polyethylene glycol See nonidet P 40	
597415	DL-Nor-Adrenaline HCl AR	1 gm 5 gm
C ₈ H ₁₁ NO ₃ .HCl (55-27-6)	M. W.: 205.64 Assay (TLC) 97.0%	
024883	Norfloxacin for Lab Use	1 gm 5 gm
C ₁₆ H ₁₈ FN ₃ O ₃ (70458-96-7)	M. W.: 319.33 Assay 98.0%	
024879	Norit-A 100 mesh	1 kg 5 kg 25 kg
C (7440-44-0)	At. W. 12.01	
172925	DL-Norleucine for Biochemistry (DL-2-Amino-Hexanoic Acid, (DL- α -Amino-n-Caproic Acid)	5 gm 25 gm
C ₆ H ₁₃ NO ₂ (616-06-8)	M. W.: 131.2	
173035	Nuclear Fast Red for Microscopy	1 gm 5 gm
C ₁₄ H ₈ NNaO ₇ S (6409-77-4)	M. W.: 357.27	
869900	Nylander's Reagent (Test Reagent for Glucose in urine)	50 ml
044207	Nystatin 4400 USP Unit per mg	1mil.Unit
C ₄₇ H ₇₅ NO ₁₇ (1400-61-9)	M. W.: 926.10	



NEODYMIUM

60 Neodymium

Nd
144.24
[Xe]4f⁴6s²

Neodymium, atomic no.: 60, symbol as Nd, weight at 144.24, is the most abundant of the rare earths after Cerium and Lanthanum. It shows similar characteristics to the other trivalent Lanthanides.

Primary applications include lasers, glass coloring and tinting, dielectrics and, most importantly, as the fundamental basis for Neodymium-Iron-Boron (Nd₂Fe₁₄B) permanent magnets.



Product Code	Product Name	Packing
871180 new	Obermayer's Reagent (Test reagent for "Indican" in urine)	100 ml
029404	1-Octadecanol (Octadecyl Alcohol) C ₁₈ H ₃₈ O (112-92-5) M. W.: 270.50 Assay (GC) 96.0%	500 gm
176045	1-Octadecene for Synthesis C ₁₈ H ₃₆ (112-88-9) M. W.: 252.48 Assay 95.0%	100 ml 500 ml
176175	n-Octadecane for Synthesis C ₁₈ H ₃₈ (593-45-3) M. W.: 254.2	100 gm 500 gm
	1-Octadecyl Alcohol See Stearyl Alcohol	
176295	Octadecylamine for Synthesis C ₁₈ H ₃₉ N (124-30-1) M. W.: 269.51 Assay 97.0%	250 gm 1 kg
029409	n-Octane for Synthesis CH ₃ (CH ₂) ₆ CH ₃ (111-65-9) M. W.: 114.23	100 ml 500 ml
597455	n-Octane AR CH ₃ (CH ₂) ₆ CH ₃ (111-65-9) M.W.: 114.23 Assay (GC) 99.7%	100 ml 500 ml
	iso-Octane See ISO Octane	
759105	1-Octane Sulphonic Acid Sodium Salt (Anhydrous) HPLC for Ion-Pair Chromatography C ₈ H ₁₇ O ₃ SNa (5324-84-5) M. W.: 216.28	25 gm 100 gm
759110	1-Octane Sulphonic Acid Sodium Salt Monohydrate C ₈ H ₁₇ NaO ₃ S.H ₂ O (207596-29-0) M. W.: 234.29 Assay (acidimetric on dried basis) 98.0%	5 gm 25 gm 100 gm
	Octanoic Acid See Caprylic Acid	
	n-Octanoic Acid Sodium Salt See n-Caprylic Acid Sodium Salt	
029408	1-Octanol (Octyl Alcohol) for Synthesis (Octan-1-OL, n-Octanol) CH ₃ (CH ₂) ₆ CH ₂ OH (111-87-5) M. W.: 130.23 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
597485	1-Octanol AR C ₈ H ₁₈ O (111-87-5) M. W.: 130.23 Assay (GC) 99.5%	500 ml 2.5 lit
759200	1-Octanol HPLC & Spectroscopy C ₈ H ₁₈ O (111-87-5) M. W.: 130.23	500 ml 1 lit
	iso-Octanol See 2-Ethyl -1-Hexanol	
024796	3-Octanol C ₈ H ₁₈ O (589-98-0) M. W.: 130.23 Assay (GC) 97.0%	500 ml 2.5 lit
176485	1-Octene C ₈ H ₁₆ (111-66-0) M. W.: 112.22 Assay 98.0%	100 ml 500 ml

Product Code	Product Name	Packing
	Octoic Acid See 2-Ethyl Hexanoic Acid	
176655	Octyl Acetate for Synthesis C ₁₀ H ₂₀ O ₂ (112-14-1) M. W.: 172.26 Assay 99.0%	500 ml
176745	n-Octylamine for Synthesis C ₈ H ₁₉ N (111-86-4) M. W.: 129.24 Assay 99.0%	250 ml
	Octyl Sulphate Sodium Salt See Sodium Octyl Sulphate	
176835	n-Octyl-Beta-D-Glucopyranoside for Biochemistry C ₁₄ H ₂₈ O ₆ (29836-26-8) M. W.: 292.37 Assay (GC) 98.0%	1 gm 5 gm
176915	4-tert-Octylphenol for Synthesis C ₁₄ H ₂₂ O (140-66-9) M. W.: 206.33 Assay 97.0%	500 gm
	iso-Octyl Phenoxy Polyethoxy Ethanol See Criton 100	
	di Octyl Sodium Sulphosuccinate See Dioctyl Sodium Sulphosuccinate	
196995	Octyl β-D-Thioglucofuranoside for Biochemistry (Octyl Thioglucoside) C ₁₄ H ₂₈ O ₅ S (85618-21-9) M. W.: 308.44	500 mgm 1 gm
	ODCB See o-Dichlorobenzene	
024791	Ofloxacin for Lab Use C ₁₈ H ₂₀ FN ₃ O ₄ (82419-36-1) M.W.: 361.37	1 gm 10 gm 500 gm
	Oil Aemons See Oil Almond	
177210	Oil Almond (8007-69-0)	500 ml
177215	Oil Bergamot (8007-75-8)	500 gm
	Oil Citronella See Citronella	
177245	Oil Corn (8001-30-7)	500 ml
	Oil of Castor See Castor Oil	
	Oil of Cedarwood See Cedar Wood Oil	
	Oil of Clove See Clove Oil	
	Oil of Eucalyptus See Eucalyptus Oil	
	Oil of Turpentine See Turpentine Oil	
177285	Oil Geranium (8000-46-2)	500 gm
	Oil of Immersion See Immersion Oil	
177305	Oil of Lemon Grass Oil (8007-02-1)	500 ml
177325	Oil Mentha (8008-79-5)	500 gm

Product Code	Product Name	Packing
	Oil of Olive See Olive Oil	
177395 (8006-90-4)	Oil of Peppermint (peppermint oil)	100 ml 500 ml
	Oil Pine See Pine Oil	
177425 (8008-57-9)	Oil Orange	500 gm 2.5 kg
034061 C ₂₆ H ₂₄ N ₄ O (14288-70-1)	Oil Red O for Electrophoresis C.I. No. 26125 M. W.: 408.51 Dye content (Titanometry on dried Substance) Min 80.0%	10 gm 25 gm 1 kg
871300 new	Oil Red O Solution 0.5% In Isopropanol	100 ml
025264 C ₁₇ H ₃₃ .COOH (112-80-1)	Oleic Acid M. W.: 282.47 Assay(GC) 65.0%	500 ml 2.5 lit 25 lit 200 lit
	Oleic Acid Sodium Salt See Sodium Oleate	
177615 H ₂ O ₄ S (8014-95-7)	Oleum 20% Pract M. W.: 98.08	500 ml
177725 C ₁₈ H ₃₆ O (143-28-2)	Oleyl Alcohol Pract M. W.: 268.49	500 ml 2.5 lit
177815 C ₁₈ H ₂₇ N (112-90-3)	Oleylamine for Synthesis M. W.: 267.50	250 ml 1 lit
024798 (8001-25-0)	Olive Oil (Oil of Olive)	100 ml 250 ml 500 ml 5 lit
871200	O'meara Reagent	100 ml
	ONCB See 1-Chloro-2-Nitrobenzene	
177845	Oracet Blue (2R Indicator for Titration in Non-Aqueous Solvent) (C.I. 61110) M.W. : 314.34	5 gm
174900 (12769-16-3)	Oracet Blue B Indicator	5 gm 25 gm
034062 C ₁₆ H ₁₀ N ₂ Na ₂ O ₇ S ₂ (1936-15-8)	Orange G Indicator for Microscopy C.I. No. 16230 M. W.: 452.37 Dye content (Titanometry, on dried Subs.) About 90.0%	25 gm 100 gm 1 kg 5 kg
	Orange IV (ph) Indicator See Tropaeolin OO	
	Orange III See Methyl Orange	
034063 (1400-62-0)	Orcein for Microscopy	5 gm 10 gm 1 kg

Product Code	Product Name	Packing
871325 new	Orcein Solution (For Inulin)	100 ml
	Orcein Aceto Solution (Lacour) See Aceto Orcein Solution	
029418 CH ₃ .C ₆ H ₃ (OH) ₂ .H ₂ O (6153-39-5)	Orcinol Monohydrate M. W.: 142.15 Assay(GC) 98.0%	10 gm 25 gm 100 gm
597525 C ₅ H ₁₂ N ₂ O ₂ .HCl (3184-13-2)	L-Ornithine Monohydrochloride AR For Biochemistry M. W.: 168.62 Assay (Non-aqueous) 98.0%	5 gm 25 gm 500 gm
	Orthoacetic Acid Trimethyl Ester See Trimethylorthoformate	
	Ortho Boric Acid See Boric Acid	
	Ortho Nitro Chlorobenzene See 1-Chloro-2-Nitro Benzene	
	Ortho Phosphoric Acid See ortho-Phosphoric Acid	
763215 new H ₃ PO ₄ (7664-38-2)	Ortho Phosphoric Acid for HPLC M.W : 98.00 Assay 85.0%	500 ml 1 lit
597600 OsO ₄ (20816-12-0)	Osmic Acid AR M. W.: 254.20 Assay 99.9%	1 gm
871350	Osmic Acid 2% Solution w/v for Microscopy	5 ml
871355 new	Osmic Acid Solution (Gurber Reagent) (Reagent for unsaturated fats)	50 ml
	Osmium Tetraoxide See Osmic Acid	
029423 C ₂ H ₂ O ₄ .2H ₂ O (6153-56-6)	Oxalic Acid Purified (Ethanedioic acid) M. W.: 126.07 Assay (Oxidimetric) 99.5%	500 gm 1 kg 5 kg 50 kg
597665 C ₂ H ₂ O ₄ .2H ₂ O (6153-56-6)	Oxalic Acid AR/ACS M. W.: 126.07 Assay (Oxidimetric) 99.8%	500 gm
871440 new	Oxalic Acid 0.01 mol/L (0.02N) Solution	500 ml 1 lit 2.5 lit
871450	Oxalic Acid N/10 (0.1N) 0.05 mol	500 ml 1 lit 2.5 lit
871490	Oxalic Acid 0.025M (0.05N) Volumetric Solution Nist Traceable	1 lit
871520	Oxalic Acid Solution 0.05 M Citrisol 3.1515 g C ₂ H ₂ O ₄ .2H ₂ O for 500 ml Solution 0.1 N solution	1 Amp 3 Amp 6 Amp
871525 new	Oxalic Acid 0.05M (0.1N) Standardized Solution Nist Traceable	1 lit

Product Code	Product Name	Packing
871580 new	Oxalic Acid TS acc to USP Oxalic Acid Bis Cyclohexylidene Hydrazide See Bis -Cyclohexanone Oxalyl Dihydrazone	500 ml
871550	Oxalic Acid 0.5M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
871555 new	Oxalic Acid 0.5M (1N) Standardized Solution Nist Traceable	1 lit
597725 (CO.NH.NH ₂) ₂ (996-98-5)	Oxalyl Dihydrazone AR (Oxalyl Dihydrazone) M. W.: 118.10 Assay (HPLC) 98.0%	25 gm
178135 C ₄ H ₄ O ₅ (328-42-7)	Oxaloacetic Acid for Biochemistry M. W.: 132.07	1 gm 5 gm
029426 C ₂ Cl ₂ O ₂ (79-37-8)	Oxalyl Chloride for Synthesis M.W.: 126.93 Assay (Acidimetric) 98.0%	100 ml 500 ml

Product Code	Product Name	Packing
	Oxalyl Dihydrazone See Oxalic Acid Dihydrazone	
178200 new	Ox-gall Powder Bacteriological Grade	100 gm 500 gm
	Oxine See 8-Hydroxy Quinoline	
	2-Oxoglutaric Acid See a-Keto Glutaric Acid	
178250 new	Oxone (Potassium Peroxy Monosulphate) HKO ₅ S . 0.5HKO ₄ S . 0.5K ₂ O ₄ S M.W : 307.38 (70693-62-8)	250 gm 1 kg
024799 C ₁₉ H ₂₀ N ₂ O ₃ (129-20-4)	● Oxyphenbutazone for Lab Use M. W.: 324.38 Assay 98.0%	5 gm
024792 C ₂₂ H ₂₄ N ₂ O ₉ .HCl (2058-46-0)	Oxytetracycline Hydrochloride for Lab Use M. W.: 496.90 Assay 97.0%	1 gm 5 gm

0
Laboratory Chemicals



Variety of OILS

Product Code	Product Name	CAS No.
033220	Castor Oil Saponification value :- 176-187	8001-79-4
025719	Cedar Wood Oil For Microscopy	8000-27-9
036063	Clove Oil for Microscopy	8000-34-8
025539	Eucalyptus Oil	8000-48-4
120940	Immersion Oil for Microscopy	—
036061	Immersion Oil Natural	—
177215	Oil Bergamot	8007-75-8
177245	Oil Corn	8001-30-7
177285	Oil Geranium	8000-46-2
177325	Oil Mentha	8008-79-5
177305	Oil of Lemon Grass Oil	8007-02-1
177395	Oil of Peppermint (peppermint oil)	8006-90-4
177425	Oil Orange	8008-57-9
024798	Olive Oil (Oil of Olive)	8001-25-0
191855	Pine Oil	8006-64-2
015067	Silicon Oil For Oil Baths upto 250	63148-62-9

..... and many more



Product Code	Product Name	Packing
874100	Palladium (Pd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
871402 new	Palladium (Pd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
874150	Palladium (Pd) 1000 ppm Single Element Std. Soln for ICP in HCl.	100 ml 500 ml
874170	Palladium (Pd) 10000 ppm Single Element Std. Soln for ICP in HCl.	100 ml 500 ml
603725 Pd (7440-05-3)	Palladium (Metal) Powder AR M. W.: 106.42 Assay 99.9%	1 gm
029744	Palladium on Activated Charcoal (5% Pd) Palladium content Pd 4.9-5.1%	10 gm
183095	Palladium on Activated Charcoal (10% Pd) Assay Palladium of Pd 9.9-10.1%	10 gm
183105	Palladium 5% on Alumina	5 gm 10 gm
183125	Palladium 10% on Alumina	5 gm 10 gm
012009	Palladium on Asbestos (5% Pd) Assay (On asbestos) (Pd) 4.9-5.1%	10 gm
012010	Palladium on Asbestos 10.0% Assay (On asbestos) (9.9-10.1% Pd)	10 gm
183185	Palladium on Barium Sulphate (5% Pd)	10 gm
183190	Palladium on Barium Sulphate (10% Pd)	10 gm
066277	Palladium on Calcium Carbonate (5% Pd)	10 gm
066278	Palladium on Calcium Carbonate (10% Pd)	10 gm
183275 C ₄ H ₆ O ₄ Pd (3375-31-3)	Palladium (II) Acetate for Synthesis M. W.: 244.51	1 gm
183315 Br ₂ Pd (13444-94-5)	Palladium Bromide Extra Pure M. W.: 266.23 Assay 99.0%	1 gm
029431 PdCl ₂ (7647-10-1)	Palladium Chloride (Pd 59-60%) M. W.: 177.33 Assay 99.0%	1 gm 5 gm
183425 Pd(NO ₃) ₂ .2H ₂ O (10102-05-3)	Palladium Nitrate Dihydrate M. W.: 266.46 Assay (Pd) 40.0%	1 gm
066280 PdO (1314-08-5)	Palladium (II) Oxide M. W.: 122.44 Assay (Pd) ~85.0%	1 gm
183505 PdSO ₄ (13566-03-5)	Palladium Sulphate M. W.: 202.48 Assay 98.0%	1 gm

Product Code	Product Name	Packing
029433 CH ₃ .(CH ₂) ₁₄ .COOH (57-10-3)	Palmitic Acid for Synthesis M. W.: 256.43 Assay (Acidimetric) 99.0-101.0%	500 gm
024691 CH ₃ .(CH ₂) ₁₄ .COOH (57-10-3)	Palmitic Acid for Biochemistry M. W.: 256.43 Assay (GC) 99.0%	5 gm 25 gm
603835 CH ₃ .(CH ₂) ₁₄ .COOH (57-10-3)	Palmitic Acid AR M. W.: 256.43 Assay (acidimetric) 99.0%	25 gm 100 gm
183685 CH ₃ (CH ₂) ₁₄ COCl (112-67-4)	Palmitoyl Chloride for Synthesis (Hexadecanoyl Chloride) M. W.: 274.87	500 ml
183795 C ₂₃ H ₁₆ O ₆ (130-85-8)	Pamoic Acid for Synthesis M. W.: 388.37 Assay (T) 97.0%	100 gm 500 gm
604495 N(CH) ₄ C.N:N.C ₁₀ H ₆ .OH (85-85-8)	PAN Indicator AR Reagent for Complexometric Titration M. W.: 249.27 Assay (Non-aqueous) 98.0%	1 gm 5 gm
874270 new	PAN 0.1% w/v indicator Solution in Methanol	100 ml
874273 new	PAN 0.1% w/v indicator Solution in Ethano	100 ml
874276 new	PAN 1% w/v indicator Solution in Methanol	100 ml
874280 new	PAN 1% w/v indicator Solution in Ethanol	100 ml
039029 (8049-47-6)	•Pancreatin (From Pig Pancreas)	100 gm 500 gm
874370	Pandy's Reagent (For determination of Globulin in CSF)	125 ml
027673 C ₉ H ₁₉ NO ₄ (81-13-0)	•d-Pantothenol (d-Pantothenyl alcohol) M. W.: 205.26 Assay (NT) 99.0%	100 ml 1 lit
	d-Pantothenic Acid Calcium Salt See Calcium-D-Pantothenate	
039030 (9001-73-4)	•Papain From Papaya Latex	100 gm 500 gm
183840 (9001-73-4)	•Papain Type III 2xCrystallized	25 mgm 100 mgm
039031 (9001-73-4)	•Papain Type IV 2xCrystallized	25 mgm 100 mgm
874420	Papanicolaous Solution 1a Harris Haematoxylin Solution For cytological cancer and cycle diagnosis	125 ml
874430	Papanicolaous Solution 2b Orange (II) Solution For cytological cancer and cycle diagnosis	125 ml

Product Code	Product Name	Packing
874440	Papanicolaous Solution 3b Polychromatic Solution EA 50 For cytological cancer and cycle diagnosis	125 ml
874445 new	Papanicolaous Solution Ea65	125 ml
874448 new	Papanicolaous Solution Modified EA	125 ml
874452 new	Papanicolaous Solution Ea36	125 ml
183890 new	Papaverine Hydrochloride M.W. 375.85 Assay 99%	25 gm 100 gm
	Para Amino Benzoic Acid See P-Amino Benzoic Acid	
	Para Cresol See p-Cresol	
604525	PAR Indicator AR M. W.: 255.21 Assay (Non-aqueous titration on anhydrous substance) 99.0%	1 gm 5 gm
874560 new	PAR Reagent Solution (Reagent for Co, Ca, Bi, Cd, Hg, Ni, V and Zn)	100 ml
	Para-Anisaldehyde See Anisaldehyde	
183985	Paracetamol For Lab Use (4-acetamidophenol, acetaminophen, N-acetyl-4-amino phenol, 4-hydroxyacetanilide) M. W.: 151.16	100 gm 500 gm
	Para-Chlorobenzene See p-Dichlorobenzene	
	Para-Chlorometacresol See 4-Chloro-m-Cresol	
	Para-Cresol See p-Cresol	
184075	Para Cresyl Acetate for Synthesis M. W.: 150.17	500 gm
184085	Para Cresyl Methyl Ether for Synthesis M. W.: 122.16 Assay 99.0%	500 gm
184095	Para Cresyl Phenyl Acetate for Synthesis M. W.: 226.27	500 gm
	Para-Dichlorobenzene (PCDB) See p-Dichlorobenzene	
	para-Dimethylaminopyridine See p-Dimethylaminopyridine	
029436	Paraffin Liquid Light (8012-95-1)	500 ml 2.5 lit 25 lit

Product Code	Product Name	Packing
029437	Paraffin Liquid Heavy (also suitable for Oil Bath) (8012-95-1)	500 ml 2.5 lit 25 lit 200 lit
762500	Paraffin Liquid for IR Spectroscopy (8012-95-1)	500 ml
	Paraffin Oil See Paraffin Liquid	
	Paraffin Soft White See Petroleum Jelly White	
024657	Paraffin Wax with Ceresin Solid Congealing Point about 60°C (Packed in Stainless Steel Box) (8002-74-2)	500 gm 2 kg
184235	Paraffin Wax 52-54°C for Histology (8002-74-2)	500 gm
184265	Paraffin Wax 56-58°C Pellets for Histology (8002-74-2)	500 gm 1 kg
036108	Paraffin Wax Non Caking Pellets Congealing Point about 58-60°C (Packed in Plastic Container) (8002-74-2)	500 gm 1 kg 2 kg
024653	Paraffin Wax Solid Congealing Point about 58-60°C (Packed in Stainless Steel Box) (8002-74-2)	500 gm 1 kg 2 kg
029841	Paraffin Wax Non Caking Pellets Congealing Point about 60-62°C (Packed in Plastic Container) (8002-74-2)	500 gm 1 kg 2 kg
024655	Paraffin Wax Solid Congealing Point about 60-62°C (Packed in Stainless Steel Box) (8002-74-2)	500 gm 1 kg 2 kg
184335	Parafilm M2 2" X 250'	1 RL
184345	Parafilm M4 4" X 125'	1 RL
029447	Paraformaldehyde Powder (HCHO) _n (30525-89-4) Assay (as HCHO Acidimetric) 96.0%	500 gm
D84078	Paraformaldehyde-d₂ CD ₂ O M.W.: 32.04 (for NMR Spectroscopy) Assay Min. 99.0 atom%D (32008-59-6)	1 gm
184455	Paraldehyde for Synthesis C ₆ H ₁₂ O ₃ (123-63-7) M. W.: 132.16 Assay > 97.0%	500 ml 2.5 lit
034088	Pararosaniline (Base) for Microscopy C.I.: 42500B C ₁₉ H ₁₉ N ₃ O (467-62-9) M. W.: 305.38 Dye content Abt. 95.0%	25 gm
024682	Pararosaniline Hydrochloride C.I. 42500 C ₁₉ H ₁₈ ClN ₃ (569-61-9) M. W.: 323.83 Dye content (Titanometry, on dried substance) Min 88.0%	25 gm 100 gm

P

Laboratory Chemicals

Product Code	Product Name	Packing
	Para Toluenesulphonic Acid See p-Toluene Sulphonic Acid	
034134	Patent Blue V F C.I. 42045 M. W.: 566.68 Dye content Abt. 50.0%	10 gm 25 gm
$C_{27}H_{31}N_2NaO_6S_2$ (129-17-9)		
604585	Patton & Reeder's Reagent AR M. W.: 438.41 Dye content (Titanometry, on dried substance) >60.0%	5 gm 25 gm 250 gm
$C_{21}H_{14}N_2O_7S$ (3737-95-9)		
	PDCB See p-Dichlorobenzene	
038052	Pectin Pure	100 gm 500 gm 1 kg
(9000-69-5)		
184675	Pectinase for Biochemistry From <i>Aspergillus Niger</i>	10 gm 25 gm 100 gm 500 gm
(9032-75-1)		
024678	Pefloxacin for Lab Use M.W.: 333.36	1 gm
$C_{17}H_{20}FN_3O_3$ (70458-92-3)		
	Pelargonic Acid See Nonanoic Acid	
184795	n-Pentadecane for Synthesis M.W.: 212.41	250 ml
$C_{15}H_{32}$ (629-62-9)		
604735	n-Pentadecane AR M.W.: 212.41	250 ml
$C_{15}H_{32}$ (629-62-9)		
029450	Pentaerythritol for Synthesis M.W.: 136.15 Assay (HPLC) 97.0%	500 gm
$C_5H_{12}O_4$ (115-77-5)		
184865 new	Pentaethylenehexamine for Synthesis (PEHA) Assay 70.0%	250 ml 1 lit
	Pentahydroxyflavone See Morin,	
	Pentamethylene Dibromide See 1,5-Dibromopentane	
029451	n-Pentane M. W.: 72.15 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
C_5H_{12} (109-66-0)		
604975	n-Pentane AR M. W.: 72.15 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
C_5H_{12} (109-66-0)		
604985	n-Pentane "Dry" AR M.W.: 72.15 Assay 99.0%	500 ml
C_5H_{12} (109-66-0)		
762700	n-Pentane for HPLC & Spectroscopy M. W.: 72.15 Assay (GC) 99.0%	500 ml 1 lit 2.5 lit
C_5H_{12} (109-66-0)		

Product Code	Product Name	Packing
762720	n-Pentane for Pesticide Residue Trace Analysis M.W.: 72.15	1 lit 2.5 lit
C_5H_{12} (109-66-0)		
762735	1-Pentane Sulphonic Acid Sodium Salt Anhydrous For HPLC M.W.: 174.19	25 gm 100 gm
$C_5H_{11}O_3SNa$ (22767-49-3)		
762740	1-Pentane Sulphonic Acid Sodium Salt Monohydrate M. W.: 192.21 Assay (Acidimetric) 99.0%	5 gm 25 gm 100 gm
$CH_3(CH_2)_4SO_3Na \cdot H_2O$ (207605-40-1)		
	Pentanoic Acid See n-Valeric Acid	
	1-Pentanol See n-Amyl Alcohol	
	Pentenic Acid See Diethylenetriaminepentaacetic Acid	
	Pentyl Alcohol See n-Amyl Alcohol	
	tert -Pentyl Alcohol See tert-Amyl Alcohol	
	Peppermint Oil See Oil of Peppermint	
039032	Pepsin 1:3000 (From porcine stomach)	100 gm 500 gm
(9001-75-6)		
185075	Pepsin 1:10000	25 gm 100 gm 500 gm
(9001-75-6)		
185080 new	Pepsin 1:10000 for Vaccine Production Store at 0-4°C	25 gm 500 gm
(9001-75-6)		
044075	Peptone Powder Bacto	500 gm 5 kg 25 kg
	Peptone Granular Bacto	500 gm 5 kg 25 kg
044516		
874680 new	Perchloric Acid 20% About 20.0%	500 ml 1 lit 2.5 lit
	Perchloric Acid 60% AR/ACS HClO ₄ M. W.: 100.46 Assay (Acidimetric) 60.0%	500 ml 2.5 lit
605075		
$HClO_4$ (7601-90-3)		
605080	Perchloric Acid 70% AR/ACS HClO ₄ M. W.: 100.46 Assay (By Acidimetric) 70.0%	500 ml 2.5 lit
$HClO_4$ (7601-90-3)		
605085	Perchloric Acid 70% AR for Diamond Industry M. W.: 100.46 Assay (By Acidimetric) 70.0%	500 ml 2.5 lit
$HClO_4$ (7601-90-3)		
874643 new	Perchloric Acid Solution 0.1N acc. to USP	500 ml

Product Code	Product Name	Packing
874630	Perchloric Acid 0.01N Solution (0.01N)	500 ml
874640	Perchloric Acid 0.1 N Solution (N/10) (in glacial Acetic Acid for non-aqueous titration)	500 ml 1 lit 2.5 lit
762785 new	Perchloric Acid 70% Acipur for Trace Metal Analysis Assay 70.0%	500 ml 1 lit 2.5 lit
874653 new	Perchloric Acid 0.1M (0.1N) Standardized Solution Nist Traceable	1 lit
874660 new	Perchloric Acid 1M (1N) Standardized Solution Nist Traceable	1 lit
	Perchloroethylene See Tetrachloroethylene	
029842	Periodic Acid Cryst. H ₅ IO ₆ (10450-60-9)	25 gm 100 gm
605275	Periodic Acid AR For Histochemical Polysaccharine analysis H ₅ IO ₆ (10450-60-9)	25 gm 100 gm
874700	Periodic Acid 1% Solution Forstaining of Cell for Staining of Cell Polysaccharides Schiff's (Pas) Method	250 ml
	Permutit See Dermutit	
185195	Peroxidase From Horse Radish ~ 250 units/mg (9003-99-0)	5000 units 25000 units
	Petroleum Benzene See Petroleum Ether	
029825	Petroleum Ether for Synthesis Boiling range 40-60°C (8032-32-4)	500 ml 2.5 lit 25 lit 200 lit
605365	Petroleum Ether AR Boiling range 40-60°C (8032-32-4)	500 ml 2.5 lit 25 lit 200 lit
762825	Petroleum Ether 40-60°C for HPLC & Spectroscopy (8032-32-4)	1 lit 2.5 lit
874730	Petroleum Ether 40-60°C for Pesticide Ether Trace Analysis Petroleum Benzene 40-60°C for Pesticide Residue Trace Analysis (8032-32-4)	1 lit
185385	Petroleum Ether 50-70°C for Synthesis (8032-32-4)	500 ml 2.5 lit
029739	Petroleum Ether for Synthesis Boiling range 60-80°C (8032-32-4)	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
605375	Petroleum Ether AR Boiling range 60-80°C (8032-32-4)	500 ml 2.5 lit 25 lit 200 lit
762835	Petroleum Ether 60-80°C for HPLC & Spectroscopy (8032-32-4)	500 ml 2.5 lit
029826	Petroleum Ether 80-100°C for Synthesis (8032-32-4)	500 ml 2.5 lit 25 lit 200 lit
029827	Petroleum Ether 100-120°C for Synthesis (8032-32-4)	500 ml 2.5 lit 25 lit 200 lit
024648	Petroleum Jelly White (8009-03-8)	500 gm
024649	Petroleum Jelly Yellow (8009-03-8)	500 gm
	Petroleum Spirit See Petroleum Ether	
185565	Phenacyl Bromide C ₆ H ₅ COCH ₂ Br (70-11-1)	100 gm 500 gm
185625	Phenacyl Chloride C ₆ H ₅ COCH ₂ Cl (532-27-4)	25 gm 100 gm
185765	Phenanthrene Pract C ₁₄ H ₁₀ (85-01-8)	100 gm 500 gm
605995	9,10-Phenanthrenequinone AR C ₁₄ H ₈ O ₂ (84-11-7)	25 gm 100 gm
606025	1,10-Phenanthroline (Monohydrate) AR Redox Indicator C ₁₂ H ₈ N ₂ H ₂ O (5144-89-8)	5 gm 25 gm 100 gm
606035	1,10-Phenanthroline Hydrochloride AR C ₁₂ H ₈ N ₂ .HCl.H ₂ O (18851-33-7)	5 gm 25 gm
024014	Phenazine Methosulphate (PMS) for Biochemistry C ₁₄ H ₁₄ N ₂ O ₄ S (299-11-6)	1 gm 5 gm
606175	Phenazone AR C ₁₁ H ₁₂ N ₂ O (60-80-0)	100 gm 500 gm
185945	p-Phenetidine for Synthesis C ₈ H ₁₁ NO (156-43-4)	100 gm
186055	Phenetole C ₆ H ₅ OC ₂ H ₅ (103-73-1)	100 ml 500 ml

P

Laboratory Chemicals

Product Code	Product Name	Packing
186215 C ₉ H ₁₀ N ₂ O (92-43-3)	Phenidone for Photographic Purpose M. W.: 162.19 Assay (N) 98.0%	100 gm 500 gm
875020	Phenol Solution 80%w/w in Water	500 ml
029477 C ₆ H ₅ .OH (108-95-2)	Phenol Pure (Carbolic Acid) M. W.: 94.11 Assay(GC) 99.0%	500 gm 25 kg
606355 C ₆ H ₅ .OH (108-95-2)	Phenol AR (Carbolic Acid) M. W.: 94.11 Assay 99.5%	500 gm 25 kg
970698 C ₆ H ₅ .OH (108-95-2)	Phenol for Molecular Biology M. W.: 94.11 Assay (GC) 99.5%	100 gm 500 gm
970700 C ₆ H ₅ .OH (108-95-2)	Phenol Saturated for Molecular Biology M. W.: 94.11 Assay (GC) 90.0%	100 ml 300 ml 500 ml
D87678 C ₆ D ₆ O (13127-88-3)	Phenol-d₆ (for NMR Spectroscopy) M.W.: 100.16 Assay Min. 98.0 atom%D	1 gm
970750	Phenol Solution for Molecular Biology Equilibrated with 10 M tris HCl, pH 8.0, 1M EDTA.	60 ml 100 ml 500 ml
970770	Phenol Solution for Molecular Biology Saturated with 0.1M Citrate Buffer, pH 4.1-4.5 Suitable for RNA Purification	100 ml 500 ml
970800	Phenol Chloroform 5:1 (Phenol : Chloroform : ISO Amyl Alcohol) 125 : 24 :1 for Molecular Biology	500 ml
970820	Phenol:Chloroform:ISO Amyl Alcohol 25 : 24 : 1 Saturated with 10 M tris pH 8.0,1m EDTA Suitable for extraction of Protein from Crude Nucleic acid preparation	100 ml 500 ml
019094 C ₆ H ₆ O ₇ S ₂ (96-77-5)	Phenol Disulphonic Acid M. W.: 254.24 Assay 25% w/v	500 ml
024684	Phenolic Auramine	125 ml
	Phenolindo-2, 6-Dichlorophenol Sodium Salt See 2,6 Dichlorophenol Indophenol Sodium Salt	
020088 C ₂₀ H ₁₄ O ₄ (77-09-8)	Phenolphthalein pH Indicator M. W.: 318.33	50 gm 100 gm 500 gm 25 kg 50 kg
024661	Phenolphthalein (Indicator Paper)	200 lvs
875158 new	Phenolphthalein Indicator 0.375% Solution	125 ml 500 ml
875160	Phenolphthalein 0.5% w/v alcoholic for Milk Testing	100 ml 2.5 lit

Product Code	Product Name	Packing
875180	Phenolphthalein (Indicator Solution) 1%w/v	125 ml 250 ml 500 ml
875185	Phenolphthalein 2% Solution in Alcohol	100 ml
875190 new	Phenolphthalein TS acc. to USP	125 ml
	Phenol Reagent See Folin & Ciocalteus Phenol Reagent	
606415 C ₁₉ H ₁₄ O ₅ S (143-74-8)	Phenol Red Indicator AR M. W.: 354.38 Dye content (Iodometric) 98.0%	5 gm 25 gm 100 gm 1 kg
606420 C ₁₉ H ₁₃ NaO ₅ S (34487-61-1)	Phenol Red Sodium Salt AR Water Soluble M. W.: 376.36	5 gm 25 gm 1 kg
875200	Phenol Red Indicator Solution 0.02%	125 ml
875520 new	Phenol Red TS acc. to USP	125 ml
875155 new	Phenol Red 0.1% Indicator Solution	125 ml
	Phenol Tetrabromophthalein 3'-3'' Di-Sulphonic Acid Disodium Salt See Bromosulphalein	
186455 C ₃₂ H ₂₂ N ₆ O ₈ S ₂ .2Na	Phenol Violet (pH Indicator) M. W.: 728.67	5 gm 25 gm
	2-Phenoxy Ethanol See Ethylene Glycol Mono Phenyl Ether	
186435 C ₁₈ H ₁₅ ClN ₄ (81-93-6)	Phenosafranine C.I. No. 50200 M. W.: 322.79 Dye content 80.0%	1 gm
186565 C ₁₂ H ₉ NS (92-84-2)	Phenothiazine Extra Pure M. W.: 199.27 Assay (GC) 98.0%	250 gm 1 kg
186665 C ₁₂ H ₈ OS (262-20-4)	Phenoxanthine M. W.: 200.26 Assay 97.0%	5 gm 25 gm
186955 C ₈ H ₈ O ₃ (122-59-8)	Phenoxy Acetic Acid for Synthesis M. W.: 152.15	100 gm 500 gm
187055 C ₆ H ₅ OC ₆ H ₄ CH ₂ OH (13826-35-2)	3-Phenoxy Benzyl Alcohol (m-Phenoxybenzyl Alcohol) M. W.: 200.23	5 gm 25 gm
187205 C ₆ H ₅ OCH ₂ CH ₂ CO ₂ H (7170-38-9)	3-Phenoxy Propionic Acid M. W.: 166.17 Assay 99.0%	5 gm 25 gm
187345 CH ₃ COOC ₆ H ₅ (122-79-2)	Phenyl Acetate for Synthesis M. W.: 136.15 Assay (GC) 98.0%	500 ml
029487 C ₆ H ₅ .CH ₂ .COOH (103-82-2)	Phenyl Acetic Acid M. W.: 136.15 Assay (acidimetric) 99.0%	500 gm
	Phenyl Acetonitrile See Benzyl Cyanide	

Product Code	Product Name	Packing
187605 C ₆ H ₅ CH ₂ COCl (103-80-0)	Phenyl Acetyl Chloride for Synthesis (phenylacetic acid chloride) M. W.: 154.59	500 ml
187685 C ₆ H ₇ AsO ₃ (98-05-5)	Phenyl Arsonic Acid Pure M. W.: 202.04	25 gm
187705 C ₉ H ₁₁ NO ₂ (673-06-3)	D-Phenyl Alanine for Biochemistry M. W.: 165.19 Assay (TLC) 98.0%	5 gm 25 gm 100 gm
037139 C ₆ H ₅ CH ₂ CH(NH ₂)COOH (150-30-1)	DL-Phenylalanine for Biochemistry M. W.: 165.19 Assay (Non-aqueous) 98.5%	25 gm 100 gm 500 gm
037138 C ₆ H ₅ .CH ₂ .CH(NH ₂).COOH (63-91-2)	L-Phenylalanine for Biochemistry M. W.: 165.19 Assay (ex N Non-aqueous) 99.0%	25 gm 500 gm
607005 C ₁₃ H ₁₁ NO ₂ (91-40-7)	n-Phenyl Anthranilic Acid AR redox indicator colourless to Pinkish Violet M. W.: 213.24 Assay (Acidimetric) 98.0%	25 gm 100 gm
	N-Phenyl Benzeneamine See Diphenylamine	
187865 C ₆ H ₅ CO ₂ C ₆ H ₅ (93-99-2)	Phenyl Benzoate for Synthesis M. W.: 198.22 Assay 99.0%	100 gm 500 gm
187955 C ₆ H ₅ CH ₂ NHC ₆ H ₅ (103-32-2)	n-Phenyl Benzylamine for Synthesis M. W.: 183.25 Assay 99.0%	25 gm
024667 C ₆ H ₅ B(OH) ₂ (98-80-6)	Phenyl Boronic Acid (Benzeneboronic acid, Phenylboron dihydroxide) M.W. : 121.93 Assay (Acidimetric) 98.0%	25 gm 100 gm 500 gm
	Phenyl Bromide See Bromobenzene	
024685 C ₁₉ H ₂₀ N ₂ O ₂ (50-33-9)	Phenyl Butazone M. W.: 308.38 Assay (Acidimetric) 99.0%	25 gm
607625 CH ₃ CH ₂ CH(C ₆ H ₅)COOH (90-27-7)	2-Phenyl Butyric Acid AR M. W.: 164.20 Assay 98.0%	25 gm 500 gm
188095 C ₆ H ₅ (CH ₂) ₃ COOH (1821-12-1)	4-Phenyl Butyric Acid for Synthesis M. W.: 164.20 Assay 99.0%	100 gm 500 gm
	Phenyl Cellosolve See Ethylene Glycol Mono Phenyl Ether	
188205 ClCOOC ₆ H ₅ (1885-14-9)	Phenyl Chloroformate for Synthesis (Chloroformic Acid Phenyl Ester) M. W.: 156.57	100 ml 500 ml 2.5 lit
	Phenyl Cyanide See Benzonitrile	

Product Code	Product Name	Packing
188215 C ₁₈ H ₃₀ (123-01-3)	1-Phenyl Dodecan (Dodecyl Benzene) M.W. : 246.43 Assay 97.0%	500 ml
188225 C ₆ H ₄ (CH ₂ CO ₂ H) ₂ (7500-53-0)	1,2-Phenylene Diacetic Acid M. W.: 194.18 Assay 99.0%	5 gm
024666 C ₆ H ₈ N ₂ (108-45-2)	m-Phenylene Diamine for Synthesis M. W.: 108.14 Assay (Non-aqueous) 98.0%	250 gm
024665 C ₆ H ₁₀ Cl ₂ N ₂ (541-69-5)	m-Phenylenediamine Dihydro Chloride M. W.: 181.07 Assay 99.0%	100 gm 250 gm
029497 C ₆ H ₄ (NH ₂) ₂ (95-54-5)	o-Phenylene Diamine for Synthesis M. W.: 108.14 Assay (GC) 99.0%	100 gm 250 gm
029500 C ₆ H ₄ (NH ₂) ₂ (106-50-3)	p-Phenylene Diamine for Synthesis M. W.: 108.14 Assay (GC) 98.0%	250 gm 25 kg
024663 C ₆ H ₁₀ Cl ₂ N ₂ (624-18-0)	P-Phenylenediamine Dihydrochloride M. W.: 181.07 Assay (Acidimetric) 99.0%	100 gm 500 gm
	Phenylethane See Ethylbenzene	
029505 C ₆ H ₅ .CH ₂ .CH ₂ OH (60-12-8)	2-Phenyl Ethanol (2-Phenyl Ethyl Alcohol) M. W.: 122.17 Assay (GC) 99.0%	500 ml 2.5 lit
607945 C ₆ H ₅ CH ₂ CH ₂ OH (60-12-8)	2-Phenyl Ethanol AR M. W.: 122.17 Assay (GC) 99.0%	500 ml 2.5 lit
024671 CH ₃ COOCH ₂ CH ₂ C ₆ H ₅ (103-45-7)	Phenyl Ethyl Acetate M. W.: 164.20 Assay 99.0%	500 gm
	β-Phenyl Ethylamine See 2-Phenethylamine	
188425 C ₆ H ₅ CH ₂ CH ₂ NH ₂ (64-04-0)	2-Phenyl Ethylamine for Synthesis (β-Phenylethyl amine, 2-Phenethylamine) M. W.: 121.18	500 ml 2.5 lit
608065 C ₈ H ₁₁ N (3886-69-9)	R-Phenyl Ethylamine AR M. W.: 121.18 Assay 98.0%	25 gm 100 gm 500 gm 1 kg
608085 C ₆ H ₅ CH(CH ₃)NH ₂ (2627-86-3)	S-Phenyl Ethylamine AR M. W.: 121.18 Assay 98.0%	25 gm 100 gm 500 gm 1 kg
188605 C ₁₅ H ₁₄ O ₂ (94-47-3)	Phenyl Ethyl Benzoate for Synthesis M. W.: 226.27 Assay 99.0%	500 gm

P

Laboratory Chemicals

Product Code	Product Name	Packing
188625 C ₁₂ H ₁₆ O ₂ (103-52-6)	Phenyl Ethyl Butyrate for Synthesis M. W.: 192.25 Assay 98.0%	500 gm
188645 C ₁₇ H ₁₆ O ₂ (103-53-7)	Phenyl Ethyl Cinnamate for Synthesis M. W.: 252.31 Assay 96.0%	500 gm
188665 HCO ₂ CH ₂ CH ₂ C ₆ H ₅ (104-62-1)	Phenyl Ethyl Formate for Synthesis M. W.: 150.17 Assay 96.0%	500 gm
188685 C ₁₂ H ₁₆ O ₂ (103-48-0)	Phenyl Ethyl Isobutyrate for Synthesis M. W.: 192.25 Assay 98.0%	500 gm
188705 C ₉ H ₁₂ O (3558-60-9)	Phenyl Ethyl Methyl Ether for Synthesis M. W.: 136.19 Assay 98.0%	500 gm
188725 C ₁₆ H ₁₆ O ₂ (102-20-5)	Phenyl Ethyl Phenyl Acetate for Synthesis M. W.: 240.30 Assay 98.0%	500 gm
188745 C ₁₁ H ₁₄ O ₂ (122-70-3)	Phenyl Ethyl Propionate for Synthesis M. W.: 178.23 Assay 98.0%	500 gm
188765 C ₁₅ H ₁₄ O ₃ (87-22-9)	Phenyl Ethyl Salicylate for Synthesis M. W.: 242.27 Assay 97.0%	500 gm
608625 C ₁₉ H ₁₂ O ₅ (975-17-7)	Phenyl Fluorone AR (9-Phenyl-2,3,7-Trihydroxy-6-Fluorone) M. W.: 320.29	1 gm 5 gm
188915 C ₁₂ H ₁₆ O ₆ (1464-44-4)	Phenyl-β-D-Glucopyranoside (phenyl-β-D-glucoside) M. W.: 256.25	1 gm
608765 C ₆ H ₅ CH(NH ₂)COOH (2835-06-5)	DL-Phenyl Glycine AR M. W.: 151.16 Assay 95.0%	25 gm 100 gm
029508 C ₆ H ₈ N ₂ (100-63-0)	Phenyl Hydrazine for Synthesis M. W.: 108.14 Assay (Non-aqueous) 97.5%	100 ml 500 ml 2.5 lit
608855 C ₆ H ₈ N ₂ (100-63-0)	Phenyl Hydrazine AR M. W.: 108.14 Assay 98.0%	100 ml 500 ml
875300 new C ₆ H ₈ N ₂	Phenyl Hydrazine Solution (Reagent for Molybdate)	100 ml
029509 C ₆ H ₅ NH.NH ₂ HCl (59-88-1)	Phenylhydrazine Hydrochloride M. W.: 144.60 Assay 97.0%	100 gm 250 gm
608865 C ₆ H ₅ NH.NH ₂ .HCl (59-88-1)	Phenylhydrazine Hydrochloride AR For the detection of Aldehydes and Ketones M. W.: 144.60 Assay 99.0%	100 gm 250 gm
	Phenylhydrazinium Chloride See Phenylhydrazine Hydrochloride	

Product Code	Product Name	Packing
189105 C ₉ H ₈ N ₂ (670-96-2)	2-Phenyl Imidazole M. W.: 144.17 Assay 98.0%	25 gm 100 gm
189225 C ₆ H ₅ NCS (103-72-0)	Phenyl Isothiocyanate for Synthesis M. W.: 135.19 Assay 98.0%	100 ml 500 ml
189325 C ₁₀ H ₆ O ₃ (36122-35-7)	Phenyl Maleic Anhydride M. W.: 174.15 Assay 99.0%	1 gm 10 gm
	Phenyl Mercaptan See Thiophenol	
029510 C ₈ H ₈ HgO ₂ (62-38-4)	Phenyl Mercuric Acetate M. W.: 336.74 Assay(ex Hg argentometric) 98.0%	25 gm 100 gm
029512 C ₁₂ H ₁₁ Hg ₂ NO ₄ (8003-05-2)	Phenyl Mercuric Nitrate Basic M. W.: 634.40 Assay (Argentometric) 98.0-102.0%	25 gm 100 gm
189775 C ₆ H ₅ CH ₂ SO ₂ Cl (1939-99-7)	Phenyl Methanesulphonyl Chloride (α-Toluenesulphonyl Chloride; Phenylmethylsulphonyl Chloride) M. W.: 190.65	25 gm 100 gm
189835 C ₇ H ₇ FO ₂ S (329-98-6)	Phenyl Methanesulphonyl Fluoride (PMSF) (α-Toluenesulphonyl Fluoride) Phenylmethylsulphonyl Fluoride) M. W.: 174.19	1 gm 5 gm 25 gm
189975 C ₁₀ H ₇ NHC ₆ H ₅ (90-30-2)	N-Phenyl-1-Naphthylamine for Synthesis (N-1-naphthylaniline, N-phenyl-α- naphthylamine) M. W.: 219.28	25 gm 100 gm
	p-Phenyl Phenol See p-Hydroxy Diphenyl	
190085 C ₁₂ H ₁₂ N ₂ (534-85-0)	N-Phenyl-1,2-Phenylenediamine M. W.: 184.24	10 gm
609455 C ₆ H ₅ Na ₂ O ₄ P ₂ H ₂ O (3279-54-7)	Phenylphosphate Disodium Salt AR M. W.: 254.09 Assay(Acidimetric) 98.0%	25 gm 100 gm
024670 C ₁₀ H ₁₄ N ₂ (92-54-6)	1-Phenyl Piperazine M. W.: 162.24 Assay (acidimetric) 98.0%	100 gm 500 gm
	trans-3-Phenyl-2-Propenal See Cinnamaldehyde	
	1-Phenyl-1, H-Tetrazole-5-Thiol See 1-Phenyl-5-Mercapto Tetrazole	
029521 C ₆ H ₅ .NH.CS.NH ₂ (103-85-5)	n-Phenyl Thiourea for Synthesis M. W.: 152.22	10 gm 25 gm
190345 C ₉ H ₁₄ N.Cl (138-24-9)	Phenyl Trimethyl Ammonium Chloride M. W.: 171.67	100 gm 500 gm

Product Code	Product Name	Packing
875630 new	Phenyl Trimethyl Ammonium Hydroxide , 0.1 M in Methanol pH Indicator Paper See Indicator Paper pH pH Indicator Solution (pH 4.0-11.0) See Universal Indicator Solution	100 ml
609515 C ₆ H ₆ O ₃ (108-73-6)	Phloroglucinol AR for Microscopy M. W.: 126.11 Assay (By GC) 99.0%	25 gm 100 gm
875350 new	Phloroglucinol Reagent Solution (Reagent for Pentosans)	100 ml
034064 C ₂₀ H ₂ Br ₄ Cl ₄ Na ₂ O ₅ (18472-87-2)	Phloxin B for Microscopy C.I. No. 45410 M. W.: 829.64 Dye content (gravimetric, on dried substance) 80.0%	25 gm 100 gm
	iso-Phorone See Iso phorone	
190505 (9001-78-9)	Phosphatase Alkaline (Alkaline Phosphatase) (from CALF Intestinal Mucosa) Activity 1.5-2U/mg	100 mgm 500 mgm
875500	Phosphate 1000 ppm Single Element Std. Soln. as Po ₄ Phosphate Molybdate Solution See Folin & WU's Phosphate Molybdate Solution Phosphinic Acid See Hypophosphorous Acid Phospholeum See Polyphosphoric acid	250 ml
609575 H ₃ PO ₄ .12MoO ₃ .xH ₂ O (51429-74-4)	Phosphomolybdic Acid AR/ACS M. W.: 1825.25 (anhy.)	25 gm 100 gm 500 gm
875670 new	Phosphomolybdic Acid 20 wt% in ethanol Phosphoric Acid See Orthophosphoric Acid	100 ml
029190 HPO ₃ (37267-86-0)	m-Phosphoric Acid (Glacial Stick) M. W.: 79.97 Assay (acidimetric) (HPO ₃) Min 38-40%	500 gm
875690 new	meta-Phosphoric Acid 0.6M Solution (Protein Precipitant)	100 ml
037137 H ₃ PO ₄ (7664-38-2)	ortho-Phosphoric Acid (Phosphoric Acid) M. W.: 98.00 Assay (acidimetric) Abt. 85.0%	500 ml 2.5 lit 5 lit 25 lit
609725 H ₃ PO ₄ (7664-38-2)	ortho-Phosphoric Acid AR Manganese free M. W.: 98.00 Assay 88.0%	500 ml 2.5 lit 5 lit 25 lit
029420 H ₃ PO ₄ (7664-38-2)	ortho-Phosphoric Acid (Also for Steel Industry) M. W.: 98.0 Assay 85.0%	500 ml 2.5 lit 5 lit 25 lit

Product Code	Product Name	Packing
190725 new H ₃ PO ₃ (13598-36-2)	Phosphorus Acid (Crystals) M.W. 82.00 Assay 98.0%	500 gm
	Phosphorus (III) Chloride See Phosphorus Trichloride	
	Phosphorus (V) Chloride See Phosphorus Pentachloride	
875750	Phosphorous (P) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O Nist Traceable	100 ml 250 ml 500 ml
875710	Phosphorous (P) 1000 ppm Single Element Std. Soln. for ICP in H₂O	100 ml 500 ml
875730	Phosphorous (P) 10000 ppm Single Element Std. Soln. for ICP in H₂O	100 ml 500 ml
	Phosphorus Oxide Chloride See Phosphorus Oxychloride,	
190765 new POBR ₃ (7789-59-5)	Phosphorous Oxybromide for Synthesis M.W : 286.69 Assay 98.0%	100 gm
024675 POCl ₃ (10025-87-3)	Phosphorous Oxychloride for Synthesis (Min. order should be placed for 4x500 ml or 4x2.5 lit) M. W.: 153.33 Assay (acidimetric) (ex Cl) 98.0-101.0%	500 ml 2.5 lit
024672 PCl ₅ (10026-13-8)	Phosphorous Pentachloride for Synthesis M. W.: 208.24 Assay (Acidimetric) 98.0%	100 gm 250 gm 500 gm
024674 P ₂ S ₅ (1314-80-3)	Phosphorous Pentasulphide for Synthesis M. W.: 222.25 Assay (ex P) (Acidimetric) 98.0%	500 gm
	di-Phosphorous Pentoxide See Phosphorous pentoxide	
029527 P ₂ O ₅ (1314-56-3)	di-Phosphorous Pentoxide M. W.: 141.94 Assay (acidimetric) 95.0%	250 gm 500 gm 1 kg
609755 P ₂ O ₅ (1314-56-3)	di-Phosphorous Pentoxide AR/ACS M. W.: 141.94 Assay (Acidimetric) 98.0%	500 gm
029528 P (7723-14-0)	Phosphorous Red At. W.: 30.97 Assay(ex P) 98.0%	100 gm 500 gm 1 kg
	Phosphorous Red Oxide Chloride See Phosphorous Oxychloride	
024669 PBr ₃ (7789-60-8)	Phosphorous Tribromide M. W.: 270.70 Assay 98.0%	100 ml 500 ml
029536 PCl ₃ (7719-12-2)	Phosphorous Trichloride for Synthesis M. W.: 137.33 Assay 99.0%	500 ml 2.5 lit 25 lit

P

Laboratory Chemicals

Product Code	Product Name	Packing
	Phosphoryl Chloride See Phosphorus Oxychloride	
030544	Phosphotungstic Acid M. W.: 2880.05 (Anhy.)	100 gm 500 gm
609795	Phosphotungstic Acid AR Reagent for Microscopy M. W.: 2880.05 (Anhy.)	25 gm 100 gm
190825	Phosphotungstic Acid Disodium Salt (Dodeca- Tungstophosporic Acid Disodium Salt)	25 gm
(51312-42-6)		
875810 new	Phosphotungstic Acid TS acc. to USP	100 ml
609835	o-Phthalaldehyde AR for Fluorometry M. W.: 134.13 Assay (GLC) 98.0%	5 gm 25 gm
$C_6H_4(CHO)_2$ (643-79-8)		
	Phthalein Purple See O-Cresolphthalein Complexone	
	Tere Phthalic Acid See Terephthalic Acid	
029538	Phthalamide M. W.: 164.16 Assay (acidimetric) 98.0%	500 gm 25 kg
$C_8H_8N_2O_2$ (88-96-0)		
029539	Phthalic Acid for Synthesis M. W.: 166.13 Assay(acidimetric) 99.0%	500 gm
$C_6H_4(COOH)_2$ (88-99-3)		
609865	Phthalic Acid AR M. W.: 166.13 Assay (acidimetric) 99.5%	500 gm
$C_6H_4(COOH)_2$ (88-99-3)		
029541	Phthalic Anhydride for Synthesis M. W.: 148.12 Assay (acidimetric) 98.0%	500 gm 5 kg 25 kg 50 kg
$C_6H_4(CO)_2O$ (85-44-9)		
190965	Phthalide for Synthesis (1-Isobenzofuranone) M. W.: 134.13	100 gm 500 gm
$C_8H_6O_2$ (87-41-2)		
029543	Phthalamide for Synthesis M. W.: 147.13 Assay (Acidimetric) 98.0%	500 gm 5 kg 50 kg
$CO.C_6H_4.CO.NH$ (85-41-6)		
	Phthalamide Potassium Salt See Potassium Phthalamide	
191305	a-Picoline for Synthesis (2-Picoline, 2-Methyl Pyridine) M. W.: 93.13 Assay 98.0%	500 ml 2.5 lit 25 lit 200 lit
C_6H_7N (109-06-8)		
159315	b-Picoline for Synthesis (3-Methylpyridine, β -Picoline) M. W.: 93.13	500 ml 2.5 lit 25 lit 200 lit
C_6H_7N (108-99-6)		
191415	a-Picoline Oxide M. W.: 109.13	100 gm 500 gm
C_6H_7NO (931-19-1)		

Product Code	Product Name	Packing
191435	b-Picoline Oxide M. W.: 109.13 Assay 98.0%	100 gm
C_6H_7NO (1003-73-2)		
191455	g-Picoline Oxide M. W.: 109.13 Assay 98.0%	25 gm
C_6H_7NO (1003-67-4)		
159435	g-Picoline (4-Picoline,4-Methyle Pyridine) M. W.: 93.13	500 ml 2.5 lit 25 lit 200 lit
C_6H_7NO (108-89-4)		
191625	2-Picolinic Acid for Synthesis (α -Picolinic Acid, Pyridine-2-Carboxylic Acid) Carboxylic Acid) M. W.: 123.11	100 gm 500 gm
$C_6H_5NO_2$ (98-98-6)		
029554	Picric Acid (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.0-100.5%	500 gm
$(NO_2)_3C_6H_2.OH$ (88-89-1)		
610435	Picric Acid AR (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.5-100.5%	100 gm 500 gm
$(NO_2)_3C_6H_2.OH$ (88-89-1)		
875900	Picric Acid Solution 1.2% AR for determination of blood glucose and creatinine	100 ml 500 ml
875920	Picric Acid Saturated Aqueous Soln.	100 ml 500 ml
875950 new	Picro Aniline Blue Solution (Plant Tissue Stain)	100 ml
191765	Picroliconic Acid for Synthesis M. W.: 264.19	1 gm 5 gm
$C_{10}H_8N_4O_5$ (550-74-3)		
	Pine Oil See Turpentine Oil	
610685	a-Pinene AR M. W.: 136.23 Assay 98.0%	100 ml 500 ml
$C_{10}H_{16}$ (80-56-8)		
044120	Piperazine-1,4-Bis (2-Ethane Sulphonic Acid) (Pipes Buffer) M. W.: 302.37	5 gm 25 gm 100 gm
$C_8H_{18}N_2O_6S_2$ (5625-37-6)		
191975	Piperazine-1,4-Bis (2-Ethane Sulphonic Acid) Sodium Salt for Biochemistry (Pipes Sodium Salt) M. W.: 324.35	25 gm 100 gm
$C_8H_{17}N_2O_6S_2Na$ (10010-67-0)		
191995	Piperazine-1,4-Bis-(2-Ethanesulphonic Acid) Disodium Salt for Biochemistry (Pipes Disodium Salt) M. W.: 346.33	25 gm 100 gm
$C_8H_{16}N_2Na_2O_6S_2$ (76836-02-7)		
	Piperazine-1,4-bis(2-Hydroxypropane Sulphonic Acid) Sesqui Sodium Salt See POPSO Buffer	
024650	Piperazine Anhydrous M. W.: 86.14 Assay (Non-aqueous) 98.0%	250 gm 1 kg 5 kg 50 kg
$C_4H_{10}N_2$ (110-85-0)		

Product Code	Product Name	Packing
029564 C ₄ H ₁₀ N ₂ ·6H ₂ O (142-63-2)	Piperazine (Hexahydrate) M. W.: 194.23 Assay (HClO ₄ -titration) 98.0%	100 gm 500 gm
024646	Piperazine Citrate	500 gm
192095 C ₉ H ₁₃ N ₃ (34803-66-2)	2-(1-Piperazinyl) Pyridine M. W.: 163.22 Assay 98.0%	5 gm 25 gm
192185 C ₅ H ₁₁ N (110-89-4)	Piperidine for Synthesis M. W.: 85.15	500 ml 1 lit 2.5 lit 25 lit
611005 C ₅ H ₁₁ N (110-89-4)	Piperidine AR M. W.: 85.15	100 ml 500 ml 25 lit
192305 C ₅ H ₁₁ N.HCl (6091-44-7)	Piperidine Hydrochloride M. W.: 121.61	100 gm 500 gm
	Piperidinic Acid See 4-Aminobutyric acid	
115515 C ₇ H ₁₅ NO (3040-44-6)	1-Piperidino Ethanol for Synthesis M. W.: 129.20 Assay 99.0%	500 ml
	2-Piperidino Ethanol See 1-(2-Hydroxyethyl) Piperidine	
611185 C ₁₉ H ₃₀ O ₅ (51-03-6)	Piperonyl Butoxide AR M. W.: 338.44	25 gm 100 gm
192455 C ₅ H ₁₀ O ₂ (75-98-9)	Pivalic Acid for Synthesis M. W.: 102.13 Assay 99.0%	100 gm 500 gm
192515 C ₅ H ₉ N (630-18-2)	Pivalonitrile M. W.: 83.13 Assay 98.0%	25 gm 100 gm
192605 (CH ₃) ₃ CCOCl (3282-30-2)	Pivaloyl Chloride for Synthesis (Trimethylacetyl Chloride) M. W.: 120.58	500 ml
033081 CaSO ₄ · ½ H ₂ O (10034-76-1)	Plaster of Paris M. W.: 145.15 Assay (Complexometric) 90.0%	500 gm 5 kg
024645 CaSO ₄ · ½ H ₂ O (10034-76-1)	Plaster of Paris Pract M. W.: 145.15 Assay (Complexometric as CaSO ₄ · ½ H ₂ O) Abt. 90.0-95.0%	500 gm
024641 H ₂ PtCl ₆ · XH ₂ O (26023-84-7)	Platinic Chloride Pt 38-40% (Hydrogen Hexachloro Platinat (IV) Hydrate, Chloro Platinic Acid) H ₂ PtCl ₆ · xH ₂ O M.W. : 409.81 (anhy.) Assay (as Pt) 38-40%	1 gm
876190	Platinum (Pt) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl Nist Traceable	100 ml
876220	Platinum (Pt) 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml

Product Code	Product Name	Packing
029569 Pt (7440-06-4)	Platinum Wire 0.3 mm At. W.: 195.09	1 gm
192765 Pt (7440-06-4)	Platinum (Metal) Powder At. W.: 195.09	1 gm
192805 Pt (7440-06-4)	Platinum 5% on Charcoal At. W.: 195.09	1 gm 10 gm
192825 Pt (7440-06-4)	Platinum 10% on Charcoal At. W.: 195.09	1 gm 10 gm
066298 PtCl ₂ (10025-65-7)	Platinous Chloride (Platinum (II) Chloride) M. W.: 266.08 Assay (ex Pt gravimetric) 98%	1 gm
024642 Pt Cl ₄ (13454-96-1)	Platinum (IV) Chloride M.W.: 336.89	1 gm
029752 PtO ₂ + H ₂ O (52785-06-5)	Platinum Dioxide Hydrate (about 80% Pt) M. W.: 227.09 (anhydrous) Assay Pt.(Gravimetric) 80.0%	1 gm
876300	Platelets Counting Fluid	125 ml
	PNCB See 1-Chloro-4-Nitrobenzene	
193015 (C ₃ H ₅ NO) _n (9003-05-8)	Polyacrylamide (Mw App. 5,000,000) M. W.: 71.07	250 gm 1 kg
193095 (C ₃ H ₄ O ₂) _n (9003-01-4)	Polyacrylic Acid for Synthesis	100 ml 500 ml
015150	Polyamide Resin (Pellets) Melt temp. 95°C	100 gm 500 gm
015152	Polyamide Resin (Pellets) Melt temp. 130°C	100 gm 500 gm
015154	Polyamide Resin (Pellets) Melt temp. 140°C	100 gm 500 gm
015156	Polyamide Resin (Pellets) Melt temp. 160°C	100 gm 500 gm
015158	Polyamide Resin (Pellets) Melt temp. 200°C	100 gm 500 gm
193215 (24936-68-3)	Polycarbonate Resin (Pellets) M.W.: 20,000-25000	100 gm 500 gm
024697	Polyelectrolyte - 236 Emulsion	500 ml
024694	Polyelectrolyte - 443	500 ml
193295 (C ₂ H ₄) _n (9002-88-4)	Polyethylene for Synthesis Average M. W.: 1700-4000	500 gm 5 kg
029570 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 200 for Synthesis Average M. W.: 190-210	500 ml 2.5 lit 25 lit 200 lit

P

Laboratory Chemicals

Product Code	Product Name	Packing
066300 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 300 for Synthesis Average M. W.: 285-315	500 ml 2.5 lit 25 lit 200 lit
029571 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 400 for Synthesis Average M. W.: 380-420	500 ml 2.5 lit 25 lit 200 lit
029573 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 600 for Synthesis Average M. W.: 570-630	500 ml 2.5 lit 25 lit 200 lit
193505 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 1500 for Synthesis Average M. W.: 1400-1600	500 gm
029576 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 4000 Flakes/Powder Average M. W.: 3500-4500	500 gm 5 kg 25 kg
029577 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 6000 Flakes/Powder Average M. W.: 5000-7000	500 gm 5 kg 25 kg
193655 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 8000 Average M.W.: 8000	500 gm
029864 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 20000 Carbowax 20000 Average M.W.: 20000	500 gm 1 kg
193765 CH ₃ (OCH ₂ CH ₂) _n OH (9004-74-4)	Polyethylene Glycol Monomethyl Ether 350 for Synthesis (Methoxy Polyethylene Glycol 350, MPEG-350, Mono-Methyl polyethylene Glycol) M. W.: 76.09	500 ml
	Polyethylene (20) Sorbitan Monolaurate See Cween 20	
	Polyethylene (20) Sorbitan Mono-oleate See Cween 80	
	Polyoxyethylene Lauryl Ether See Brij 35	
194025 (63148-57-2)	Polymethyl Hydrosiloxane (Pmhs) Average M.W. : 1700-3200	100 ml 500 ml
194115 (C ₅ H ₈ O ₂) _n (9011-14-7)	Polymethyl Methacrylate for Synthesis	500 gm
025693 C ₅₅ H ₉₆ N ₁₆ O ₁₃ ·2H ₂ SO ₄ (1405-20-5)	Polymyxin B Sulphate App. 6,000 USP M. W.: 1385.63 Potency 6000usp units/gm	1mil.unit
029578 (8017-16-1)	Polyphosphoric Acid for Synthesis Assay (as P ₂ O ₅ Titrimetry) Abt. 85.0%	500 gm 2.5 kg

Product Code	Product Name	Packing
612135 (8017-16-1)	Polyphosphoric Acid AR Assay (as P ₂ O ₅ Titrimetry) Abt. 85.0%	500 ml
194255 (C ₃ H ₆) _n (9003-07-0)	Polypropylene for Synthesis	500 gm 5 kg
	Polysorbate 20,40, 60 and 80 See Cween 20,40, 60 and 80	
194345 (C ₈ H ₈) _n (9003-53-6)	Polystyrene for Synthesis	500 gm
194455 (C ₂ F ₄) _n (9002-84-0)	Polytetra Fluoro Ethylene for Synthesis	100 gm 500 gm
194545 (C ₄ H ₆ O ₂) _n (9003-20-7)	Polyvinyl Acetate (Very Fine Crystalline Beads) Average M.W. : 100000	250 gm 500 gm
029791 (CH ₂ CHOH) _n (9002-89-5)	Polyvinyl Alcohol (Cold) Average M.W. 85,000-1,24,000	500 gm 5 kg 25 kg
030573 (CH ₂ CHOH) _n (9002-89-5)	Polyvinyl Alcohol (Hot) Average M.W. 13,000-23000 Hot water soluble	500 gm 5 kg 25 kg
194865 (63148-65-2)	Polyvinyl Butyral	100 gm 500 gm
194915 (C ₂ H ₃ Cl) _n (9002-86-2)	Polyvinyl Chloride for Synthesis	500 gm
024644 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-25 M.W. 10000 (Povidone, PVP)	100 gm 500 gm 5 kg
029579 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-30 M.W. 40000 Approx. (Povidone, PVP) Avg.M. W.: 40,000	100 gm 500 gm 5 kg
024643 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-90 M.W. 360000 (Povidone, PVP)	500 gm 5 kg
961710 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-90 for Molecular Biology M.W. 360000	100 gm
	Ponceau B See Biebrich Scarlet	
195005 C ₂₂ H ₁₂ N ₄ Na ₄ O ₁₃ S ₄ (6226-79-5)	Ponceau S for Electrophoresis C. I. No. 27195 M. W.: 760.57	25 gm 100 gm
195125 C ₂₄ H ₁₆ N ₂ O ₂ (1806-34-4)	POPOP Scintillation grade M. W.: 364.41	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
	POPOP Dimethyl See Dimethyl POPOP	
044510	POPSO Buffer C ₁₀ H ₂₂ N ₂ O ₈ S ₂ .2H ₂ O M. W.: 398.5 (68189-43-5) Assay 97.0%	25 gm 100 gm
876500	Potassium (K) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
876502 new	Potassium (K) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
876550	Potassium (K) 200 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
876570	Potassium (K) 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃	100 ml 500 ml
876610	Potassium (K) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
876572 new	Potassium (K) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
876612 new	Potassium (K) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
029580 K (7440-09-7)	Potassium Metal (In liquid paraffin) At. W.: 39.10 Assay (Acidimetric) 98.0%	25 gm 100 gm
029581 CH ₃ .COOK (127-08-2)	Potassium Acetate M. W.: 98.14 Assay 99.0%	500 gm 5 kg 25 kg 50 kg
612225 CH ₃ .COOK (127-08-2)	Potassium Acetate AR/ACS M. W.: 98.14 Assay (Non-aqueous) 99.0%	500 gm
876670 new	Potassium Acetate TS acc. to USP	500 ml
971720	Potassium Acetate for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	500 gm
	Potassium Alum See Aluminium Potassium Sulphate	
	Potassium Aluminium Sulphate (Potas alum) See Aluminium Potassium Sulphate	
	Potassium Antimonate See Potassium Pyroantimonate	
	Potassium Antimony (III) Oxide Tartrate See Antimony Potassium Tartrate	
195215 C ₆ H ₅ COOK (582-25-2)	Potassium Benzoate for Synthesis M. W.: 160.21	250 gm 500 gm
029616 KHCO ₃ (298-14-6)	Potassium Bicarbonate M. W.: 100.12 Assay(acidimetric on dried basis) 99.5-100.0%	500 gm 1 kg 50 kg

Product Code	Product Name	Packing
195305 KHF ₂ (7789-29-9)	Potassium Bifluoride Extra Pure M.W.: 78.1	500 gm 25 kg
	Potassium Biphosphate See Potassium Dihydrogen ortho Phosphate	
	Potassium Bisulphate See Potassium Hydrogen Sulphate	
	Potassium Bisulphite See Potassium Metabisulphite	
	Potassium Bitartrate See Potassium Hydrogen (+) Tartrate	
195435 KBH ₄ (13762-51-1)	Potassium Borohydride for Synthesis M. W.: 53.94	25 gm 100 gm
029588 KBrO ₃ (7758-01-2)	Potassium Bromate M. W.: 167.00 Assay (Iodometric; on dried subs.) 99.0-101.0%	250 gm 500 gm 50 kg
612285 KBrO ₃ (7758-01-2)	Potassium Bromate AR/ACS M. W.: 167.00 Assay (Iodometric) 99.8%	500 gm 50 kg
876680 new	Potassium Bromate 0.01667 M (0.1N) Standardized Solution Nist traceable	1 lit
876683 new	Potassium Bromate 1/60 mol/L (0.1N) For 1000 ml Solution	1 amp
876686 new	Potassium Bromate 1/60 mol/L (0.1N) Solution	500 ml 1 lit 2.5 lit
029589 KBr (7758-02-3)	Potassium Bromide Purified M. W.: 119.00 Assay (ex Br Argentometric) 99.0%	500 gm 5 kg 25 kg 50 kg
612305 KBr (7758-02-3)	Potassium Bromide AR/ACS M. W.: 119.00 Assay (Argentometric) 99.5%	500 gm 25 kg
763740 KBr (7758-02-3)	Potassium Bromide for Spectroscopy M. W.: 119.00 Assay (Argentometric) 99.5%	100 gm
876700	Potassium Bromide 0.1M (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
876705 new	Potassium Bromide 0.1 mol/L (0.1N) for 500 ml solution	1 amp 3 amp 6 amp
876720	Potassium Bromide 0.2 M (0.2N) Volumetric Solution	1 lit
876750	Potassium Bromide 0.5 M (0.5N) Volumetric Solution	500 ml 1 lit 2.5 lit
876708 new	Potassium Bromide 1 mol/L (1N) Volumetric Solution	500 ml 1 lit 2.5 lit

P

Laboratory Chemicals

Product Code	Product Name	Packing
876712 new	Potassium Bromide 1M (1N) Standardized Solution Nist traceable	1 lit
195465	Potassium tert-Butoxide (Potassium Tert-Butoxide) M. W.: 112.21	100 gm 500 gm
(CH ₃) ₃ COK (865-47-4)		
876840 new	Potassium tert-Butoxide 20 wt% Solution In THF	250 ml 1 lit
026157	Potassium Carbonate (Anhy.) K ₂ CO ₃ (584-08-7)	500 gm 5 kg 25 kg 50 kg
612335	Potassium Carbonate (Anhy.) AR/ACS K ₂ CO ₃ (584-08-7)	500 gm 25 kg 50 kg
876840	Potassium Carbonate TS acc. to USP	500 ml
876845 new	Potassium Chloride 0.2M Solution	500 ml 1 lit 2.5 lit
876850	Potassium Chloride 0.5M (0.5N) Volumetric Solution	500 ml 1 lit 2.5 lit
876870	Potassium Chloride 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
876900	Potassium Chloride Solution 3M (for Potentiometer Electrodes)	60 ml
029594	Potassium Chloride Purified KCl (7447-40-7)	500 gm 5 kg 25 kg 50 kg
612375	Potassium Chloride AR Meets Analytical Specification of IP, BP, Ph. Eur. KCl (7447-40-7)	500 gm 5 kg 25 kg 50 kg
971800	Potassium Chloride for Molecular Biology KCl (7447-40-7)	500 gm 5 kg
612465	Potassium Chloro Platinate AR K ₂ PtCl ₆ (16921-30-5)	1 gm
029598	Potassium Chromate Purified K ₂ CrO ₄ (7789-00-6)	500 gm 25 kg 50 kg
612515	Potassium Chromate AR K ₂ CrO ₄ (7789-00-6)	500 gm 25 kg
877100	Potassium Chromate Solution 5% (Chloride Free)	125 ml

Product Code	Product Name	Packing
877047 new	Potassium Chromate 1/30 mol/L (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
877050	Potassium Chromate 0.0333m (0.1N) Standardized Solution Nist Traceable	1 lit
029599	tri-Potassium Citrate Purified K ₃ C ₆ H ₅ O ₇ ·H ₂ O (6100-05-6)	500 gm 25 kg 50 kg
612545	tri-Potassium Citrate AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. K ₃ C ₆ H ₅ O ₇ ·H ₂ O (6100-05-6)	500 gm 25 kg 50 kg
024638	Potassium Cyanate for Synthesis KOCN (590-28-3)	500 gm
195495 new	Potassium Cyanide Against Poison Licence KCN (151-50-8)	1 kg
612585 new	Potassium Cyanide AR Against Poison Licence KCN (151-50-8)	100 gm 500 gm
029605	Potassium Dichromate Pure K ₂ Cr ₂ O ₇ (7778-50-9)	500 gm 1 kg 2.5 kg 25 kg 50 kg
612615	Potassium Dichromate AR K ₂ Cr ₂ O ₇ (7778-50-9)	500 gm 2.5 kg 25 kg 50 kg
877370 new	Potassium Dichromate 0.25N Solution	500 ml 1 lit 2.5 lit
877190	Potassium Dichromate 0.02M (0.12N) Volumetric Solution for Determination of Cod	500 ml 1 lit 2.5 lit
877245 new	Potassium Dichromate 1/60 Mol/L (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
877365 new	Potassium Dichromate 1/6 Mol/L (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
877220	Potassium Dichromate 0.0417M (0.25N) Volumetric Solution	1 lit
877253 new	Potassium Dichromate 0.0167M (0.1N) Standardized Solution Nist traceable	1 lit
877250	Potassium Dichromate 0.167M (1N) Volumetric Solution	1 lit

Product Code	Product Name	Packing
877360	Potassium Dichromate Solution 1/60 mol/lit Citrisol 2.4515g $K_2Cr_2O_7$ For 500 ml solution 0.1 N solution	6 amp
029608	Potassium Dihydrogen Ortho Phosphate Anhydrous Purified M. W.: 136.09	500 gm 5 kg
KH_2PO_4 (7778-77-0)	Assay (acidimetric) 99.0-101.0%	25 kg 50 kg
612705	Potassium Dihydrogen Ortho Phosphate Anhydrous AR/ACS M. W.: 136.09	500 gm 5 kg
KH_2PO_4 (7778-77-0)	Assay (Acidimetric after drying) 99.5-100.5%	25 kg 50 kg
972100	Potassium Dihydrogen Ortho Phosphate for Molecular Biology M. W.: 136.09	500 gm
KH_2PO_4 (7778-77-0)	Assay (Acidimetric) 99.5%	
764000	Potassium Dihydrogen Orthophosphate for HPLC (Potassium Phosphate Monobasic) M.W.: 136.09	500 gm
KH_2PO_4 (7778-77-0)		
877380 new	Potassium Dihydrogen Phosphate 1/15 mol/L (Buffer Stock Solution)	500 ml 1 lit 2.5 lit
	Potassium Diphosphate Tetrabasic See tetra-Potassium pyrophosphate	
	Potassium Disulphite See Potassium Meta Bisulphite	
195585	Potassium Ethyl Xanthate for Synthesis M.W.: 160.30	100 gm 500 gm
C_2H_5OCSSK (140-89-6)		
029610	Potassium Ferricyanide Printing grade M. W.: 329.25	100 gm 500 gm 25 kg
$K_3Fe(CN)_6$ (13746-66-2)	Assay (Iodometric) 97.0%	50 kg
612755	Potassium Ferricyanide AR/ACS M. W.: 329.25	500 gm
$K_3Fe(CN)_6$ (13746-66-2)	Assay (iodometric) 99.0%	
029611	Potassium Ferrocyanide Purified M. W.: 422.39	500 gm 25 kg
$K_4Fe(CN)_6 \cdot 3H_2O$ (14459-95-1)	Assay (Oxidimetric) 99.0%	50 kg
612805	Potassium Ferrocyanide AR/ACS M. W.: 422.39	500 gm 25 kg
$K_4Fe(CN)_6 \cdot 3H_2O$ (14459-95-1)	Assay (Oxidimetric) 99.0%	
877430	Potassium Ferricyanide 0.1M (0.1N) Volumetric Solution	1 lit
195665	Potassium Fluoborate M. W.: 125.90	250 gm 1 kg
KBF_4 (14075-53-7)		
029613	Potassium Fluoride (Anhydrous) M. W.: 58.10	250 gm 500 gm
KF (7789-23-3)	Assay (ion-exchange) 97%	25 kg 50 kg
613625	Potassium Fluoride (Anhydrous) AR M. W.: 58.10	500 gm 50 kg
KF (7789-23-3)	Assay (Ion-exchange) 99.0%	

Product Code	Product Name	Packing
024634	Potassium Formate M. W.: 84.12	100 gm 500 gm
$CHKO_2$ (590-29-4)	Assay (Non-aqueous) 98.0%	
613715	Potassium Formate AR M. W.: 84.12	500 gm
$CHKO_2$ (590-29-4)	Assay 99.0%	
024662	Potassium Gold Cyanide M. W.: 288.10	1 gm 5 gm
$KAu(CN)_2$ (13967-50-5)	Approx Au 68.0%	
	Potassium Hexa Cyano Ferrate (III) See Potassium Ferricyanide	
	Potassium Hexa Cyano Ferrate (II) See Potassium Ferrocyanide	
	Potassium Hexachloroplatinate (IV) See Potassium Chloroplatinate	
	Potassium Hexahydroantimonate (V) See Potassium Pyroantimonate	
195795	Potassium Hexafluorophosphate for Synthesis M.W.: 184.07	100 gm 500 gm
KPF_6 (17084-13-8)		
195885	Potassium Humate (68514-28-3)	500 gm 5 kg
	Potassium Hydrogen Carbonate See Potassium Bicarbonate	
613805	Potassium Hydrogen Di Iodate AR M. W.: 389.92	25 gm
$KH(IO_3)_2$ (13455-24-8)	Assay(acidimetry) 99.8%	
	Potassium Hydrogen Difluoride See Potassium Bifluoride	
029619	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous M. W.: 174.18	500 gm 25 kg 50 kg
K_2HPO_4 (7758-11-4)	Assay (Acidimetric) 98.0%	
613905	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous AR M. W.: 174.18	500 gm 25 kg 50 kg
K_2HPO_4 (7758-11-4)	Assay (Acidimetric) 99.0%	
972300	di-Potassium Hydrogen Ortho Phosphate for Molecular Biology M. W.: 174.18	100 gm 500 gm
K_2HPO_4 (7758-11-4)	Assay (Acidimetric) 99.5%	
764500	di-Potassium Hydrogen Ortho Phosphate for HPLC & Spectroscopy M. W.: 174.18	500 gm
K_2HPO_4 (7758-11-4)	Assay (Acidimetric) 99.0%	
	tri-Potassium Hydrogen Orthophosphate See tri-Potassium Phosphate	
877500	Potassium Hydrogen Phthalate 0.1m (0.1N) Volumetric Solution Nist Traceable	1 lit
877505 new	Potassium Hydrogen Phthalate 0.17gm/L (for COD Determination)	1 lit

P

Laboratory Chemicals

Product Code	Product Name	Packing
029621	Potassium Hydrogen Phthalate Purified M. W.: 204.22 Assay (after drying) 99.5%	500 gm 50 kg
COOH.C ₆ H ₄ .COOK (877-24-7)		
613965	Potassium Hydrogen Phthalate AR M. W.: 204.22 Assay (Non-aqueous, after drying) 99.9-100.1%	500 gm 50 kg
COOH.C ₆ H ₄ .COOK (877-24-7)		
764700	Potassium Hydrogen Phthalate for HPLC M.W.: 204.22 Assay 99.5%	500 gm
COOH.C ₆ H ₄ .COOK (877-24-7)		
029624	Potassium Hydrogen Sulphate Cryst. KHSO ₄ M. W.: 136.16 Assay (ex; acidity) 99.0%	500 gm 25 kg 50 kg
(7646-93-7)		
614055	Potassium Hydrogen Sulphate AR M. W.: 136.16 Assay 99.0%	500 gm 25 kg 50 kg
KHSO ₄ (7646-93-7)		
029626	Potassium Hydrogen (+) Tartrate M. W.: 188.18 Assay (alkalimetric; on dried substance) 99.0%	500 gm 25 kg 50 kg
C ₄ H ₅ KO ₆ (868-14-4)		
877950	Potassium Hydroxide Solution 40% w/v for Gas Analysis to BS	500 ml 1 lit 2.5 lit
877970	Potassium Hydroxide 45% Aqueous Solution AR	500 ml 1 lit 2.5 lit
877925	Potassium Hydroxide 1 mol/L (1N) For 500 ml Solution	1 amp 3 amp 6 amp
new		
877760	Potassium Hydroxide 0.1 M (0.1N) Citrisol Volumetric Solution	3 Amp 6 Amp
877700	Potassium Hydroxide 0.1 M (0.1N) CTITRINORM Volumetric Solution	500 ml 1 lit 2.5 lit
877703	Potassium Hydroxide 0.1M (0.1N) Standardized Solution Nist Traceable	1 lit
new		
877705	Potassium Hydroxide 0.5 mol/L (0.5N) For 500 ml Solution	3 amp 6 amp
new		
877755	Potassium Hydroxide 0.05M (0.05N) Standardized Solution Nist Traceable	1 lit
new		
877845	Potassium Hydroxide 0.5M (0.5N) Standardized Solution Nist traceable	1 lit
new		
877855	Potassium Hydroxide 0.5N Solution In Ethanol	500 ml 1 lit 2.5 lit
new		
877925	Potassium Hydroxide 1M (1N) Standardized Solution Nist traceable	1 lit
new		
877850	Potassium Hydroxide in Methanol 0.5 M (0.5N) Alcoholic CTITRINORM Volumetric Solution	500 ml 1 lit 2.5 lit

Product Code	Product Name	Packing
877920	Potassium Hydroxide Alcoholic 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
877708	Potassium Hydroxide in Ethanol 0.1M (0.1N) Standardized Solution Nist traceable	1 lit
new		
877846	Potassium Hydroxide in Ethanol 0.5M (0.5N) Standardized Solution Nist traceable	1 lit
new		
877923	Potassium Hydroxide in Methanol 1M (1N) Standardized Solution Nist traceable	1 lit
new		
026165	Potassium Hydroxide Flakes (Caustic Potash) M. W.: 56.11 Assay (Acidimetric) 85.0%	500 gm 1 kg 5 kg 25 kg 50 kg
KOH (1310-58-3)		
614335	Potassium Hydroxide Flakes AR M. W.: 56.11	500 gm 5 kg
KOH (1310-58-3)		
029628	Potassium Hydroxide Pellets Purified M. W.: 56.11 Assay (Acidimetric) 85.0%	500 gm 5 kg 25 kg 50 kg
KOH (1310-58-3)		
614365	Potassium Hydroxide Pellets AR M. W.: 56.11 Assay (Acidimetric) 85.0%	500 gm 5 kg 25 kg 50 kg
KOH (1310-58-3)		
195985	Potassium Hydroxide Pellets Bio Grade for Biochemistry M. W.: 56.11 Assay 86%	500 gm
KOH (1310-58-3)		
195983	Potassium Hydroxide Powder M.W : 56.11 Assay 85%	500 gm 5 kg 25 kg
KOH (1310-58-3)		
878100	Potassium Iodate 0.0147M (0.08833N) Standardized Solution Nist Traceable	1 lit
878130	Potassium Iodate 0.01667M (0.1N) Volumetric Solution Nist Traceable	1 lit
878132	Potassium Iodate 1/60 mol/L (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
new		
878160	Potassium Iodate 0.05 M (0.3 N) CTITRINORM Volumetric Soln. Nist Traceable	1 lit
878155	Potassium Iodate 0.05 mol/L (0.3N) Volumetric Solution	500 ml 1 lit 2.5 lit
new		
029630	Potassium Iodate Pure M. W.: 214.00 Assay (iodometric) 99.5%	100 gm 250 gm 5 kg
KIO ₃ (7758-05-6)		

Product Code	Product Name	Packing
614405	Potassium Iodate AR Oxidizing Agent in Volumetric Chemical Analysis M. W.: 214.00 Assay (Iodometric; after drying) 99.9%	100 gm 250 gm 5 kg
KIO ₃ (7758-05-6)		
877165 new	Potassium Iodate Solution C(KIO ₃) 1/60 mol/L (0.1N) For 1000 ml Solution	1 amp
878290	Potassium Iodide Iodate N/50	500 ml
878320	Potassium Iodide 0.1M (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
878323 new	Potassium Iodide 0.1M Standardized Solution Nist traceable	1 lit
878360	Potassium Iodide 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
878365 new	Potassium Iodide 1M Standardized Solution Nist traceable	1 lit
878500	Potassium Iodide 3M (3N) Volumetric Solution	500 ml 1 lit 2.5 lit
878805 new	Potassium Iodide 3M Standardized Solution Nist traceable	1 lit
878525 new	Potassium Iodide TS acc. to USP	500 ml
029631	Potassium Iodide Pure M. W.: 166.00 Assay (Oxidimetric; after drying) 99.0%	25 gm 100 gm 250 gm 500 gm 5 kg 25 kg 50 kg
KI (7681-11-0)		
614465	Potassium Iodide AR/ACS M. W.: 166.00 Assay (Oxidimetric; after drying) 99.8%	25 gm 100 gm 500 gm 1 kg 5 kg 25 kg 50 kg
KI (7681-11-0)		
196095	Potassium Iodo Bismuthate M. W. : 1253.50	25 gm
Bi ₇ K ₄ (12589-75-2)		
614565	Potassium Iodoplatinate AR M.W. : 1034.68	1 gm
I ₆ Pt.K ₂ (16905-14-9)		
029633	Potassium Lactate Soln. Abt 50% M. W.: 128 Assay Abt. 50.0%	500 ml
C ₃ H ₅ KO ₃ (996-31-6)		
196245	Potassium Mercuric Iodide Pure M. W.: 786.38	25 gm 100 gm
K ₂ Hgl ₄ (7783-33-7)		
029634	Potassium Metabisulphite M. W.: 222.31 Assay (Iodometric) 95.0%	500 gm 5 kg 25 kg 50 kg
K ₂ S ₂ O ₅ (16731-55-8)		

Product Code	Product Name	Packing
614625	Potassium Metabisulphite AR M. W.: 222.31 Assay (Iodometric) 97.0%	500 gm
K ₂ S ₂ O ₅ (16731-55-8)		
196355	Potassium Meta Periodate Extra Pure M.W.: 230.00 Assay 99.0%	100 gm 500 gm
KIO ₄ (7790-21-8)		
614725	Potassium Meta Periodate AR/ACS Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	100 gm 500 gm
KIO ₄ (7790-21-8)		
	Potassium Meta Vanadate See Potassium (Meta) Vanadate	
029638	Potassium Nitrate Purified M. W.: 101.10 Assay (Ion-exchange) 99.0%	500 gm 5 kg 25 kg 50 kg
KNO ₃ (7757-79-1)		
614765	Potassium Nitrate AR M. W.: 101.10 Assay (Ion-exchange) 99.5%	500 gm 50 kg
KNO ₃ (7757-79-1)		
029639	Potassium Nitrite Crystal M. W.: 85.11 Assay 97.0%	100 gm 500 gm
KNO ₂ (7758-09-0)		
614805	Potassium Nitrite AR/ACS M. W.: 85.11 Assay (Redox-titration) 97.0%	25 gm 250 gm
KNO ₂ (7758-09-0)		
196505	Potassium Oleate for Synthesis M. W.: 320.55 Assay 87.0%	500 gm
C ₁₅ H ₃₆ O ₂ .k (143-18-0)		
029641	Potassium Oxalate Purified M. W.: 184.23 Assay (oxidimetric) 99.0%	500 gm 25 kg 50 kg
(COOK) ₂ .H ₂ O (6487-48-5)		
614895	Potassium Oxalate AR/ACS M. W.: 184.23 Assay (Oxidimetric) 99.5%	500 gm 50 kg
(COOK) ₂ .H ₂ O (6487-48-5)		
878640	Potassium Oxalate 5% Solution Assay 4.9-5.1%	125 ml
878660	Potassium Oxalate 10% Solution Assay 9.9-10.1%	125 ml
878700	Potassium Palmitate 0.1 M Volumetric Solution	1 lit
614935	Potassium Perchlorate AR/ACS M. W.: 138.55 Assay (argentometric) 99.0-100.5%	500 gm
KClO ₄ (7778-74-7)		
878720	Potassium Perchlorate 1M Solution	100 ml 250 ml 500 ml 1 lit
	Potassium Periodate See Potassium Meta Periodate	
878780	Potassium Permanganate Solution 0.02 Mol/lit Citrisol 1.5805g KMnO ₄ For 500 ml Solution 0.1N Solution	1 Amp 3 Amp 6 Amp

P

Laboratory Chemicals

Product Code	Product Name	Packing
878740	Potassium Permanganate 0.01M (0.05N) Volumetric Solution Nist Traceable	1 lit
878745 new	Potassium Permanganate 0.02M (0.1N) Standardized Solution Nist traceable	1 lit
878790	Potassium Permanganate 0.05M (0.25N) Volumetric Solution Nist Traceable	1 lit
878793	Potassium Permanganate 0.1N acc. to USP	500 ml
878783 new	Potassium Permanganate 0.1 N (0.02 mol/L) Solution In Water	500 ml 1 lit 2.5 lit
878795 new	Potassium Permanganate 0.5 N (0.1 mol/L) Solution In Water	500 ml 1 lit 2.5 lit
878820	Potassium Permanganate 0.2M (1N) Volumetric Solution Nist Traceable	1 lit
878850	Potassium Permanganate 0.25 N Solution in water	500 ml 1 lit 2.5 lit
878880	Potassium Permanganate 1.0 N	500 ml 1 lit 2.5 lit
029644 KMnO ₄ (7722-64-7)	Potassium Permanganate Purified M. W.: 158.03 Assay (Iodometric) 99.0%	500 gm 5 kg 25 kg 50 kg
615025 KMnO ₄ (7722-64-7)	Potassium Permanganate AR/ACS Meets Analytical Specification of USP M. W.: 158.03 Assay (Iodometric) 99.5-100.5%	500 gm 50 kg
	Potassium Peroxymonosulphate See Oxzone	
	Potassium Peroxydisulphate See Potassium Persulphate	
029861 K ₂ S ₂ O ₈ (7727-21-1)	Potassium Persulphate M. W.: 270.31 Assay (Redox-titration) 98.0%	500 gm 5 kg 25 kg 50 kg
615065 K ₂ S ₂ O ₈ (7727-21-1)	Potassium Persulphate AR M. W.: 270.31 Assay (Redox-titration) 99.0%	500 gm 50 kg
196225 K ₃ PO ₄ (7778-53-2)	tri-Potassium Phosphate M. W. : 212.27 Assay 97.0%	500 gm
615085 K ₃ PO ₄ (7778-53-2)	tri-Potassium Phosphate AR M. W. : 212.27 Assay 98.0%	250 gm
024629 C ₈ H ₄ KNO ₂ (1074-82-4)	Potassium Phthalimide M. W.: 185.22 Assay (dried, Non-aqueous) 99.0%	500 gm 25 kg

Product Code	Product Name	Packing
	Potassium Phosphate Dibasic See di-Potassium Hydrogen Ortho Phosphate	
	Potassium Phosphate Mono Basic See Potassium Dihydrogen Ortho Phosphate	
029582	Potassium Pyroantimonate (Potassium Antimonate) M. W.: 262.89 Assay (on dried basis) 98.5%	100 gm 500 gm
K[Sb(OH) ₆] (12208-13-8)		
615175	Potassium Pyroantimonate AR M. W.: 262.89 Assay 99.0%	100 gm 500 gm
K[Sb(OH) ₆] (12208-13-8)		
024660	tetra-Potassium Pyrophosphate M. W.: 330.34 Assay (acidimetric) 98.0%	500 gm 25 kg 50 kg
K ₄ O ₇ P ₂ (7320-34-5)		
196375	Potassium Pyrosulphate M. W.: 254.33	100 gm 500 gm
K ₂ S ₂ O ₇ (7790-62-7)		
615215	Potassium Pyrosulphate AR (Potassium Disulphate) M. W.: 254.33 Assay (acidimetric) 97.5%	500 gm
K ₂ S ₂ O ₇ (7790-62-7)		
196400 new	Potassium Silicate Solution	5 lit 25 lit
196425	Potassium Silicofluoride M. W.: 220.27	1 kg
K ₂ SiF ₆ (16871-90-2)		
029656	Potassium Sodium (+) Tartrate M. W.: 282.22 Assay (Non-aqueous) 99.0-102.0%	500 gm 5 kg 25 kg 50 kg
C ₄ H ₄ KNaO ₆ .4H ₂ O (6381-59-5)		
615305	Potassium Sodium (+) Tartrate AR/ACS M. W.: 282.22 Assay (Non-aqueous) 99.0%	500 gm 25 kg 50 kg
C ₄ H ₄ KNaO ₆ .4H ₂ O (6381-59-5)		
024651	Potassium Sorbate M. W.: 150.22 Assay (Acidimetric; on cal. dried basis) 99.0-101.0%	1 kg 25 kg 50 kg
C ₆ H ₇ KO ₂ (24634-61-5)		
196515	Potassium Stannate Trihydrate for Synthesis M. W.: 298.95 Assay (Trance metal basis) 99.9%	500 gm
K ₂ SnO ₃ .3H ₂ O (12125-03-0)		
196595	Potassium Stearate for Synthesis M. W.: 322.57	500 gm
C ₁₈ H ₃₅ O ₂ .K (593-29-3)		
029658	Potassium Sulphate Low in Nitrogen Content Suitable for Protein Test M. W.: 174.25 Assay (Alkalimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
K ₂ SO ₄ (7778-80-5)		
615395	Potassium Sulphate AR/ACS M. W.: 174.25 Assay (Alkalimetric) 99.5%	500 gm 25 kg 50 kg
K ₂ SO ₄ (7778-80-5)		
879090 new	Potassium Sulphate TS acc. to USP	500 ml

Product Code	Product Name	Packing
196725 K ₂ S (1312-73-8)	Potassium Sulphide M. W.: 110.26	500 gm
196775 K ₂ SO ₃ (10117-38-1)	Potassium Sulphite M. W.: 158.26 Assay 90.0%	500 gm
	Potassium Sulphocyanide See Potassium Thiocyanate	
196815 C ₄ H ₆ O ₆ .K ₂ (921-53-9)	Potassium Tartrate Extra Pure M. W.: 226.26	500 gm
615985 C ₄ H ₆ O ₆ .K ₂ (921-53-9)	Potassium Tartrate AR M. W.: 226.26	250 gm
	Potassium Tert-Butoxide See Potassium tert-Butoxide	
196780 K ₂ TeO ₃ .3H ₂ O (7790-58-1)	Potassium Tellurite Trihydrate for Microbiology M.W. : 307.84 Assay (Argentometric on dried substance) 98.0%	25 gm 100 gm
029664 K ₂ B ₄ O ₇ .4H ₂ O (12045-78-2)	Potassium Tetraborate M. W.: 305.50 Assay 99.0-101.0%	500 gm
024654 K ₂ PtCl ₄ (10025-99-7)	Potassium Tetra Chloro Platinate (II) M. W.: 415.09 Assay (ex Pt Gravimetric) 46.3-47.0%	1 gm 5 gm
029665 C ₄ H ₃ KO ₈ .2H ₂ O (6100-20-5)	Potassium Tetraoxalate M. W.: 254.19 Assay 99.0%	500 gm
616385 C ₄ H ₃ KO ₈ .2H ₂ O (6100-20-5)	Potassium Tetraoxalate (Dihydrate) AR M. W.: 254.19	100 gm
	Potassium Tetroxiodate See Potassium Meta Perodate	
879120	Potassium Thiocyanate 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
879160	Potassium Thiocyanate 0.05 M (0.05N) CTITRINORM Volumetric Solution	1 lit
879185 new	Potassium Thiocyanate 0.1 N Solution	500 ml 1 lit 2.5 lit
029666 KSCN (333-20-0)	Potassium Thiocyanate M. W.: 97.18 Assay (Argentometric) 98.0%	500 gm 25 kg 50 kg
616475 KSCN (333-20-0)	Potassium Thiocyanate AR/ACS M. W.: 97.18 Assay (Argentometric) 99.0%	500 gm 25 kg 50 kg
196925 K ₂ S ₂ O ₃ (10294-66-3)	Potassium Thiosulphate Practical Grade M. W.: 190.32 Assay 95.0%	100 gm 500 gm

Product Code	Product Name	Packing
196975 K ₂ TiO ₃ (12030-97-6)	Potassium Titanate M. W.: 174.06	100 gm 500 gm
024658 K ₂ TiF ₆ (16919-27-0)	Potassium Titanium Fluoride M. W.: 240.09 Assay 98.0%	100 gm 500 gm
616795 K ₂ TiF ₆ (16919-27-0)	Potassium Titanium Fluoride AR M. W.: 240.09	500 gm
616885 K ₂ TiC ₄ O ₉ .2H ₂ O (14402-67-6)	Potassium Titanium Oxalate AR M. W.: 354.13 Assay 98.5%	100 gm 250 gm
024630 KVO ₃ (13769-43-2)	Potassium Meta Vanadate M.W.: 138.04 Assay (exV) 98.0%	100 gm 500 gm
	Potato Starch See Starch Potato	
014615 C ₁₅ H ₁₁ NO (92-71-7)	PPO (2,5-Diphenyloxazole) Scintillation grade M. W.: 221.26 Assay (Spectrophotometric) 99.0%	25 gm 100 gm 500 gm
RE2140 (7440-10-0)	Praseodymium Metal Ingot Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE2145 (7440-10-0)	Praseodymium Metal Lump Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2150 (7440-10-0)	Praseodymium Metal Powder 325 Mesh Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2155 (7440-10-0)	Praseodymium Metal Wire 0.1mm Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2160 (7440-10-0)	Praseodymium Metal Rod 5mmx30cm Assay (Trace metal basis) 99.99%	1 PC
RE2165 (7440-10-0)	Praseodymium Metal Foil 0.25 mmx40cm Assay (Trace metal basis) 99.99%	1 PC
RE2170 (7440-10-0)	Praseodymium Metal Foil 0.50 mmx40cm Assay (Trace metal basis) 99.99%	1 PC
RE2175 (7440-10-0)	Praseodymium Metal SLAB 1cmx40cm Assay (Trace metal basis) 99.99%	1 PC
RE2180 (7440-10-0)	Praseodymium Metal Disc 0.1mmxdia 35cm Assay (Trace metal basis) 99.99%	1 PC
RE2195 Pr(O ₂ C ₂ H ₃) ₃ .xH ₂ O (334869-74-8)	Praseodymium Acetate M. W.: 318.03 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2200 Pr(O ₂ C ₂ H ₃) ₃ .xH ₂ O (334869-74-8)	Praseodymium Acetate M. W.: 318.03 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2205 Pr(O ₂ C ₂ H ₃) ₃ .xH ₂ O (334869-74-8)	Praseodymium Acetate M. W.: 318.03 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2220 Pr ₂ (CO ₃) ₃ .8H ₂ O (14948-62-0)	Praseodymium Carbonate M. W.: 605.97 Assay (Trace metal basis) 99.9%	25 gm 100 gm

P

Laboratory Chemicals

Product Code	Product Name	Packing
RE2225 Pr ₂ (CO ₃) ₃ .8H ₂ O (14948-62-0)	Praseodymium Carbonate M. W.: 605.97 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2230 Pr ₂ (CO ₃) ₃ .8H ₂ O (14948-62-0)	Praseodymium Carbonate M. W.: 605.97 Assay (Trace metal basis) 99.999%	25 gm 100 gm
Re2245 PrCl ₃ .xH ₂ O (19423-77-9)	Praseodymium Chloride M. W.: 247.27 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2250 PrCl ₃ .xH ₂ O (19423-77-9)	Praseodymium Chloride M. W.: 247.27 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2255 PrCl ₃ .xH ₂ O (19423-77-9)	Praseodymium Chloride M. W.: 247.27 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2270 PrF ₃ (13709-46-1)	Praseodymium Fluoride M. W.: 197.90 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2275 PrF ₃ (13709-46-1)	Praseodymium Fluoride M. W.: 197.90 Assay (Trace metal basis) 99.99%	10 gm 100 gm
RE2280 PrF ₃ (13709-46-1)	Praseodymium Fluoride M. W.: 197.90 Assay (Trace metal basis) 99.999%	10 gm 100 gm
RE2300 Pr(OH) ₃ .xH ₂ O	Praseodymium Hydroxide M. W.: 191.90 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2305 Pr(OH) ₃ .xH ₂ O	Praseodymium Hydroxide M. W.: 191.90 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2320 Pr(NO ₃) ₃ .xH ₂ O	Praseodymium Nitrate M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2325 Pr(NO ₃) ₃ .xH ₂ O	Praseodymium Nitrate M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2330 Pr(NO ₃) ₃ .xH ₂ O	Praseodymium Nitrate M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2345 Pr ₂ (C ₂ O ₄) ₃ .xH ₂ O (28877-86-3)	Praseodymium Oxalate M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm
RE2350 Pr ₂ (C ₂ O ₄) ₃ .xH ₂ O (28877-86-3)	Praseodymium Oxalate M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2355 Pr ₂ (C ₂ O ₄) ₃ .xH ₂ O (28877-86-3)	Praseodymium Oxalate M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE2368 new Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide Ceramic Grade M.W. 1021.44 Assay 97.0%	1 kg
RE2370 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide M. W.: 1021.43 Assay (Trace metal basis) 99.9%	10 gm 25 gm 100 gm

Product Code	Product Name	Packing
RE2375 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide M. W.: 1021.43 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2380 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide M. W.: 1021.43 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2395 Pr ₂ (SO ₄) ₃ .8H ₂ O (13510-41-3)	Praseodymium Sulphate M. W.: 714.12 Assay (Trace metal basis) 99.9%	25 gm 100 gm 500 gm
RE2400 Pr ₂ (SO ₄) ₃ .8H ₂ O (13510-41-3)	Praseodymium Sulphate M. W.: 714.12 Assay (Trace metal basis) 99.99%	25 gm 100 gm
029672 C ₁₃ H ₁₁ N ₃ .0.5H ₂ SO ₄ (1811-28-5)	Proflavine Hemisulphate M.W. : 516.58	10 gm 25 gm
043033 C ₂₁ H ₃₀ O ₂ (57-83-0)	Progesterone for lab use M. W.: 314.47 Assay(HPLC) 97.0%	5 gm 25 gm 500 gm
617495 C ₅ H ₉ NO ₂ (344-25-2)	D-Proline AR M. W.: 115.13 Assay 99.0%	1 gm 5 gm
037143 C ₅ H ₉ NO ₂ (147-85-3)	L-Proline for Biochemistry M. W.: 115.13 Assay (Non-aq.on dried subs.) 99.0%	5 gm 25 gm 500 gm
	Propanal See Propionaldehyde	
	Propan-1-ol See 1-Propanol	
	Propan-2-ol See 2-Propanol	
029673 C ₃ H ₈ O ₂ (57-55-6)	1,2-Propanediol for Synthesis (Propylene Glycol) M. W.: 76.10 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
617585 C ₃ H ₈ O ₂ (57-55-6)	1,2-Propanediol AR M. W.: 76.10 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit 200 lit
197345 new C ₃ H ₈ O ₂ (504-63-2)	1,3-Propanediol for Synthesis (Trimethylene Glycol, 1,3-Propylene Glycol) M.W : 76.09	500 ml 2.5 lit
	1,2-Propanediol Cyclic Carbonate See Propylene Carbonate	
765700 C ₃ H ₇ NaO ₃ S (14533-63-2)	1-Propane Sulphonic Acid Sodium Salt HPLC M.W. : 146.14 Assay 99.0%	5 gm 25 gm
765705 new	2-Propane-Sulphonic Acid Sodium Salt for HPLC Assay 99.0%	5 gm 25 gm
	2-Propan-1-ol See Allyl Alcohol	

Product Code	Product Name	Packing
029679	1-Propanol for Synthesis (n-Propyl Alcohol)	500 ml 2.5 lit
C ₃ H ₈ O (71-23-8)	M. W.: 60.10 Assay (GC) 99.0%	25 lit 200 lit
617645	1-Propanol AR (n-Propyl Alcohol)	500 ml 2.5 lit
C ₃ H ₈ O (71-23-8)	M. W.: 60.10 Assay (GC) 99.5%	25 lit 200 li
765795 new	1-Propanol GC Grade (n-Propyl Alcohol)	500 ml
CH ₃ .CH ₂ .CH ₂ OH (71-23-8)	M.W. 60.10	
765800	1-Propanol for HPLC & Spectroscopy	1 lit
C ₃ H ₈ O (71-23-8)	M. W.: 60.10 Assay (GC) 99.8%	
765760	1-Propanol for Pesticide residue analysis (n-Propyl Alcohol, Propan-1-Ol)	1 lit
C ₃ H ₈ O (71-23-8)	M. W.: 60.10	
029694	2-Propanol for Synthesis (ISO-Propyl Alcohol)	500 ml 2.5 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.0%	5 lit 25 lit 200 lit
617665	2-Propanol AR (ISO-Propyl Alcohol)	500 ml 1 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.5%	2.5 lit 25 lit
617675	2-Propanol Specially dried AR	500 ml 2.5 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.5%	
765855 new	2-Propanol GC Grade	1 lit
CH ₃ CH(OH)CH ₃ (67-63-0)	M.W : 60.10 Assay 99.8%	
765857	2-Propanol EL grade (ISO-Propyl Alcohol)	2.5 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.8%	
765860	2-Propanol for HPLC & Spectroscopy	1 lit 2.5 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.8%	
972570	2-Propanol for Molecular Biology	500 ml
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.5%	
765900	Propanol-2-OL for Pesticide Residue Trace Analysis (Iso Propyl Alcohol, 2-Propanol)	500 ml 1 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10	
D89478	2-Propanol-d₁	25 ml
C ₃ H ₇ DO (3972-26-7)	M.W.: 61.10 (for NMR Spectroscopy) Assay Min. 98.0 atom%D	
024683	•Propanolol Hydrochloride for Lab Use	5 gm
C ₁₆ H ₂₁ NO ₂ .HCl (318-98-9)	M. W.: 295.81 Assay 99.0%	

Product Code	Product Name	Packing
	2-Propanone See Acetone	
197385	Propargyl Alcohol (2-Propyn-1-ol, Propinol, Ethynyl Carbinol)	500 ml 2.5 lit 25 lit
C ₃ H ₄ O (107-19-7)	M. W.: 56.06	
	2-Propinol See Propargyl Alcohol	
029685	Propionaldehyde for Synthesis	500 ml 2.5 lit
C ₃ H ₆ O (123-38-6)	M. W.: 58.08 Assay (GC) 98.0%	
029688	Propionic Acid for Synthesis	500 ml 2.5 lit 25 lit
C ₃ H ₆ O ₂ (79-09-4)	M. W.: 74.08 Assay (GC) 99.0%	
029689	Propionic Anhydride for Synthesis	500 ml 2.5 lit 25 lit
C ₆ H ₁₀ O ₃ (123-62-6)	M. W.: 130.14 Assay 97.0%	
197535	Propionitrile for Synthesis (Ethyl Cyanide)	250 ml 1 lit
CH ₃ CH ₂ CN (107-12-0)	M. W.: 55.08	
618305	Propionitrile AR	250 ml
CH ₃ CH ₂ CN (107-12-0)	M. W.: 55.08	
197625	Propionyl Chloride for Synthesis (Propionic Acid Chloride)	500 ml 2.5 lit
CH ₃ CH ₂ COCl (79-03-8)	M. W.: 92.52	
197695	Propiophenone for Synthesis (Ethyl Phenyl Ketone)	500 ml 2.5 lit
C ₉ H ₁₀ O (93-55-0)	M. W.: 134.18	
	iso-Propyl Acetate See Isopropyl Acetate	
197885	n-Propyl Acetate for Synthesis	500 ml 2.5 lit 25 lit 200 lit
C ₅ H ₁₀ O ₂ (109-60-4)	M. W.: 102.13	
	n-Propyl Alcohol See 1-Propanol	
	iso-Propyl Alcohol See 2-Propanol	
	iso-Propyl Bromide See Iso Propyl Bromide	
198065	N-Propyl Benzene	25 ml 100 ml
C ₉ H ₁₂ (103-65-1)	M. W.: 120.19 Assay 97.5%	
	Propyl Chloride See Allyl Chloride	
	iso-Propyl Ether See Di-iso-Propyl Ether	
	iso-Propylamine See ISO-Propylamine	
029695	n-Propylamine for Synthesis	500 ml 2.5 lit 25 lit 200 lit
C ₃ H ₉ N (107-10-8)	M. W.: 59.11 Assay(GC) 98.0%	

P

Laboratory Chemicals

Product Code	Product Name	Packing
619005 C ₃ H ₉ N (107-10-8)	n-Propylamine AR M. W.: 59.11	500 ml 2.5 lit
027484 CH ₃ .CH ₂ .CH ₂ Br (106-94-5)	n-Propyl Bromide for Synthesis M. W.: 122.99 Assay (GC) 99.0%	250 ml 500 ml
198305 C ₄ H ₆ O ₃ (108-32-7)	Propylene Carbonate (1,2-Propanediol Cyclic Carbonate) (4-Methyl-1,3-Dioxolan-2-one) M. W.: 102.09	500 ml 2.5 lit 25 lit 200 lit
619325 C ₄ H ₆ O ₃ (108-32-7)	Propylene Carbonate AR M. W.: 102.09	500 ml
	Propylene Glycol See 1,2-Propanediol	
	Propylene Glycol Monomethyl Ether See 1-Methoxy-2-Propanol	
198465 new C ₄ H ₁₀ O ₂ (107-98-2)	Propylene Glycol Monomethyl Ether (1-Methoxy-2-Propanol) M.W. 90.12 Assay 98.0%	500 ml 2.5 lit 25 lit
619505 C ₃ H ₆ O (75-56-9)	Propylene Oxide AR M. W.: 58.08 Assay 99.5%	100 ml
029704 C ₁₀ H ₁₂ O ₅ (121-79-9)	n-Propyl Gallate (Antioxidant) M. W.: 212.20 Assay (Complexometric) 98.0%	100 gm 500 gm 5 kg 25 kg
025691 C ₁₀ H ₁₂ O ₃ (94-13-3)	Propyl-p-Hydroxy Benzoate (Propyl Paraben) M. W.: 180.20 Assay Acidimetric, potentiometric cal. on dried subs. 99.0-102.0%	500 gm 5 kg 25 kg 50 kg
024627 C ₁₀ H ₁₁ NaO ₃ (35285-69-9)	Propyl-p-Hydroxy Benzoate Sodium Salt M. W.: 202.19 Assay 99.0-104.0%	250 gm 500 gm 5 kg 25 kg 50 kg
198505 C ₃ H ₇ I (107-08-4)	n-Propyl Iodide for Synthesis (1-Iodopropane) M.W. : 169.99 Assay 99.0%	100 ml 250 ml
	iso-Propyl Myristate See ISO-Propyl Myristate	
	Propyl Paraben See propy-p-Hydroxybenzoate	
	2-Propyn-1-ol See Propargyl Alcohol,	
	N-Propyl-3,4,5-Trihydroxybenzoate See Propyl Gallate	
619845 (53597-25-4)	Protamine Sulphate AR	5 gm

Product Code	Product Name	Packing
024647	Protein A Soluble Purified from S aureus Cell Wall, Lyophilised essentially salt free binding capacity 7-14 mgm of human 1g per mgm solid	2 mgm
198565 new	Protease Peptone (Culture Media Ingradient)	500 gm
198615 (OH) ₂ C ₆ H ₃ CO ₂ H (99-50-3)	Protocatechuic Acid for Synthesis M. W.: 154.12 Assay 97.0%	25 gm 100 gm
198695 Fe ₄ [Fe(CN) ₆] ₃ (14038-43-8)	Prussian Blue for Microscopy M.W. : 859.23	10 gm 50 gm
033083 (1332-09-8)	Pumic Stone (Granular for elemental analysis)	500 gm
024659 (1332-09-8)	Pumic Stone Powder	500 gm 5 kg
029707 C ₅ H ₅ N (110-86-1)	Pyridine M. W.: 79.10 Assay (GC) 99.0%	250 ml 500 ml 2.5 lit
619935 C ₅ H ₅ N (110-86-1)	Pyridine AR M. W.: 79.10 Assay 99.5%	250 ml 500 ml 2.5 lit 25 lit 200 lit
620355 C ₅ H ₅ N (110-86-1)	Pyridine "Dry" AR M. W.: 79.10	500 ml
199000 C ₅ H ₅ N (110-86-1)	Pyridine for Karl Fischer Reagent M. W.: 79.10	500 ml
766500 C ₅ H ₅ N (110-86-1)	Pyridine for HPLC & Spectroscopy M. W.: 79.10	500 ml 1 lit
D93078 C ₅ D ₅ N (7291-22-7)	Pyridine-d₅ (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	10x0.75ml
D93087 C ₅ D ₅ N (7291-22-7)	Pyridine-d₅ (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	10 ml
198905 C ₇ H ₅ NO ₄ (499-83-2)	Pyridine 2:6-Dicarboxylic Acid for Synthesis M. W.: 167.12 Assay 99.0%	5 gm 25 gm
199045 C ₅ H ₅ N.HBr (18820-82-1)	Pyridine Hydrobromide for Synthesis (Pyridinium Bromide) M. W.: 160.01	100 gm 500 gm
199095 C ₅ H ₅ NO (694-59-7)	Pyridine-N-Oxide for Synthesis M. W.: 95.10 Assay 94.0-106.0%	25 gm 100 gm
	3-Pyridine Carbonitrile See 3-Cyano Pyridine	
	4-Pyridine Carbonitrile See 4-Cyano Pyridine	

Product Code	Product Name	Packing
199315	Pyridinium Chlorochromate for Synthesis C ₅ H ₆ NCICrO ₃ (26299-14-9)	100 gm 500 gm
620785	Pyridinium Dichromate AR C ₁₀ H ₁₀ N ₂ .H ₂ Cr ₂ O ₇ (20039-37-6)	25 gm 100 gm 500 gm
199405	Pyridinium-p-Toluene Sulphonate for Synthesis (4-Toluenesulphonic Acid Pyridine Salt) C ₁₂ H ₁₃ NO ₃ S (24057-28-1)	25 gm 100 gm 500 gm
024668	•Pyridoxal-5-Phosphate for Biochemistry C ₈ H ₁₀ NO ₆ PH ₂ O (41468-25-1)	1 gm 5 gm
044086	Pyridoxine Hydrochloride For Biochemistry C ₈ H ₁₁ NO ₃ .HCl (58-56-0)	10 gm 25 gm 100 gm
029438	4-(2-Pyridyl) Benzaldehyde C ₁₂ H ₉ NO (127406-56-8)	5 gm 500 gm
620875	3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine AR (PDT) C ₂₀ H ₁₄ N ₄ (1046-56-6)	1 gm 5 gm
620885	3-(2-Pyridyl)-5,6-Diphenyl -1,2,4-Triazine 4'-4'-Disulphonic Acid Disodium Salt AR C ₂₀ H ₁₂ N ₄ Na ₂ O ₆ S ₂ (28048-33-1)	1 gm
	1-(2-Pyridyl Azo)-2-naphthol Metal (Pm) Indicator See PAN Indicator	
	4-(2-Pyridyl Azo) Resorcinol Mono Sodium Salt Metal (Pm) Indicator See PAR Indicator	
024673	1- (2-Pyridyl) Piprazine C ₉ H ₁₃ N ₃ (34803-66-2)	5 gm 25 gm 500 gm
027653	Pyrocatechol C ₆ H ₄ (OH) ₂ (120-80-9)	100 gm 500 gm 25 kg 50 kg
	3,5-Pyrocatechol Disulphonic Acid Disodium Salt See Tiron	
620925	Pyrocatechol AR C ₆ H ₄ (OH) ₂ (120-80-9)	100 gm 500 gm
621295	Pyrocatechol Violet AR (Catechol violet) C ₁₉ H ₁₄ O ₇ S (115-41-3)	1 gm 5 gm

Product Code	Product Name	Packing
879360 new	Pyrocatechol Violet Solution Adsorption Indicator (Reagent for Al, Bi, Sn, V &Ti)	100 ml
	Pyrogallic Acid See Pyrogallol	
029716	Pyrogallol for Synthesis 1, 2, 3-Trihydroxy benzene (Pyrogallic acid) C ₆ H ₃ (OH) ₃ (87-66-1)	100 gm 500 gm 25 kg
621385	Pyrogallol AR C ₆ H ₃ (OH) ₃ (87-66-1)	100 gm 500 gm
621425	Pyrogallol Red AR C ₁₉ H ₁₄ O ₉ S (32638-88-3)	1 gm
199545	L-Pyroglutamic Acid for Biochemistry C ₅ H ₇ NO ₃ (98-79-3)	25 gm 100 gm
199625	Pyronin B C. I. NO. 45010 C ₄₂ H ₅₄ Cl ₈ Fe ₂ N ₄ O ₂ (2150-48-3)	5 gm
199645	Pyronin G for Microscopy Suitable as Tracker Dye in Acid Buffer System (Pyronin y) C. I. No. 45005 C ₁₇ H ₁₉ ClN ₂ O (92-32-0)	5 gm
	Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt See Ammonium Pyrrolidine Dithiocarbamate	
	S-(-)-2-Pyrrolidone-5-Carboxylic Acid See L-Pyroglutamic	
199755	Pyrrole for Synthesis C ₄ H ₅ N (109-97-7)	100 ml 500 ml
199835	Pyrrole-2-Carboxylic Acid C ₅ H ₅ NO ₂ (634-97-9)	5 gm 25 gm
199945	Pyrrolidine for Synthesis (Tetramethyleimine Tetrahydropyrole) C ₄ H ₉ N (123-75-1)	500 ml 1 lit
621465	Pyrrolidine AR C ₄ H ₉ N (123-75-1)	100 ml 500 ml
200105	2-Pyrrolidino Ethanol for Synthesis C ₆ H ₁₃ NO (2955-88-6)	100 ml 500 ml
200225	2-Pyrrolidone (2-Pyrrolidone, Butyrolactum) C ₇ H ₇ NO (616-45-5)	500 ml 2.5 lit 25 lit 200 lit
	Pyruvic Acid Sodium Salt See Sodium Pyruvate	

P

Laboratory Chemicals

Product Code	Product Name	Packing
623895	Quartz Granular AR Washed and Calcined M. W.: 60.09	250 gm 1 kg
SiO ₂ (14808-60-7)		
024449	Quartz Powder Pure M. W.: 60.08	250 gm 1 kg
SiO ₂ (14808-60-7)		
024500	Quartz Powder ≤ 230 Mesh Pure M. W.: 60.08	100 gm
SiO ₂ (14808-60-7)		
623905	Quartz Powder ≤ 230 mesh AR M. W.: 60.08	100 gm
SiO ₂ (14808-60-7)		
024448	Quartz Powder ≥ 230 Mesh Pure M. W.: 60.08	100 gm 500 gm
SiO ₂ (14808-60-7)		
623910	Quartz Fine Powder > 230 Mesh AR M. W.: 60.08	250 gm 1 kg
SiO ₂ (14808-60-7)		
024446	Quartz Sand Acid Purified Pure M. W.: 60.08	500 gm 1 kg
SiO ₂ (14808-60-7)		
024447	Quartz White Powder Pure For Cleaning of Platinum, Crucibles, Calcined, Crdeu M. W.: 60.08	2.5 kg
SiO ₂ (14808-60-7)		
623915	Quartz Washed & Calcined AR M. W.: 60.08	250 gm 1 kg
SiO ₂ (14808-60-7)		
205315	Quercetin Dihydrate (3,3',4,5,7-pentahydroxyflavone) M. W.: 338.27	25 gm 100 gm
C ₁₅ H ₁₀ O ₇ ·2H ₂ O (6151-25-3)		
205505	Quinaldine for Synthesis (2-Methylquinoline) M. W.: 143.19 Assay 95.0%	100 ml 500 ml
C ₁₀ H ₉ N (91-63-4)		
205615	Quinaldine Red Indicator M. W.: 430.33 Dye content 95.0%	1 gm 5 gm
C ₂₁ H ₂₃ N ₂ (117-92-0)		
879860 new	Quinaldine Red Indicator Solution	100 ml
626895	Quinaldic Acid AR M. W.: 173.17 Assay 98.0%	10 gm
C ₁₀ H ₇ NO ₂ (93-10-7)		
627075	Quinhydrone AR M. W.: 218.21	25 gm 100 gm 500 gm
C ₁₂ H ₁₀ O ₄ (106-34-3)		
205835	Quinic Acid for Synthesis M. W.: 192.17 Assay 98.0%	5 gm 25 gm
C ₇ H ₁₂ O ₆ (77-95-2)		
627135	Quinine Glycero Phosphate AR	5 gm
(146-39-4)		

Product Code	Product Name	Packing
024445	Quinine Sulphate (C ₂₀ H ₂₄ N ₂ O ₂) ₂ ·H ₂ SO ₄ ·2H ₂ O M. W.: 782.95 (6119-70-6) Assay (Non-aqueous) 99.5%	25 gm
627175	Quinine Sulphate AR (C ₂₀ H ₂₄ N ₂ O ₂) ₂ ·H ₂ SO ₄ ·2H ₂ O M. W.: 782.95 (6119-70-6) Assay (Non-aqueous) 99.5%	25 gm
073025	Quinizarine for Synthesis C ₁₄ H ₈ O ₄ (81-64-1) Assay 95.0%	100 gm
	Quinol See Hydroquinone	
030012	Quinoline for Synthesis C ₉ H ₇ N (91-22-5) Assay (GC) 97.0%	500 ml 2.5 lit 25 lit 200 lit
627495	Quinoline AR C ₉ H ₇ N (91-22-5) M. W.: 129.16	1 lit
206035	Quinoline-4-Carboxylic Acid for Synthesis M. W.: 173.17 Assay 97.0%	1 gm
C ₁₀ H ₇ NO ₂ (486-74-8)		
206140	Quinoline Yellow (Spirit Soluble) C.I. 47000 (8003-22-3)	25 gm
206145	Quinoline Yellow (Water Soluble) C.I. 47005 M. W.: 477.38	25 gm 100 gm
C ₁₈ H ₉ NO ₈ S ₂ 2Na (8004-92-0)		
206235	Quinolinic Acid for Synthesis C ₇ H ₅ NO ₄ (89-00-9) Assay 99.0%	5 gm 25 gm



Product Code	Product Name	Packing
840000	R.B.C. Diluting Fluid (Gower's)	500 ml
883010	R.B.C. Diluting Fluid (Hayem's)	125 ml 500 ml
632495	D-Raffinose AR (Pentahydrate)	10 gm
C ₁₈ H ₃₂ O ₁₆ .5H ₂ O (17629-30-0)	M. W.: 594.52	25 gm 100 gm
Reagents & Solutions According To United States Pharmacopoeia		
800105	Acetate Buffer TS acc. to USP	500 ml
800263	Acetic Acid Solution 2N acc. to USP	500 ml
800336	Acetic Acid - Ammonium Acetate Buffer TS acc. to USP	500 ml
804800	Ammonia TS acc. to USP	500 ml
804805	Ammonia-Ammonium Chloride Buffer TS acc. to USP	500 ml
805070	Ammonium Carbonate TS acc. to USP	500 ml
805140	Ammonium Chloride-Ammonium Hydroxide TS acc. to USP	500 ml
805138	Ammonium Chloride TS acc. to USP	500 ml
806200	Ammonium Thiocyanate TS acc. to USP	500 ml
808082	Barium Chloride TS acc. to USP	500 ml
808200	Barium Nitrate TS acc. to USP	500 ml
811282	Bromate-Bromide Solution 0.1N acc. to USP	500 ml
811744	Bromocresol Green TS acc. to USP	125 ml
812005	Bromophenol Blue TS acc. to USP	125 ml
812175	Bromothymol Blue TS acc. to USP	125 ml
814470	Calcium Sulphate TS acc. to USP	500 ml
819045	Congo Red TS acc. to USP	125 ml
819280	Copper Acetate TS acc. to USP	500 ml
819390	Copper Sulphate TS acc. to USP	500 ml
829050	Edetate Disodium TS acc. to USP	500 ml
834270	Ferric Ammonium Sulphate TS acc. to USP	500 ml
834325	Ferric Chloride TS acc. to USP	500 ml
839650	Glycerin Base TS acc. to USP	500 ml
844865	Hydrochloric Acid 1N acc. to USP	500 ml
849845	Iodine Solution 0.1N acc. to USP	500 ml
859825	Lead Acetate TS acc. to USP	500 ml
864520	Mercuric Chloride TS acc. to USP	100 ml
865750	Methylene Blue TS acc. to USP	125 ml
865863	Methyl Orange TS acc. to USP	125 ml
866043	Methyl Red TS acc. to USP	125 ml
866048	Methyl Red-Methylene Blue solution acc. to USP	125 ml

Product Code	Product Name	Packing
868805	Neutral Red TS acc. to USP	125 ml
871580	Oxalic Acid TS acc. to USP	500 ml
874643	Perchloric Acid Solution 0.1N acc. to USP	500 ml
875190	Phenolphthalein TS acc. to USP	125 ml
875520	Phenol Red TS acc. to USP	125 ml
875810	Phosphotungstic Acid TS acc. to USP	100 ml
876670	Potassium Acetate TS acc. to USP	500 ml
876840	Potassium Carbonate TS acc. to USP	500 ml
878525	Potassium Iodide TS acc. to USP	500 ml
878793	Potassium Permanganate Solution 0.1N acc. to USP	500 ml
879090	Potassium Sulphate TS acc. to USP	500 ml
883215	Resorcinol TS acc. to USP	500 ml
889415	Silver Nitrate Solution 0.1N acc. to USP	500 ml
890325	Sodium Acetate TS acc. to USP	500 ml
891250	Sodium Chloride TS, Alkaline acc. to USP	500 ml
892163	Sodium Hydroxide TS (1 N) acc. to USP	500 ml
893245	Sodium Thiosulphate Solution 0.1N (N/10) acc. to USP	500 ml
894495	Sulphanilic Acid TS acc. to USP	500 ml
894594	Sulphomolybdic Acid TS acc. to USP	500 ml
895152	Sulphuric Acid Solution 1N acc. to USP	500 ml
897443	Thymol Blue TS acc. to USP	125 ml
908530	Zinc Sulphate Solution 0.05M	500 ml
	Raney Nickel Catalyst Alloy See Nickel Aluminium Alloy	
	Rare Earth Multi Element See Multi Element	
	Red Phosphorus See Phosphorus Red	
	Reinecke Salt See Ammonium Reineckate	
	Resacetophenone See 2,4-Dihydroxy Aceto Phenone	
632585	Reserpine AR	1 gm
C ₃₃ H ₄₀ N ₂ O ₉ (50-55-5)	M.W.: 608.69 Assay (Non-aqueous) ≥ 99.0%	5 gm
	Resazurin AR See Resazurin Sodium Salt	
632635	Resazurin Sodium Salt AR	1 gm
C ₁₂ H ₆ N ₂ .NaO ₄ (62758-13-8)	M. W.: 251.17 Dye content Min. 75.0%	5 gm

R

Laboratory Chemicals

Product Code	Product Name	Packing
	Resorcin Blue See Lacmoid,	
030019 C ₆ H ₄ (OH) ₂ (108-46-3)	Resorcinol for Synthesis M. W.: 110.11 Assay (GC) 99.0%	250 gm 500 gm 25 kg
632695 C ₆ H ₄ (OH) ₂ (108-46-3)	Resorcinol AR M. W.: 110.11 Assay(GC) 99.5%	100 gm 500 gm
883215 new	Resorcinol TS acc.to USP	500 ml
213755 C ₈ H ₁₀ O ₂ (151-10-0)	Resorcinol Dimethyl Ether for Synthesis M.W.: 138.16 Assay 98.0%	100 gm 500 gm
213865 C ₇ H ₆ O ₃ (95-01-2)	b-Resourcylaldehyde for Synthesis M.W.: 138.12 Assay 97.5%	25 gm
213975 C ₁₄ H ₁₂ O ₃ (501-36-0)	Resveratrol for Biochemistry M. W.: 228.24 Assay 99.0%	1 gm
883225	Reticulocyte Counting Fluid	125 ml
632785 C ₆ H ₁₂ O ₅ H ₂ O (10030-85-0)	L-Rhamnose AR M. W.: 182.17	5 gm 25 gm
883250	Rhenium (Re) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
883260	Rhenium (Re) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
030668 Re (7440-15-5)	Rhenium Metal Powder M. W.: 186.21 Assay 99.9%	1 gm 5 gm
632795 C ₂₈ H ₃₁ N ₂ O ₃ Cl (81-88-9)	Rhodamine B AR for Microscopy C.I. No. 45170 M. W.: 479.02 Dye content Abt. 80.0%	25 gm 100 gm
214165 C ₂₉ H ₃₀ ClN ₃ O ₃ S (36877-69-7)	Rhodamine B-Iso-Thiocyanate for Biochemistry & Microscopy M.W.: 536.08	100 mgm 1 gm
020102 C ₂₈ H ₃₁ ClN ₂ O ₃ (989-38-8)	Rhodamine 6G C.I. No. 45160 M. W.: 479.02 Dye content (Spectrophotometric, on dried subs.) Abt. 95.0%	5 gm 25 gm 100 gm 1 kg
214275 C ₃ H ₃ NOS ₂ (141-84-4)	Rhodanine (2-Thioxo-4-Thiazolidinone) M.W.: 133.19 Assay (HPLC) 98.0%	25 gm
214395 C ₁₀ H ₂₀ O (141-25-3)	Rhodinol for Synthesis M. W.: 156.27	500 gm
214505 C ₁₂ H ₂₂ O ₂ (141-11-7)	Rhodinyl Acetate for Synthesis M. W.: 198.30	500 gm

Product Code	Product Name	Packing
214525 C ₁₄ H ₂₆ O ₂ (732282-93-8)	Rhodinyl Butyrate for Synthesis M. W.: 226.36	500 gm
214545 (845870-35-1)	Rhodinyl Formate for Synthesis	500 gm
214565 C ₁₈ H ₂₆ O ₂ (10486-14-3)	Rhodinyl Phenyl Acetate for Synthesis M. W.: 274.40	500 gm
883320	Rhodium (Rh) Atomic Absorption Std.Soln. Contain1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
883330	Rhodium (Rh) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	10 ml
214675 Rh (7440-16-6)	Rhodium (Metal) Powder A.W.: 102.91 Assay 99%	1 gm
030671 RhCl ₃ xH ₂ O (20765-98-4)	Rhodium Trichloride Rh contain abt 40% M. W.: 209.26 (Anhydrous) Assay (Rh) 40.0%	1 gm
	Rhodizonic Acid Sodium Salt See Sodium Rhodizonate	
044088 C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)	Riboflavin For Biochemistry Vitamin B ₂ (For Lab use) M. W.: 376.37 Assay (Spectrophotometric, on dried substance) 98.0-102.0%	5 gm 10 gm 25 gm 500 gm
044089 C ₁₇ H ₂₀ N ₄ NaO ₉ P (130-40-5)	Riboflavin-5-Mono Phosphate Sodium Salt (FMN) for Biochemistry M. W.:478.33 (For Lab use) Assay (UV) 93.0%	5 gm 25 gm
039039 (9001-99-4)	•Ribonuclease 3x cryst Lyophilised (R Nase) ex. Bovine pancreas	100 mgm 500 mgm
038058 C ₅ H ₁₀ O ₅ (50-69-1)	•D-Ribose for Biochemistry M. W.: 150.13 Assay ≥ 99.0%	5 gm 25 gm 1 kg
214805 C ₅ H ₁₀ O ₅ (24259-59-4)	L-Ribose for Biochemistry M.W.: 150.13	1 gm
	Rice Starch See Starch Rice	
099800 C ₄₃ H ₅₈ N ₄ O ₁₂ (13292-46-1)	•Rifampicin for Lab use M. W.: 822.96 Assay(dried subsatnce) 97-102%	1 gm 5 gm
883380	Ringer'S Solution	125 ml 500 ml
883410	Robert's Test Reagent	125 ml
	Rochelle Salt See Potassium Sodium (+) Tartrate	
632840 C ₂₀ H ₁₉ N ₃ .HCl (632-99-5)	Rosaniline Hydrochloride AR M.W. : 337.86 Dye content (Titanometric; on dried subs.) 88.0% p-Rosaniline Hydrochloride	25 gm 100 gm

Product Code	Product Name	Packing
	See Pararosaniline Chloride, p-Rosaniline See Pararosaniline	
215025 C ₁₀ H ₉ Cl ₃ O ₂ (90-17-5)	Rose Crystals Pure M. W.: 267.53	500 gm
632855 C ₂₀ H ₂ O ₅ I ₄ Cl ₄ Na ₂ (632-69-9)	Rose Bengal AR C.I. No. 45440 M. W.: 1017.6 Dye content (Gravimetry, on dried substance) Abt.75.0%	5 gm 25 gm 100 gm
024498 C ₁₉ H ₁₄ O ₃ (603-45-2)	Rosolic Acid C.I. 43800 (Para Rosolic Acid, Aurine) M. W.: 290.32 Dye Content 85%	25 gm 100 gm
044464	Rothera's Mixture Powder (For detection of Ketone bodies (Acetone) in Urine)	100 gm
024497 C ₄₁ H ₇₆ N ₂ O ₁₅ (80214-83-1)	Roxithromycin for Lab use M.W. : 837.05 Assay 90.0%	1 gm
	Rubenic Acid See Dithiooxamide	
883510	Rubidium (Rb) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
883520	Rubidium (Rb) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
632885 RbBr (7789-39-1)	Rubidium Bromide AR M.W.: 165.37 Assay 99.0%	5 gm

Product Code	Product Name	Packing
215145 Rb ₂ CO ₃ (584-09-8)	Rubidium Carbonate M.W.: 230.94 Assay 98.5-101.5%	10 gm
632975 RbCl (7791-11-9)	Rubidium Chloride AR M. W.: 120.92	5 gm 25 gm
632945 RbI (7790-29-6)	Rubidium Iodide AR M.W.: 212.37	10 gm
215185 Rb ₂ SO ₄ (7488-54-2)	Rubidium Sulphate M.W.: 267.00 Assay 99.8%	5 gm 25 gm
215255 Ru (7440-18-8)	Ruthenium Metal A.W.: 101.07 Assay (trace metal basis) 99.99%	1 gm
215445 RuO ₂ (12036-10-1)	Ruthenium Dioxide Anhydrous M.W.: 133.07 Assay 99.9%	1 gm 5 gm
034066 Ru ₃ O ₂ (NH ₃) ₁₄ Cl ₆ ·4H ₂ O (11103-72-3)	Ruthenium Red Content about 34% Approx M. W.: 858.42 Assay (As Ru) 34.0%	1 gm 5 gm
030032 RuCl ₃ ·xH ₂ O (14898-67-0)	Ruthenium Trichloride Ru Content about 40% M. W.: 207.43 (anhydrous) Assay (Ru) 38-43%	1 gm 10 gm
024492 C ₂₇ H ₃₀ O ₁₆ ·3H ₂ O (250249-75-3)	Rutin (Vitamin P) M. W.: 664.55 Assay (HPLC) Abt. 90.0%	25 gm 100 gm

R

Laboratory Chemicals



Product Code	Product Name	Packing
024384 C ₇ H ₅ NO ₃ S (81-07-2)	Saccharin insoluble M. W.: 183.18 Assay (Acidimetric) 98.0%	500 gm
030034 C ₇ H ₄ NNaO ₃ .S.2H ₂ O (6155-57-3)	Saccharin Sodium M. W.: 241.19 Assay (Non-aq., on anhydrous subs.) 98.0%	500 gm 25 kg 50 kg
	Saccharose See Sucrose	
034067 C ₂₀ H ₁₉ ClN ₄ (477-73-6)	Safranin O for Microscopy C.I. No. 50240 M. W.: 350.85 Dye content (spectrophotometry, dried) Abt. 90.0%	25 gm 100 gm 1 kg
887100	Safranin 1% w/v Aq. Staining Solution	125 ml 250 ml
	Salmine Sulphate See Protamine Sulphate	
038060 C ₁₃ H ₁₈ O ₇ (138-52-3)	Salicin for Microbiology M. W.: 286.28	5 gm 10 gm
030035 C ₆ H ₄ (OH).CHO (90-02-8)	Salicylaldehyde for Synthesis M. W.: 122.12 Assay (GC) 99.0%	100 ml 250 ml
634305 C ₆ H ₄ (OH).CHO (90-02-8)	Salicylaldehyde AR M. W.: 122.12 Assay (GC) 99.5%	100 ml 500 ml
215685 C ₁₄ H ₁₂ N ₂ O ₂ (959-36-4)	Salicylaldehyde Azine M. W.: 240.26	5 gm 25 gm
638305 2-(OH)C ₆ H ₄ CH=NOH (94-67-7)	Salicylaldehyde Oxime AR (salicylaldoxime) M. W.: 137.14	5 gm 25 gm
024399 C ₇ H ₇ NO ₂ (65-45-2)	Salicylamide M. W.: 137.14 Assay (T) 98.0%	500 gm
638395 C ₇ H ₈ N ₂ O ₂ (936-02-7)	Salicylhydrazide AR M. W.: 152.15	25 gm
030038 C ₆ H ₄ (OH).COOH (69-72-7)	Salicylic Acid for Synthesis M. W.: 138.12 Assay 99.0%	500 gm 5 kg 25 kg 50 kg
638435 C ₆ H ₄ (OH)COOH (69-72-7)	Salicylic Acid AR M. W.: 138.12 Assay (Cal. on dried subs. alkalimetric) 99.0-100.5%	500 gm 25 kg 50 kg
024382	Salt Mixture Bernhart Tommarelli (a modified NRC salt mixture)	500 gm 1 kg 5 kg
024381	Salt Mixture H.M.W. (acc. to Hubble Mendal and Wakeman, Journal of Nutrition 14,273 (1937))	500 gm 1 kg 5 kg

Product Code	Product Name	Packing
024380	Salt Mixture XIV (as per USP XIV (1950))	500 gm 1 kg 5 kg
887180 new	Salzmann's Reagent Solution (Reagent for Nitrite)	100 ml
RE2410 (7440-19-9)	Samarium Metal Ingot Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2415 (7440-19-9)	Samarium Metal Lump (1 cm) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2420 (7440-19-9)	Samarium Metal Powder 325 mesh Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2425 (7440-19-9)	Samarium Metal Wire (0.1 mm) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2430 (7440-19-9)	Samarium Metal Rod (5mmx30cm) Assay (Trace metal basis) 99.99%	1 Pc
RE2435 (7440-19-9)	Samarium Metal Foil (0.25mmx40cm) Assay (Trace metal basis) 99.99%	1 Pc
RE2440 (7440-19-9)	Samarium Metal Foil (0.50mmx40cm) Assay (Trace metal basis) 99.99%	1 Pc
RE2445 (7440-19-9)	Samarium Metal Slab (1cmx40cm) Assay (Trace metal basis) 99.99%	1 Pc
RE2450 (7440-19-9)	Samarium Metal Disc (0.1mmxdia 35cm) Assay (Trace metal basis) 99.99%	1 Pc
RE2465 SmC ₆ H ₉ O ₆ .XH ₂ O (100587-91-5)	Samarium (III) Acetate M. W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE2470 SmC ₆ H ₉ O ₆ .XH ₂ O (100587-91-5)	Samarium (III) Acetate M. W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2480 Sm ₂ (CO ₃) ₃ .XH ₂ O (38245-37-3)	Samarium (III) Carbonate M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2485 Sm ₂ (CO ₃) ₃ .XH ₂ O (38245-37-3)	Samarium (III) Carbonate M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2490 Sm ₂ (CO ₃) ₃ .XH ₂ O (38245-37-3)	Samarium (III) Carbonate M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE2500 SmCl ₃ .XH ₂ O (10361-82-7)	Samarium (III) Chloride M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2505 SmCl ₃ .XH ₂ O (10361-82-7)	Samarium (III) Chloride M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2510 SmCl ₃ .XH ₂ O (10361-82-7)	Samarium (III) Chloride M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE2520 Sm(NO ₃) ₃ .6H ₂ O (13759-83-6)	Samarium (III) Nitrate M. W.: 444.47 Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2525 Sm(NO ₃) ₃ .6H ₂ O (13759-83-6)	Samarium (III) Nitrate M. W.: 444.47 Assay (Trace metal basis) 99.999%	25 gm 100 gm

Product Code	Product Name	Packing
RE2530 Sm(NO ₃) ₃ .6H ₂ O (13759-83-6)	Samarium (III) Nitrate M. W.: 444.47 Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE2545 Sm ₂ O ₃ (12060-58-1)	Samarium (III) Oxide M. W.: 348.70 Assay (Trace metal basis) 99.9%	10 gm 25 gm 100 gm 500 gm
RE2550 Sm ₂ O ₃ (12060-58-1)	Samarium (III) Oxide M. W.: 348.70 Assay (Trace metal basis) 99.99%	25 gm 100 gm 500 gm
RE2555 Sm ₂ O ₃ (12060-58-1)	Samarium (III) Oxide M. W.: 348.70 Assay (Trace metal basis) 99.999%	5 gm 25 gm 100 gm
RE2565 Sm ₂ (SO ₄) ₃ .8H ₂ O (13465-58-2)	Samarium (III) Sulphate M. W.: 733.03 Assay Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE2570 Sm ₂ (SO ₄) ₃ .8H ₂ O (13465-58-2)	Samarium (III) Sulphate M. W.: 733.03 Assay (Trace metal basis) 99.999%	25 gm 100 gm
RE2575 Sm ₂ (SO ₄) ₃ .8H ₂ O (13465-58-2)	Samarium (III) Sulphate M. W.: 733.03 Assay (Trace metal basis) 99.999%	5 gm 25 gm
024383 SiO ₂ (14808-60-7)	Sand Acid Purified 40-200 mesh M. W.: 60.08	500 gm 1 kg 5 kg
024369 SiO ₂ (14808-60-7)	Sand Calcined Crude Pract M. W.: 60.08	2.5 kg
	Sanger's Reagent See 1-Fluoro-2,4-Dinitrobenzene	
044092 (8047-15-2)	Saponin Pure	100 gm 500 gm
216005 C ₃ H ₇ NO ₂ (107-97-1)	Sarcosine For Biochemistry M. W.: 89.09 Assay 98.0%	100 gm 500 gm
887290	Scandium (Sc) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
887300	Scandium (Sc) 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	50 ml 100 ml
RE2585 (7440-20-2)	Scandium Metal Ingot Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2590 (7440-20-2)	Scandium Metal Lump (1cm) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2595 (7440-20-2)	Scandium Metal Powder 325 mesh Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2600 (7440-20-2)	Scandium Metal Wire 0.1mm Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2605 (7440-20-2)	Scandium Metal Rod 5mmx30cm Assay (Trace metal basis) 99.99%	1 PC
RE2610 (7440-20-2)	Scandium Metal Foil 0.25 mmx40cm Assay (Trace metal basis) 99.99%	1 PC

Product Code	Product Name	Packing
RE2615 (7440-20-2)	Scandium Metal Foil 0.50 mmx40cm Assay (Trace metal basis) 99.99%	1 PC
RE2620 (7440-20-2)	Scandium Metal SLAB 1cmx40cm Assay (Trace metal basis) 99.99%	1 PC
RE2625 (7440-20-2)	Scandium Metal Disc 0.1mmxdia 35cm Assay (Trace metal basis) 99.99%	1 PC
RE2635 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE2640 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2645 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE2650 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE2665 Sc ₂ (CO ₃) ₃ .XH ₂ O	Scandium Carbonate M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2670 Sc ₂ (CO ₃) ₃ .XH ₂ O	Scandium Carbonate M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE2680 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE2685 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2690 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE2695 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE2705 ScF ₃ (13709-47-2)	Scandium Fluoride M. W.: 101.95 Assay (Trace metal basis) 99.9%	1 gm 10 gm
RE2710 ScF ₃ (13709-47-2)	Scandium Fluoride M. W.: 101.95 Assay (Trace metal basis) 99.99%	1 gm 10 gm
RE2715 ScF ₃ (13709-47-2)	Scandium Fluoride M. W.: 101.95 Assay (Trace metal basis) 99.999%	5 gm
RE2725 Sc(OH) ₃ .xH ₂ O (17674-34-9)	Scandium Hydroxide M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.9%	5 gm
RE2730 Sc(OH) ₃ .xH ₂ O (17674-34-9)	Scandium Hydroxide M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm
RE2735 Sc(OH) ₃ .xH ₂ O (17674-34-9)	Scandium Hydroxide M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm

S

Laboratory Chemicals

Product Code	Product Name	Packing
RE2745 ScI ₃ (14474-33-0)	Scandium Iodide M. W.: 425.67 Assay (Trace metal basis) 99.95%	1 gm 5 gm
RE2755 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE2760 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2765 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE2770 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE2785 Sc ₂ (C ₂ O ₄) ₃ .XH ₂ O (17926-77-1)	Scandium Oxalate M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2790 Sc ₂ (C ₂ O ₄) ₃ .XH ₂ O (17926-77-1)	Scandium Oxalate M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE2795 Sc ₂ (C ₂ O ₄) ₃ .XH ₂ O (17926-77-1)	Scandium Oxalate M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE2805 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE2810 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2815 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE2820 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.9999%	1 gm 5 gm
RE2830 Sc ₂ (SO ₄) ₃ .8H ₂ O (52788-54-2)	Scandium Sulphate M. W.: 522.22 Assay (Trace metal basis) 99.9%	1 gm 10 gm
RE2835 Sc ₂ (SO ₄) ₃ .8H ₂ O (52788-54-2)	Scandium Sulphate M. W.: 522.22 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2840 Sc ₂ (SO ₄) ₃ .8H ₂ O (52788-54-2)	Scandium Sulphate M. W.: 522.22 Assay (Trace metal basis) 99.999%	1 gm 5 gm
	Scarlet Red See Sudan IV	
887330	Schaeffer & Fulton's Spore Stain A	100 ml
887360	Schaeffer & Fulton's Spore Stain B	100 ml
887390	Schaeffer & Fulton's Spore stains kit	KIT
888040	Schiff's Reagent for detection of aldehydes	125 ml 500 ml

Product Code	Product Name	Packing
	SDS Biological Detergent See Sodium Lauryl Sulphate	
216150 SiO ₂ (7631-86-9)	Sea Sand Purified M.W.: 60.08	500 gm 1 kg
638525 SiO ₂ (7631-86-9)	Sea Sand AR M. W.: 60.08	1 kg
030042 C ₁₀ H ₁₈ O ₄ (111-20-6)	Sebacic Acid for Synthesis M. W.: 202.25 Assay (acidimetric) 98.0%	500 gm 25 kg 50 kg
216215 H ₂ SeO ₄ (7783-08-6)	Selenic Acid for Synthesis M. W.: 144.97	25 ml 100 ml
	Selenious Acid See Selenous Acid	
888160	Selenium (Se) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	250 ml
888190	Selenium (Se) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
888130	Selenium (Se) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
030045 Se (7782-49-2)	Selenium (Metal) Powder A. W.: 78.96 Assay (iodometric) 99.0%	100 gm 500 gm
638615 Se (7782-49-2)	Selenium (Metal) Powder Black AR A. W.: 78.96 Assay (Iodometric) 99.5%	25 gm 100 gm 500 gm
216285 Se (7782-49-2)	Selenium (Metal) Pellets A. W.: 78.96 Assay (Iodometric) 99.999%	100 gm
030050 SeO ₂ (7446-08-4)	Selenium Dioxide (Sublimed) M. W.: 110.96 Assay (ex Se Iodometric) 98.0%	100 gm 500 gm
024387 SeS ₂ (7488-56-4)	Selenium Disulphide M. W.: 143.09 Assay (ex Se) 52.0-55.5%	25 gm 250 gm
030054 H ₂ SeO ₃ (7783-00-8)	Selenous Acid M. W.: 128.97 Assay (ex Se iodometric) 98.0%	25 gm 100 gm 1 kg
888280	Seliwan Off's Reagent	125 ml
888310	Semen Diluting Fluid	125 ml
030056 CH ₅ N ₃ OHCl (563-41-7)	Semicarbazide Hydrochloride M. W.: 111.53 Assay (Oxidimetric) 98.0%	100 gm 500 gm 25 kg
638675 CH ₅ N ₃ OHCl (563-41-7)	Semicarbazide Hydrochloride AR M. W.: 111.53 Assay (Oxidimetric) 99.5%	100 gm 500 gm 25 kg
055046	Seralite 225 (Na) 14-25 mesh standard grade	500 gm

Product Code	Product Name	Packing
037147 C ₃ H ₇ NO ₃ (302-84-1)	DL-Serine M. W.: 105.10 Assay (non aqueous) 98.5%	25 gm 100 gm
037146 C ₃ H ₇ NO ₃ (56-45-1)	L-Serine M. W.: 105.10 Assay (Non-aqueous Calc. with ref. to the dried substance) 98.5-101.0%	5 gm 25 gm 100 gm 500 gm
216405 C ₄ H ₉ NO ₃ .HCl (5680-80-8)	L-Serine Methyl Ester HCl for Biochemistry M. W.: 155.58 Assay 98.0%	5 gm 25 gm 100 gm
216515 C ₁₄ H ₁₉ N ₅ O ₂ .H ₂ O ₄ SH ₂ O (61-47-2)	Serotonine Creatinine Sulfate for Biochemistry M. W.: 405.43	1 gm
216605 C ₇ H ₆ O ₃ (533-31-3)	Sesamol For Synthesis [3,4-(Methylenedioxy) Phenol] M. W.: 138.12 Assay 98.0%	50 gm 250 gm
024404 (9000-59-3)	Shellac Flakes (Arsenic free)	500 gm
888400	Shorr Staining Soln.	125 ml
216715 SiO ₂ (112945-52-5)	Silica Fumed Fine Powder M. W.: 60.08	500 gm 25 kg
030060 SiO ₂ (112926-00-8)	Silica Gel Blue Self indicating (Coarse) 5-8 mesh M. W.: 60.08	500 gm 1 kg 5 kg 25 kg
216740 SiO ₂ (112926-00-8)	Silica Gel Blue Self indicating (about 6-20 mesh) M. W.: 60.08	500 gm 1 kg 5 kg 25 kg
216750 new (112926-00-8)	Silica Gel Self Indicating Orange M. W.: 60.08	500 gm 1 kg
030062 SiO ₂ (112926-00-8)	Silica Gel White Ability to absorb moisture (coarse) M. W.: 60.08	500 gm 1 kg 5 kg
024398 SiO ₂ (112926-00-8)	Silica Gel 60-120 mesh Column Chromatography M. W.: 60.08	500 gm 25 kg 50 kg
024361 SiO ₂ (112926-00-8)	Silica Gel 60-200 mesh for Resolution of Acidic Mixtures pH of 10% Slurry 4.0-5.5 M. W.: 60.08	500 gm 25 kg
024397 SiO ₂ (112926-00-8)	Silica Gel 100-200 mesh for Lipid Chromatography M. W.: 60.08	500 gm 25 kg
024396 SiO ₂ (112926-00-8)	Silica Gel 100-200 mesh Fia grade M. W.: 60.08	500 gm

Product Code	Product Name	Packing
216905 SiO ₂ (112926-00-8)	Silica Gel 200-400 Mesh M. W.: 60.08	500 gm 25 kg
024366 SiO ₂ (112926-00-8)	Silica Gel 230-400 mesh for TLC M. W.: 60.08	500 gm 25 kg
216995 SiO ₂ (112926-00-8)	Silica Gel 400-700 Mesh M. W.: 60.08	500 gm
024395 SiO ₂ (112926-00-8)	Silica Gel for TLC with Binder M. W.: 60.08	500 gm
024385 SiO ₂ (112926-00-8)	Silica Gel without Binder for TLC M. W.: 60.08	500 gm
015173 SiO ₂ (112926-00-8)	Silica Gel Davison 923 Suitable for use in the testing of Petroleum Product by I.P. and ASTM Methods M. W.: 60.08	500 gm
024391 SiO ₂ (112926-00-8)	Silica Gel G for TLC M. W.: 60.08	250 gm 500 gm 1 kg
024388 SiO ₂ (112926-00-8)	Silica Gel GF 254 for TLC Contains CaSO ₄ M. W.: 60.08	500 gm 25 kg
024390 SiO ₂ (112926-00-8)	Silica Gel H for TLC M. W.: 60.08	500 gm
638765 SiO ₂ (112926-00-8)	Silica Gel H for TLC AR M. W.: 60.08	500 gm
024394 SiO ₂ (112926-00-8)	Silica Gel HF 254 for TLC without CaSO ₄ M. W.: 60.08	500 gm
638825 SiO ₂ (112926-00-8)	Silica Gel HF 254 for TLC AR M. W.: 60.08	500 gm
216715 SiO ₂ (112945-52-5)	Silica Powder Precipitated M. W.: 60.08	500 gm
217175 SiO ₂ .XH ₂ O (1343-98-2)	Silicic Acid for Lipid Chromatography Narrow Range below 325 Mesh M. W. 60.08 (anhy.)	250 gm 500 gm
030064 SiO ₂ .XH ₂ O (1343-98-2)	Silicic Acid Precipitated Dried M. W. 60.08 (anhy.) Assay (gravimetry SiO ₂ , on calcined substance) 99-100.5%	500 gm
888680	Silicon (Si) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O Nist Traceable	100 ml 250 ml 500 ml

S

Laboratory Chemicals

Product Code	Product Name	Packing
888740	Silicon (Si) 1000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml
888710	Silicon (Si) 10000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml
030066	Silicon (Metal) Powder Si (7440-21-3) M. W.: 28.09 Assay (Alkalimetric) 99.0%	500 gm
033151	Silicon Antifoaming Agent Nonionic	100 ml 500 ml 2.5 lit
024356	Silicon Carbide 220 mesh SiC (409-21-2) M. W.: 40.10 Mesh size (pass through 220 mesh) Min 95.0%	250 gm 1 kg
024354	Silicon Carbide 400 Mesh SiC (409-21-2) M. W.: 40.10 Mesh size (pass through 400 mesh) Min 95.0%	250 gm 1 kg
217272	new Silicon Dioxide Confirming to BP Specification SiO ₂ (60676-86-0) M.W. 60.08	1 kg
217275	new Silicon Dioxide Colloidal Hydrate Confirming to IP SiO ₂ .XH ₂ O (63231-67-4) M.W : 60.1	1 kg
Silicon High Vacuum Grease See High Vacuum Silicon Grease		
015067	Silicon Oil For Oil Baths upto 250°C (63148-62-9)	100 ml 500 ml 2.5 lit 25 lit
640205	Silicotungstic Acid AR H ₄ [Si(W ₃ O ₁₀) ₄].xH ₂ O (12027-43-9) M. W.: 2878.17	25 gm 100 gm
888840	Silver (Ag) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO₃ Nist Traceable	100 ml 250 ml 500 ml
888900	Silver (Ag) 1000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml 500 ml
888960	Silver (Ag) 10000 ppm Single Element Std. Soln. for ICP in HNO₃	100 ml 500 ml
030072	Silver Metal Powder Ag (7440-22-4) At. W.: 107.87 Assay (Argentometric) 99.9%	25 gm 100 gm
030073	Silver Metal Wire Abt. 1mm Ag (7440-22-4) M. W.: 107.87	25 gm
217845	Silver Wool Ag (7440-22-4) M. W.: 107.87	10 gm
030074	Silver Acetate for Synthesis C ₂ H ₃ AgO ₂ (563-63-3) M. W.: 166.91 Assay (ex Ag) 98.0%	25 gm 100 gm

Product Code	Product Name	Packing
024359	Silver Bromide for Synthesis AgBr (7785-23-1) M. W.: 187.77 Assay (ex Ag) 97.0%	25 gm
030078	Silver Carbonate Purified Ag ₂ CO ₃ (534-16-7) M. W.: 275.75 Assay (ex Ag) 98.0%	25 gm
030079	Silver Chloride AgCl (7783-90-6) M. W.: 143.32 Assay (ex Ag gravimetric) 99.0%	25 gm 100 gm
640295	Silver Chloride AR AgCl (7783-90-6) M. W.: 143.32	25 gm 100 gm 500 gm
217475	Silver Chromate Ag ₂ CrO ₄ (7784-01-2) M. W.: 331.73	25 gm
640325	Silver Diethyl Dithiocarbamate AR C ₅ H ₁₀ AgNS ₂ (1470-61-7) M. W.: 256.13	5 gm 25 gm
640515	Silver Fluoride AR AgF (7775-41-9) M. W.: 126.87 Assay 99.0%	5 gm 10 gm
024357	Silver Iodate AgIO ₃ (7783-97-3) M. W.: 282.77 Assay (Iodometric) 98.0%	25 gm 100 gm 500 gm
030085	Silver Iodide AgI (7783-96-2) M. W.: 234.77 Assay (ex Ag Argentometric) 98.0%	25 gm
217563	new Silver Nitrate Technical AgNO ₃ (7761-88-8) M.W : 169.87	25 gm 100 gm 500 gm
030087	Silver Nitrate AgNO ₃ (7761-88-8) M. W.: 169.87 Assay (Argentometric ex Ag) 99.8%	10 gm 25 gm 100 gm 500 gm
640575	Silver Nitrate AR/ACS AgNO ₃ (7761-88-8) M. W.: 169.87 Assay (Argentometric ex Ag) (Trace metals basis) 99.9%	10 gm 25 gm 100 gm 500 gm
889280	Silver Nitrate Solution N/10 (0.1N)	125 ml 500 ml 1 lit 2.5 lit
889290	Silver Nitrate N/50 solution (0.02 M)	500 ml 1 lit 2.5 lit
889300	Silver Nitrate Solution 0.2906%	125 ml
889330	Silver Nitrate Solution 0.5814%	125 ml
889340	Silver Nitrate Solution 0.1 M Citrisol 8.4935 g AgNO ₃ for 500 ml Solution 0.1 N Solution	1 Amp 3 Amp 6 Amp
889370	Silver Nitrate 0.01M (0.01N) Volumetric Solution Nist Traceable	1 lit

Product Code	Product Name	Packing
889400	Silver Nitrate 0.05M (0.05N) Volumetric Solution Nist Traceable	1 lit
889410	Silver Nitrate 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
889415 new	Silver Nitrate Solution 0.1N acc. to USP	500 ml
889450	Silver Nitrate 0.5M (0.5N) Volumetric Solution Nist Traceable	1 lit
889455 new	Silver Nitrate 0.05N Volumetric Solution	500 ml 1 lit 2.5 lit
889520	Silver Nitrate 1M (1N) Volumetric Solution Nist Traceable	1 lit
889525 new	Silver Nitrate 1N Volumetric Solution	500 ml 1 lit 2.5 lit
030090	Silver Oxide Purified Ag ₂ O (20667-12-3) M. W.: 231.74 Assay (ex Ag Argentometric) 98.0%	25 gm 500 gm
640885	Silver Oxide AR Ag ₂ O (20667-12-3) M. W.: 231.74	25 gm
217675	Silver Perchlorate Pure AgClO ₄ (7783-93-9) M. W.: 207.32 Assay 97.0%	25 gm
024350	Silver ortho Phosphate Ag ₃ PO ₄ (7784-09-0) M. W.: 418.57 Assay (ex Ag Argentometric) 99.0%	25 gm
640995	Silver ortho Phosphate AR Ag ₃ PO ₄ (7784-09-0) M. W.: 418.57	25 gm
217755	Silver Proteinate for Histology (9008-42-8)	5 gm 25 gm
030095	Silver Sulphate Purified Ag ₂ SO ₄ (10294-26-5) M. W.: 311.79 Assay (Argentometric ex Ag) 98.5%	10 gm 25 gm 100 gm
641035	Silver Sulphate AR/ACS Ag ₂ SO ₄ (10294-26-5) M. W.: 311.79 Assay (Argentometric) 99.0%	10 gm 25 gm 100 gm
889860	Silver Sulphate 10,000 mg/lit in Sulphuric Acid	1 lit
889870	Silver Sulphate 60,000 mg/lit in Sulphuric Acid	1 lit
024362	Silver Sulphide Ag ₂ S (21548-73-2) M. W.: 247.80 Assay (ex Ag Argentometric) 98.0%	25 gm
024379	Silver Vanadate AgVO ₃ (13497-94-4) M. W.: 206.81 Assay 98.0%	5 gm 25 gm

Product Code	Product Name	Packing
889900 new	Simon's Reagent 'A'	25 ml
889902 new	Simon's Reagent 'B'	25 ml
024363	Skim Milk Powder for Microbiology SLES See Sodium Lauryl Ether Sulfate	500 gm
889930	Smith's Reagent For Bile Pigment	125 ml
217935	Soap Powder (White)	1 kg 10 kg
889940	Soap Solution (For Water Hardness Determination)	1 lit
889945 new	Soap Solution According to Clarke's	500 ml
033106 (8006-28-8)	Sodalime Granules	500 gm 5 kg
641125 (8006-28-8)	Sodalime AR With indicator For Absorbing Carbon dioxide	1 kg 5 kg
218085 NH ₂ Na (7782-92-5)	Sodamide M.W. : 39.01 Assay 98.0%	100 gm 500 gm
890000	Sodium (Na) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
890060	Sodium (Na) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nits Traceable	100 ml 250 ml 500 ml
890180	Sodium (Na) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
890150	Sodium 10000 ppm Single Element Std. Soln. for ICP-MS in H ₂ O Nist Traceable	100 ml 500 ml
890120	Sodium 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
890210	Sodium (Na) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
030101	Sodium Metal Pieces in Kerosene/Liq. Paraffin Na (7440-23-5) At. W.:22.99 Assay 98.0%	100 gm 250 gm 500 gm
641185	Sodium Metal AR Pieces in Kerosene/Liq. Paraffin Na (7440-23-5) At. W. : 22.99 Assay (Acidimetric) 99.0%	250 gm 500 gm
030104 CH ₃ COONa (127-09-3)	Sodium Acetate Anhydrous M. W.: 82.03 Assay (Non-aqueous) 98.0%	500 gm 5 kg 25 kg 50 kg

S

Laboratory Chemicals

Product Code	Product Name	Packing
641225 CH ₃ COONa (127-09-3)	Sodium Acetate Anhydrous AR/ACS M. W.: 82.03 Assay(non-aqueous) 99.0%	250 gm 500 gm 5 kg 25 kg 50 kg
769600 CH ₃ COONa (127-09-3)	Sodium Acetate Anhydrous for HPLC & Spectroscopy M. W.: 82.03 Assay (Non-aqueous) 99.5%	500 gm
984300 CH ₃ COONa (127-09-3)	Sodium Acetate Anhydrous for Molecular Biology M. W.: 82.03 Assay (Non-aqueous) 99.0%	250 gm
D96678 C ₂ D ₃ NaO ₂ (39230-37-0)	Sodium Acetate-d₃ M.W.: 85.06 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	5 gm
890300	Sodium Acetate Buffer Solution for Chlorine determination in water monitors	500 ml 2.5 lit
030103 C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate Cryst. M. W.: 136.08 Assay (non-aqueous) 99.0-102.0%	500 gm 5 kg 25 kg 50 kg
641230 C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate Cryst. AR Meets Analytical Specification of IP M. W.: 136.08 Assay (Non-aqueous) 99.5%	500 gm 5 kg 25 kg 50 kg
769700 C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate for HPLC M. W.: 136.08	500 gm
984350 C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate for Molecular Biology M. W.: 136.08	250 gm 500 gm
890325 new	Sodium Acetate TS acc. to USP	500 ml
	Sodium Acid Phosphate See Sodium Dihydrogen Orthophosphate	
030105 (9005-38-3)	Sodium Alginate	500 gm 5 kg 25 kg 50 kg
030110 new	Sodium Alginate (Low Viscosity)	500 gm 5 kg
	Sodium Alizarine Sulfonate See Alizarine Red S	
218275 NaAlO ₂ (11138-49-1)	Sodium Aluminate for Synthesis M. W.: 81.97	500 gm 5 kg
	Sodium Aluminium Fluoride See Cryolite	
	Sodium Amide See Sodamide	
027199 H ₃ NH ₃ O ₄ PNa (13011-54-6)	Sodium Ammonium Phosphate M. W.: 137.07	500 gm

Product Code	Product Name	Packing
641265 Na ₂ HAsO ₄ ·7H ₂ O (10048-95-0)	Sodium Arsenate AR/ACS M. W.: 312.02 Assay (iodometric) 99.0-102.0%	25 gm 100 gm 250 gm 500 gm
641275 NaAsO ₂ (7784-46-5)	Sodium Arsenite AR M. W.: 129.91 Assay (iodometric) 98.5%	25 gm 100 gm 250 gm 500 gm
890390	Sodium Arsenite 0.05 M (0.1N) Volumetric Soln.	500 ml 2.5 lit
890395 new	Sodium Arsenite 0.05M (0.1N) Standardized Solution Nist traceable	1 lit
890420	Sodium Arsenite 0.005M (0.01N) Volumetric Solution Nist Traceable	1 lit
890450	Sodium Arsenite 0.15M (0.3N) Volumetric Solution Nist Traceable	1 lit
024343 C ₆ H ₇ NaO ₆ (134-03-2)	Sodium L(+) Ascorbate M.W.:198.11 Assay(dried basis) 99-101%	100 gm 500 gm
030111 NaN ₃ (26628-22-8)	Sodium Azide M. W.: 65.01 Assay (oxidimetric) 99.0%	100 gm 500 gm 25 kg
641335 NaN ₃ (26628-22-8)	Sodium Azide AR M. W.: 65.01 Assay (oxidimetric) 99.5%	100 gm 500 gm
030112 C ₆ H ₅ COONa (532-32-1)	Sodium Benzoate Meets Analytical Specification of IP, BP, Ph. Eur., FCC. M. W.: 144.11 Assay (on dry material Non-aqueous) 99.0-100.5%	500 gm 5 kg 25 kg 50 kg
641425 C ₆ H ₅ COONa (532-32-1)	Sodium Benzoate AR M. W.: 144.11 Assay (on dried) 99.5%	500 gm 25 kg 50 kg
	Sodium Bicarbonate See Sodium Hydrogen Carbonate	
	Sodium Biphosphate See Sodium Dihydrogen Orthophosphate	
030161 NaHSeO ₃ (7782-82-3)	Sodium Biselenite M.W.: 150.96 Assay (ex Se Iodometric) 98.0%	100 gm 1 kg
030113 NaBiO ₃ (12232-99-4)	Sodium Bismuthate [Sodium bismuthate (V)] M. W.: 279.97 Assay (Oxidimetric) 80.0%	25 gm 100 gm
641485 NaBiO ₃ (12232-99-4)	Sodium Bismuthate AR M. W.: 279.97 Assay (oxidimetric) 85.0%	100 gm
	Sodium Bisulphate See Sodium Hydrogen Sulphate	

Product Code	Product Name	Packing
024392 NaHSO ₃ (7631-90-5)	Sodium Bisulphite M.W.: 104.06 Assay (Iodometry) 58.5-67.4%	100 gm 500 gm 5 kg 25 kg 50 kg
641525 NaHSO ₃ (7631-90-5)	Sodium Bisulphite AR M. W.: 104.06 Assay (as SO ₂ content) 58.5%	500 gm 5 kg 25 kg 50 kg
218555 C ₄ H ₆ O ₆ .Na (526-94-3)	Sodium Bitartrate Extra Pure M. W.: 172.07	500 gm
030181 NaBO ₂ .4H ₂ O (10555-76-7)	Sodium-m-Borate M. W.: 137.86 Assay (acidimetric) 98.0%	500 gm
030114 NaBH ₄ (16940-66-2)	Sodium Borohydride for Synthesis M. W.: 37.83 Assay (Iodometric) 98.0%	25 gm 100 gm 500 gm 5 kg
030115 NaBrO ₃ (7789-38-0)	Sodium Bromate M. W.: 150.89 Assay (iodometric) 99.0%	500 gm 25 kg 50 kg
030116 NaBr (7647-15-6)	Sodium Bromide Pure M. W.: 102.89 Assay (after drying Argentometric) 99.0%	500 gm 25 kg 50 kg
641585 NaBr (7647-15-6)	Sodium Bromide AR M. W.: 102.89 Assay (ex Br) after drying 99.5%	500 gm 25 kg 50 kg
060112 C ₄ H ₉ NaO (865-48-5)	Sodium-tert-Butoxide M. W.: 96.11 Assay (potentiometric) 97.0%	100 gm 500 gm
024336 C ₄ H ₇ NaO ₂ (156-54-7)	Sodium Butyrate M. W.: 110.09 Assay (GC) 98.5%	100 gm 500 gm
030118 C ₂ H ₆ AsNaO ₂ 3H ₂ O (124-65-2)	Sodium Cacodylate M. W.: 214.03 Assay (ex Na Non-aqueous) 97.0%	25 gm 100 gm
	Sodium Caprylate See Caprylic Acid Sodium Salt	
891000	Sodium Carbonate N/10	1 Amp 3 Amp 6 Amp
891030	Sodium Carbonate 0.05 M (0.1N) Volumetric Soln.	500 ml
891060	Sodium Carbonate 0.5M (1N) Volumetric Solution Nist Traceable	1 lit
030119 Na ₂ CO ₃ .H ₂ O (5968-11-6)	Sodium Carbonate Monohydrate M. W.: 124.00 Assay (Acidimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
642195 Na ₂ CO ₃ .H ₂ O (5968-11-6)	Sodium Carbonate Monohydrate AR M. W.: 124.00	500 gm 25 kg 50 kg
030121 Na ₂ CO ₃ (497-19-8)	Sodium Carbonate (Anhydrous) Pure M. W.: 105.99 Assay (acidimetric after drying) 99.5%	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Packing
642205 Na ₂ CO ₃ (497-19-8)	Sodium Carbonate (Anhydrous) AR M. W.: 105.99 Assay (acidimetric cal. on dried subs.) 99.5-100.5%	500 gm 5 kg 25 kg 50 kg
024386 (9005-46-3)	Sodium Caseinate for Biochemistry	100 gm 500 gm
030123 NaCl (7647-14-5)	Sodium Chloride Cryst. Pure M. W.: 58.44 Assay (Argentometric after ignition) 99.5%	500 gm 1 kg 5 kg 25 kg 50 kg
642243 NaCl (7647-14-5)	Sodium Chloride AR/ACS M. W.: 58.44 Assay (Argentometric, after ignition) 99.9%	500 gm 5 kg 25 kg 50 kg
770200 NaCl (7647-14-5)	Sodium Chloride for HPLC M. W.: 58.44 Assay (Argentometric) 99.5%	500 gm
984900 NaCl (7647-14-5)	Sodium Chloride for Molecular Biology M. W.: 58.44 Assay (Argentometric after ignition) 99.9%	500 gm 5 kg
891150	Sodium Chloride (Concentrated saline solution) for preparing isotonic (0.9% w/v) Soln.	500 ml 5 lit
891250 new	Sodium Chloride TS, Alkaline acc. to USP	500 ml
891180	Sodium Chloride 0.1 M (0.1N) Volumetric Solution	1 Amp 3 Amp 6 Amp
891185 new	Sodium Chloride 0.1 N Solution	500 ml 1 lit 2.5 lit
891190	Sodium Chloride 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
891200	Sodium Chloride 1M (1N) Volumetric Solution Nist Traceable	1 lit
891210	Sodium Chloride 0.05M (0.05N) Volumetric Solution Nist Traceable	1 lit
891220	Sodium Chloride 0.5M (0.5N) Volumetric Solution	500 ml 1 lit 2.5 lit
891205 new	Sodium Chloride 1 N Solution	500 ml 1 lit 2.5 lit
026176 NaClO ₂ (7758-19-2)	Sodium Chlorite M. W.: 90.44 Assay (Iodometric titration) 80.0%	500 gm 1 kg 25 kg
218955 CH ₂ CO ₂ NaCl (3926-62-3)	Sodium Chloroacetate Mono for Synthesis (Chloroacetic Acid Sodium Salt) M. W.: 116.48	500 gm

S

Laboratory Chemicals

Product Code	Product Name	Packing
219005 Na ₃ IrCl ₆ .xH ₂ O (123334-23-6)	Sodium (Hexa) Chloro Iridate M. W.: 473.90 Anhy Assay (Ir) 35-40%	1 gm 5 gm
219115 C ₂₄ H ₄₀ O ₅ Na (361-09-1)	Sodium Cholate for Biochemistry M. W.: 430.55	25 gm 100 gm
030733 Na ₂ CrO ₄ .4H ₂ O (10034-82-9)	Sodium Chromate Tetrahydrate M. W.: 234.03 Assay (iodometric) 99.0-102.0%	100 gm 500 gm 25 kg 50 kg
642325 Na ₂ CrO ₄ .4H ₂ O (10034-82-9)	Sodium Chromate AR M. W.: 234.03 Assay(iodometric) 99.5%	500 gm 25 kg 50 kg
030128 Na ₃ C ₆ H ₅ O ₇ .2H ₂ O (6132-04-3)	tri Sodium Citrate Dihydrate (tri-Sodium Citrate-2 hydrate) Meets Analytical Specification of FCC. M. W.: 294.10 Assay (Cal. anhydrous basis Non-aqueous) 99.0-100.5%	100 gm 500 gm 1 kg 5 kg 25 kg 50 kg
642385 Na ₃ C ₆ H ₅ O ₇ .2H ₂ O (6132-04-3)	tri Sodium Citrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 294.10 Assay (calculated w.r.t. anhydrous subs. Non-aqueous) 99.0-100.5%	500 gm 5 kg 25 kg 50 kg
985400 Na ₃ C ₆ H ₅ O ₇ .2H ₂ O (6132-04-3)	tri Sodium Citrate for Molecular Biology M. W.: 294.10 Assay (Non-aqueous) 99.5%	500 gm
891410	Sodium Citrate Solution 3.8% w/v (as C ₆ H ₅ Na ₃ O ₇ .2H ₂ O) 3.8-4.2% w/v	500 ml
219190 Na ₃ Co(NO ₂) ₆ (13600-98-1)	Sodium Cobaltinitrite M. W.: 403.94 Assay 90.0%	100 gm
642445 Na ₃ Co(NO ₂) ₆ (13600-98-1)	Sodium Cobaltinitrite AR M. W.: 403.94 Assay 95.0%	25 gm 100 gm
219255 NaOCN (917-61-3)	Sodium Cyanate for Synthesis M. W.: 65.01	500 gm
219345 NaCN (143-33-9)	Sodium Cyanide Extra Pure (Against Poison Licence) M. W.: 49.01	500 gm 1 kg 25 kg 50 kg
642845 NaCN (143-33-9)	Sodium Cyanide AR/ACS (Against Poison Licence) M. W.: 49.01	500 gm 25 kg 50 kg
066320 NaBH ₃ CN (25895-60-7)	Sodium Cyanoborohydride M.W.: 62.84 Assay (Iodometric) 95.0%	25 gm
219455 C ₁₀ H ₂₁ O ₄ SNa (142-87-0)	Sodium Decyl Sulphate for ion pair Chromatography (Decyl Sulphate Sodium Salt) M. W.: 260.32 Assay 99.0%	10 gm

Product Code	Product Name	Packing
066325 C ₂₄ H ₃₉ O ₄ Na (302-95-4)	Sodium Deoxycholate (Sodium desoxycholate) M.W. : 414.55 Assay 90.0%	25 gm 100 gm 500 gm
030130 Na ₂ Cr ₂ O ₇ .2H ₂ O (7789-12-0)	Sodium Dichromate Dihydrate M. W.: 298.00 Assay (iodometric) 99.0%	500 gm 25 kg 50 kg
642905 Na ₂ Cr ₂ O ₇ .2H ₂ O (7789-12-0)	Sodium Dichromate AR/ACS M. W.: 298.00 Assay (iodometric) 99.5%	500 gm 25 kg 50 kg
642945 C ₅ H ₁₀ NNaS ₂ .3H ₂ O (20624-25-3)	Sodium Diethyl Dithiocarbamate AR/ACS Sensitivity to Cu... 1:50,000,000 M. W.: 225.30 Assay (iodometric) 98.5%	100 gm 500 gm
891480 new	Sodium Diethyl Dithiocarbamate Solution (Reagent for Cd, Cr, CU, Pb, Co, Mn, Ni, U & Zn)	100 ml
219500	Sodium dihydrodi-bis- (2-methoxyethoxy) Aluminate -70% in Toluene	100 ml 500 ml
030132 NaH ₂ PO ₄ .2H ₂ O (13472-35-0)	Sodium Dihydrogen Ortho Phosphate Dihydrate Cryst. M. W.: 156.01 Assay (acidimetric) 98.0%	500 gm 5 kg 25 kg 50 kg
642985 NaH ₂ PO ₄ .2H ₂ O (13472-35-0)	Sodium Dihydrogen Ortho Phosphate Dihydrate AR M. W.: 156.01 Assay (Acidimetric; dried subs.) 98.0-100.5%	500 gm 5 kg 50 kg
771000 NaH ₂ PO ₄ .2H ₂ O (13472-35-0)	Sodium Dihydrogen Ortho Phosphate Dihydrate for HPLC M. W.: 156.01 Assay 99.0% (acidimetric)	500 gm
643010 new NaH ₂ PO ₄ (7558-80-7)	Sodium Dihydrogen Orthophosphate Anhydrous AR M.W.119.98	500 gm
986000 NaH ₂ PO ₄ (7558-80-7)	Sodium Dihydrogen Ortho Phosphate Anhydrous Molecular Biology M.W. : 119.98 Assay 98.0%	500 gm
643005 NaH ₂ PO ₄ .H ₂ O (10049-21-5)	Sodium Dihydrogen Ortho Phosphate Monohydrate AR M. W.: 137.99 Assay 99.0%	500 gm 25 kg 50 kg
891500 new P ₁₂ H ₁₀ Na (5137-46-2)	Sodium Diphenyl Solution AR M.W. : 177.20	15 ml 10x15 ml
643065 C ₁₂ H ₁₀ NNaO ₃ S (6152-67-6)	Sodium Diphenylamine Sulphonate AR/ACS M. W.: 271.27	5 gm 25 gm
891510 new	Sodium Diphenylamine Sulphonate Indicator Solution (Redox indicator)	100 ml
	tetra - Sodium Diphosphate See tetra-Sodium Pyrophosphate	
	Sodium Dodecyl Benzene Sulphonate See Dodecyl Benzene Sulphonic Acid Sodium Salt	

Product Code	Product Name	Packing
	Sodium Disulphite See Sodium Meta Bisulphite	
219595	Sodium Dithionite Purified	100 gm
$\text{Na}_2\text{S}_2\text{O}_4 \cdot \text{H}_2\text{O}$ (7775-14-6)	M. W.: 174.13+ H_2O Assay (Iodometric) 87.0%	500 gm 25 kg 50 kg
	Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate	
219645 new	Sodium Ethoxide for Synthesis (Sodium Ethylate)	250 gm 1 kg
$\text{C}_2\text{H}_5\text{NaO}$ (141-52-6)	M.W : 68.05 Assay 94.0%	
219700 new	Sodium Ferrocyanide Decahydrate	500 gm
$\text{C}_6\text{FeN}_6\text{Na}_4 \cdot 10\text{H}_2\text{O}$ (14434-22-1)	M. W : 484.06	
030139	Sodium Fluoride	500 gm
NaF (7681-49-4)	M. W.: 41.99 Assay (Non-aqueous) 97.0%	5 kg 25 kg 50 kg
643105	Sodium Fluoride AR	500 gm
NaF (7681-49-4)	M. W.: 41.99 Assay (ion exchange) 99.0%	25 kg 50 kg
891530	Sodium Fluoride 1 gm/lit Volumetric Solution	1 lit
891535	Sodium Fluoride 40 gm/lit Volumetric Solution	1 lit
219735	Sodium Fluoroborate	500 gm
NaBF_4 (13755-29-8)	M. W.: 109.79	
	Sodium Fluorosilicate See Sodium Silicofluoride	
024332	Sodium Formaldehyde Bisulphite	500 gm
$\text{CH}_3\text{NaO}_4\text{S}$ (870-72-4)	M. W.: 134.08 Assay (Iodometric) 96.0%	
030141	Sodium Formaldehyde Sulphoxylate	500 gm
$\text{CH}_3\text{NaO}_3\text{S} \cdot 2\text{H}_2\text{O}$ (6035-47-8)	M. W.: 154.11 Assay (Iodometric) 95.0%	2.5 kg 25 kg 50 kg
891565 new	Sodium Formate 0.01 N Solution	500 ml 1 lit 2.5 lit
891571 new	Sodium Formate 0.5 N Solution	500 ml 1 lit 2.5 lit
891568 new	Sodium Formate 0.1 N Solution	500 ml 1 lit 2.5 lit
030142	Sodium Formate	500 gm
HCOONa (141-53-7)	M. W.: 68.01 Assay (Iodometric) 98.0%	5 kg 25 kg 50 kg
643145	Sodium Formate AR/ACS	500 gm
HCOONa (141-53-7)	M. W.: 68.01 Assay (Iodometric) 99.0%	25 kg 50 kg

Product Code	Product Name	Packing
030143	Sodium Fumarate	500 gm
$\text{C}_4\text{H}_2\text{O}_4\text{Na}_2$ (17013-01-3)	M. W.: 160.04 Assay (Non-aqueous) 99.0%	
643195	Sodium Fumarate AR	100 gm 1 kg
$\text{C}_4\text{H}_2\text{O}_4\text{Na}_2$ (17013-01-3)	M. W.: 160.04 Assay (ex Na) 99.5%	
030144	Sodium Gluconate for Synthesis	500 gm 50 kg
$\text{C}_6\text{H}_{11}\text{NaO}_7$ (527-07-1)	M. W.: 218.14 Assay (non-aqueous) 98.0-102.0%	
037106	Sodium-L-Glutamate	100 gm 500 gm 5 kg 25 kg 50 kg
$\text{C}_5\text{H}_8\text{O}_4\text{NNa} \cdot \text{H}_2\text{O}$ (6106-04-3)	M. W.: 187.13 Assay (non-aqueous) 99.0%	
643255	Sodium-b-Glycero Phosphate AR	25 gm 100 gm 1 kg
$\text{C}_3\text{H}_7\text{Na}_2\text{O}_6\text{P}_5\text{H}_2\text{O}$ (13408-09-8)	Substrate for the assay of Phosphatase M. W.: 306.11 Assay (potentiometric) 98.0%	
	Sodium Hexafluoroaluminate See Cryolite	
	Sodium Hexafluorosilicate See Sodium Silicofluoride,	
030734	Sodium Hexametaphosphate	500 gm 5 kg 25 kg 50 kg
$(\text{NaPO}_3)_6$ (10124-56-8)	M. W.: 612.00 Assay (as P_2O_5) 62.0%	
	Sodium Hexanitro Cobaltate (III) See Sodium Cobaltinitrite	
	Sodium Hippurate See Hippuric Acid Sodium Salt	
030150	Sodium Hydride for Synthesis (Moistened with Paraffin Oil)	25 gm 100 gm 500 gm 5 kg
HNa (7646-69-7)	M. W.: 24.00 Assay (titrimetry) 55-65%	
030151	Sodium Hydrogen Carbonate Purified	500 gm 1 kg 5 kg 25 kg 50 kg
NaHCO_3 (144-55-8)	M. W.: 84.01 Assay (acidimetric) 99.0-101.0%	
643545	Sodium Hydrogen Carbonate AR	500 gm 5 kg 25 kg 50 kg
NaHCO_3 (144-55-8)	Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 84.01 Assay (Acidimetric) 99.7-100.3%	
771200	Sodium Hydrogen Carbonate for HPLC & Spectroscopy	500 gm
NaHCO_3 (144-55-8)	M.W. : 84.01 Assay (Acidimetric) 99.7-100.3%	
986200	Sodium Hydrogen Carbonate	500 gm
NaHCO_3 (144-55-8)	for Molecular Biology M. W.: 84.01 Assay (Acidimetric) 99.7%	

S

Laboratory Chemicals

Product Code	Product Name	Packing
030152	di-Sodium Hydrogen Citrate C ₆ H ₆ Na ₂ O ₇ ·1½ H ₂ O (144-33-2)	500 gm
030158	di-Sodium Hydrogen Ortho Phosphate Anhydrous Na ₂ HPO ₄ (7558-79-4)	500 gm 5 kg 25 kg 50 kg
643385	di-Sodium Hydrogen Ortho Phosphate Anhydrous AR Na ₂ HPO ₄ (7558-79-4)	500 gm 25 kg 50 kg
771500	di-Sodium Hydrogen Ortho Phosphate Anhydrous for HPLC & Spectroscopy Na ₂ HPO ₄ (7558-79-4)	500 gm
986350	di-Sodium Hydrogen Ortho Phosphate Anhydrous for Molecular Biology Na ₂ HPO ₄ (7558-79-4)	500 gm
030157	di-Sodium Hydrogen Ortho Phosphate Dihydrate Purified Na ₂ HPO ₄ ·2H ₂ O (10028-24-7)	500 gm 5 kg 25 kg 50 kg
643405	di-Sodium Hydrogen Ortho Phosphate Dihydrate AR Na ₂ HPO ₄ ·2H ₂ O (10028-24-7)	500 gm 5 kg 25 kg 50 kg
986400	di-Sodium Hydrogen Ortho Phosphate Dihydrate For Molecular Biology Na ₂ HPO ₄ ·2H ₂ O (10028-24-7)	500 gm
030156	di-Sodium Hydrogen Ortho Phosphate Dodecahydrate Na ₂ HPO ₄ ·12H ₂ O (10039-32-4)	500 gm 25 kg 50 kg
891550	new di-Sodium Hydrogen Phosphate 1/15 mol/L (Buffer Stock Solution)	500 ml 1 lit 2.5 lit
	Sodium Hydrogen Selenite See Sodium Biselenite	
030162	Sodium Hydrogen Sulphate Monohydrate NaHSO ₄ ·H ₂ O (10034-88-5)	500 gm 25 kg 50 kg
643465	Sodium Hydrogen Sulphate Monohydrate AR NaHSO ₄ ·H ₂ O (10034-88-5)	500 gm 25 kg 50 kg
	Sodium Hydrogen Sulphite See Sodium Bisulfite	
219875	Sodium Hydrosulphide 30% (Sodium Hydrogen Sulphide)	2.5 lit

Product Code	Product Name	Packing
	Sodium Hydrosulphite See Sodium Dithionite	
030166	Sodium Hydroxide Flakes NaOH (1310-73-2)	500 gm 1 kg 5 kg 25 kg 50 kg
219950	new Sodium Hydroxide Powder NaOH (1310-73-2)	500 gm 5 kg 25 kg
030167	Sodium Hydroxide Pellets Purified NaOH (1310-73-2)	500 gm 5 kg 25 kg 50 kg
643525	Sodium Hydroxide Pellets AR Meets Analytical Specification of BP, USP, Ph. Eur. NaOH (1310-73-2)	500 gm 5 kg 25 kg 50 kg
891580	new Sodium Hydroxide 10% Solution AR NaOH (1310-73-2)	500 ml 1 lit
891583	new Sodium Hydroxide 21% Solution AR NaOH (1310-73-2)	500 ml 1 lit
891586	new Sodium Hydroxide 32% Solution AR (For Determination Of Nitrogen) NaOH (1310-73-2)	500 ml 1 lit
891589	new Sodium Hydroxide 45% Solution AR NaOH (1310-73-2)	500 ml 1 lit
891592	new Sodium Hydroxide 50% Solution in Water AR NaOH (1310-73-2)	500 ml 1 lit
891600	Sodium Hydroxide N/1 Solution 1 mol/L Citrisol 20.00 g NaOH for 500 ml Solution 1N solution	1 Amp 3 Amp 6 Amp
891630	Sodium Hydroxide N/10 Solution 0.1 mol/L Citrisol 2.000 g NaOH for 500 ml solution 0.1N Solution	1 Amp 3 Amp 6 Amp
891660	Sodium Hydroxide Solution (N/10)	500 ml 1 lit 2.5 lit
891690	Sodium Hydroxide 0.01M (0.01N) Volumetric Solution Nist Traceable	1 lit
891695	new Sodium Hydroxide 0.01 mol/L (0.01N) For 500 ml Solution	1 amp 3 amp 6 amp
891700	new Sodium Hydroxide 0.02M (0.02N) Standardized Solution Nist traceable	1 lit
891970	new Sodium Hydroxide 0.2M (0.2N) Standardized Solution Nist traceable	1 lit

Product Code	Product Name	Packing
891720	Sodium Hydroxide 0.05 M (0.05N) Volumetric Solution	500 ml
891750	Sodium Hydroxide 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
891870	Sodium Hydroxide 0.111M (0.111N) Volumetric Solution Nist Traceable	1 lit
891960	Sodium Hydroxide 0.2 M (0.2N) Volumetric Solution	500 ml 1 lit 2.5 lit
891705	Sodium Hydroxide 0.02 mol/L (0.02N) Solution	500 ml 1 lit 2.5 lit
891990	Sodium Hydroxide 0.25 M (0.25N) Volumetric Solution	500 ml 1 lit 2.5 lit
891997	Sodium Hydroxide 0.25M (0.25N) Standardized Solution Nist traceable	1 lit
891999	Sodium Hydroxide 0.25 mol/L (0.25N) For 500 ml Solution	1 amp 3 amp 6 amp
892000	Sodium Hydroxide 0.33 mol/L (0.33N) Solution	500 ml 1 lit 2.5 lit
891995	Sodium Hydroxide 0.357M (1/2.8N) Solution	500 ml 1 lit 2.5 lit
892050	Sodium Hydroxide 0.5 M (0.5N) Volumetric Solution	500 ml 1 lit 2.5 lit
892055	Sodium Hydroxide 0.5M (0.5N) Standardized Solution Nist traceable	1 lit
892058	Sodium Hydroxide 0.5 mol/L (0.5N) For 500 ml Solution	1 amp 3 amp 6 amp
892060	Sodium Hydroxide 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
892063	Sodium Hydroxide 1M (1N) Standardized Solution Nist Traceable	1 lit
892065	Sodium Hydroxide 2 M (2N) Volumetric Solution	500 ml 1 lit 5 lit
892068	Sodium Hydroxide 2M (2N) Standardized Solution Nist traceable	1 lit
892070	Sodium Hydroxide 4 M (4N) Low in Carbonate Volumetric Solution	500 ml 1 lit 2.5 lit

Product Code	Product Name	Packing
892075	Sodium Hydroxide 4M (4N) Standardized Solution Nist traceable	1 lit
892080	Sodium Hydroxide 5M (5N) Volumetric Solution	500 ml 1 lit 2.5 lit
892095	Sodium Hydroxide 6M (6N) Solution	500 ml 1 lit 2.5 lit
892110	Sodium Hydroxide 8M (8N) Volumetric Solution	500 ml 1 lit 2.5 lit
892170	Sodium Hydroxide 10M (10N) Volumetric Solution	500 ml 1 lit 2.5 lit
892163	Sodium Hydroxide TS (1 N) acc. to USP	500 ml
643565	Sodium-p-Hydroxy Benzoate AR 4HOC ₆ H ₄ CO ₂ Na (114-63-6) M. W.: 160.10 Assay 98.0%	100 gm 500 gm
220045	Sodium Hypobromite For Synthesis	500 ml
023039	Sodium Hypochlorite Solution (Approximately 4% w/v available Chlorine) Assay (iodometric) 4% w/v available chlorine	500 ml 1 lit 5 lit 25 lit
030170	Sodium Hypophosphite (Monohydrate) NaH ₂ PO ₂ H ₂ O (10039-56-2) M. W.: 105.99 Assay (oxidimetric) 98.0-101.0%	500 gm 25 kg 50 kg
644245	Sodium Hypophosphite (Monohydrate) AR NaH ₂ PO ₂ H ₂ O (10039-56-2) M. W.: 105.99	500 gm 25 kg 50 kg
030171	Sodium Iodate NaIO ₃ (7681-55-2) M. W.: 197.90 Assay (Iodometric) 98.0%	100 gm
644305	Sodium Iodate AR NaIO ₃ (7681-55-2) M. W.: 197.90 Assay (Iodometric) 99.5%	100 gm
030172	Sodium Iodide Pure NaI (7681-82-5) M. W.: 149.89 Assay (ex I)(after drying)99.0%	25 gm 100 gm 250 gm 25 kg
644345	Sodium Iodide AR/ACS NaI (7681-82-5) M. W.: 149.89 Assay (after drying) 99.5%	100 gm 250 gm
030173	Sodium Lactate 60% Soln. C ₃ H ₅ NaO ₃ (72-17-3) M. W.: 112.06 Assay (Non-aqueous) 58.8-61.2%	500 ml 2.5 lit 25 lit 50 lit
220305	Sodium Lauryl Ether Sulphate (SLES) (C ₂ H ₄ O) _n C ₁₂ H ₂₆ O ₄ SNa M.W. : 332.43 (9004-82-4)	5 lit 25 lit 50 lit

Product Code	Product Name	Packing
044145	Sodium Lauryl Sulphate Powder Meets Analytical Specification of IP, BP, USP, NF, Ph. Eur. M.W.: 288.38 Assay (Sodium Lauryl Sulphate) 90.0%	500 gm 5 kg 25 kg 50 kg
C ₁₂ H ₂₅ NaO ₄ S (151-21-3)		
024349	Sodium Lauryl Sulphate (Needle Shape) M. W.: 288.38 Assay (As sodium Lauryl Sulphate) 90.0%	500 gm 5 kg 25 kg 50 kg
C ₁₂ H ₂₅ NaO ₄ S (151-21-3)		
644595	Sodium Lauryl Sulphate AR/ACS For SDS Electrophoresis M. W.: 288.38 Assay (After drying two phase titration) 99.0%	100 gm 500 gm 5 kg 25 kg
C ₁₂ H ₂₅ NaO ₄ S (151-21-3)		
772000	Sodium Lauryl Sulphate HPLC (Sodium Dodecyl Sulphate) M. W.: 288.38	10 gm 25 gm
C ₁₂ H ₂₅ NaO ₄ S (151-21-3)		
986680	Sodium Lauryl Sulphate For Molecular Biology M. W.: 288.38 Assay (After drying two phase titration) 99.0%	100 gm 500 gm
C ₁₂ H ₂₅ NaO ₄ S (151-21-3)		
220555	Sodium Lauryl Sulphate M. W.: 288.38 Assay (After drying two phase titration) 99.5%	25 gm 100 gm 500 gm 1 kg 5 kg
C ₁₂ H ₂₅ NaO ₄ S (151-21-3)		
892270	Sodium Lauryl Sulphate 10% Solution	100 ml
892272	Sodium Lauryl Sulphate 20% Solution	250 ml
	Sodium-M-Arsenite See Sodium Arsenite	
030179	Sodium Malonate M. W.: 148.03 Assay(Non-aqueous) 98.5%	25 gm 100 gm 500 gm
C ₃ H ₂ Na ₂ O ₄ (141-95-7)		
030180	Sodium Metabisulphite Purified (Sodium Disulphite, Sodium Pyrosulphite) M. W.: 190.11 Assay (iodometric) 95.0%	500 gm 1 kg 5 kg 25 kg 50 kg
Na ₂ S ₂ O ₅ (7681-57-4)		
644455	Sodium Metabisulphite AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 190.11 Assay (Iodometric) 98.0%	500 gm 1 kg 5 kg 25 kg 50 kg
Na ₂ S ₂ O ₅ (7681-57-4)		
	Sodium Meta Periodate See Sodium-Meta-Periodate	
026186	Sodium Meta Silicate Nonahydrate M. W.: 284.2 Assay Abt. 95.0%	500 gm 1 kg 25 kg 50 kg
Na ₂ SiO ₃ .9H ₂ O (13517-24-3)		
024325	Sodium Meta Silicate Pentahydrate M.W.: 212.14 Assay (Acidimetric) 97.0%	500 gm 5 kg 50 kg
Na ₂ SiO ₃ .5H ₂ O (10213-79-3)		

Product Code	Product Name	Packing
	Sodium Metavanadate See Sodium (meta) Vanadate	
066323	Sodium Methoxide M. W.: 54.02 Assay (Calculated; as NaOCH ₃) 97.5%	100 gm 500 gm 5 kg 25 kg 50 kg
NaOCH ₃ (124-41-4)		
892450	Sodium Methoxide Solution 25% Assay 24.9-25.1%	500 ml 2.5 lit
892470	Sodium Methoxide 0.5M solution in Methanol ACS	500 ml 1 lit
030185	Sodium Molybdate Pure M. W.: 241.95 Assay (ex Mo) 98-102.0%	100 gm 250 gm 500 gm 1 kg 25 kg
Na ₂ MoO ₄ .2H ₂ O (10102-40-6)		
644495	Sodium Molybdate AR Reagent for Alkaloids M. W.: 241.95 Assay (ex Mo) 99.0-102.0%	100 gm 250 gm 500 gm 1 kg 25 kg
Na ₂ MoO ₄ .2H ₂ O (10102-40-6)		
	Sodium Monochloroacetate See Sodium Chloro Acetate Mono	
220875	Sodium Naphthionate M. W.: 245.23	1 kg
C ₁₀ H ₉ NO ₃ SNa (130-13-2)		
	Sodium-a-Naphthylamine Sulfonate See Sodium Naphthionate	
644585	Sodium-1-Naphthyl Phosphate Monohydrate AR (1-Naphthyl Phosphate Mono Sodium Salt) M. W.: 264.15 Assay (NaOH titration) 99.0%	5 gm
C ₁₀ H ₈ NaPO ₄ .H ₂ O (81012-89-7)		
644985	Sodium 2-Naphthyl Phosphate AR for Biochemistry M. W.: 268.10	5 gm
C ₁₀ H ₇ O ₄ PNa ₂ (14463-68-4)		
030187	Sodium Nitrate Purified M. W.: 84.99 Assay (ex NO ₃) 98.0%	500 gm 5 kg 25 kg 50 kg
NaNO ₃ (7631-99-4)		
645075	Sodium Nitrate AR/ACS M. W.: 84.99 Assay (ex NO ₃) 99.5%	500 gm 5 kg 25 kg 50 kg
NaNO ₃ (7631-99-4)		
030188	Sodium Nitrite Purified M. W.: 69.00 Assay (ex NO ₂ Oxidimetric) 98.0%	100 gm 500 gm 5 kg 25 kg 50 kg
NaNO ₂ (7632-00-0)		
645080	Sodium Nitrite AR M. W.: 69.00 Assay (ex NO ₂ Oxidimetric) 98.0%	500 gm 25 kg 50 kg
NaNO ₂ (7632-00-0)		
892630	Sodium Nitrite 0.1M (0.2N) Volumetric Solution	500 ml 1 lit 2.5 lit

Product Code	Product Name	Packing
892635 new	Sodium Nitrite 0.1M (0.2N) Standardized Solution Nist traceable	1 lit
892660	Sodium Nitrite 0.2M (0.4N) Volumetric Solution	500 ml 1 lit 2.5 lit
892665 new	Sodium Nitrite 0.2M (0.4N) Standardized Solution Nist traceable	1 lit
892690	Sodium Nitrite 0.5M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
892695 new	Sodium Nitrite 0.5M (1N) Standardized Solution Nist traceable	1 lit
892720	Sodium Nitrite 1M (2N) Volumetric Solution	500 ml 1 lit 2.5 lit
892725 new	Sodium Nitrite 1M (2N) Standardized Solution Nist traceable	1 lit
892750	Sodium Nitrite 4M (8N) Volumetric Solution	500 ml 1 lit 2.5 lit
892755 new	Sodium Nitrite 4M (8N) Standardized Solution Nist traceable	1 lit
	Sodium Nitroso Pentacyano Ferrate (III) See Sodium Nitroprusside	
030190	Sodium Nitroprusside Purified Na ₂ [Fe(CN) ₅ NO]·2H ₂ O M. W.: 297.95 (13755-38-9) Assay (Argentometric) 98.0%	25 gm 100 gm 500 gm
645170	Sodium Nitroprusside AR/ACS Na ₂ [Fe(CN) ₅ NO]·2H ₂ O M. W.: 297.95 (13755-38-9) Assay (Argentometric) 99.0%	100 gm 500 gm
645435	Sodium Octyl Sulphate AR C ₈ H ₁₈ O ₄ SNa M. W.: 232.27 (142-31-4)	5 gm 25 gm
221135	Sodium Oleate Pure C ₁₈ H ₃₃ NaO ₂ M. W.: 304.44 (143-19-1) Assay 98.0%	1 kg
030193	tri-Sodium Ortho Phosphate -12-hydrate Na ₃ PO ₄ ·12H ₂ O M. W.: 380.13 (10101-89-0) Assay (acidimetric) 98.0%	500 gm 1 kg 5 kg 25 kg 50 kg
645495	tri-Sodium Ortho Phosphate -12-hydrate AR Na ₃ PO ₄ ·12H ₂ O M. W.: 380.13 (10101-89-0) Assay (acidimetric) 98.0-102.0%	500 gm 5 kg 25 kg 50 kg
030195	Sodium Oxalate Purified (di-Sodium Oxalate) C ₂ Na ₂ O ₄ M. W.: 134.00 (62-76-0) Assay (oxidimetric) 99.5%	500 gm 25 kg 50 kg

Product Code	Product Name	Packing
645535	Sodium Oxalate AR C ₂ Na ₂ O ₄ M. W.: 134.00 (62-76-0) Assay(oxidimetric) 99.9%	500 gm 25 kg 50 kg
892840	Sodium Oxalate 0.05M (0.1N) Volumetric Solution	500 ml 1 lit 2.5 lit
892845	Sodium Oxalate 0.05 M (0.1 N) Volumetric Solution Nist Traceable	1 lit
221295	Sodium Oxide Na ₂ O M. W.: 61.98 (1313-59-3) Assay 80.0%	Discontinued
221425	Sodium Pantothenate for Biochemistry C ₉ H ₁₇ NO ₅ Na M. W.: 241.21 (867-81-2)	10 gm
026152	Sodium Pentachlorophenate C ₆ Cl ₅ .NaO M. W.: 288.32 (131-52-2) Assay (acidimetric,on anhydrous substance) 98.0%	500 gm
024326	Sodium Perborate Tetrahydrate NaBO ₃ ·4H ₂ O M. W.: 153.86 (10486-00-7) Assay (Iodometric) 96.0%	1 kg 25 kg 50 kg
030196	Sodium Perborate Trihydrate NaBO ₃ ·3H ₂ O M. W.: 135.84 (13517-20-9) Assay (iodometric) 96.0%	1 kg 25 kg
221500 new	Sodium Percarbonate Na ₂ CO ₃ ·1.5H ₂ O ₂ M.W. 157.01 (15630-89-4)	500 gm 2.5 kg
645605	Sodium Perchlorate AR NaClO ₄ ·H ₂ O M. W.: 140.46 (7791-07-3) Assay (argentometric) 99.0%	250 gm 500 gm
892885	Sodium Perchlorate 1M Solution	100 ml 250 ml 500 ml 1 lit
030200	Sodium meta Periodate NaIO ₄ M. W.: 213.89 (7790-28-5) Assay (Iodometric) 98.0%	100 gm 1 kg
645645	Sodium Meta Periodate AR/ACS For the colorimetric determination of triglycerides NaIO ₄ M. W.: 213.89 (7790-28-5) Assay (Iodometric, on dry subs.) 99.0%	100 gm 500 gm
645665	Sodium Peroxide granular AR/ACS Na ₂ O ₂ M. W.: 77.98 (1313-60-6) Assay (By titration of reducing powder against permaganate) 95.0%	100 gm 500 gm
	Sodium Peroxydisulphate See Sodium Persulphate	
030203	Sodium Persulphate Na ₂ S ₂ O ₈ M. W.: 238.09 (7775-27-1) Assay (iodometric) 95.0%	100 gm 500 gm 25 kg 50 kg

S

Laboratory Chemicals

Product Code	Product Name	Packing
645705 Na ₂ S ₂ O ₈ (7775-27-1)	Sodium Persulphate AR M. W.: 238.09 Assay (iodometric) 98.0%	500 gm 25 kg
	Sodium Phosphate Dibasic See di-Sodium Hydrogen Ortho Phosphate	
	Sodium Phosphate Monobasic See Sodium dihydrogen orthophosphate	
	Sodium Phosphate Tribasic See tri-Sodium Orthophosphate,	
645745 (55963-78-5)	Sodium Polyanethole Sulphonate AR	1 gm 5 gm
	Sodium Polyphosphate See Sodium Hexametaphosphate	
	Sodium Potassium Tartrate See Potassium Sodium tartrate	
030206 C ₃ H ₅ NaO ₂ (137-40-6)	Sodium Propionate M. W.: 96.06 Assay (after drying, Non-aqueous) 99.0-101.0%	500 gm 25 kg 50 kg
030208 Na ₄ P ₂ O ₇ (7722-88-5)	tetra-Sodium Pyro Phosphate (Anhydrous) M. W.: 265.90 Assay (acidimetric) 97.5%	500 gm 25 kg 50 kg
030207 Na ₄ P ₂ O ₇ .10H ₂ O (13472-36-1)	tetra-Sodium Pyro Phosphate (Decahydrate) M. W.: 446.05 Assay (acidimetric) 98.5%	500 gm 50 kg
645835 Na ₄ P ₂ O ₇ .10H ₂ O (13472-36-1)	tetra-Sodium Pyro Phosphate (Decahydrate) AR M. W.: 446.06 Assay (acidimetric) 99-103%	500 gm 25 kg 50 kg
646085 NaHSO ₄ (7681-38-1)	Sodium Pyrosulphate AR M.W. : 120.06	250 gm
646175 C ₃ H ₃ O ₃ Na (113-24-6)	Sodium Pyruvate for Biochemistry AR M. W.: 110.04 Assay (NAT) (Non-aqueous) 99.0%	25 gm 100 gm 500 gm
646235 C ₆ Na ₂ O ₆ (523-21-7)	Sodium Rhodizonate AR M. W.: 214.04 Assay (non-aqueous) 98.5%	5 gm
892900 new	Sodium Rhodizonate Reagent Solution (Reagent for Ba, Pb, Sr)	100 ml
030210 C ₇ H ₅ NaO ₃ (54-21-7)	Sodium Salicylate M. W.: 160.10 Assay (after drying non-aqueous) 99.0%	500 gm 25 kg 50 kg
646305 C ₇ H ₅ NaO ₃ (54-21-7)	Sodium Salicylate AR M. W.: 160.10 Assay (dried substance) 99.5-100.5%	250 gm 500 gm
646405 Na ₂ SeO ₄ (13410-01-0)	Sodium Selenate AR M. W.: 188.94 Assay 99.0%	100 gm 1 kg
772580 new Na ₂ SeO ₃ .5H ₂ O (2670-82-1)	Sodium Selenite Pentahydrate M.W : 263.0 Assay 98.5%	100 gm 1 kg

Product Code	Product Name	Packing
221615 Na ₂ SeO ₃ (10102-18-8)	Sodium Selenite Anhydrous M. W.: 172.94	100 gm 1 kg
646495 Na ₂ SeO ₃ (10102-18-8)	Sodium Selenite AR Additive for nutrient media alkaloidal reagent M. W.: 172.94 Assay (ex Se Oxidimetric) 99.0%	25 gm 100 gm 1 kg
024327	Sodium Sesquicarbonate	500 gm
	Sodium-m-Silicate See Sodium Meta Silicate	
892935 Na ₂ Si ₃ O ₇ (1344-09-8)	Sodium Silicate Solution water glass M. W.: 242.2 Assay as (Na ₂ O Titrimetric) 10% (Gravimetric as) 25.5-28.5%	5 lit 25 lit
221765 Na ₂ SiF ₆ (16893-85-9)	Sodium Silicofluoride M W.: 188.05 Assay (NaF) 43.0-45.0%	500 gm 1 kg 25 kg 50 kg
026190 Na ₂ SnO ₃ .3H ₂ O (12209-98-2)	Sodium Stannate M.W.:266.71 Assay [soluble Tin (as Sn)] Abt. 40.0%	500 gm 25 kg 50 kg
030217 (9063-38-1)	Sodium Starchglycolate	500 gm 5 kg 25 kg 50 kg
221895 CH ₃ (CH ₂) ₁₆ COONa (822-16-2)	Sodium Stearate for Synthesis M.W. : 306.46 Assay 98.0%	500 gm
030219 (CH ₂ COONa) ₂ .6H ₂ O (6106-21-4)	Sodium Succinate Hexahydrate M. W.: 270.14 Assay (dried, non-aq.) 99.0%	100 gm 500 gm 25 kg 50 kg
646555 (CH ₂ COONa) ₂ .6H ₂ O (6106-21-4)	Sodium Succinate AR (Hexahydrate) M. W.: 270.14 Assay (NT) 99.0%	100 gm 500 gm
221995 new Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous Granular AR/ACS for Pesticide Residue Analysis M.W.142.04 Assay 99.0%	500 gm 2.5 kg 25 kg
030223 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous Purified (Sodium Sulphate Dried) M. W.: 142.04 Assay (after drying) 99.0%	500 gm 1 kg 5 kg 25 kg 50 kg
646605 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate (Anhydrous) AR/ACS M. W.: 142.04 Assay (Acidimetric after drying) 99.5%	500 gm 1 kg 25 kg 50 kg
772700 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate HPLC M. W.: 142.04	250 gm
030224 Na ₂ S.XH ₂ O (27610-45-3)	Sodium Sulphide Fused Flakes Iron Free M. W.: 78.04 + H ₂ O Assay (Na ₂ S) 55.0-58.0%	500 gm 25 kg 50 kg

Product Code	Product Name	Packing
646665 Na ₂ S.XH ₂ O (27610-45-3)	Sodium Sulphide AR M. W.: 78.04 Assay (Na ₂ S) About 60.0%	500 gm 25 kg 50 kg
030226 Na ₂ SO ₃ (7757-83-7)	Sodium Sulphite Anhydrous Purified M. W.: 126.04 Assay (iodometric) 96.0%	500 gm 1 kg 25 kg 50 kg
646705 Na ₂ SO ₃ (7757-83-7)	Sodium Sulphite Anhydrous AR/ACS M. W.: 126.04 Assay (iodometric) 97.0%	500 gm 25 kg 50 kg
030227 [CHOHCOONa] ₂ .2H ₂ O (6106-24-7)	di-Sodium Tartrate Purified M. W.: 230.08 Assay (Non-aqueous) 99-101%	500 gm 25 kg 50 kg
646735 C ₄ H ₄ Na ₂ O ₆ .2H ₂ O (6106-24-7)	di-Sodium Tartrate AR M. W.: 230.08 Assay 99.0%	250 gm 500 gm
024323 C ₄ H ₄ Na ₂ O ₆ (868-18-8)	Sodium-DL-Tartrate Anhydrous (Not Suitable for Karl Fischer) M. W.: 194.05 Assay (Non-aqueous) 99-101.00%	500 gm
	Sodium Tauroglycocholate for Bacteriological See Bile Salt	
222125 Na ₂ TeO ₃ (10102-20-2)	Sodium Tellurite Extra Pure M. W.: 221.58 Assay (Te) 56.7-58.5%	100 gm
	Di-Sodium Tetraborate See Borax	
222235 Na ₂ PdCl ₄ (13820-53-6)	Sodium Tetrachloropalladate M. W.: 294.21	1 gm 5 gm
646805 C ₂₄ H ₂₀ BNa (143-66-8)	Sodium Tetra Phenyl Borate AR/ACS M. W.: 342.23 Assay (argentometric) 99.5%	10 gm 100 gm
030636 NaSCN (540-72-7)	Sodium Thiocyanate M. W.: 81.07 Assay (Calculated on dried basis; Argentometric) 98.0%	250 gm 500 gm 25 kg
646845 NaSCN (540-72-7)	Sodium Thiocyanate AR/ACS M. W.: 81.07 Assay (Calculated on dried basis; argentometric) 99.0%	500 gm 50 kg
893120	Sodium Thiocyanate 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
030234 C ₂ H ₃ NaO ₂ S (367-51-1)	Sodium Thioglycolate for Bacteriology M.W. : 114.09 Assay (Iodometric) 98.0%	100 gm 500 gm
030235 Na ₂ S ₂ O ₃ .5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate Purified (Sodium Thiosulphate-5-hydrate Hypo) M. W.: 248.17 Assay (iodometric) 99.0%	500 gm 1 kg 5 kg 25 kg 50 kg

Product Code	Product Name	Packing
646905 Na ₂ S ₂ O ₃ .5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 248.17 Assay (Iodometric) 99.5%	500 gm 5 kg 25 kg 50 kg
222335 new Na ₂ S ₂ O ₃ (7772-98-7)	Sodium Thiosulphate Anhydrous M.W : 158.10 Assay 97.0%	1 kg
646935 Na ₂ S ₂ O ₃ (7772-98-7)	Sodium Thiosulphate (Anhydrous) AR M. W.: 158.11 Assay (iodometric on dried subs.) 98.0%	500 gm 1 kg 50 kg
893240	Sodium Thiosulphate 0.1 M (0.1N) Volumetric Solution (N/10)	500 ml 1 lit 2.5 lit
893270	Sodium Thiosulphate 0.01M (0.01N) Volumetric Solution	500 ml 1 lit 2.5 lit
892275 new	Sodium Thiosulphate 0.01M (0.01N) Standardized Solution Nist traceable	1 lit
893275 new	Sodium Thiosulphate 0.01 mol/L (N/10) (0.01N) For 500 ml Solution	1 amp 3 amp 6 amp
893330	Sodium Thiosulphate 0.05M (0.05N) Volumetric Solution	500 ml 1 lit 2.5 lit
893345 new	Sodium Thiosulphate 0.1M (0.1N) Standardized Solution Nist traceable	1 lit
893335 new	Sodium Thiosulphate 0.05M (0.05N) Standardized Solution Nist traceable	1 lit
893340	Sodium Thiosulphate Solution 0.1 mol/L Citrisol 12.409g Na ₂ S ₂ O ₃ 5H ₂ O for 500 ml solution 0.1 N solution	1 Amp 3 Amp 6 Amp
893350	Sodium Thiosulphate 0.2M (0.2N) Volumetric Solution	500 ml 1 lit 2.5 lit
893360	Sodium Thiosulphate 0.394M (0.394N) Volumetric Solution	500 ml 1 lit 2.5 lit
893390	Sodium Thiosulphate 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
893395 new	Sodium Thiosulphate 1M (1N) Standardized Solution Nist traceable	1 lit
893245 new	Sodium Thiosulphate Solution 0.1N (N/10) acc. to USP	500 ml
024320 C ₆ H ₁₀ BNaO ₆ (56553-60-7)	Sodium Triacetoxyborohydride M. W.: 211.94 Assay 95.0%	25 gm 100 gm 500 gm

S

Laboratory Chemicals

Product Code	Product Name	Packing
222485	Sodium Trichloroacetate (Trichloroacetic acid sodium salt) M. W.: 185.37	500 gm
CCl ₃ CO ₂ Na (650-51-1)		
030719	Sodium Tripolyphosphate Anhydrous (STPP) M. W.: 367.86 Assay (Cal. Based on P ₂ O ₅) 57-59%	1 kg 5 kg
Na ₅ O ₁₀ P ₃ (7758-29-4)		
030237	Sodium Tungstate Purified M. W.: 329.86 Assay (Gravimetric) 98.0%	100 gm 250 gm 2.5 kg
Na ₂ WO ₄ ·2H ₂ O (10213-10-2)		
646995	Sodium Tungstate AR/ACS Reagent for determination of Uric acid M. W.: 329.86 Assay 99.0-101.0%	100 gm 250 gm 500 gm
Na ₂ WO ₄ ·2H ₂ O (10213-10-2)		
893480	Sodium Tungstate 10% w/v Volumetric Solution Assay 10-11.0% w/v	100 ml 500 ml
030183	Sodium Meta Vanadate (Sodium Monovanadate) M. W.: 121.93 Assay (ex V) 98.0%	100 gm 500 gm
NaVO ₃ (13718-26-8)		
893560	new Soil testing kit (For the estimation of organic carbon)	25 te
893565	new Soil testing kit (For the estimation of N,P,K & pH)	4x10 te
893570	new Soil testing kit refill pack (Reagents only) (For the estimation of N,P,K & pH)	4x10 te
	Solochrome Black T See Erichrome black T	
	Solochrome Cyanine R See Eriochrome Cyanine R.	
013120	Solochrome Dark Blue C.I. No. 15705 (Calcon, Eriochrome Blue Black R) M. W.: 416.39	5 gm 25 gm
C ₂₀ H ₁₃ N ₂ NaO ₅ S (2538-85-4)		
	Soluble Blue See Aniline Blue	
	Solvent Ether See Diethyl Ether,	
222765	Solvent Green 3 [Quinizarine Green (Spirit Soluble)] (C.I. 61565) M.W. : 418.49 Dye content 95.0%	25 gm
C ₂₈ H ₂₂ N ₂ O ₂ (128-80-3)		
	Solvent Red See Sudan IV	
030241	Sorbic Acid Mould yeast inhibitor M. W.: 112.13 Assay (acidimetric) 98.5%	500 gm 5 kg 25 kg 50 kg
C ₆ H ₈ O ₂ (110-44-1)		
	Sorbic Acid Potassium Salt See Potassium Sorbate	
	Sorbitan Monolaurate See Span 20	

Product Code	Product Name	Packing
	Sorbitan Monopalmitate See Span 40	
	Sorbitan Monostearate See Span 60	
	Sorbitan Monooleate See Span 80	
	Sorbite Powder See D-Sorbitol	
030242	D-Sorbitol for Microbiology M. W.: 182.17 Assay (Iodometric, Calc. on anhy. subs.) 98.0-100.5%	250 gm 1 kg
C ₆ H ₁₄ O ₆ (50-70-4)		
987180	D-Sorbitol Molecular Biology Grade M. W.: 182.17	500 gm 1 kg 5 kg
C ₆ H ₁₄ O ₆ (50-70-4)		
024314	Sorbitol Liquid 70%	500 ml 2.5 lit
222905	L (-) Sorbose for Biochemistry M. W.: 180.16	25 gm 100 gm 500 gm
C ₆ H ₁₂ O ₆ (87-79-6)		
	Sorensen's Salt See di-Sodium Hydrogen Ortho Phosphate	
044095	Soyabean Meal Defatted (68513-95-1)	500 gm
024321	Soya Lecithin (8002-43-5)	100 gm 500 gm
647055	Spadns AR/ACS Certified C ₁₆ H ₉ N ₂ Na ₃ O ₁₁ S ₃ (23647-14-5)	5 gm 25 gm
056002	Span 20 M. W.: 346.46	500 ml 2.5 lit
C ₁₈ H ₃₄ O ₆ (1338-39-2)		
024347	Span 40 M. W.: 402.57	500 gm
C ₂₂ H ₄₂ O ₆ (26266-57-9)		
024346	Span 60 M.W. : 430.62	500 gm
C ₂₄ H ₄₆ O ₆ (1338-41-6)		
024345	Span 65 M. W.: 963.55	500 gm
C ₆₀ H ₁₁₄ O ₈ (26658-19-5)		
024344	Span 80 M. W.: 428.60	500 ml 5 lit
C ₂₄ H ₄₄ O ₆ (1338-43-8)		
223085	SPAN 85 (sorbitain Trioleate) M. W.: 957.50	500 ml
C ₆₀ H ₁₀₈ O ₈ (26266-58-0)		
223275	Squalane for Synthesis M. W.: 422.81	100 ml
C ₃₀ H ₆₂ (111-01-3)		
223305	Squalene for Synthesis M. W.: 410.72 Assay 98.0%	100 ml 500 ml
C ₃₀ H ₅₀ (111-02-4)		

Product Code	Product Name	Packing
<p>*Standard Solutions NIST TRACEABLE</p> <p>*AAS Standard Solutions</p> <p>*ICP Single Element Standard Solutions</p> <p>*Multi Element ICP Standard Solutions</p> <p>*Conductivity Standard Solutions</p>		
<p>AAS Standards Solution Nist Traceable</p>		
803140	Aluminium (Al) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
803142	Aluminium (Al) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
806500	Antimony (Sb) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
803502	Antimony (Sb) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
807000	Arsenic (As) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
807002	Arsenic (As) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
807450	Barium (Ba) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
807452	Barium (Ba) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
809350	Beryllium (Be) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
809352	Beryllium (Be) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
809900	Bismuth (Bi) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
810840	Boron (B) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H ₂ O Nist Traceable	100 ml 250 ml 500 ml
813350	Cadmium (Cd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
813352	Cadmium (Cd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
814010	Calcium (Ca) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml

Product Code	Product Name	Packing
814012	Calcium (Ca) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
815350	Cerium (Ce) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
815590	Cesium Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
817540	Chromium (Cr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
817542	Chromium (Cr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
817710	Cobalt (Co) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
817712	Cobalt (Co) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
819100	Copper (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
819102	Copper (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
829695	Erbium (Er) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
830070	Europium (Eu) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
839060	Gadolinium (Gd) Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
839100	Gallium (Ga) Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
839265	Germanium (Ge) Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
839910	Gold (Au) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl Nist Traceable	250 ml
844000	Hafnium (Hf) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
844395	Holmium (Ho) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 500 ml
849300	Indium (In) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	250 ml

S

Laboratory Chemicals

Product Code	Product Name	Packing
850040	Iron (Fe) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
850042	Iron (Fe) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
859400	Lanthanum (La) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
859402	Lanthanum (La) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
859630	Lead (Pb) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
860920	Lithium (Li) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
861450	Lutetium (Lu) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
863100	Magnesium (Mg) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
863102	Magnesium (Mg) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
863640	Manganese (Mn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
863642	Manganese (Mn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
864860	Mercury (Hg) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
866370	Molybdenum (Mo) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
868650	Neodymium (Nd) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	250 ml
868870	Nickel (Ni) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
869290	Niobium (Nb) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
874100	Palladium (Pd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
871402	Palladium (Pd) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml

Product Code	Product Name	Packing
875750	Phosphorous (P) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O Nist Traceable	100 ml
		250 ml
		500 ml
876190	Platinum (Pt) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl Nist Traceable	100 ml
876500	Potassium (K) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
876502	Potassium (K) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
883250	Rhenium (Re) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
883320	Rhodium (Rh) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
883510	Rubidium (Rb) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
887290	Scandium (Sc) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
888160	Selenium (Se) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	250 ml
888680	Silicon (Si) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O Nist Traceable	100 ml
		250 ml
		500 ml
888840	Silver (Ag) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
890000	Sodium (Na) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
890060	Sodium (Na) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nits Traceable	100 ml
		250 ml
		500 ml
893990	Strontium (Sr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
893992	Strontium (Sr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
896100	Tellurium (Te) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
896130	Tellurium (Te) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
896200	Terbium (Tb) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml

Product Code	Product Name	Packing
897510	Tin (Sn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl Nist Traceable	100 ml
		250 ml
		500 ml
900080	Tungsten (W) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
902590	Vanadium (V) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
902592	Vanadium (V) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
907500	Zinc (Zn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml
		250 ml
		500 ml
907502	Zinc (Zn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml
		250 ml
		500 ml
ICP Single Element Standards Solution for Nist Traceable		
803190	Aluminium (Al) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
803192	Aluminium (Al) 1000 ppm Single Element Std Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
803194	Aluminium (Al) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
806550	Antimony (Sb) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
806600	Antimony (Sb) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
806650	Antimony (Sb) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
807050	Arsenic (As) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
807100	Arsenic (As) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
807500	Barium (Ba) 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml
		500 ml
807550	Barium (Ba) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
807502	Barium (Ba) 1000 ppm Single Element Std. Soln. for ICP-MS in HCl Nist Traceable	100 ml
		500 ml

Product Code	Product Name	Packing
807552	Barium (Ba) 10000 ppm Single Element Std. Soln. for ICP-MS in HCl Nist Traceable	100 ml
		500 ml
809400	Beryllium (Be) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	50 ml
		100 ml
809950	Bismuth (Bi) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
809952	Bismuth (Bi) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
810860	Boron (B) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml
		500 ml
810862	Boron (B) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml
		500 ml
813400	Cadmium (Cd) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
813420	Cadmium (Cd) 10,000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
814050	Calcium (Ca) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
814090	Calcium (Ca) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
814030	Calcium (Ca) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
814070	Calcium (Ca) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
815400	Cerium (Ce) 1000 ppm Single Element Standard for ICP in HNO ₃	100 ml
		500 ml
815420	Cerium (Ce) 10000 ppm Single Element Standard for ICP in HNO ₃	100 ml
		500 ml
815610	Cesium (Cs) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
		500 ml
815650	Cesium (Cs) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
		500 ml
815612	Cesium (Cs) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml
		500 ml
815652	Cesium (Cs) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml
		500 ml
817580	Chromium (Cr) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml

S

Laboratory Chemicals

Product Code	Product Name	Packing
817600	Chromium (Cr) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
817620	Chromium (Cr) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
817640	Chromium (Cr) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
817740	Cobalt (Co) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
817770	Cobalt (Co) 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
819150	Copper (Cu) 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
819180	Copper (Cu) 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
829700	Erbium 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
830080	Europium (Eu) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
839070	Gadolinium (Gd) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
839110	Gallium (Ga) 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	50 ml 100 ml
839270	Germanium (Ge) 1000 ppm Single Element Std. Soln. for ICP in 5% HNO ₃ 1% HF	100 ml
839960	Gold (Au) 1000 ppm Single Element Std. Soln. for ICP in Diluted HCl, Nist Traceable	100 ml 500 ml
839980	Gold (Au) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
844020	Hafnium (Hf) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
844400	Holmium (Ho) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
849350	Indium (In) 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO ₃	100 ml
850130	Iron (Fe) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
850160	Iron 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
850070	Iron (Fe) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml

Product Code	Product Name	Packing
850100	Iron (Fe) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
859430	Lanthanum (La) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
859660	Lead (Pb) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
859690	Lead (Pb) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
860950	Lithium (Li) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
860980	Lithium (Li) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
861470	Lutetium (Lu) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863030	Magnesium (Mg) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863060	Magnesium (Mg) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863670	Manganese (Mn) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863690	Manganese (Mn) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
863710	Manganese (Mn) 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
863730	Manganese (Mn) 10000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
864890	Mercury (Hg) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
864910	Mercury (Hg) 10000 ppm Single Element Std. Soln for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
866400	Molybdenum (Mo) 1000 ppm Single Element Std. Soln. for ICP in 1% HNO ₃ & 1%.HF	100 ml
868660	Neodymium (Nd) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
868900	Nickel (Ni) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
868920	Nickel (Ni) 10,000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
869300	Niobium (Nb) 1000 ppm Single Element Std. Soln for ICP in 5% HNO ₃ 1% in HF Nist Traceable	50 ml 100 ml
874150	Palladium (Pd) 1000 ppm Single Element Std. Soln for ICP in HCl.	100 ml 500 ml

Product Code	Product Name	Packing
874170	Palladium (Pd) 10000 ppm Single Element Std. Soln for ICP in HCl.	100 ml 500 ml
875710	Phosphorous (P) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O	100 ml 500 ml
875730	Phosphorous (P) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O	100 ml 500 ml
876220	Platinum (Pt) 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml
876550	Potassium (K) 200 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
876570	Potassium (K) 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃	100 ml 500 ml
876610	Potassium (K) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
876572	Potassium (K) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
876612	Potassium (K) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
883260	Rhenium (Re) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
883330	Rhodium (Rh) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	10 ml
883520	Rubidium (Rb) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
887300	Scandium (Sc) 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	50 ml 100 ml
888190	Selenium (Se) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
888130	Selenium (Se) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
888740	Silicon (Si) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
888710	Silicon (Si) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml
888900	Silver (Ag) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
888960	Silver (Ag) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	100 ml 500 ml
890180	Sodium (Na) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
890150	Sodium (Na) 10000 ppm Single Element Std. Soln. for ICP-MS in H ₂ O Nist Traceable	100 ml 500 ml
890120	Sodium (Na) 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
890210	Sodium (Na) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml

Product Code	Product Name	Packing
894080	Strontium (Sr) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
894110	Strontium (Sr) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
894020	Strontium (Sr) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
894050	Strontium (Sr) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
894730	Sulphur (S) 1000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
894760	Sulphur (S) 10000 ppm Single Element Std. Soln. for ICP in H ₂ O Nist Traceable	100 ml 500 ml
896010	Tantalum (Ta) 1000 ppm Single Element Std. Soln. in 5% HNO ₃ , 1% HF Nist Traceable	50 ml 100 ml
896150	Tellurium (Te) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
896155	Tellurium (Te) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
896210	Terbium (Tb) 1000 ppm Single Element Standard for ICP in HNO ₃	100 ml
896190	Thallium (Tl) 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃ , Nist Traceable	50 ml 100 ml
897520	Tin (Sn) 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
897560	Tin (Sn) 10000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
900180	Tungsten (W) 1000 ppm Single Element Std. Soln. for ICP in 1% HNO ₃ , 2% HF Nist Traceable	50 ml 100 ml
902610	Vanadium (V) 1000 ppm Single Element Standard for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
902630	Vanadium (V) 10000 ppm Single Element Standard for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
905750	Yttrium (Y) 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃ , Nist Traceable	50 ml 100 ml
907540	Zinc (Zn) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml

S

Laboratory Chemicals



S

Laboratory Chemicals

Product Code	Product Name	Packing
907560	Zinc 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml 500 ml
907520	Zinc (Zn) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
ICP Multi-Element Standard Solutions Nist Traceable		
866566	Multi Element Standard Solution for ICP - 20 Elements; 10 mg/L each Ce, Dy, Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO ₃ Nist Traceable	50 ml 100 ml
866568	Multit Element Standard Solution for ICP- 32 Elements; 100 mg/L each Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co, Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, Ni, Nb, Pb, Rb, Sb, Se, Sr, Ti, Tl, V, U, Zn, in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866570	Multi Element Standard Solution for ICP- 3 Elements; 10 mg/L each P, S, Si, in H ₂ O Nist Traceable	50 ml 100 ml
866572	Multi Element Standard Solution for ICP -10 Elements; 10 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866574	Multi Element Standard Solution for ICP -9 Elements; 10 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866576	Multi Element Standard Solution for ICP -8 Elements; 10 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866578	Multi Element Standard Solution for ICP - 6 Elements; 10 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl Nist Traceable	50 ml 100 ml
866580	Multi Element Standard Solution for ICP -10 Elements; 100 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866582	Multi Element Standard Solution for ICP -9 Elements; 100 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ Nist Traceable	50 ml 100 ml
866584	Multi Element Standard Solution for ICP -8 Elements; 100 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ Nist Traceable	50 ml 100 ml

Product Code	Product Name	Packing
866586	Multi Element Standard Solution for ICP - 6 Elements; 100 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl Nist Traceable	50 ml 100 ml
866588	Multi Element Standard Solution for ICP -4 Elements; 1000 mg/L each Ca, K, Mg, Na in 2% HNO ₃ Nist Traceable	50 ml 100 ml
866589	Multi Element Standard Solution for ICP - 18 Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, W, Ge, Te, Os, Re, Sn, in 5% HCl Nist Traceable	50 ml 100 ml
866590	Multi Element Standard Solution for ICP - 18 Elements; 10 mg/L "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO ₃ Nist Traceable	50 ml 100 ml
Conductivity Standard Solutions Nist Traceable		
818900	Conductivity Standard 5 Microsiemens Nist Traceable	500 ml
818902	Conductivity Standard 10 Microsiemens Nist Traceable	500 ml
818904	Conductivity Standard 15 Microsiemens Nist Traceable	500 ml
188906	Conductivity Standard 20 Microsiemens Nist Traceable	500 ml
818908	Conductivity Standard 29.4 Microsiemens Nist Traceable	500 ml
818910	Conductivity Standard 50 Microsiemens Nist Traceable	500 ml
818912	Conductivity Standard 84 Microsiemens Nist Traceable	500 ml
818914	Conductivity Standard 100 Microsiemens Nist Traceable	500 ml
818916	Conductivity Standard 147 Microsiemens Nist Traceable	500 ml
818918	Conductivity Standard 200 Microsiemens Nist Traceable	500 ml
818920	Conductivity Standard 500 Microsiemens Nist Traceable	500 ml

Product Code	Product Name	Packing
818922	Conductivity Standard 1000 Microsiemens Nist Traceable	500 ml
818924	Conductivity Standard 1413 Microsiemens Nist Traceable	500 ml
818926	Conductivity Standard 2000 Microsiemens Nist Traceable	500 ml
818928	Conductivity Standard 5000 Microsiemens Nist Traceable	500 ml
818929	Conductivity Standard 10000 Microsiemens Nist Traceable	500 ml
818930	Conductivity Standard 12880 Microsiemens Nist Traceable	500 ml
818932	Conductivity Standard 15000 Microsiemens Nist Traceable	500 ml
818934	Conductivity Standard 20000 Microsiemens Nist Traceable	500 ml
223415	Stannic Chloride Anhydrous (Tin (IV) Chloride) Fuming Liquid M.W. : 260.52 Assay 98.5-101.5%	500 ml 2.5 lit
SnCl ₄ (7646-78-8)		
030247	Stannic Chloride Pentahydrate M. W.: 350.58 Assay (ex Sn) 97.5%	500 gm
SnCl ₄ .5H ₂ O (10026-06-9)		
030251	Stannic Oxide M. W.: 150.69 Assay (by gravimetric) 99.0%	500 gm
SnO ₂ (18282-10-5)		
647395	Stannic Oxide AR M. W.: 150.69 Assay 99.5%	250 gm
SnO ₂ (18282-10-5)		
030254	Stannous Chloride (Tin II Chloride) M. W.: 225.63 Assay (oxidimetric) 97.0%	100 gm 250 gm 500 gm 5 kg 25 kg
SnCl ₂ .2H ₂ O (10025-69-1)		
647435	Stannous Chloride AR/ACS Reagent for Amino Acid & Peptide Analysis M. W.: 225.63 Assay 98.0-103.0%	100 gm 250 gm 500 gm 5 kg 25 kg
SnCl ₂ .2H ₂ O (10025-69-1)		
223745	Stannous Oxalate Extra Pure M. W.: 206.73 Assay (Tin) 56-58%	500 gm
SnC ₂ O ₄ (814-94-8)		
030258	Stannous Oxide M. W.: 134.69 Assay (ex stannous, Tin) 90.0%	500 gm
SnO (21651-19-4)		

Product Code	Product Name	Packing
030726	Stannous Sulphate (Tin (II) Sulphate) M. W.: 214.75 Assay (oxidimetric, Sn) 50.0%	100 gm 500 gm
SnSO ₄ (7488-55-3)		
646435	Stannous Sulphate AR M. W.: 214.75 Assay (iodometric) 96.0%	250 gm
SnSO ₄ (7488-55-3)		
893890	Starch 0.5% w/v aq.Indicator Solution in Saturated Salt Solution APHA Stabilized	100 ml
893910	Starch 0.05% w/v aq.Indicator Solution	100 ml
893893	new Starch 1 wt. % Aqueous Solution Stabilized	125 ml
030261	Starch Corn (Maize) (Insoluble)	500 gm 5 kg
(C ₆ H ₁₀ O ₅) _n (9005-25-8)		
044514	Starch Hydrolysed for Biochemistry	100 gm 500 gm
(9005-84-9)		
PA1850	Starch Iodide Paper (10 Books of 20 Leaves in Box)	200 lvs
030262	Starch Potato (Insoluble)	500 gm 5 kg 25 kg
(9005-25-8)		
223945	Starch Rice (Insoluble)	500 gm
(9005-25-8)		
030264	Starch Soluble (Ex Potato)	500 gm 25 kg
(9005-84-9)		
647625	Starch Soluble (Ex Potato) AR	500 gm 25 kg
(9005-84-9)		
224055	Starch Wheat (Insoluble)	500 gm
(9005-25-8)		
024319	Stearic Acid for Biochemistry M. W.: 284.49 Assay 99.0%	5 gm 25 gm
C ₁₈ H ₃₆ O ₂ (57-11-4)		
030267	Stearic Acid for Synthesis M. W.: 284.49 Total assay (Palmitic acids stearic acid) (C ₁₈ H ₃₆ O ₂ & C ₁₆ H ₃₂ O ₂) (GC) 90.0%	500 gm 25 kg
C ₁₈ H ₃₆ O ₂ (57-11-4)		
030268	Stearic Anhydride M. W.: 550.95 Assay (ex anhydride) 97.0%	5 gm
(C ₁₇ H ₃₅ .CO) ₂ O (638-08-4)		
	Stearyl Alcohol See 1-Octadecanol	
224245	Stearylkonium Chloride (Dimethylstearylbenzylammonium Chloride) M. W.: 442.00 Assay (ex ci) 98.0%	25 gm
C ₂₇ H ₅₀ NCl.H ₂ O (122-19-0)		
893960	new Stevenel's Blue (Pepine's Stain for virus) Rapid material stain	2 Bot
893940	Steril Solution	1 lit

Product Code	Product Name	Packing
224415	Stigmasterol for Biochemistry (3- β -Hydroxy-24-Ethyl-5,22-Cholestadiene) M. W.: 412.70	1 gm 5 gm
C ₂₉ H ₄₈ O (83-48-7)		
893975 new	Stoke's Reagent (As reducing agent-blood examination)	100 ml
224495	Stopcock Grease (Lab)	250 gm 1 kg
024360	Streptomycin Sulphate for Lab Use C ₂₁ H ₃₉ N ₇ O ₁₂ ·1.5H ₂ SO ₄ M. W.: 728.69 (3810-74-0) Assay (dried) 95.0%	5 gm 25 gm
224625	Streptozotocin for Biochemistry M. W.: 265.22 Assay (HPLC) 98.0%	100 mg 1 gm
C ₈ H ₁₅ N ₃ O ₇ (18883-66-4)		
893990	Strontium (Sr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
893992 new	Strontium (Sr) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
894080	Strontium (Sr) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
894110	Strontium (Sr) 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
894020	Strontium (Sr) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
894050	Strontium (Sr) 10000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml 500 ml
224815	Strontium (Metal) Powder Sr M. W.: 87.62 Assay (trace metal basis) 99.9%	5 gm 25 gm
(7440-24-6)		
224835	Strontium Acetate M. W.: 205.71	500 gm
(CH ₃ CO ₂) ₂ Sr (543-94-2)		
224855	Strontium Borate	500 gm
(71786-49-7)		
224875	Strontium Bromide M. W.: 247.43	500 gm
SrBr ₂ (10476-81-0)		
648115	Strontium Bromide AR M. W.: 247.43	500 gm
SrBr ₂ (10476-81-0)		
030275	Strontium Carbonate M. W.: 147.63 Assay (acidimetric) 99.0%	250 gm 500 gm 25 kg
SrCO ₃ (1633-05-2)		
030276	Strontium Chloride Purified M. W.: 266.62 Assay (Complexometric) 98.0-101.0%	500 gm 50 kg
SrCl ₂ ·6H ₂ O (10025-70-4)		

Product Code	Product Name	Packing
648155	Strontium Chloride AR/ACS SrCl ₂ ·6H ₂ O M. W.: 266.62 (10025-70-4)	500 gm
225025	Strontium Chromate SrCrO ₄ M.W.: 203.61 (7789-06-2)	500 gm
225045	Strontium Fluoride for Synthesis SrF ₂ M. W.: 125.62 (7783-48-4)	500 gm
225065	Strontium Hydroxide Octahydrate Extra Pure Sr(OH) ₂ ·8H ₂ O M. W.: 265.76 (1311-10-0)	500 gm
030282	Strontium Nitrate Anhydrous Purified Sr(NO ₃) ₂ M. W.: 211.63 Assay (complexometric) 99.0%	500 gm 50 kg
(10042-76-9)		
648245	Strontium Nitrate AR/ACS Sr(NO ₃) ₂ M. W.: 211.63 Assay (Complexometric) 99.0%	500 gm
(10042-76-9)		
225085	Strontium Oxalate Extra Pure SrC ₂ O ₄ M. W.: 175.64 (814-95-9)	500 gm
225125	Strontium Phosphate Sr ₃ (PO ₄) ₂ M. W.: 452.80 (7446-28-8)	500 gm
024342	Strontium Sulphate Pure SrSO ₄ M. W.: 183.68 Assay 98.0%	500 gm
(7759-02-6)		
648775	Strontium Sulphide AR SrS M. W.: 119.69 (1314-96-1)	500 gm
225335	Styrallyl Acetate for Synthesis C ₁₀ H ₁₂ O ₂ M. W.: 164.20 (93-92-5)	500 gm
225435	Styrax for Synthesis (Gum Storax) (8046-19-3)	500 gm
225585	Styrene for Synthesis (Monomer-Stabilised) C ₈ H ₈ M. W.: 104.15 Assay 98.0%	500 ml 2.5 lit
(100-42-5)		
648955	Suberic Acid AR C ₈ H ₁₄ O ₄ M. W.: 174.19 Assay 98.0%	100 gm 500 gm
(505-48-6)		
030295	Succinic Acid Cryst. Pure C ₄ H ₆ O ₄ M. W.: 118.09 Assay (acidimetric) 99.0%	500 gm 25 kg 50 kg
(110-15-6)		
649045	Succinic Acid AR C ₄ H ₆ O ₄ M. W.: 118.09 Assay(acidimetric) 99.5%	100 gm 500 gm 25 kg 50 kg
(110-15-6)		
	Succinic Acid 2,2-Dimethyl Hydrazide See Alar (B-9)	

Product Code	Product Name	Packing
030296 C ₄ H ₄ O ₃ (108-30-5)	Succinic Anhydride for Synthesis M. W.: 100.07 Assay (acidimetric) 99.0%	100 gm 500 gm 25 kg 50 kg
030297 C ₄ H ₅ NO ₂ (123-56-8)	Succinimide (Butanimide) M. W.: 99.09 Assay (acidimetric) 98.5%	100 gm 500 gm 25 kg
030299 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose (Saccharose) M. W.: 342.30	500 gm 1 kg 5 kg 25 kg 50 kg
645105 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose AR/ACS M. W.: 342.30 Assay 99.5%	500 gm 1 kg 5 kg 25 kg 50 kg
987380 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose For Molecular Biology M. W.: 342.30 Assay 99.5%	500 gm 1 kg 5 kg 25 kg
024304 C ₁₆ H ₁₂ N ₂ O (842-07-9)	Sudan I C.I. 12055 M. W.: 248.29 Dye content (titanometry) Abt. 97.0%	25 gm 100 gm
034069 C ₂₂ H ₁₆ N ₄ O (85-86-9)	Sudan III for Microscopy C.I. No. 26100 M. W.: 352.4 Dye content (titanometry) Not less than 75.0%	10 gm 25 gm 100 gm
894290	Sudan III Solution	125 ml
034070 C ₂₄ H ₂₀ N ₄ O (85-83-6)	Sudan IV for Microscopy C.I. No. 26105 M. W.: 380.45 Dye content (titanometry) About 80.0%	10 gm 25 gm 100 gm
894350	Sudan IV Solution	125 ml 500 ml
894355 new	Sudan IV Staining Solution (Fat Stain)	100 ml
034071 C ₂₉ H ₂₄ N ₆ (4197-25-5)	Sudan Black B for Microscopy C.I. No. 26150 M. W.: 456.55 Dye content (Acidimetry) 60.0%	10 gm 25 gm 100 gm
894375 new	Sudan Black (Alcoholic) Solution	100 ml
894377 new	Sudan Black (P.G.) Solution	100 ml
024310 C ₈ H ₉ N ₂ NaO ₃ S.H ₂ O (6209-17-2)	Sulphacetamide Sodium for Lab Use M. W.: 254.24 Assay (Calculated on anhy. basis) 99.0%	5 gm 25 gm
024313 C ₁₀ H ₁₀ N ₄ O ₂ S (68-35-9)	Sulphadiazine for Lab Use M. W.: 250.28	25 gm
024309 C ₁₂ H ₁₄ N ₄ O ₂ S (57-68-1)	Sulphamethazine Plain for Lab Use M. W.: 278.33 Assay (HPLC) 99.0%	25 gm

Product Code	Product Name	Packing
024318 C ₁₀ H ₁₁ N ₃ O ₃ S (723-46-6)	Sulphamethoxazole for Lab Use M. W.: 253.28	10 gm
030307 NH ₂ SO ₃ H (5329-14-6)	Sulphamic Acid (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dired subs.) 99.0%	500 gm 5 kg 50 kg
649665 NH ₂ SO ₃ H (5329-14-6)	Sulphamic Acid AR (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dried subs.) 99.3-100.3%	100 gm 500 gm 25 kg
225760 C ₆ H ₈ N ₂ O ₂ S (63-74-1)	Sulphanilamide M. W.: 172.20 Assay (HPLC) 98.0%	500 gm 25 kg
649225 C ₆ H ₈ N ₂ O ₂ S (63-74-1)	Sulphanilamide AR M. W.: 172.20 Assay (HPLC) 99.0%	100 gm 500 gm 25 kg
030309 C ₆ H ₇ NO ₃ S (121-57-3)	Sulphanilic Acid for Synthesis M. W.: 173.19 Assay (acidimetric) 98.5%	100 gm 500 gm
649265 C ₆ H ₇ NO ₃ S (121-57-3)	Sulphanilic Acid AR/ACS Sensitivity to Nitrate 1:100,000,000 Parts M. W.: 173.19 Assay (Acidimetric) 99.0%	100 gm 500 gm
894490	Sulphanilic Acid Solution	100 ml
894495 new	Sulphanilic Acid TS acc. to USP	500 ml
894520	Sulphate Standard Solution 1000 mg/l	100 ml
225795 C ₄ H ₈ O ₂ S (126-33-0)	Sulpholane for Synthesis (Tetramethylene Sulfone) M. W.: 120.17 Assay 98.0%	500 ml 2.5 lit
649675 C ₄ H ₈ O ₂ S (126-33-0)	Sulpholane AR M. W.: 120.17 Assay 99.0%	500 ml 2.5 lit
894594 new	Sulphomolybdic Acid TS acc. to USP	500 ml
894590 new	Sulphomolybdic Acid Solution (Reagent for Glucosides)	100 ml
030314 C ₇ H ₆ O ₆ S.2H ₂ O (5965-83-3)	5-Sulphosalicylic Acid M. W.: 254.21 Assay (acid-base titrimetric) 99.0-101.0%	100 gm 500 gm 25 kg
649765 C ₇ H ₆ O ₆ S.2H ₂ O (5965-83-3)	5-Sulphosalicylic Acid AR Suitable for detection of Protein in Urine M. W.: 254.21 Assay(acidimetric) 99.5%	250 gm 500 gm
894610	5-Sulpho Salicylic Acid 3% Solution	125 ml
894640	5-Sulpho Salicylic Acid 10% Solution	125 ml
894670	5-Sulphosalicylic Acid 20% Solution	125 ml 250 ml
894700	5-Sulphosalicylic Acid 30% Soln. for Biochemistry	250 ml

S

Laboratory Chemicals

Product Code	Product Name	Packing
894715 new	Sulphosalicylic Acid Solution (Reagent for Fe-green blue to pale yellow)	100 ml
894730	Sulphur (S) 1000 ppm Single Element Std. Soln. for ICP in H₂O Nist Traceable	100 ml 500 ml
894760	Sulphur (S) 10000 ppm Single Element Std. Soln. for ICP in H₂O Nist Traceable	100 ml 500 ml
226005 S (7704-34-9)	Sulphur Powder Extra Pure M. W.: 32.06 Assay 98.0%	500 gm 25 kg 50 kg
649965 S (7704-34-9)	Sulphur Powder AR M. W.: 32.06 Assay 99.0%	500 gm
	Sulphur Dioxide Aqueous Solution See Sulphurous Acid 5-6%	
226125 S ₂ Cl ₂ (10025-67-9)	Sulphur Monochloride for Synthesis M. W.: 135.04 Assay 98.0%	500 ml 25 lit
894850	Sulphuric Acid N/1	500 ml
894880	Sulphuric Acid N/50 (0.02N)	500 ml 2.5 lit
894890	Sulphuric Acid 2N/3	500 ml
894890 new	Sulphuric Acid 10%	500 ml
894900	Sulphuric Acid 20% v/v Assay About 19.9-20.1% v/v	500 ml
894910	Sulphuric Acid 25% v/v Assay about 24.9-25.1% w/v	500 ml
894913 new	Sulphuric Acid 25% AR for Analysis M.W. 98.08 Assay about 25%	500 ml 1 lit 2.5 lit
894920	Sulphuric Acid 40% for Determination of Gas Metabolism According to Knipping	500 ml 1 lit 2.5 lit
894930	Sulphuric Acid 90-91% for Gerber Fat Determination and Determination of Nitrates in Milk	500 ml 2.5 lit
894950	Sulphuric Acid 0.005 M (0.01N) for 1000 ml Solution	1 amp 6 amp
894955	Sulphuric Acid 0.005M (0.01N) for 1000 ml Nist Traceable	1 lit
894960	Sulphuric Acid 0.05M (0.1N) N/10 Standardized Solution	500 ml 1 lit 2.5 lit
894965	Sulphuric Acid 0.05M (0.1N) Standardized Solution Nist Traceable	1 lit
894970	Sulphuric Acid 0.1M (0.2N) Standardized Solution	500 ml 1 lit 2.5 lit

Product Code	Product Name	Packing
895000	Sulphuric Acid 0.1M (0.2N) Standardized Solution Nist Traceable	1 lit
895090	Sulphuric Acid 0.1N Solution 0.05 mol/lit Citrisol	1 amp 3 amp 6 amp
895120	Sulphuric Acid 0.25M (0.5N) Standardized Solution Nist Traceable	1 lit
895130	Sulphuric Acid 0.25M (0.5N) Solution	500 ml 1 lit 2.5 lit
895140	Sulphuric Acid 0.5M (1N) Standardized Solution	500 ml 1 lit 2.5 lit
895150	Sulphuric Acid 0.5M (1N) Standardized Solution Nist Traceable	1 lit
895153 new	Sulphuric Acid 0.5 mol/L (N/1) (1N) For 500 ml Solution	1 amp 3 amp 6 amp
895152 new	Sulphuric Acid Solution 1N acc. to USP	500 ml
895155	Sulphuric Acid 1M (2N) Standardized Solution	500 ml 1 lit 2.5 lit
895160	Sulphuric Acid 1M (2N) Solution Standardized Nist Traceable	1 lit
895170	Sulphuric Acid 2.5M (5N) Solution	500 ml 1 lit 2.5 lit
895260	Sulphuric Acid 2.5M (5N) Standardized Solution Nist Traceable	1 lit
895265	Sulphuric Acid 5M (10N) Standardized Solution	500 ml 1 lit 2.5 lit
895275	Sulphuric Acid 5M (10N) Standardized Solution Nist Traceable	1 lit
226325 H ₂ SO ₄ (7664-93-9)	Sulphuric Acid (SP.GR 1.835) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)	500 ml 2.5 lit 5 lit
650055 H ₂ SO ₄ (7664-93-9)	Sulphuric Acid AR (SP.GR 1.84) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)	500 ml 2.5 lit 5 lit

Product Code	Product Name	Packing
773530 new	Sulphuric Acid Acipur for Trace Metal Analysis M.W : 98.08 Assay 96.0%	500 ml 1 lit 2.5 lit
H ₂ SO ₄ (7664-93-9)		
773520	Sulphuric Acid EL (SP.GR. 1.84) For Use in VLSI/ULSI M. W.: 98.08 Assay ABT 98%	2.5 lit
H ₂ SO ₄ (7664-93-9)		
895440	Sulphurous Acid Solution 5-6% AR (Sulphur dioxide) M. W.: 64.06 Assay (SO ₂) 5.0-6.0% w/v	500 ml 2.5 lit
H ₂ SO ₃ (7782-99-2)		
226445	Sulphuryl Chloride for Synthesis M. W.: 134.97	500 ml
SO ₂ Cl ₂ (7791-25-5)		
226605	Sunset Yellow M. W.: 452.37 Dye content 90.0%	25 gm
C ₁₆ H ₁₀ N ₂ Na ₂ O ₇ S ₂ (2783-94-0)		

Product Code	Product Name	Packing
895470 new	Susa Fixative	2394.00 50 ml
226715	Syringaldazine (4-Hydroxy-3,5-Dimethoxy-Benzaldehyde Azine) [HOC ₆ H ₂ (OCH ₃) ₂ CH=N-] ₂ M. W.: 360.36 (14414-32-5)	2844.00 1 gm 10440.00 5 gm
226855	Syringaldehyde for Synthesis (4-Hydroxy-3,5-Dimethoxy-Benzaldehyde) HOC ₆ H ₂ (OCH ₃) ₂ CHO M. W.: 182.17 (134-96-3)	522.00 5 gm 1530.00 25 gm 5500.00 100 gm
226885	Syringic Acid for Synthesis (4-Hydroxy-3,5-Dimethoxy-Benzoic Acid) HOC ₆ H ₂ (OCH ₃) ₂ CO ₂ H M. W.: 198.17 (530-57-4)	2646.00 25 gm

S

Laboratory Chemicals



Stains & Indicator

Product Code	Product Name	CAS No.
606025	1,10-Phenanthroline (Monohydrate) AR Redox Indicator	5144-89-8
516525	1,5-Diphenyl Carbazide AR	140-22-7
516535	1,5-Diphenyl Carbazone AR	538-62-5
508805	2,6-Dichloro Phenol Indophenol Sodium Salt AR	620-45-1
027041	Acridine Orange (M.S.)	10127-02-3
027043	Acriflavine for Biochemistry	8048-52-0
025955	Alcian Blue 8GX for Microscopy	33864-99-2
452905	Alizarin pH indicator AR	72-48-0
013006	Alizarin Yellow GG	584-42-9
453645	Alizarin Yellow R AR for Microscopy	2243-76-7
015042	Amido Black 10B Dye content (Titanometry on Dried Subs.)	1064-48-8
457535	Ammonium Purpurate AR/ACS	3051-09-0
020075	a-Naphthol Benzein (pH Indicator)	145-50-6
020076	a-Naphtholphthalein pH Indicator	596-01-0
459095	Anthrone AR/ACS	90-44-8
459635	Arsenazo I AR (Neothorone)	520-10-5
459725	Arsenazo III AR	62337-00-2
034095	Auramine for Microscopy (Auramine-O)	2465-27-2
013895	Azur A (M.S.)	531-53-3
013900	Azur B (M.S.)	531-55-5
013905	Azur C	531-57-7
034007	Azur II Eosine for Microscopy	53092-85-6
034006	Azur II for Microscopy	37247-10-2
461865	Barium Diphenylamine Sulphonate AR Redox Indicator	6211-24-1
034010	Bismark Brown R C.I.21010	5421-66-9

..... and many more

Product Code	Product Name	Packing
033122 (14807-96-6)	Talcum Powder Pract	500 gm 5 kg 25 kg 50 kg
236885 C ₇₆ H ₅₂ O ₄₆ (1401-55-4)	Tannic Acid Powder Pure M. W.: 1701.23	100 gm 250 gm 500 gm
655565 C ₇₆ H ₅₂ O ₄₆ (1401-55-4)	Tannic Acid AR M. W.: 1701.23	100 gm 250 gm 500 gm
896000 new	Tannic Acid Solution (Reagent for Albumin & Gelatin)	100 ml
896010 new	Tantalum (Ta) 1000 ppm Single Element Std. Soln. in 5% HNO₃, 1% HF Nist Traceable	50 ml 100 ml
237055 Ta (7440-25-7)	Tantalum Sheet 0.1mm Thick (40mm X 100mm) M. W.: 180.95 Assay 99.9%	1 pc
237075 Ta (7440-25-7)	Tantalum Sheet 0.1mm Thick (40mm X 50mm) M. W.: 180.95 Assay 99.9%	1 pc
655655 Ta ₂ O ₅ (1314-61-0)	Tantalum (V) Oxide AR (Tantalum penta oxide) M. W.: 441.89 Assay (Base on trace metal) 99.5%	5 gm 10 gm
044158 C ₇ H ₁₇ NO ₆ S (29915-38-6)	TAPS Buffer M. W.: 243.28 Assay (Acidimetric) 99.0%	25 gm 100 gm
044575 C ₇ H ₁₇ NO ₇ S (68399-81-5)	TAPSO Buffer M.W.: 259.28 Assay 99.0%	100 gm
024273 C ₄ H ₆ O ₆ (147-71-7)	D (-) Tartaric Acid M. W.: 150.09 Assay (acidimetric) 99.0%	100 gm 250 gm
237435 C ₄ H ₆ O ₆ (133-37-9)	DL-Tartaric Acid (This is not D-Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	500 gm 25 kg 50 kg
030713 C ₄ H ₆ O ₆ (87-69-4)	L (+) Tartaric Acid Cryst. Pure (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	500 gm 5 kg 25 kg 50 kg
655745 C ₄ H ₆ O ₆ (87-69-4)	L (+) Tartaric Acid AR (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (on dried subs. acidimetric) 99.5-100.5%	500 gm 5 kg 25 kg 50 kg
034150 C ₁₆ H ₉ N ₄ Na ₃ O ₉ S ₂ (1934-21-0)	Tartrazine for Microscopy C.I. No. 19140 M. W.: 534.37 Dye content (dried, titanometric) 85.0%	25 gm 100 gm 1 kg
037149 C ₂ H ₇ NO ₃ S (107-35-7)	Taurine for Synthesis M. W.: 125.15 Assay (T; acidimetry) 98.0%	100 gm

Product Code	Product Name	Packing
655945 C ₁₁ H ₁₆ N ₅ O.BF ₄ (125700-67-6)	TBTU (O-(1H-Benzotriazol-1-YI)-N,N,N',N'-Teramethyluroniumtetra Fluoroborate) AR M. W.: 321.08	5 gm 25 gm 100 gm
	Tauroglycocholic Acid Sodium Salt See Bile Salt For Bacteriology	
655985 H ₆ TeO ₆ (7803-68-1)	Telluric Acid AR M. W.: 229.64 Assay 99.0%	25 gm
896100	Tellurium (Te) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO₃ Nist Traceable	100 ml 250 ml 500 ml
896130 new	Tellurium (Te) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
896150	Tellurium (Te) 1000 ppm Single Element Std. Soln. for ICP in HNO₃ Nist Traceable	100 ml 500 ml
896155 new	Tellurium (Te) 10000 ppm Single Element Std. Soln. for ICP in HNO₃ Nist Traceable	100 ml 500 ml
030347 Te (13494-80-9)	Tellurium (Metal) powder At. W.: 127.60 Assay (Iodometry) 99.0%	100 gm
	TEMED See N,N,N,N Tetramethyl Ethylenediamine	
656125 C ₉ H ₁₈ NO (2564-83-2)	Tempo (Free Radical) AR M. W.: 156.25 Assay 98.0%	1 gm 5 gm 25 gm
896200	Terbium (Tb) Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO₃ Nist Traceable	100 ml 500 ml
896210	Terbium (Tb) 1000 ppm Single Element Standard for ICP in HNO₃	100 ml
RE2850 Tb (7440-27-9)	Terbium Metal Ingot M. W. : 158.93 Assay (Trace metal basis) 99.99%	2 gm 10 gm
RE2855 Tb (7440-27-9)	Terbium Metal Lump (1cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE2860 Tb (7440-27-9)	Terbium Metal Powder 325 mesh M. W. : 158.93 Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE2862 Tb (7440-27-9)	Terbium Metal Wire (0.1 mm) M. W. : 158.93	1 gm 5 gm
RE2865 Tb (7440-27-9)	Terbium Metal Rod (5mmx30cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	1 PC
RE2870 Tb (7440-27-9)	Terbium Metal Foil (0.25mmx40cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	1 PC

Product Code	Product Name	Packing
RE2875 Tb (7440-27-9)	Terbium Metal Foil (0.50mmx40cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	1 PC
RE2880 Tb (7440-27-9)	Terbium Metal SLAB (1cmx40cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	1 PC
RE2885 Tb (7440-27-9)	Terbium Metal Disc (0.1mmx Dia 35cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	1 PC
RE2900 Tb(CH ₃ CO ₂) ₃ .xH ₂ O (100587-92-6)	Terbium Acetate M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE2905 Tb(CH ₃ CO ₂) ₃ .xH ₂ O (100587-92-6)	Terbium Acetate M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2910 Tb(CH ₃ CO ₂) ₃ .xH ₂ O (100587-92-6)	Terbium Acetate M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE2925 Tb ₂ (CO ₃) ₃ .xH ₂ O (100587-96-0)	Terbium Carbonate M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE2930 Tb ₂ (CO ₃) ₃ .xH ₂ O (100587-96-0)	Terbium Carbonate M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE2935 Tb ₂ (CO ₃) ₃ .xH ₂ O (100587-96-0)	Terbium Carbonate M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE2950 TbCl ₃ .6H ₂ O (13798-24-8)	Terbium Chloride M. W.: 373.38 Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE2955 TbCl ₃ .6H ₂ O (13798-24-8)	Terbium Chloride M. W.: 373.38 Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE2960 TbCl ₃ .6H ₂ O (13798-24-8)	Terbium Chloride M. W.: 373.38 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE2975 Tb(NO ₃) ₃ .5H ₂ O (57584-27-7)	Terbium Nitrate M. W.: 435.02 Assay (Trace metal basis) 99.9%	5 gm 25 gm 50 gm
RE2980 Tb(NO ₃) ₃ .5H ₂ O (57584-27-7)	Terbium Nitrate M. W.: 435.02 Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE2985 Tb(NO ₃) ₃ .5H ₂ O (57584-27-7)	Terbium Nitrate M. W.: 435.02 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3000 Tb ₄ O ₇ (12037-01-3)	Terbium Oxide M. W.: 747.69 Assay (Trace metal basis) 99.9%	1 gm 5 gm 10 gm 50 gm 250 gm 1 kg
RE3005 Tb ₄ O ₇ (12037-01-3)	Terbium Oxide M. W.: 747.69 Assay (Trace metal basis) 99.99%	1 gm 5 gm 250 gm

Product Code	Product Name	Packing
RE3010 Tb ₄ O ₇ (12037-01-3)	Terbium Oxide M. W.: 747.69 Assay (Trace metal basis) 99.999%	1 gm 5 gm 25 gm 250 gm
RE3025 Tb ₂ (SO ₄) ₃ .8H ₂ O (13842-67-6)	Terbium Sulphate M. W.: 750.16 Assay (Trace metal basis) 99.9%	5 gm 50 gm
RE3030 Tb ₂ (SO ₄) ₃ .8H ₂ O (13842-67-6)	Terbium Sulphate M. W.: 750.16 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3035 Tb ₂ (SO ₄) ₃ .8H ₂ O (13842-67-6)	Terbium Sulphate M. W.: 750.16 Assay (Trace metal basis) 99.999%	10 gm 50 gm
237525 C ₈ H ₆ O ₂ (623-27-8)	Terephthalaldehyde for Synthesis M. W.: 134.13 Assay 97.5%	100 gm 500 gm
237635 C ₁₈ H ₁₄ (92-94-4)	p-Terphenyl for Synthesis M. W.: 230.30	25 gm 100 gm
030351 C ₈ H ₆ O ₄ (100-21-0)	Terephthalic Acid for Synthesis M. W.: 166.14 Assay (acidimetric) 98.0%	500 gm
D98568 C ₈ H ₂ D ₄ O ₄ (60088-54-2)	Terephthalic-d₄-Acid M.W.: 170.16 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	1 gm 5 gm
237805 C ₈ H ₄ Cl ₂ O ₂ (100-20-9)	Terphthaloyl Chloride for Synthesis M. W.: 203.02 Assay 99.0%	100 gm 500 gm
024274 C ₁₀ H ₁₈ O (8006-39-1)	Terpineol (Mixture of isomers) M. W.: 154.25 Assay (mix isomers) 98.0%	500 ml 2.5 lit
237975 C ₁₂ H ₂₀ O ₂ (80-26-2)	Terpinyl Acetate for Synthesis M. W.: 196.29 Assay 95.0%	500 gm
	Tert-Butanol See tert-Butanol	
044130 C ₆ H ₁₅ NO ₆ S (7365-44-8)	TES Buffer M. W.: 229.25 Assay (Acidimetric) 99.0%	25 gm 100 gm
238045 C ₁₉ H ₂₈ O ₂ (58-22-0)	Testosterone for Lab use M. W.: 288.42	5 gm 25 gm
238135 (57-85-2)	Testosterone Propionate	5 gm 25 gm
030355 C ₂ H ₂ Br ₄ (79-27-6)	1,1,2,2-Tetra Bromo Ethane for Microscopy M. W.: 345.67 Assay (GC) 98.5%	250 ml 500 ml
238270 new C ₁₆ H ₄₀ BN (33725-74-5)	Tetrabutylammonium Borohydride for Synthesis M.W. 257.31 Assay 98.0%	5 gm 25 gm
024283 C ₁₆ H ₃₆ NBr (1643-19-2)	Tetra Butyl Ammonium Bromide M. W.: 322.37 Assay (argentometric) 99.0%	500 gm 25 kg

T

Laboratory Chemicals

Product Code	Product Name	Packing
656955 C ₁₆ H ₃₆ NBr (1643-19-2)	Tetrabutyl Ammonium Bromide AR M. W.: 322.37	100 gm 500 gm
773700 C ₁₆ H ₃₆ NBr (1643-19-2)	Tetrabutyl Ammonium Bromide HPLC Phase Transfer Catalyst Suitable for HPLC M. W.: 322.37	100 gm
238285 [CH ₃ (CH ₂) ₃] ₄ NCl (1112-67-0)	Tetrabutyl Ammonium Chloride for Synthesis M. W.: 277.92 Assay 99.0%	25 gm
773750 C ₁₆ H ₃₆ NH ₂ O ₄ P (5574-97-0)	Tetrabutyl Ammonium Dihydrogen Phosphate AR/ HPLC M. W.: 339.45 Assay 99.0%	5 gm 25 gm
024282 C ₁₆ H ₃₇ NO ₄ S (32503-27-8)	Tetra Butyl Ammonium Hydrogen Sulphate for Synthesis M. W.: 339.54 Assay (acidimetric) 98.0%	100 gm 500 gm 25 kg
773800 C ₁₆ H ₃₇ NO ₄ S (32503-27-8)	Tetrabutyl Ammonium Hydrogen Sulphate HPLC M. W.: 339.53	100 gm
890290	Tetra-N-Butyl Ammonium Hydroxide 0.1N aq. Solution AR Assay About 0.1%	500 ml
896310	Tetra-N-Butyl Ammonium Hydroxide 0.1N In Isopropanol AR Assay About 0.1%	500 ml
896330	Tetra-N-Butyl Ammonium Hydroxide 0.1N in methanol AR (For Non-Aqueous Titration) Assay About 0.1%	500 ml
896355 new	Tetrabutyl Ammonium Hydroxide 0.4M in Water, For Enhance HPLC Performance	500 ml
896340 new	Tetrabutyl Ammonium Hydroxide 1M solution in Methanol	100 ml 500 ml
896350	Tetra-N-Butyl Ammonium Hydroxide 1m in Water	100 ml
896370	Tetra-N-Butyl Ammonium Hydroxide 10% aqueous Solution Assay (acidimetric) 9.9-10.1%	100 ml
896390	Tetra-N-Butyl Ammonium Hydroxide 10% in Methanol Assay About 10.0%	100 ml
896400 new	Tetrabutyl Ammonium Hydroxide 12.5% In Methanol	100 ml
896450	Tetra-N-Butyl Ammonium Hydroxide 20% aq. Solution Assay About 20.0%	100 ml 500 ml
896470	Tetra-N-Butyl Ammonium Hydroxide 20% Solution in Methanol Assay About 20%	100 ml 500 ml

Product Code	Product Name	Packing
896510	Tetra-N-Butyl Ammonium Hydroxide 25% In Methanol Extra Pure Assay About 25%	100 ml 500 ml
896530	Tetra-N-Butyl Ammonium Hydroxide 40% in Methanol AR Assay About 40%	100 ml 500 ml
896570	Tetra-N-Butyl Ammonium Hydroxide 40 % in Water Assay 39-41%	100 ml 500 ml
657055 [CH ₃ (CH ₂) ₃] ₄ NI (311-28-4)	Tetra Butyl Ammonium Iodide AR M. W.: 369.38 Assay (argentometric) 99.0%	25 gm 100 gm 1 kg
896290 new	Tetrabutylammonium Phosphate Monobasic 1M Solution In Ethanol	100 ml
	Tetrachloro-p-Benzoquinone See p-Chloranil	
026198 CHCl ₂ .CHCl ₂ (79-34-5)	1,1,2,2-Tetra Chloroethane for Synthesis M. W.: 167.85 Assay (GC) 97.0%	500 ml 2.5 lit
657165 CHCl ₂ .CHCl ₂ (79-34-5)	1,1,2,2-Tetra Chloroethane AR M. W.: 167.85 Assay (GC) 98.0%	500 ml 2.5 lit
030693 CCl ₂ .CCl ₂ (127-18-4)	Tetrachloroethylene for Synthesis (Perchloro Ethylene) M. W.: 165.83 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
657195 CCl ₂ .CCl ₂ (127-18-4)	Tetrachloroethylene AR (perchloroethylene) M. W.: 165.83	500 ml 2.5 lit 25 lit
774000 Cl ₂ C.CCl ₂ (127-18-4)	Tetrachloroethylene for HPLC & Spectroscopy M. W.: 165.83 Assay (GC) 99.8%	500 ml 1 lit
239025 C ₈ Cl ₄ O ₃ (117-08-8)	Tetrachloro Phthalic Anhydride M. W.: 285.95 Assay 96.0%	1 kg
	Tetradecanoic Acid See Myristic Acid	
	1-Tetradecanol See Myristyl Alcohol	
	Tetradecyltrimethyl Ammonium Bromide See Cetrimide	
657275 C ₆ N ₄ (670-54-2)	Tetracyanoethylene AR M. W.: 128.09 Assay 98.0%	1 gm 5 gm
239175 C ₁₂ H ₄ N ₄ (1518-16-7)	7,7,8,8-Tetracyanoquino Dimethane Extra Pure M. W.: 204.19 Assay 98.0%	5 gm
099900 C ₂₂ H ₂₄ N ₂ O ₈ HCl (64-75-5)	•Tetracycline Hydrochloride for Lab Use M. W.: 480.90 Assay 95.0%	5 gm 25 gm

Product Code	Product Name	Packing
657465 C ₁₄ H ₃₀ (629-59-4)	N-Tetradecane AR M. W.: 198.39	100 ml 500 ml
774090 C ₄₀ H ₈₄ NBr (14937-42-9)	Tetradecyl Ammonium Bromide AR for HPLC M. W.: 659.01 Assay 99.0%	5 gm 10 gm
	Tetraethoxy Silane See Tetraethyl Ortho Silicate	
030366 (C ₂ H ₅) ₄ NBr (71-91-0)	Tetraethyl Ammonium Bromide for Synthesis M. W.: 210.16 Assay (Argentometric) 98.0%	100 gm 500 gm
239515 C ₈ H ₂₀ ClN (56-34-8)	Tetraethyl Ammonium Chloride (Contains 10-15% Water) Pure M. W.: 165.70	25 gm 100 gm
774140 C ₈ H ₂₀ NHO ₄ S (16873-13-5)	Tetraethyl Ammonium Hydrogen Sulphate (HPLC) M. W.: 227.32 Assay 99.0%	25 gm 100 gm
896740 (77-98-5)	Tetraethyl Ammonium Hydroxide 20% In Water for Synthesis Assay 18.5-21.5%	100 ml 500 ml
896770 (77-98-5)	Tetraethyl Ammonium Hydroxide 25% Aqueous Solution Assay 23.5-26.5%	100 ml 500 ml
024237 C ₈ H ₂₀ NI (68-05-3)	Tetraethyl Ammonium Iodide M. W.: 257.153	100 gm 1 kg
239395 C ₈ H ₂₀ O ₄ Si (78-10-4)	Tetraethyl Ortho Silicate for Synthesis M. W.: 208.33 Assay 99.0%	500 ml
657745 C ₂₈ H ₆₀ NBr (4368-51-8)	Tetraheptylammonium Bromide AR M. W.: 490.70	25 gm 100 gm
	1,2,3,4- Tetrahydrobenzene See Cyclohexene	
030371 C ₄ H ₈ O (109-99-9)	Tetrahydrofuran (Stabilized) for Synthesis M. W.: 72.11 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
657835 C ₄ H ₈ O (109-99-9)	Tetrahydrofuran AR Stabilized M. W.: 72.11 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
774380 C ₄ H ₈ O (109-99-9)	Tetrahydrofuran For HPLC & Spectroscopy M. W.: 72.11 Assay (GC) 99.7%	1 lit 2.5 lit
657905 new C ₄ H ₈ O (109-99-9)	Tetrahydrofuran (Stabilized) Specially Dried M. W.: 72.11 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit

Product Code	Product Name	Packing
774410 C ₄ H ₈ O (109-99-9)	Tetrahydrofuran for Pesticide Residue Trace Analysis M. W.: 72.11	1 lit
	1,2,3,4- Tetrahydro Naphthalene See Tetralin	
677925 C ₆ H ₄ O ₆ .2H ₂ O (5676-48-2)	Tetrahydroxy-p-Benzoquinone AR Indicator for Sulphate Titration M. W.: 208.12 Assay (HPLC) 97.0%	1 gm 5 gm
239975 new C ₃₀ H ₂₈ N ₆ (3283-07-6)	N,N,N',N'-Tetrakis (4-Aminophenyl)-1,4-Benzenediamine M.W. 472.58	POR
658055 C ₇₂ H ₆₀ P ₄ Pd (14221-01-3)	Tetrakis (Triphenylphosphine) Palladium(O) (Reduction Catalyst) AR M. W.: 1155.56 Assay 99.0%	1 gm 5 gm 25 gm
030373 C ₁₀ H ₁₂ (119-64-2)	Tetralin M. W.: 132.21 Assay (GC) 98.0%	500 ml 2.5 lit
240085 C ₁₀ H ₁₀ O (530-93-8)	B-Tetralone M. W.: 146.19 Assay 98.0%	5 gm 25 gm
240125 C ₁₀ H ₁₀ O (529-34-0)	a-Tetralone for Synthesis M. W.: 146.19 Assay 97.0%	100 gm 500 gm
240335 C ₄ H ₁₂ BrN (64-20-0)	Tetramethyl Ammonium Bromide for Synthesis M. W.: 154.05 Assay 98.0%	100 gm 500 gm
030379 C ₄ H ₁₂ ClN (75-57-0)	Tetramethyl Ammonium Chloride pure M. W.: 109.60 Assay (argentometry) 98.0%	100 gm 500 gm
896860 774500 C ₄ H ₁₂ NHO ₄ S (80526-82-5)	Tetramethyl Ammonium Hydrogen Sulphate 0.1 N AR Tetramethyl Ammonium Hydrogen Sulphate (HPLC) for Ion Pair Chromatography M. W.: 171.21	500 ml 5 gm 25 gm
240485 C ₄ H ₁₂ NHO ₄ S (80526-82-5)	Tetramethyl Ammonium Hydrogen Sulphate for Synthesis M. W.: 171.21 Assay 98.0%	100 gm 500 gm
897000 (75-59-2)	Tetramethyl Ammonium Hydroxide 0.1 N in methanol	250 ml 500 ml
897010 new (75-59-2)	Tetramethyl Ammonium Hydroxide 1M Solution In Methanol	100 ml 500 ml
897013 new (75-59-2)	Tetramethyl Ammonium Hydroxide 1M Solution in water	100 ml 500 ml
897020 (CH ₃) ₄ .NOH (75-59-2)	Tetramethyl Ammonium Hydroxide 10% Solution in water for Polarography M.W.: 91.15 Assay (acidimetric) 9.5-10.5%	50 ml 250 ml

T

Laboratory Chemicals

Product Code	Product Name	Packing
897050	Tetramethyl Ammonium Hydroxide 25% aqueous Solution pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	100 ml 500 ml
(CH ₃) ₄ .NOH (75-59-2)		
897070	Tetramethyl Ammonium Hydroxide 25% in Methanol pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	100 ml 500 ml
(CH ₃) ₄ .NOH (75-59-2)		
240555 new	Tetramethyl Ammonium Hydroxide Pentahydrate Extra Pure Store at 2-8°C M.W. 181.23 Assay 98.0%	25 gm 100 gm
(CH ₃) ₄ N(OH).5H ₂ O (10424-65-4)		
024234	Tetramethyl Ammonium Iodide M. W.: 201.05 Assay (argentometric) 99.0%	100 gm 500 gm
C ₄ H ₁₂ IN (75-58-1)		
658465	N,N,N',N'-Tetramethyl Benzidine AR M. W.: 240.34 Assay 95.0%	1 gm
C ₁₆ H ₂₀ N ₂ (366-29-0)		
658545	3,3,5,5-Tetramethyl Benzidine AR (TMB) (Reagent for Detection of Blood) M. W.: 240.34	1 gm 5 gm 25 gm
C ₁₆ H ₂₀ N ₂ (54827-17-7)		
240825	n,n,n,n'-Tetramethyl Diamino Diphenyl Methane for Synthesis (Michler's Base) M. W.: 254.37	100 gm
C ₁₇ H ₂₂ N ₂ (101-61-1)		
	Tetramethylene Dibromide See 1,4-Dibromobutane	
	Tetramethylene Dichloride See 1,4-Dichlorobutane	
	Tetramethylene Glycol See 1,4-Butanediol	
	Tetramethyleneimine See Pyrrolidine	
044308	n,n,n,n'-Tetramethyl Ethylenediamine (Temed) for Synthesis M. W.: 116.21 Assay (GLC) 99.0%	100 ml 500 ml 2.5 lit
C ₆ H ₁₆ N ₂ (110-18-9)		
658605	n,n,n,n-Tetramethyl Ethylene Diamine AR M. W.: 116.21 Assay (GC) 99.0%	100 ml 500 ml
C ₆ H ₁₆ N ₂ (110-18-9)		
988500	n,n,n,n'-Tetramethyl Ethylene Diamine for Electrophoresis/Molecular Biology M. W.: 116.21	100 ml
C ₆ H ₁₆ N ₂ (110-18-9)		
658725	1,1,3,3-Tetramethyl Guanidine AR M. W.: 115.18 Assay 98.5%	100 ml 500 ml
C ₅ H ₁₃ N ₃ (80-70-6)		
030386	n,n,n,n-Tetramethyl-p-Phenylene Diamine Dihydrochloride M. W.: 237.17 Assay (argentometric) 98.0%	5 gm 25 gm
C ₁₀ H ₁₆ N ₂ .2HCl (637-01-4)		

Product Code	Product Name	Packing
	2,2,6,6-Tetramethylpiperidine-1-Oxyl See TEMPO	
D99036	Tetramethylsilane (TMS) M.W.: 88.23 (for NMR Spectroscopy) Assay (GC) Min. 99.9%	100 ml
C ₄ H ₁₂ Si (75-76-3)		
	Tetramethyluronium Hexafluorophosphate See HATU	
012325	Tetramethyl Thiuram Disulphide M. W.: 240.44 Assay 98.0%	100 gm 500 gm
C ₆ H ₁₂ N ₂ S ₄ (137-26-8)		
	Tetranitro Blue Tetrazolium Chloride See Tetranitro B.T.	
658915	Tetranitro B.T. AR (Tetranitro Blue Tetrazolium Chloride) M. W.: 907.63	100 mgm 250 mgm
C ₄₀ H ₂₈ Cl ₂ N ₁₂ O ₁₀ (1184-43-6)		
	Tetraphenyl Boron Sodium Salt See Sodium Tetra Phenyl Borate	
241225	Tetraphenyl Phosphonium Bromide for Synthesis M. W.: 419.3	25 gm 100 gm
C ₂₄ H ₂₀ P.Br (2751-90-8)		
241265	Tetraphenyl Phosphonium Chloride for Synthesis M. W.: 374.85 Assay 98.0%	10 gm
C ₂₄ H ₂₀ P.Cl (2001-45-8)		
241305	Tetraphenyl Phosphonium Iodide for Synthesis M. W.: 466.30	10 gm
C ₂₄ H ₂₀ P.I (2065-67-0)		
	Tetraphosphoric Acid See Polyphosphoric acid	
	Tetrapotassium Diphosphate See tetra-Potassium Pyrophosphate	
241425	Tetrapropyl Ammonium Bromide Extra Pure M. W.: 266.26	100 gm 500 gm
C ₁₂ H ₂₈ NBr (1941-30-6)		
897260	Tetrapropyl Ammonium Hydroxide 10% Aqueous Solution Assay 9.5-10.5%	100 ml 500 ml
(4499-86-9)		
897280	Tetrapropyl Ammonium Hydroxide 20% Solution in Water Assay 18.5-21.5%	100 ml 500 ml
(4499-86-9)		
897300	Tetrapropyl Ammonium Hydroxide 40% Solution in Water Assay 38.5-41.5%	100 ml 500 ml
(4499-86-9)		
897350 new	Tetrazole, 3 To 4 Wt. % Solution in Acetonitrile M.W. 70.05	100 ml 500 ml
CH ₂ N ₄ (288-94-8)		
774680	1H-Tetrazole for DNA Synthesis (Amidite Activator) Store at -2 M. W.: 70.05	1 gm 5 gm 25 gm
CH ₂ N ₄ (288-94-8)		

Product Code	Product Name	Packing
	Tetrazolium Blue See Blue Tetrazolium	
	Tetrazolium Red See 2,3,5 Tri Phenyl Tetrazolium Chloride	
	Tetrazolium Salt See 2,3,5-Triphenyl Tetrazolium Chloride	
659325 C ₂₃ H ₁₇ ClN ₄ (1719-71-7)	Tetrazolium Violet AR M. W.: 384.86	1 gm
896190 new	Thallium (Tl) 1000 ppm Single Element Standard Soln. for ICP in 2% HNO₃, Nist Traceable	50 ml 100 ml
659415 C ₈ H ₅ F ₃ O ₂ S (326-91-0)	2-Thenoyl Trifluoro Acetone AR M. W.: 222.19 Assay (acidimetric) 99.0%	10 gm 100 gm
241905 C ₇ H ₈ N ₄ O ₂ (83-67-0)	Theobromine for Synthesis M. W.: 180.16 Assay 99.0%	25 gm 100 gm 500 gm
659505 C ₇ H ₈ N ₄ O ₂ (58-55-9)	Theophylline Anhydrous AR M. W.: 180.16 Assay 99.0%	25 gm 100 gm 5 kg
044005 C ₁₂ H ₁₇ N ₄ O ₂ SClHCl (67-03-8)	Thiamine Hydrochloride for Biochemistry (Vitamin B1) M. W.: 337.27 Assay (On dried substance) 98.5-101.5%	10 gm 25 gm 500 gm
	Thiazolyl Blue See M.T.T. Tetrazolium	
	Thimerosal See Thiomersal	
024294 CH ₃ CSNH ₂ (62-55-5)	Thioacetamide Pract M. W.: 75.13 Assay (Argentometry) 98.0%	100 gm 500 gm
659545 CH ₃ CSNH ₂ (62-55-5)	Thioacetamide AR for Precipitation of Heavy Metals M. W.: 75.13 Assay (Argentometric) 99.0%	25 gm 100 gm 500 gm 5 kg
242125 CH ₃ COSH (507-09-5)	Thioacetic Acid for Synthesis M. W.: 76.12	100 ml 500 ml
659605 C ₄ H ₄ N ₂ O ₂ S (504-17-6)	2-Thiobarbituric Acid AR M. W.: 144.15 Assay (acidimetric on dried substance) 99.0%	25 gm 100 gm
242305 C ₇ H ₇ NS (2227-79-4)	Thiobenzamide M. W.: 137.20 Assay 98.0%	50 gm
	Thiocarbamide See Thiourea	
897370 new	Thioacetamide Solution (Reagent for As, Bi, Cd, Sb, Co, Pb, Ni & Zn)	100 ml

Product Code	Product Name	Packing
242175 new C ₇ H ₈ S (100-68-5)	Thioanisole M.W. 124.21 Assay 99.0%	100 ml 500 ml
242575 C ₄ H ₁₀ O ₂ S (111-48-8)	2,2-Thio Diethanol for Synthesis M. W.: 122.19 Assay 99.0%	500 gm
242725 C ₁₇ H ₁₉ ClN ₂ S (2390-54-7)	Thioflavine T C.I. 49005 M. W.: 318.86 Dye content 65-75%	5 gm 25 gm
030415 CH ₂ (SH)COOH (68-11-1)	Thioglycolic Acid 80% M. W.: 92.11 Assay Abt. 80.0%	500 ml 2.5 lit
659335 CH ₂ (SH)COOH (68-11-1)	Thioglycolic Acid AR M. W.: 92.11 Assay (iodometric) 99.0%	100 ml 500 ml
242825 C ₄ H ₆ O ₄ S (70-49-5)	Thiomalic Acid for Synthesis Used In Cosmetic, Metallurgy, Printing Ink and for Electroplating M. W.: 150.15 Assay 97.0%	100 gm 1 kg
	Thioglycolic Acid Sodium Salt See Sodium Thioglycollate	
030416 C ₉ H ₉ HgNaO ₂ S (54-64-8)	Thiomersal Used as a Preservative for Sucrose Buffer Solution M. W.: 404.81 Assay (Argentometric) 97.0%	10 gm 25 gm 100 gm 1 kg
024263 C ₃ H ₈ O ₂ S (96-27-5)	1-Thioglycerol (3-Mercapto-1, 2-Propanediol) M. W.: 108.16 Assay (oxidimetric) 90.0%	100 ml 500 ml
242945 C ₁₂ H ₉ N ₃ S.C ₂ H ₄ O ₂ (78338-22-4)	Thionin Acetate for Microscopy C. I. No. 52000 M. W.: 287.34	5 gm 25 gm
024288 SOCl ₂ (7719-09-7)	Thionyl Chloride for Synthesis (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	500 ml 2.5 lit
660235 SOCl ₂ (7719-09-7)	Thionyl Chloride AR M. W.: 118.97	500 ml 2.5 lit
243085 C ₄ H ₄ S (110-02-1)	Thiophene for Synthesis M. W.: 84.14	100 ml 500 ml
243255 C ₅ H ₄ OS (98-03-3)	Thiophene-2-Carboxyaldehyde for Synthesis M. W.: 112.15 Assay 98.0%	100 ml 500 ml
024230 C ₆ H ₆ S (108-98-5)	Thiophenol for Synthesis M. W.: 110.2 Assay (GC) 98.0%	500 ml 2.5 lit
	Thiosalicylic Acid See 2-Mercaptobenzoic Acid	

T

Laboratory Chemicals

Product Code	Product Name	Packing
243575 CH ₅ N ₃ S (79-19-6)	Thiosemicarbazide for Synthesis M. W.: 91.13	25 gm 100 gm 1 kg
660295 CH ₅ N ₃ S (79-19-6)	Thiosemicarbazide AR M. W.: 91.13 Assay (Iodometric) 99.0%	25 gm 100 gm
243725 C ₄ H ₄ N ₂ OS (141-90-2)	2-Thiouracil for Synthesis (Used in Bioside & Electroplating) M. W.: 128.15 Assay 99.0%	25 gm 100 gm
024297 CH ₄ N ₂ S (62-56-6)	Thiourea Pract M. W.: 76.12 Assay (iodometric) About 97.0%	500 gm 25 kg 50 kg
030423 CH ₄ N ₂ S (62-56-6)	Thiourea Purified M. W.: 76.12 Assay (Iodometric) 98.0%	500 gm 25 kg 50 kg
660355 CH ₄ N ₂ S (62-56-6)	Thiourea AR M. W.: 76.12 Assay (Iodometric) 99.0%	250 gm 500 gm 50 kg
660375 C ₁₆ H ₁₁ AsN ₂ Na ₂ O ₁₀ S ₂ (3688-92-4)	Thorin Indicator AR Reagent for Thorium, Beryllium & Other Metals M. W.: 576.30	5 gm
660415 Th(NO ₃) ₄ 5H ₂ O (14767-04-5)	Thorium Nitrate AR as a reagent for determination of Fluorine M. W.: 570.13 Assay (complexometric) 99.0%	25 gm 100 gm
660435 ThO ₂ (1314-20-1)	Thorium Oxide AR M. W.: 264.04 Assay 99.0%	5 gm
	Thoron Indicator See Thorin Indicator	
660505 C ₄ H ₉ NO ₃ (72-19-5)	L-Threonine AR M. W.: 119.12 Assay (ex. N non-aq.) 99.0%	10 gm 25 gm 500 gm
243935 C ₄ H ₉ NO ₃ (88-68-2)	DL-Threonine for Biochemistry M. W.: 119.12	25 gm 100 gm
RE3045 Tm (7440-30-4)	Thulium Metal Ingot M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE3050 Tm (7440-30-4)	Thulium Metal Lump (1 cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE3055 Tm (7440-30-4)	Thulium Metal Powder 325 mesh M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE3060 Tm (7440-30-4)	Thulium Metal Wire (0.1mm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	5 gm
RE3065 Tm (7440-30-4)	Thulium Metal Rod (5cmx30cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 PC

Product Code	Product Name	Packing
RE3070 Tm (7440-30-4)	Thulium Metal Foil (0.25mmx40cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 PC
RE3075 Tm (7440-30-4)	Thulium Metal Foil (0.50mmx40cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 PC
RE3080 Tm (7440-30-4)	Thulium Metal SLAB (1cmx40cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 PC
RE3085 Tm (7440-30-4)	Thulium Metal Disc (0.1mmxdia35cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	1 PC
RE3095 Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	Thulium (III) Acetate M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9%	1 gm 5 gm 100 gm
RE3100 Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	Thulium (III) Acetate M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.99%	5 gm 25 gm
RE3105 Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	Thulium (III) Acetate M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.999%	1 gm 25 gm
RE3110 Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	Thulium (III) Acetate M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 25 gm
RE3114 Tm ₂ (CO ₃) ₃ .xH ₂ O (87198-17-2)	Thulium (III) Carbonate M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE3116 Tm ₂ (CO ₃) ₃ .xH ₂ O (87198-17-2)	Thulium (III) Carbonate M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 25 gm
RE3118 Tm ₂ (CO ₃) ₃ .xH ₂ O (87198-17-2)	Thulium (III) Carbonate M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 25 gm
RE3120 TmCl ₃ (13537-18-3)	Thulium (III) Chloride M. W.: 275.29 Assay (Trace metal basis) 99.9%	2 gm 10 gm
RE3125 TmCl ₃ (13537-18-3)	Thulium (III) Chloride M. W.: 275.29 Assay (Trace metal basis) 99.99%	1 gm 10 gm
RE3130 TmCl ₃ (13537-18-3)	Thulium (III) Chloride M. W.: 275.29 Assay (Trace metal basis) 99.999%	2 gm 10 gm
RE3135 TmCl ₃ (13537-18-3)	Thulium (III) Chloride M. W.: 275.29 Assay (Trace metal basis) 99.9999%	1 gm 25 gm
RE3137 TmF ₃ (13760-79-7)	Thulium (III) Fluoride M. W.: 225.93 Assay (Trace metal basis) 99.9%	5 gm 25 gm
RE3139 TmF ₃ (13760-79-7)	Thulium (III) Fluoride M. W.: 225.93 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3141 TmF ₃ (13760-79-7)	Thulium (III) Fluoride M. W.: 225.93 Assay (Trace metal basis) 99.999%	1 gm 25 gm

Product Code	Product Name	Packing
RE3143 TmF ₃ (13760-79-7)	Thulium (III) Fluoride M. W.: 225.93 Assay (Trace metal basis) 99.9999%	1 gm 25 gm
RE3145 TmI ₃ (13813-43-9)	Thulium (III) Iodide M. W.: 549.65 Assay (Trace metal basis) 99.95%	1 gm 5 gm
RE3155 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE3160 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.99%	2 gm 10 gm
RE3165 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 25 gm
RE3170 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 25 gm
RE3172 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9%	2 gm 10 gm
RE3174 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.99%	1 gm 25 gm
RE3176 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.999%	1 gm 25 gm
RE3178 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9999%	1 gm 25 gm
RE3180 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE3185 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.99%	2 gm 10 gm
RE3190 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.999%	1 gm 5 gm
RE3195 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.9999%	1 gm 10 gm
RE3205 Tm ₂ (SO ₄) ₃ .8H ₂ O (13778-40-0)	Thulium Sulphate M. W.: 770.18 Assay (Trace metal basis) 99.9%	1 gm 5 gm
RE3210 Tm ₂ (SO ₄) ₃ .8H ₂ O (13778-40-0)	Thulium Sulphate M. W.: 770.18 Assay (Trace metal basis) 99.99%	1 gm 5 gm
RE3215 Tm ₂ (SO ₄) ₃ .8H ₂ O (13778-40-0)	Thulium Sulphate M. W.: 770.18 Assay (Trace metal basis) 99.999%	1 gm 25 gm
042048 C ₁₀ H ₁₄ N ₂ O ₅ (50-89-5)	Thymidine for biochemistry M. W.: 242.23 Assay (HPLC) 99.0%	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
244125 C ₅ H ₆ N ₂ O ₂ (65-71-4)	Thymine for Biochemistry M. W.: 126.11 Assay 99%	10 gm 25 gm
030433 C ₁₀ H ₁₄ O (89-83-8)	Thymol (Crystal) M. W.: 150.22 Assay(GC) 99.0%	100 gm 500 gm
660595 C ₁₀ H ₁₄ O (89-83-8)	Thymol (Crystal) AR M. W.: 150.22 Assay (GC) 99.5%	100 gm 500 gm
660655 C ₂₇ H ₃₀ O ₅ S (76-61-9)	Thymol Blue pH Indicator AR pH Transition range 1.2-2.8 Red to Yellow M. W.: 466.60	5 gm 25 gm
897440	Thymol Blue Indicator Solution	125 ml
020114 C ₂₇ H ₂₉ NaO ₅ S (62625-21-2)	Thymol Blue Sodium Salt pH Indicator M. W.: 488.58	5 gm
897443 new	Thymol Blue TS acc. to USP	125 ml
660695 C ₂₈ H ₃₀ O ₄ (125-20-2)	Thymolphthaleine AR pH Indicator M. W.: 430.55	5 gm 25 gm 1 kg
897490	Thymolphthaleine Indicator Solution	125 ml
024261 C ₃₈ H ₄₄ N ₂ O ₁₂ (1913-93-5)	Thymolphthaleine Complexone M. W.: 720.78	1 gm 5 gm
	Thymolphthalexon See Thymolphthalein Complexone	
024284	Thymol Violet pH Indicator	5 gm 25 gm
	Tiles Wash See TW009	
897510	Tin (Sn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl Nist Traceable	100 ml 250 ml 500 ml
897520	Tin (Sn) 1000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
897560	Tin (Sn) 10000 ppm Single Element Std. Soln. for ICP in HCl	100 ml 500 ml
660735 Sn (7440-31-5)	Tin (Metal) Powder AR At. Wt. : 118.69 Assay 99.5%	100 gm 250 gm
660745 Sn (7440-31-5)	Tin (Metal) Powder AR At. Wt. : 118.69 Assay 99.9%	10 gm 25 gm
244305 Sn (7440-31-5)	Tin Wire (2.0 MM) M. W.: 118.69	5 gm 25 gm
660755 Sn (7440-31-5)	Tin (Metal) Foil AR At. Wt.:118.69 Assay 99.8%	250 gm
024298 Sn (7440-31-5)	Tin (Metal) Foil At. Wt.: 118.69 Assay (Complexometric) 99.5%	50 gm

T

Laboratory Chemicals

Product Code	Product Name	Packing
030438	Tin (Metal) Granulated	100 gm
Sn (7440-31-5)	At. W.: 118.69 Assay (Complexometric) 99.5%	500 gm
660765	Tin (Metal) Granulated AR	100 gm
Sn (7440-31-5)	At. W.: 118.69 Assay (Complexometric) 99.7%	500 gm
897590 new	Tin (IV) Chloride 1M	100 ml
	Solution in Dichloromethane	500 ml
	Tin (II) Chloride	
	See Stannous Chloride	
	Tin (IV) Chloride	
	See Stannic Chloride	
024296	Tin (II) Fluoborate 50%	500 gm
Sn(BF ₄) ₂ (13814-97-6)	for Electroplating M.W. : 292.32 Assay 50.0%	25 kg
	Tin (IV) Oxide	
	See Stannic Oxide	
	Tin (II) Sulphate	
	See Stannous Sulphate	
661135	Tiron AR Metal (pH) Indicator	5 gm
(149-45-1)		10 gm
		25 gm
897600	Titan Yellow Solution	100 ml
		500 ml
661225	Titan Yellow AR	10 gm
C ₂₈ H ₁₉ N ₅ Na ₂ O ₆ S ₄ (1829-00-1)	C.I. No. 19540 M. W.: 695.73	50 gm
244465	Titanium Metal Powder	100 gm
Ti (7440-32-6)	M. W.: 47.87	
244485	Titanium Metal Granular	25 gm
Ti (7440-32-6)	M. W.: 47.87	100 gm
244735	Titanium (IV) Chloride for Synthesis	500 ml
	(titanium tetrachloride)	2.5 lit
TiCl ₄ (7550-45-0)	M. W.: 189.68	
030446	Titanium Dioxide	500 gm
	(Titanium IV Oxide)	1 kg
TiO ₂ (13463-67-7)	M. W.: 79.89 Assay (ex Ti) 98.0%	5 kg
		25 kg
		50 kg
661315	Titanium Dioxide AR	500 gm
TiO ₂ (13463-67-7)	M. W.: 79.89 Assay (ex Ti dried subs.) 99.0-100.5%	5 kg
		25 kg
		50 kg
661325	Titanium Dioxide AR	10 gm
TiO ₂ (13463-67-7)	M. W.: 79.89 Assay (ex Ti) 99.9%	
244785 new	Titanium Dioxide, Rutile	500 gm
	(Titanium (IV) Oxide, Rutile)	1 kg
TiO ₂ (1317-80-2)	M.W. 79.87	

Product Code	Product Name	Packing
	Titanium (IV) Oxide	
	See Titanium Dioxide	
897700	Titanium (III) Sulphate (0.1 M)	100 ml
	Volumetric Solution	
	Titanium Tetrachloride	
	See Titanium (IV) Chloride	
897730 new	Titanium Tetrachloride 0.1 M	100 ml
	20% Hydrochloric Acid	500 ml
897733 new	Titanium Tetrachloride 1 M	100 ml
	Solution In Dichloromethane	500 ml
897736 new	Titanium Tetrachloride 1 M	100 ml
	Solution In Toluene	500 ml
244885	Titanium Tetraisopropoxide	500 ml
	for Synthesis	2.5 lit
C ₁₂ H ₂₈ O ₄ Ti (546-68-9)	M. W.: 284.22 Assay 97.0%	
030448	Titanium Trichloride Solution	250 ml
	for Synthesis	500 ml
TiCl ₃ (7705-07-9)	M.W. : 154.23 Assay ~15.0%	
244895 new	Titanium Trichloride 30% Solution	100 ml
	for Synthesis	500 ml
	Titanous Chloride Solution	
	See Titanium Trichloride Solution	
044099	DL-α-Tocopherol Acetate	50 gm
	(Vitamin E Acetate)	1 kg
C ₃₁ H ₅₂ O ₃ (7695-91-2)	M. W.: 472.75 Assay (Oxidimetric) 96-102%	
	Toilet Cleaner	
	See TC009	
245105 new	o-Tolidine	100 gm
C ₁₄ H ₁₆ N ₂ (119-93-7)	M.W. 212.30 Assay 97.5%	500 gm
897900	o-Tolidine Reagent	500 ml
	(For Chlorine Estimation)	
C ₁₄ H ₁₆ N ₂ (119-93-7)	M. W.: 212.30	
897910 new	o-Tolidine Reagent for Gold	100 ml
661395	o-Tolidine AR Reagent	25 gm
	for the Halogens and Gold	100 gm
C ₁₄ H ₁₆ N ₂ (119-93-7)	M. W.: 212.30 Assay 99.0%	
661415	o-Tolidine Hydrochloride AR	25 gm
C ₁₄ H ₁₈ Cl ₂ N ₂ (612-82-8)	M. W.: 285.22 Assay (Argentometric by autotitrator) 99.0%	100 gm
898000	Tollen's Reagent	100 ml
		500 ml
030452	Toluene Rectified	500 ml
C ₆ H ₅ .CH ₃ (108-88-3)	M. W.: 92.14 Assay(GC) 99.0%	1 lit
		2.5 lit
		25 lit
661475	Toluene AR	500 ml
C ₆ H ₅ CH ₃ (108-88-3)	M. W.: 92.14 Assay (GC) 99.5%	1 lit
		2.5 lit
		25 lit

Product Code	Product Name	Packing
030454 C ₆ H ₅ .CH ₃ (108-88-3)	Toluene Sulphur Free M. W.: 92.14 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit
661480 C ₆ H ₅ .CH ₃ (108-88-3)	Toluene Specially Dried AR M. W.: 92.14 Assay (GC) 99.5%	500 ml 2.5 lit
775785 new C ₆ H ₅ .CH ₃ (108-88-3)	Toluene GC Grade M. W.: 92.14 Assay (GC) 99.0%	1 lit
775500 C ₆ H ₅ CH ₃ (108-88-3)	Toluene For HPLC & Spectroscopy M. W.: 92.14 Assay (GC) 99.7%	1 lit 2.5 lit
014627 C ₆ H ₅ CH ₃ (108-88-3)	Toluene Scintillation Grade M. W.: 92.14 Assay (GC) 99.5%	500 ml 2.5 lit
775550 C ₆ H ₅ CH ₃ (108-88-3)	Toluene for Pesticide Residue Trace Analysis (Methy Benzene) M. W.: 92.14	1 lit
D99450 C ₇ D ₈ (2037-26-5)	Toluene -d ₈ (for NMR Spectroscopy) M.W.: 100.21 Assay (GC) Min. 99.5 atom%D	10 ml
245435 C ₉ H ₆ N ₂ O ₂ (584-84-9)	Toluene -2-4-Diisocyanate (Tolylene-2,4-Diisocyanate, 2,4-Diisocyanato toluene) M. W.: 174.16	500 ml 2.5 lit
661505 CH ₃ .C ₆ H ₃ (SH) ₂ (496-74-2)	Toluene -3,4-Dithiol AR M. W.: 156.27 Assay (GC) 97.0%	5 ml
661515 C ₇ H ₆ S ₂ Zn (29726-21-4)	Toluene -3,4-Dithiol Zinc Derivative AR M.W.: 219.62	1 gm
024286 C ₇ H ₉ NO ₂ S (70-55-3)	p-Toluene Sulphonamide M. W.: 171.22 Assay 99.0%	500 gm
024268 CH ₃ .C ₆ H ₄ .SO ₃ H.H ₂ O (6192-52-5)	p-Toluene Sulphonic Acid Pract M. W.: 190.22 Assay 97.5%	500 gm 5 kg
030459 CH ₃ .C ₆ H ₄ .SO ₃ H.H ₂ O (6192-52-5)	p-Toluene Sulphonic Acid for Synthesis (Toluene-4-Sulphonic Acid) M. W.: 190.22 Assay (acidimetric) 98.0%	500 gm 5 kg 25 kg 50 kg
661605 CH ₃ .C ₆ H ₄ .SO ₃ H.H ₂ O (6192-52-5)	p-Toluene Sulphonic Acid AR Monohydrate M. W.: 190.22 Assay (acidimetric) 99.0%	500 gm 25 kg
245575 CH ₃ C ₆ H ₄ SO ₃ Na (657-84-1)	p-Toluene Sulfonic Acid Sodium Salt for Synthesis M. W.: 194.18 Assay 95.0%	500 gm
030461 CH ₃ C ₆ H ₄ .SO ₂ Cl (98-59-9)	p-Toluene Sulphonyl Chloride M. W.: 190.65 Assay (Acidimetric) 98.0%	500 gm

Product Code	Product Name	Packing
024257 C ₈ H ₈ O ₂ (99-04-7)	m-Toluic Acid M. W.: 136.15 Assay (GLC) 99.0%	500 gm
024258 C ₈ H ₈ O ₂ (118-90-1)	o-Toluic Acid M. W.: 136.15 Assay (GC) 98.0%	500 gm
024256 C ₈ H ₈ O ₂ (99-94-5)	p-Toluic Acid M. W.: 136.15 Assay (GLC) 98.0%	500 gm
245675 new C ₉ H ₁₀ O ₂ (99-75-2)	p-Toluic Acid Methyl Ester (Methyl p-toluate) M.W. 150.17 Assay 99.0%	100 gm 250 gm
245245 C ₇ H ₉ N (108-44-1)	m-Toluidine for Synthesis (m-Aminotoluene) M. W.: 107.16	500 ml 2.5 lit
030467 CH ₃ .C ₆ H ₄ .NH ₂ (95-53-4)	o-Toluidine for Synthesis For colorimetric determination of glucose M. W.: 107.16 Assay (GC) 99.0%	500 ml
661665 C ₇ H ₉ N (95-53-4)	o-Toluidine AR for determination of blood sugar M. W.: 107.16 Assay (GC) 99.5%	500 ml
245265 C ₇ H ₉ N.HCl (636-21-5)	o-Toluidine Hydrochloride for Synthesis M. W.: 143.61 Assay 98.0%	5 gm
030469 C ₇ H ₉ N (106-49-0)	p-Toluidine M. W.: 107.16 Assay (GC) 98.0%	500 gm
661695 C ₇ H ₉ N (106-49-0)	p-Toluidine AR M. W.: 107.16	100 gm
024266 C ₇ H ₉ NHCl (540-23-8)	p-Toluidine Hydrochloride for Synthesis M. W.: 143.62 Assay (argentometric) 99.0%	100 gm 500 gm
034077 C ₁₅ H ₁₆ ClN ₃ S (92-31-9)	Toluidine Blue for Microscopy C.I. No. 52040 M. W.: 305.83 Dye content (Titanometric on dried subs.) Abt. 85.0%	25 gm 100 gm 1 kg
	Tolylene Red See Neutral Red	
898140	Topfer's Reagent Determination of HCl in Gastric Juice	125 ml
	Tosyl Chloride See p-Toluenesulfonyl Chloride	
898190	Total Hardness Indicator Powder	25 gm
055036	Towex 50x8 20-50 mesh standard grade	500 gm

Product Code	Product Name	Packing
	Tragacanth Powder See Gum Tragacanth	
038063	D (+) Trehalose	5 gm
$C_{12}H_{22}O_{11} \cdot 2H_2O$ (6138-23-4)	M. W.: 378.33	10 gm 25 gm
	Triacetin See Glycerol Triacetate	
665025	2,4,6-Tri-(2-Pyridyl) 1,3,5-Triazine AR	1 gm
$C_{18}H_{12}N_6$ (3682-35-7)	M. W.: 312.33	5 gm
245625 new	n-Triacontanol (15% Active Matter) (Plant Growth Promoter)	100 gm
$C_{30}H_{62}O$ (593-50-0)	M.W. 438.81	1 kg
024287	1,2,4-Triazole for Synthesis	100 gm
$C_2H_3N_3$ (288-88-0)	M. W.: 69.07 Assay (GC) 98.0%	500 gm
245725	1,2,4-Triazole Sodium Salt Technical Grade	25 gm
$C_2H_2N_3Na$ (41253-21-8)	M. W.: 91.05 Assay 90.0%	100 gm
245935	1,3,5-Tribromobenzene	25 gm
$C_6H_3Br_3$ (626-39-1)	M. W.: 314.80	100 gm
	Tribromomethane See Bromoform	
246045	2,4,6-Tribromophenol for Synthesis	100 gm
$Br_3C_6H_2OH$ (118-79-6)	M. W.: 330.80 Assay 99.0%	500 gm
024255	Tri-n-Butylamine	500 ml
$C_{12}H_{27}N$ (102-82-9)	M. W.: 185.35 Assay (acidimetric) 99.0%	2.5 lit
662615	Tri-n-Butylamine AR	500 ml
$[CH_3(CH_2)_3]N$ (102-82-9)	M. W.: 185.35	2.5 lit
246215 new	Tributyl Borate	100 ml
$C_{12}H_{27}BO_3$ (688-74-4)	M.W. 230.15 Assay 98%	500 ml
246235	Tributyl Citrate for Synthesis	100 ml
$C_{18}H_{32}O_7$ (77-94-1)	M. W.: 360.44 Assay 97.0%	500 ml
030488	Tri-n-Butyl Phosphate for Synthesis	500 ml
$C_{12}H_{27}PO_4$ (126-73-8)	M. W.: 266.32 Assay (GC) 97.0%	2.5 lit
662905	Tri-n-butyl Phosphate AR for Extraction Analysis	500 ml
$C_{12}H_{27}O_4P$ (126-73-8)	M.W.: 266.31	
246155	Tributyltin Chloride for Synthesis	250 ml
$C_{12}H_{27}ClSn$ (1461-22-9)	M. W.: 325.50 Assay 96.0%	
246285	Tributyltin Oxide for Synthesis (Bis-(Tributyltin) Oxide)	100 ml
$C_{24}H_{54}OSn_2$ (56-35-9)	M. W.: 596.10 Assay 96.0-105.0%	500 ml

Product Code	Product Name	Packing
	Tributylin See Glycerol Tributylate	
	Tri-Calcium Citrate See Calcium Citrate Tetrahydrate	
	Tri-Calcium Phosphate See tri-Calcium Phosphate	
	Tricaprylylmethylammonium Chloride See Aliquat 336	
030489	Trichloroacetic Acid for Synthesis	100 gm
$CCl_3.COOH$ (76-03-9)	M. W.: 163.39 Assay (Acidimetric) 99.0%	500 gm 25 kg
662965	Trichloro Acetic Acid AR/ACS for determination of Serum-Iron Protein	100 gm
$CCl_3.COOH$ (76-03-9)	M. W.: 163.39 Assay (Acidimetric) 99.5%	500 gm
898330	Trichloro Acetic Acid 20% W/V AR	500 ml
246475	2',2',4'-Trichloro Acetophenone	25 gm
$C_8H_5Cl_3O$ (4252-78-2)	M. W.: 223.48 Assay 97.0%	
246590	1,2,3-Trichloro Benzene	500 gm
$C_6H_3Cl_3$ (87-61-6)	M. W.: 181.45 Assay 99.0%	
246695	1,2,4-Trichlorobenzene for Synthesis	500 ml
$C_6H_3Cl_3$ (120-82-1)	M. W.: 181.45	2.5 lit
246865	1,1,1-Trichloro Ethane for Synthesis	100 ml
Cl_3CCH_3 (71-55-6)	M. W.: 133.40 Assay 97.0%	
663295	1,1,1-Trichloro Ethane AR	100 ml
Cl_3CCH_3 (71-55-6)	M. W.: 133.40 Assay 99.0%	
246885 new	2,2,2-Trichloroethyl Chloroformate	25 gm
$C_3H_2Cl_4O_2$ (17341-93-4)	M.W. 211.86 Assay 97.0%	100 gm
030497	Trichloroethylene	500 ml
$CHCl:CCl_2$ (79-01-6)	M. W.: 131.39 Assay (GC) 99.0%	2.5 lit 25 lit 200 lit
663415	Trichloroethylene AR/ACS	500 ml
$CHCl:CCl_2$ (79-01-6)	M. W.: 131.39	2.5 lit
775788	Trichloro Ethylene EL grade	2.5 lit
$CHCl:CCl_2$ (79-01-6)	M. W.: 131.39 Assay (GC) 99.7%	
775790	Trichloro Ethylene For HPLC & Spectroscopy	500 ml
$CHCl:CCl_2$ (79-01-6)	M. W.: 131.39 Assay (GC) 99.5%	1 lit
	Trichloromethyl Benzene See Benzotrichloride	
	Trichloromethane See Chloroform	

Product Code	Product Name	Packing
024254 C ₆ H ₃ Cl ₃ O (88-06-2)	2,4,6-Trichloro Phenol for Synthesis M. W.: 197.45 Assay (GC) 97.0%	100 gm 500 gm
044110 (CH ₂ OH) ₃ C.NH.CH ₂ COOH (5704-04-1)	Tricine Biological Buffer (N-TRIS Hydroxy Methyl) Methyl Glycine) M. W.: 179.17 Assay (Potentiometric) 99.0%	25 gm 100 gm
024265 C ₁₂ H ₇ Cl ₃ O ₂ (3380-34-5)	Triclosan M. W.: 289.54 Assay (GLC) 98.0%	100 gm 1 kg
026214 (CH ₃ .C ₆ H ₄) ₃ PO ₄ (1330-78-5)	Tricresyl Phosphate (Tritolyl Phosphate) M. W.: 368.37	500 ml 2.5 lit
247015 C ₁₃ H ₂₈ (629-50-5)	n-Tridecane M. W.: 184.36	250 ml
024267 C ₆ H ₁₅ NO ₃ (102-71-6)	Triethanolamine Pract M. W.: 149.19 Assay (ex Total bases) 95.0%	500 ml 2.5 lit
247145 C ₆ H ₁₅ NO ₃ (102-71-6)	Triethanolamine for Synthesis M. W.: 149.19 Assay (Acidimetric) 98.0%	500 ml 2.5 lit 25 lit 50 lit
663435 C ₆ H ₁₅ NO ₃ (102-71-6)	Triethanolamine AR Suitable for Metal Titration M. W.: 149.19 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 50 lit
663445 C ₆ H ₁₅ NO ₃ .HCl (637-39-8)	Triethanolamine Hydrochloride AR Buffer Component M. W.: 185.65 Assay(dried) 99.5%	100 gm 500 gm
247165 C ₁₂ H ₂₆ O ₄ SC ₆ H ₁₅ NO ₃ (139-96-8)	Triethanolamine Lauryl Sulphate M. W.: 415.58	1 lit 5 lit
030502 (C ₂ H ₅) ₃ N (121-44-8)	Triethylamine for Synthesis M. W.: 101.19 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit
663505 (C ₂ H ₅) ₃ N (121-44-8)	Triethylamine AR M. W.: 101.19 Assay (GC) 99.5%	500 ml 2.5 lit 25 lit
776040 (C ₂ H ₅) ₃ N (121-44-8)	Triethylamine for HPLC & Spectroscopy M. W.: 101.19 Assay (GC) 99.5%	500 ml 1 lit
775950 (C ₂ H ₅) ₃ N (121-44-8)	Triethylamine for DNA & Peptide Synthesis Store at 2-8°C M. W.: 101.19	500 ml
247345 C ₆ H ₁₅ N.HBr (636-70-4)	Triethylamine Hydrobromide M.W. 182.1 Assay 99.0%	100 gm 500 gm

Product Code	Product Name	Packing
247355 (C ₂ H ₅) ₃ N.HCl (554-68-7)	Triethylamine Hydrochloride for Synthesis M. W.: 137.65 Assay 99.0%	100 gm 500 gm
247465 C ₁₂ H ₂₀ O ₇ (77-93-0)	Triethyl Citrate for Synthesis (Ethyl Citrate, Citric Acid Triethyl Ester) M. W.: 276.28 Assay 98.0%	250 ml
030511 C ₆ H ₁₄ O ₄ (112-27-6)	Triethylene Glycol (Trigol) M. W.: 150.17 Assay (GC) 95.0%	500 ml 2.5 lit
026212 C ₆ H ₁₈ N ₄ (112-24-3)	Triethylene Tetramine M. W.: 146.24 Assay(GC) 97.0%	500 ml 2.5 lit
247595 new C ₇ H ₁₈ N.Br (2700-16-5)	Triethyl Methyl Ammonium Bromide M.W. 196.13 Assay 99.0%	100 gm
247665 CH(OC ₂ H ₅) ₃ (122-51-0)	Triethyl Orthoformate (Ethyl Orthoformate, Orthoformic Acid, tri-Ethyl Ester, Triethoxy Methane) M. W.: 148.20	500 ml 2.5 lit
247775 C ₆ H ₁₅ O ₄ P (78-40-0)	Triethyl Phosphate for Synthesis M. W.: 182.15 Assay 99.5%	500 ml
247805 C ₆ H ₁₅ O ₃ P (122-52-1)	Triethyl Phosphite for Synthesis M. W.: 166.16 Assay 98.0%	100 ml 500 ml
247925 C ₆ H ₁₆ Si (617-86-7)	Triethylsilane for Synthesis M. W.: 116.28	100 ml 500 ml
248045 C ₂ H ₂ F ₃ NO (354-38-1)	2,2,4-Trifluoroacetamide M. W.: 113.04 Assay 97.0%	25 gm 100 gm
898360 new	Trifluoroacetic Acid 25% Solution in Water For Protein Sequence Analysis	500 ml
030508 C ₂ F ₃ HO ₂ (76-05-1)	Trifluoro Acetic Acid for Synthesis M. W.: 114.02 Assay (Acidimetric) 98.0%	100 ml 500 ml 2.5 lit
664225 C ₂ F ₃ HO ₂ (76-05-1)	Trifluoro acetic Acid AR M. W.: 114.02	100 ml
776140 C ₂ F ₃ HO ₂ (76-05-1)	Trifluoro Acetic Acid for HPLC Spectroscopy M. W.: 114.02	500 ml
D99900 C ₂ DF ₃ O ₂ (599-00-8)	Trifluoroacetic acid-d (TFA-d) M.W.: 115.03 (for NMR Spectroscopy) Assay Min. 99.5 atom% D	10 ml
248195 C ₄ F ₆ O ₃ (407-25-0)	Trifluoro Acetic Anhydride for Sequential Analysis M. W.: 210.03 Assay 99.0%	100 ml 500 ml

T

Laboratory Chemicals

Product Code	Product Name	Packing
248245 C ₆ H ₄ F ₃ N (3862-73-5)	2,3,4-Trifluoro Aniline M. W.: 147.10 Assay 98.0%	5 gm 25 gm
248325 C ₆ H ₃ F ₃ (1489-53-8)	1,3,5-Trifluoro Benzene M. W.: 132.08 Assay 99.0%	1 gm 5 gm
248415 C ₂ H ₃ F ₃ O (75-89-8)	2,2,2-Trifluoroethanol for Synthesis (B,B,B-Trifluoroethyl Alcohol) M. W.: 100.04	100 ml 500 ml
248545 CHF ₃ O ₃ S (1493-13-6)	Trifluoro Methane Sulphonic Acid for Synthesis M. W.: 150.08 Assay 97.5-102.5%	100 ml 500 ml
029469 C ₇ H ₆ BF ₃ O ₃ (139301-27-2)	4-(Trifluoromethoxy) Phenyl Boronic Acid M. W.: 205.93 Assay 95.0%	5 gm
	Triglycol See Triethylene Glycol	
	Trigol See Triethylene Glycol	
	1,3,5-Trihydroxybenzene See Phloroglucinol	
	1,2,3-Trihydroxy Benzene See Pyrogallol	
	3,4,5-Trihydroxybenzoic Acid See Gallic Acid	
	2,4,6-Trihydroxypyrimidine See Barbituric Acid	
664295 C ₇ H ₃ I ₃ O ₂ (88-82-4)	2,3,5-Tri Iodo Benzoic Acid AR (TIBA) Plant Growth Regulator M. W.: 499.81 Assay(HPLC) 99.0%	5 gm 10 gm
024259 C ₁₄ H ₁₈ N ₄ O ₃ (738-70-5)	Trimethoprim for Lab Use M. W.: 290.32	5 gm 25 gm
248955 C ₁₀ H ₁₂ O ₄ (86-81-7)	3,4,5-Trimethoxy Benzaldehyde for Synthesis M. W.: 196.20	25 gm 100 gm
024250 C ₃ H ₉ N (75-50-3)	Trimethylamine Solution for Synthesis M. W.: 59.11 Assay (acidimetric) Abt. 30.0%	500 ml 2.5 lit
249125 C ₃ H ₉ N.HCl (593 81-7)	Trimethylamine Hydrochloride for Synthesis M. W.: 95.57	500 gm
	1,3,5-Trimethylbenzene See Mesitylene	

Product Code	Product Name	Packing
052425 C ₃ H ₉ ClSi (75-77-4)	Trimethyl Chloro Silane for Synthesis (Chloro trimethyl Silane) M. W.: 108.64	100 ml 500 ml
	3,5,5-Trimethyl-2-Cyclohexen-1-One See Isophorone	
	Trimethylene dibromide See 1,3-Dibromopropane	
249335 C ₄ H ₁₀ O ₃ (149-73-5)	Trimethyl Orthoformate for Synthesis M. W.: 106.12	500 ml 2.5 lit
249405 C ₈ H ₁₈ O ₃ (13820-09-2)	Trimethyl Orthovalerate for Synthesis M. W.: 162.23 Assay 97.0%	25 ml
	2,2,4-Trimethyl Pentane See Iso Octane	
249465 new C ₃ H ₉ O ₄ P (512-56-1)	Trimethyl Phosphate M.W. 140.08	100 ml 500 ml
249575 C ₃ H ₉ O ₃ P (121-45-9)	Trimethyl Phosphite M. W.: 124.08 Assay 99.0%	500 ml 2.5 lit
664775 C ₅ H ₁₁ O ₅ P (5927-18-4)	Trimethyl Phosphono Acetate AR M. W.: 182.11 Assay 98.0%	25 gm 100 gm
343795 C ₈ H ₁₁ N (108-75-8)	2,4,6-Trimethyl Pyridine for Synthesis M. W.: 121.18 Assay 98.0%	100 ml 500 ml
249875 new (CH ₃) ₃ SiCN (7677-24-9)	Trimethylsilyl Cyanide For Synthesis (Trimethylsilanecarbonitrile, Cyanotrimethylsilane, TMSCN) M.W. 99.21 Assay 98.0%	25 ml 100 ml
664875 C ₄ H ₉ F ₃ O ₃ SSi (27607-77-8)	Trimethyl Silyl Triflate (TMSOF, Trimethylsilyl Trifluoro- Methane sulphonate) AR M. W.: 222.26 Assay 98.5-101.5%	25 gm 100 gm 500 gm
249725 C ₃ H ₉ I ₃ (1774-47-6)	Trimethyl Sulphoxonium Iodide for Synthesis M. W.: 220.07	100 gm 500 gm
249865 C ₆ H ₁₄ O ₃ (77-99-6)	Trimethylol Propane (2-Ethyl-2-Hydroxymethyl-1, 3 Propanediol) M. W.: 134.18 Assay 98.0%	500 gm
249915 C ₁₅ H ₂₀ O ₆ (15625-89-5)	Trimethylolpropane Triacrylate Technical Grade M. W.: 296.32 Assay 70.0%	100 gm
	2,4,6-Trinitrophenol See Picric Acid	
250025 C ₂₄ H ₅₁ N (1116-76-3)	Trioctylamine for Synthesis M. W.: 353.67 Assay 98.0%	100 ml 500 ml

Product Code	Product Name	Packing
	Trioctylmethylammonium Chloride See Aliquat 336	
664935	Tri-n-Octyl Phosphin oxide AR for Extraction analysis	10 gm 100 gm
C ₂₄ H ₅₁ OP (78-50-2)	M. W.: 386.64 Assay (GLC) 99.0%	
665025	2,4,6-Tripyridyl-S-Triazine AR (TPTZ) 2,4,6-Tris (2-pyridyl)-1,3,5-Triazine for Determination of Iron (Reagent for Iron II)	1 gm 5 gm
C ₁₈ H ₁₂ N ₆ (3682-35-7)	M. W.: 312.33 Assay (Non aqueous; on dried sub.)99.0%	
250165	Triolein for Biochemistry	1 gm
C ₅₇ H ₁₀₄ O ₆ (122-32-7)	M. W.: 885.44	
250225	1,3,5-Trioxane for Synthesis (Sym-Trioxane)	100 gm 500 gm
C ₃ H ₆ O ₃ (110-88-3)	M. W.: 90.08 Assay 99.0%	
250315	Tripalmitin for Synthesis	25 gm
C ₅₁ H ₉₈ O ₆ (555-44-2)	M. W.: 807.33 Assay 99.0%	
250415	Triphenyl Amine for Synthesis	25 gm
C ₁₈ H ₁₅ N (603-34-9)	M. W.: 245.32 Assay 98.0%	
665185	Triphenyl Carbinol AR	25 gm 100 gm
C ₁₉ H ₁₆ O (76-84-6)	M. W.: 260.33 Assay 97.0%	
	Triphenyl Chloro Methane See Trityl Chloride	
250615	Triphenylethyl phosphonium Bromide for Synthesis	25 gm 100 gm
C ₂₀ H ₂₀ BrP (1530-32-1)	M. W.: 371.25	
024249	Triphenyl Methane	100 gm 500 gm
(C ₆ H ₅) ₃ CH (519-73-3)	M. W.: 244.33 Assay 99.0%	
030536	Triphenyl Phosphate	500 gm 25 kg
(C ₆ H ₅) ₃ PO ₄ (115-86-6)	M. W.: 326.29 Assay (GLC) 99.0%	
030537	Triphenyl Phosphine	100 gm 500 gm 1 kg
C ₁₈ H ₁₅ P (603-35-0)	M. W.: 262.29 Assay (GC) 98.0%	
250735	Triphenyl Phosphite for Synthesis	500 ml
(C ₆ H ₅ O) ₃ P (101-02-0)	M. W.: 310.28 Assay 97.0%	
250845	Triphenylsilane for Synthesis	100 gm
C ₁₈ H ₁₆ Si (789-25-3)	M. W.: 260.41	
665275	2,3,5-Triphenyl Tetrazolium Bromide AR	1 gm
C ₁₉ H ₁₅ BrN ₄ (1096-80-6)	M. W.: 379.26 Assay (ex Br) 98.0%	

Product Code	Product Name	Packing
665335	2,3,5-Triphenyl Tetrazolium Chloride AR (TTC)	10 gm 25 gm
C ₁₉ H ₁₅ ClN ₄ (298-96-4)	M. W.: 334.81 Assay(ex N) min. 99.0%	
250975	Triphosgene for Synthesis	25 gm 100 gm 500 gm 25 kg
C ₃ Cl ₆ O ₃ (32315-10-9)	M. W.: 296.75	
	Triphospho Pyridine Nucleotide (TPN) See b-Nicotinamide Adenine Dinucleotide Phosphate Mono Sodium Salt	
251115	Tripropylamine for Synthesis	100 ml 500 ml
C ₉ H ₂₁ N (102-69-2)	M. W.: 143.27 Assay 98.0%	
899690 new	Tris (bathophenanthroline Disulfonate) Ruthenium (II) Sodium Salt 1 μM Solution	10 ml 100 ml
C ₇₂ H ₄₂ N ₆ Na ₄ O ₁₈ RuS ₆ (301206-84-8)	M.W :1664	
251215 new	Tris (Dibenzylideneacetone) Di Palladium (O) for Synthesis	1 gm 5 gm 25 gm
C ₅₁ H ₄₂ O ₃ Pd ₂ (51364-51-3)	M.W : 915.72	
251220 new	Tris (Dibenzylideneacetone) Dipalladium Chloroform Adduct	250 mg
C ₅₂ H ₄₃ Cl ₃ O ₃ Pd ₂ (52522-40-4)	M.W.1035.1	
027119	Tris (Hydroxy Methyl) Amino Methane	100 gm 500 gm 1 kg 5 kg 25 kg
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay (Acidimetric; on dried material) 99.0%	
665425	Tris (Hydroxy Methyl) Amino Methane AR (Tris Hydroxy Methyl Amino Methane) biological Buffer PKA=8.07 at 25°C	100 gm 500 gm 5 kg 25 kg
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay (Acidimetric after drying) 99.8%	
998660	Tris (Hydroxymethyl) Aminomethane for Molecular Biology A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected	100 gm 500 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay (Acidimetric; on dried material) 99.8%	
776280	Tris(Hydroxymethyl) Aminomethane for HPLC	500 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14	
046032	Tris (Hydroxymethyl) Aminomethane Acetate (Tris Acetate Buffer)	100 gm 500 gm
C ₄ H ₁₁ NO ₃ C ₂ H ₄ O ₂ (6850-28-8)	M. W.: 181.2 Assay (Non-aqueous) 99.0%	
665440	Tris(Hydroxymethyl) Aminomethane Hydrochloride AR (Tris HCl)	100 gm 500 gm 25 kg
C ₄ H ₁₁ NO ₃ .HCl (1185-53-1)	M. W.: 157.60 Assay (ex Cl) 99.5%	

T

Laboratory Chemicals



T

Laboratory Chemicals

Product Code	Product Name	Packing
998780	Tris (Hydroxymethyl) Aminomethane Hydrochloride for Molecular Biology (Tris HCl) DNase, RNase, protease not detected C ₄ H ₁₁ NO ₃ .HCl (1185-53-1) M. W.: 157.60	100 gm 500 gm
251245	Tris(Hydroxymethyl) Aminomethane Maleate (Tris-Maleate, Mono [Tris (Hydroxymethyl)-Aminomethane]Maleate) (72200-76-1)	100 gm
251275	Tris(Hydroxymethyl) Aminomethane Nitrate (tris-nitrate) C ₄ H ₁₁ NO ₃ .HNO ₃ (41521-38-4) M. W.: 184.15	100 gm
251295	Tris(Hydroxymethyl) Aminomethane Oxalate (Tris-Oxalate, Di[tris(Hydroxymethyl)-Aminomethane]Oxalate) Assay (Non aqueous) 97.0% (108321-13-7)	100 gm
251315	Tris(Hydroxymethyl) Aminomethane Phosphate Dibasic (Tris-phosphate Dibasic, Di[tris-(Hydroxymethyl) Aminomethane]Phosphate) (C ₄ H ₁₁ NO ₃) ₂ .H ₃ PO ₄ (108321-11-5) M. W.: 340.27	100 gm
251335	Tris(Hydroxymethyl) Aminomethane Phosphate Monobasic (Tris-Phosphate Monobasic, Mono[tris-(Hydroxymethyl) Aminomethane]Phosphate) NH ₂ C(CH ₂ OH) ₃ .H ₃ PO ₄ (6992-39-8) M. W.: 219.13	100 gm
251445	1,1,1-Tris(Hydroxymethyl) Propane (Tromethylol Propane, 2-Ethyl-2-Hydroxymethyl 1,3-Propanediol) for Synthesis C ₆ H ₁₄ O ₃ (77-99-6) M. W.: 134.17	500 gm
251495	Tris(Hydroxymethyl) Aminomethane Succinate (Tris-Succinate, Di[tris(Hydroxymethyl)-Aminomethane]Succinate) (85169-32-0)	100 gm
251525	Tris(Hydroxymethyl) Aminomethane Sulphate (Tris-Sulphate, Di[tris(Hydroxymethyl)-Aminomethane]Sulphate) NH ₂ C(CH ₂ OH) ₃ .OSH ₂ SO ₄ (6992-38-7) M. W.: 170.17	100 gm
	Tri-Sodium Orthophosphate See tri-Sodium Orthophosphate	
251615	Tristearin for Synthesis C ₅₇ H ₁₁₀ O ₆ (555-43-1) M. W.: 891.49 Assay 99.0%	25 gm
	Triton B See Benzyl Trimethyl Ammonium Hydroxide	
	Tritolyl Phosphate See Tricresyl Phosphate	
	Triton B 40% See Benzyltrimethyl Ammonium Hydroxide 40% in Methanol	

Product Code	Product Name	Packing
	Triton x 100 See Criton X100	
	Tromethamine See Tris Buffer	
	Tromethamine Hydrochloride See Tris Hydrochloride	
251725	Trityl Chloride (Chloro triphenyl methane) C ₁₉ H ₁₅ Cl (76-83-5) M.W.: 278.78 Assay 96.5-103.5%	100 gm 500 gm
251945	Tropaeolin O (pH Indicator) (Resorcin Yellow) C.I. 14270 C ₁₂ H ₉ N ₂ O ₅ S.Na (547-57-9) M. W.: 316.26	25 gm 100 gm
251965	Tropeolin OO Indicator (C.I. 13080) C ₁₈ H ₁₄ N ₃ NaO ₃ S (554-73-4) M. W.: 375.38	25 gm 100 gm
251985	Tropaeolin OOO (pH Indicator) (Orange II) C.I. 15510 C ₁₆ H ₁₁ N ₂ NaO ₄ S (633-96-5) M. W.: 350.32	25 gm 100 gm
665595	DL-Tropic Acid AR for Biochemistry C ₆ H ₅ CH(CH ₂ OH)CO ₂ H (529-64-6) M.W. : 166.17 Assay 98.0%	25 gm
899795	new Trypan Blue 0.4% Solution	125 ml
034078	Trypan Blue for Microscopy C.I. No. 23850 C ₃₄ H ₂₄ N ₆ Na ₄ O ₁₄ S ₄ (72-57-1) M. W.: 960.82 Dye content (Titanometric) Abt. 60.0%	25 gm 100 gm
024260	•Trypsin 1:250 for Biochemistry (9002-07-7)	25 gm 100 gm
039041	•Trypsin 2000 u/g (9002-07-7) 0.2 Anson Unit/g	100 gm 1 kg
039042	•Trypsin exbovine Pancrease 3 x Cryst (9002-07-7) Activity 2500 NFU/mg (7500 BAEE Units mg)	250 mgm 1 gm 5 gm
252185	Tryptamine Hydrochloride Extra Pure for Biochemistry C ₁₀ H ₁₂ N ₂ .HCl (343-94-2) M. W.: 196.68 Assay 98.5-101.5%	1 gm 5 gm
024293	Trypticase	500 gm
024290	Tryptone for Bacteriology (91079-40-2)	500 gm
037154	DL-Tryptophan for Biochemistry C ₁₁ H ₁₂ N ₂ O ₂ (54-12-6) M. W.: 204.23 Assay (Non-aqueous) 99.0%	5 gm 25 gm
037153	L-Tryptophan C ₁₁ H ₁₂ N ₂ O ₂ (73-22-3) M. W.: 204.23 Assay 99.0%	5 gm 25 gm 500 gm
	TS Solution According to USP See Complete List Reagents & Solution According to USP	

Product Code	Product Name	Packing
900080	Tungsten (W) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
900180	new Tungsten (W) 1000 ppm Single Element Standard Soln. for ICP in 1% HNO ₃ , 2% HF Nist Traceable	50 ml 100 ml
030541	Tungsten (Metal) Powder 325 mesh At.:183.85 Assay (Complexometric) 99.0%	100 gm 500 gm
W (7440-33-7)		
024277	Tungsten (VI) Oxide (Tungsten Trioxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	100 gm 500 gm
WO ₃ (1314-35-8)		
665965	Tungstic Acid AR M. W.: 249.85	100 gm 1 kg
H ₂ WO ₄ (7783-03-1)		
024277	Tungstic Oxide (Tungsten (VI) oxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	100 gm 500 gm
WO ₃ (1314-35-8)		
	Tungsto Phosphoric Acid See Phosphotungstic Acid	

Product Code	Product Name	Packing
	Tungsto Silicic Acid See Silicotungstic Acid	
899917	Turk's Solution for Hematology, Leucocytes	250 ml
	Turk's See W.B.C Diluting Fluid	
PA1980	Turmeric Paper	200 lvs
191855 (8006-64-2)	Turpentine Oil Pure (Pine oil)	500 ml 2.5 lit
	Tween 20, 40, 60, 80 See Tween 20, 40, 60, 80	
252515	Tyramine Hydrochloride for Biochemistry M. W.: 173.64 Assay 98.0%	1 gm 5 gm
C ₈ H ₁₁ NO.HCl (60-19-5)		
037156	L-Tyrosine for Biochemistry M. W.: 181.19 Assay (Non-aqueous) 98.5%	25 gm 100 gm 1 kg
C ₉ H ₁₁ NO ₃ (60-18-4)		
252575	DL-Tyrosine for Biochemistry M. W.: 181.19 Assay 98.5-101.5%	5 gm 25 gm
C ₉ H ₁₁ NO ₃ (556-03-6)		
666245	D-Tyrosine AR M. W.: 181.19 Assay 98.5%	1 gm 5 gm
C ₉ H ₁₁ NO ₃ (556-02-5)		

T

Laboratory Chemicals



65 **Terbium**
Tb
158.93
[Xe]4f⁹6s²

TERBIUM

Terbium, atomic no.: 65, symbol as Tb, weight at 158.93, is primarily used in phosphors, particularly in fluorescent lamps and as the high intensity green emitter used in projection televisions, such as the Yttrium-Aluminum-Garnet (Tb:YAG) variety.

Terbium responds efficiently to x-ray excitation and is, therefore, used as an x-ray phosphor. Terbium alloys are also used in magneto-optic recording films, such as TbFeCo



Product Code	Product Name	Packing
671225 C ₁₁ H ₂₄ (1120-21-4)	N-Undecane AR M. W.: 156.31	250 ml
256865 C ₁₁ H ₂₄ O (112-42-5)	1-Undecanol for Synthesis M. W.: 172.31	100 ml
257015 C ₁₁ H ₂₀ O ₂ (112-38-9)	Undecylenic Acid for Synthesis M. W.: 184.28	100 ml 500 ml
	Universal Indicator paper pH 1-10 See Indicator pH Papers Universal	
901000	Universal Indicator Solution pH 4-11	125 ml 500 ml
044103 C ₄ H ₄ N ₂ O ₂ (66-22-8)	Uracil for Biochemistry M. W.: 112.09 Assay (Potentiometric) 98.0%	25 gm 1 kg
	Uranin See Fluorescein Sodium	
671605 UO ₂ (CH ₃ COO) ₂ ·2H ₂ O (6159-44-0)	Uranyl Acetate AR (Only Enduser) M. W.: 424.19 Assay (ex U) 98.0%	5 gm 10 gm 25 gm 100 gm
030558 CH ₄ N ₂ O (57-13-6)	Urea Cryst. Pure for Biochemistry M. W.: 60.06 Assay (Kjeldahl) 99.0%	500 gm 5 kg 25 kg 50 kg
671815 CH ₄ N ₂ O (57-13-6)	Urea AR Special Quality for Biochemical Purpose Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 60.06 Assay (Calculated with respect to dried substance kjeldahl's method) 99.0-101.0%	500 gm 25 kg 50 kg

Product Code	Product Name	Packing
990000 CH ₄ N ₂ O (57-13-6)	Urea for Molecular Biology M. W.: 60.06 Assay 99.5%	500 gm
045204 CH ₄ N ₂ O (57-13-6)	Urea Specially Purified for enzyme work M. W.: 60.06 Assay (ex N) 99.5%	500 gm 5 kg
901160	Urea Stock Standard 0.25% w/v Assay 0.249-0.251% w/v	125 ml
024195 CH ₄ N ₂ O·H ₃ PO ₄ (4861-19-2)	Urea Phosphate M. W.: 158.05 Assay (Acidimetric) 98.0%	500 gm 25 kg
039045	Urease Active Meal	10 gm
671855 C ₅ H ₄ N ₄ O ₃ (69-93-2)	Uric Acid AR Used as substrate in determination of Uricase M. W.: 168.11 Assay(ex N) 99.0%	25 gm 100 gm
901210	Uric Acid Reagent	125 ml
901215 new	Uric Acid Reagent Folin/Newton	100 ml
901230	Uric Acid Stock Standard 0.1% w/v Assay 0.099-0.101% w/v	125 ml
042053 C ₉ H ₁₂ N ₂ O ₆ (58-96-8)	Uridine for Biochemistry M.W.: 244.20 Assay (ex N HPLC) 98.0%	1 gm 5 gm 25 gm
042055 C ₉ H ₁₁ N ₂ Na ₂ O ₉ P (3387-36-8)	Uridine-5-Monophosphate Disodium Salt Dihydrate for Biochemistry M.W.: 368.15 Assay (ex N, on dried subs.) 96.0%	1 gm 5 gm
257715 C ₁₈ H ₁₆ O ₇ (7562-61-0)	Usnic Acid for Synthesis M. W.: 344.32 Assay 98.0%	5 gm

*We offer a wide range of chemicals
in attractive containers*

Available Packs

Solids : 25 Kg. & 50 Kg.

Liquids : 25 lit., 100 lit. & 200 lit.

- Fast Deliveries
- Safe & Convenient to handle
- Consistent & High quality as per international standards



Product Code	Product Name	Packing
	Vacuum Grease Silicon High See High Vacuum Silicon grease	
259745	n-Valeric Acid (Pentanoic Acid, 1-Butane-Carboxylic Acid) for Synthesis M. W.: 102.13	500 ml 2.5 lit
C ₅ H ₁₀ O ₂ (109-52-4)		
259935	Valeronitrile (Butyl Cyanide) M. W.: 83.13	100 ml 500 ml
C ₅ H ₉ N (110-59-8)		
260045	Valerophenone for Synthesis M. W.: 162.23	100 ml 500 ml
C ₁₁ H ₁₄ O (1009-14-9)		
260135	Valeroyl Chloride for Synthesis M. W.: 120.58	100 ml 500 ml
C ₅ H ₉ ClO (638-29-9)		
260315	D-Valine for Biochemistry M. W.: 117.15	1 gm 5 gm
C ₅ H ₁₁ NO ₂ (640-68-6)		
037161	DL-Valine for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 98.5%	25 gm 100 gm
C ₅ H ₁₁ NO ₂ (516-06-3)		
037160	L-Valine for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 99.0%	25 gm 1 Kg
C ₅ H ₁₁ NO ₂ (72-18-4)		
260335 new	L-Valine Methyl Ester Hydrochloride M.W. 167.64 Assay 99.0%	5 gm 25 gm 100 gm
C ₆ H ₁₃ NO ₂ .HCl (6306-52-1)		
902500	Van Gieson II Solution for Microscopy Differential Stain for Collagen	100 ml
902590	Vanadium (V) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
902592 new	Vanadium (V) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml
902610	Vanadium (V) 1000 ppm Single Element Standard for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
902630	Vanadium (V) 10000 ppm Single Element Standard for ICP in HNO ₃ Nist Traceable	100 ml 500 ml
260455	Vanadium (Metal) 100 Mesh M. W.: 50.94 Assay (trace metal basis) 99.9%	5 gm 25 gm
V (7440-62-2)		
030565	Vanadium Pentoxide M. W.: 181.88 Assay 98.5%	100 gm 500 gm 5 kg 25 kg
V ₂ O ₅ (1314-62-1)		
671915	Vanadium Pentoxide AR M. W.: 181.88 Assay (manganometric) 99.5%	100 gm 500 gm
V ₂ O ₅ (1314-62-1)		
676725	Vanadyl Acetyl Acetonate AR M. W.: 265.16 Assay 97.0%	50 gm 100 gm 250 gm
C ₁₀ H ₁₄ O ₅ V (3153-26-2)		

Product Code	Product Name	Packing
030568	Vanadyl Sulphate M. W.: 163.00 (Anhy.) Assay (anhydrous; oxidimetric) 96.0%	100 gm 500 gm
VOSO ₄ ·xH ₂ O (123334-20-3)		
030570	Vanillic Acid M. W.: 168.15 Assay (HPLC) 97.0%	25 gm 100 gm
C ₈ H ₈ O ₄ (121-34-6)		
030569	Vanillin for synthesis M. W.: 152.15 Assay (By GC) 98.0%	100 gm 500 gm
C ₈ H ₈ O ₃ (121-33-5)		
676815	Vanillin AR M. W.: 152.15	25 gm 100 gm
C ₈ H ₈ O ₃ (121-33-5)		
260915	Vanillyl Mandelic Acid (VMA) for Biochemistry (DI-4-Hydroxy-3-Methoxy Mandelicacid) Assay 98.0%	250 mgm 1 gm 5 gm
C ₉ H ₁₀ O ₅ (2349-20-9)		
	Veegum See Magnesium Aluminium Silicate	
261010	Veratric Acid (3,4-Dimethoxybenzoic Acid) for Synthesis M. W.: 182.17	100 gm
C ₉ H ₁₀ O ₄ (93-07-2)		
261105	Veratrole for Synthesis M. W.: 138.16 Assay 99.0%	100 ml 500 ml
C ₈ H ₁₀ O ₂ (91-16-7)		
	Veseline See Petroleum Jelly White	
	Vesuvium See Bismark Brown	
034079	Victoria Blue B for Microscopy C.I. 44045 M. W.: 506.1 Dye content Abt. 85.0%	25 gm 100 gm
C ₃₃ H ₃₂ ClN ₃ (2580-56-5)		
024160	Vinyl Acetate Monomer M. W.: 86.09 Assay (GC) 99.0%	500 ml 2.5 lit
C ₄ H ₆ O ₂ (108-05-4)		
261545	4-Vinyl-1-Cyclohexene for Synthesis M. W.: 108.18 Assay 99.5%	25 ml
C ₆ H ₉ CHCH ₂ (100-40-3)		
261725	2-Vinyl Naphthalene for Synthesis M. W.: 154.21	5 gm
C ₁₀ H ₇ CHCH ₂ (827-54-3)		
261905	2-Vinyl Pyridine for Synthesis M. W.: 105.14	250 ml
C ₇ H ₇ N (100-69-6)		
024148	•Vitamin A Acetate for Biochemistry (Retinol acetate) M. W.: 328.50 Assay (Potency) 500,000 IU/gm	25 gm 100 gm
C ₂₂ H ₃₂ O ₂ (127-47-9)		
	Vitamin B1 See Thiamine Hydrochloride	
	Vitamin B2 See Riboflavin	

V

Laboratory Chemicals



V

Laboratory Chemicals

Product Code	Product Name	Packing
	Vitamin B3 See Nicotinic Acid	
	Vitamin B6 HCl See Pyridoxine Hydrochloride	
	Vitamin B9 See Folic Acid	
	Vitamin H See D-Biotin	
	Vitamin P See Rutin Trihydrate	
	Vitamin B6 Hydrochloride See Pyridoxine Hydrochloride	

Product Code	Product Name	Packing
	Vitamin B₁₂ See Cyanocobalamin	
	Vitamin C See L-Ascorbic Acid	
024159 C ₂₇ H ₄₄ O (67-97-0)	Vitamin D₃ M. W.: 384.64 Assay 97.0%	1 gm
	Vitamin-E-Acetate See DL-a-Tocopherol Acetate	
	Vitamin K₃ Sodium Bisulphite See Menadion Sodium Bisulphite	

Agarose

911000	Agarose High EEO	10 gm 25 gm 100 gm 500 gm
(9012-36-6)	This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	
911010	Agarose High EEO for molecular biology DNase, RNase, Protease not detected	10 gm 25 gm 100 gm 500 gm 1 kg
(9012-36-6)	This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	
911020	Agarose Medium EEO type II	10 gm 25 gm
(9012-36-6)	A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	
911050	Agarose Medium EEO type II for molecular biology DNase, RNase, Protease not detected	10 gm 25 gm 100 gm
(9012-36-6)	A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	
911100	Agarose Low EEO Regular grade	10 gm 25 gm 100 gm
(9012-36-6)	A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	
911120	Agarose Low EEO for molecular biology DNase, RNase, Protease not detected	10 gm 25 gm 100 gm
(9012-36-6)	A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	

..... and many more



Product Code	Product Name	Packing
902550	W.B.C. Diluting Fluid (Truck's)	125 ml 500 ml
902600	Wagner's Reagent for the detection of alkaloids	125 ml 500 ml
902690	Wanklyn's Solution	500 ml 2.5 lit
	Water Blue See Aniline Blue (Water Soluble)	
	Water DM See DM Water	
902760	Water Deionized H ₂ O (7732-18-5)	5 lit
902740	Water Distilled H ₂ O (7732-18-5)	5 lit
679825	Water AR H ₂ O (7732-18-5)	1 lit
779595	Water EL H ₂ O (7732-18-5)	1 lit
779600	Water for HPLC & Spectroscopy H ₂ O (7732-18-5)	1 lit
779650	Water Gradient Grade for Chromatography, HPLC H ₂ O (7732-18-5)	1 lit
779645	Water GC-HS For GC-Headspace Analysis H ₂ O (7732-18-5)	1 lit 2.5 lit
994000	Water for Molecular Biology Grade H ₂ O (7732-18-5)	5 lit
779630	Water for Pesticide Residue Trace Analysis H ₂ O (7732-18-5)	1 lit
902790	Water With 0.1% Acetic Acid for LCMS	2.5 lit
902820	Water With 0.1% Formic Acid for LCMS	2.5 lit
902910	Water/2-Propanol 50/50 (V/V)	1 lit
779700	Water Nuclease free	100 ml
902940	Water With 0.1% Trifluoro Acetic Acid for LCMS	2.5 lit
902950	Water testing kit (For the estimation of Total hardness)	200 te
902952	Water testing kit (For the estimation of Calcium hardness)	100 te
902954	Water testing kit (for the estimation of Fluoride, Chloride and Residual chlorine)	3X200 te

Product Code	Product Name	Packing
902958	Water testing kit (Residual chlorine)	200 te
902960	Water testing kit (For the estimation of total alkalinity and pH)	2x200 te
902962	Water testing kit (for the estimation of arsenic)	25 te
902964	Water testing kit refill pack (Reagents only)(for the estimation of arsenic)	25 te
902966	Water testing kit (for the estimation of phosphate & iron)	2x200 te
902968	Water testing kit (for the estimation of Nitrate Nitrite and Ammonium in water)	3x200 te
902970	Water testing kit (Microbiological testing)	10 te
902972	Water testing kit (For the estimation of dissolved oxygen)	25 te
902974	Water testing kit refill pack (For the estimation of dissolved oxygen)	25 te
902976	Water testing kit (For the estimation of Sulphite/ Residual sulphite in water)	1x100 te
902990	Wij's & Iodine Solution	500 ml
679915	Wood's (Metal) AR (76093-98-6)	100 gm 250 gm
	Wright Eosin Methylene Blue See Wright's Stain	
034080	Wright's Stain for Microscopy (Wright's eosin Methylene Blue)	25 gm 100 gm
903010	Wright's Staining Solution for Microscopy	125 ml 250 ml

779600 Water for HPLC & Spectroscopy



X

Laboratory Chemicals

Product Code	Product Name	Packing
042057 C ₅ H ₄ N ₄ O ₂ (69-89-6)	Xanthine for Biochemistry M. W.: 152.11 Assay (Spectrophotometric 275 nm pH 10) 98.0%	5 gm 25 gm
268835 new (11138-66-2)	Xanthan Gum Pure (Food Grade)	1 kg
030575 C ₈ H ₁₀ (1330-20-7)	Xylene Sulphur Free M. W.: 106.17	500 ml 2.5 lit 25 lit
269050 C ₈ H ₁₀ (1330-20-7)	Xylene Rectified M. W.: 106.17	500 ml 1 lit 2.5 lit 25 lit 200 lit
686715 C ₈ H ₁₀ (1330-20-7)	Xylene AR M. W.: 106.17	500 ml 2.5 lit 25 lit 200 lit
014628 C ₈ H ₁₀ (1330-20-7)	Xylene Scintillation Grade M. W.: 106.17 Assay (GC) 99.0%	500 ml 2.5 lit
269135 C ₈ H ₁₀ (1330-20-7)	Xylene Special (Mixtures of Isomers) M. W.: 106.17	500 ml 2.5 lit
686725 C ₈ H ₁₀ (1330-20-7)	Xylene Special AR (Mixtures of Isomers) (Ethyl Benzene <0.1%) M. W.: 106.17	500 ml 2.5 lit
030577 C ₈ H ₁₀ (108-38-3)	m- Xylene for Synthesis M. W.: 106.17 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
686915 (108-38-3)	m- Xylene AR	500 ml
030576 C ₈ H ₁₀ (95-47-6)	o- Xylene for Synthesis M. W.: 106.17 Assay (GC) 98.0%	500 ml 2.5 lit 25 lit 200 lit
686935 C ₈ H ₁₀ (95-47-6)	o- Xylene AR	500 ml
030574 C ₈ H ₁₀ (106-42-3)	p- Xylene for Synthesis M. W.: 106.17 Assay (GC) 98.5%	500 ml 2.5 lit 25 lit 200 lit
686945 C ₈ H ₁₀ (106-42-3)	p- Xylene AR M. W.: 106.17 Assay (GC) 99.0%	500 ml
779200 new C ₈ H ₁₀ (106-42-3)	p- Xylene for HPLC M. W.: 106.17 Assay (GC) 99.0%	1 lit
903510 new	Xylene Cyanol Indicator Solution (Color Change -Green to Orange)	100 ml

Product Code	Product Name	Packing
044306 C ₂₅ H ₂₇ N ₂ NaO ₆ S ₂ (2650-17-1)	Xylene Cyanol FF C.I. 43535 M. W.: 538.61	10 gm 25 gm
687035 C ₂₃ H ₂₂ O ₅ S (125-31-5)	p- Xylenol Blue Indicator AR M. W.: 410.49	1 gm 5 gm
903520 new	Xylenol Orange Indicator Solution for EDTA Titration (Reagent for Cd, Pb, Mg, Zn, Bi)	100 ml
687125 C ₃₁ H ₂₈ N ₂ O ₁₃ SN ₄ (3618-43-7)	Xylenol Orange AR Suitable for use in EDTA Zinc Titration M. W.: 760.6	5 gm 10 gm
269285 C ₈ H ₁₁ N (95-68-1)	2,4- Xylidine Pure M. W.: 121.18	250 ml 2.5 lit
269305 C ₈ H ₁₁ N (87-62-7)	2,6- Xylidine Pure M. W.: 121.18 Assay 98.5%	250 ml 2.5 lit
269265 (CH ₃) ₂ C ₆ H ₃ NH ₂ (108-69-0)	3,5- Xylidine M. W.: 121.18	100 ml 500 ml
034081 C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ (3761-53-3)	Xylidine Ponceau for Microscopy M. W.: 604.48 Dye content (on dried subs., titrimetry) Abt. 75.0%	25 gm
687175 C ₂₅ H ₂₀ N ₃ NaO ₆ S (14936-97-1)	Xylidyl Blue I AR M. W.: 513.50	1 gm
038101 C ₅ H ₁₂ O ₅ (87-99-0)	Xylitol for Biochemistry M.W. : 152.15	25 gm 100 gm 500 gm
030590 C ₅ H ₁₀ O ₅ (58-86-6)	D (+)- Xylose M. W.: 150.13	25 gm 100 gm 500 gm
269475 C ₅ H ₁₀ O ₅ (609-06-3)	L (-)- Xylose for Biochemistry M. W.: 150.13	5 gm 25 gm



Product Code	Product Name	Packing
271875 (8013-01-2)	Yeast Autolysate Bacteriological Grade	500 gm
271900 new (8013-01-2)	Yeast Extract Paste For Bacteriology	500 gm
023799	Yeast Extract Powder	500 gm 5 kg
271895	Yeast Extract Special for Bacteriology	500 gm
	Yellow Ammonium Sulphide Solution See Ammonium Sulphide Solution yellow	
226605	Yellowish Orange S (C.I. 15985) M. W.: 452.37 $C_{10}H_{10}N_2Na_2O_7S_2$ (2783-94-0)	25 gm
272115 (8006-81-3)	Ylang Ylang Oil for Synthesis	500 gm
272205 $C_{21}H_{26}N_2O_3.HCl$ (65-19-0)	Yohimbine Hydrochloride M. W.: 390.90	1 gm 5 gm
RE3225 Yb (7440-64-4)	Ytterbium Metal Ingot M. W.: 173.04 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3230 Yb (7440-64-4)	Ytterbium Metal Lump M. W.: 173.04 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3235 Yb (7440-64-4)	Ytterbium Metal Powder 325 mesh M. W.: 173.04 Assay (Trace metal basis) 99.9%	2 gm 25 gm
RE3537 Yb (7440-64-4)	Ytterbium Metal Wire (0.1 mm) M. W.: 173.04 Assay (Trace metal basis) 99.9%	5 gm
RE3240 Yb (7440-64-4)	Ytterbium Metal Rod (5cmx30cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	1 PC
RE3245 Yb (7440-64-4)	Ytterbium Metal Foil (0.25mmx40cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	1 PC
RE3250 Yb (7440-64-4)	Ytterbium Metal Foil (0.50mmx40cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	1 PC
RE3255 Yb (7440-64-4)	Ytterbium Metal SLAB 1 cmx40cm M. W.: 173.04 Assay (Trace metal basis) 99.99%	1 PC
RE3260 Yb (7440-64-4)	Ytterbium Metal Disc (0.1mmxdia 35cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	1 PC
RE3270 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE3275 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.99%	5 gm 100 gm

Product Code	Product Name	Packing
RE3280 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.999%	2 gm 100 gm
RE3285 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.9999%	2 gm 100 gm
RE3295 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9%	10 gm 50 gm
RE3300 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE3305 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3310 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE3320 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE3325 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE3330 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3335 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.9999%	5 gm 25 gm
RE3345 YbF_3 (13760-80-0)	Ytterbium (III) Fluoride Anhydrous M. W.: 230.04	10 gm
RE3355 YbI_3	Ytterbium Iodide M. W.: 533.74 Assay (Trace metal basis) 99.95%	5 gm 25 gm
RE3365 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9%	10 gm 100 gm
RE3370 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE3375 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3380 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9999%	2 gm 25 gm
RE3390 Yb_2O_3 (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.9%	25 gm 100 gm 1 kg
RE3395 Yb_2O_3 (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.99%	10 gm 50 gm

Y

Laboratory Chemicals

Product Code	Product Name	Packing
RE3400 Yb ₂ O ₃ (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3405 Yb ₂ O ₃ (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.9999%	2 gm 25 gm
905750 new	Yttrium (V) 1000 ppm Single Element Standard Soln. for ICP in 2% HNO₃, Nist Traceable	50 ml 100 ml
RE3435 Y (7440-65-5)	Yttrium Metal Ingot M. W.: 88.90 Assay (Trace metal basis) 99.99%	10 gm 50 gm
RE3440 Y (7440-65-5)	Yttrium Metal Lump (1 cm) M. W.: 88.90 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3445 Y (7440-65-5)	Yttrium Metal Powder 325 mesh M. W.: 88.90 Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3450 Y (7440-65-5)	Yttrium Metal Rod (5 cmx30 cm) M. W.: 88.90 Assay (Trace metal basis) 99.99%	1 PC
RE3455 Y (7440-65-5)	Yttrium Metal Foil (0.25 mmx40 cm) M. W.: 88.90 Assay (Trace metal basis) 99.99%	1 PC
RE3460 Y (7440-65-5)	Yttrium Metal Foil (0.50 mmx40 cm) M. W.: 88.90 Assay (Trace metal basis) 99.99%	1 PC
RE3465 Y (7440-65-5)	Yttrium Metal SLAB (1 cmx40 cm) M. W.: 88.90 Assay (Trace metal basis) 99.99%	1 PC
RE3470 Y (7440-65-5)	Yttrium Metal Disc (0.1 mmx dia 35 cm) M. W.: 88.90 Assay (Trace metal basis) 99.99%	1 PC
RE3485 Y(CH ₃ CO ₂) ₃ .xH ₂ O (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3490 Y(CH ₃ CO ₂) ₃ .xH ₂ O (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE3495 Y(CH ₃ CO ₂) ₃ .xH ₂ O (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.999%	10 gm 100 gm
RE3510 Y ₂ (CO ₃) ₃ .xH ₂ O (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3515 Y ₂ (CO ₃) ₃ .xH ₂ O (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.99%	25 gm 100 gm
RE3520 Y ₂ (CO ₃) ₃ .xH ₂ O (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 100 gm
RE3535 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.9%	50 gm 250 gm

Product Code	Product Name	Packing
RE3540 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm
RE3545 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.999%	10 gm 50 gm
RE3550 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.9999%	2 gm 25 gm
RE3560 YF ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99%	25 gm 100 gm
RE3565 YF ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.9%	25 gm 100 gm 500 gm
RE3570 YF ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.99%	25 gm 100 gm 500 gm
RE3575 Yf ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3590 Y(OH) ₃ .xH ₂ O	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3595 Y(OH) ₃ .xH ₂ O	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm
RE3600 Y(OH) ₃ .xH ₂ O	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3615 Y(NO ₃) ₃ .xH ₂ O	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.9%	25 gm 100 gm
RE3620 Y(NO ₃) ₃ .xH ₂ O	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.99%	5 gm 25 gm 100 gm
RE3625 Y(NO ₃) ₃ .xH ₂ O	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.999%	10 gm 50 gm
RE3640 Y(C ₈ H ₁₅ O ₂) ₂	Yttrium Octoate M. W.: 374.91 Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3660 Y ₂ (C ₂ O ₄) ₃ .10H ₂ O (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.9%	50 gm 250 gm
RE3665 Y ₂ (C ₂ O ₄) ₃ .10H ₂ O (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.99%	25 gm
RE3670 Y ₂ (C ₂ O ₄) ₃ .10H ₂ O (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.999%	5 gm 25 gm
RE3685 Y ₂ O ₃ (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.9%	10 gm 25 gm 250 gm 1 kg

Product Code	Product Name	Packing
RE3690	Yttrium Oxide	25 gm
Y ₂ O ₃	M. W.: 225.81	250 gm
(1314-36-9)	Assay (Trace metal basis) 99.99%	1 kg
RE3695	Yttrium Oxide	25 gm
Y ₂ O ₃	M. W.: 225.81	100 gm
(1314-36-9)	Assay (Trace metal basis) 99.999%	1 kg
RE3700	Yttrium Oxide	10 gm
Y ₂ O ₃	M. W.: 225.81	50 gm
(1314-36-9)	Assay (Trace metal basis) 99.9999%	250 gm

Product Code	Product Name	Packing
RE3715	Yttrium Sulphate	50 gm
Y ₂ (SO ₄) ₃ .6H ₂ O	M. W.: 574.27	250 gm
	Assay (Trace metal basis) 99.9%	
RE3720	Yttrium Sulphate	25 gm
Y ₂ (SO ₄) ₃ .6H ₂ O	M. W.: 574.27	250 gm
	Assay (Trace metal basis) 99.99%	
RE3725	Yttrium Sulphate	5 gm
Y ₂ (SO ₄) ₃ .6H ₂ O	M. W.: 574.27	25 gm
	Assay (Trace metal basis) 99.999%	

Y

Laboratory Chemicals



70 Ytterbium
Yb
173.04
[Xe]4f¹⁴6s²

YTTERBIUM

Ytterbium, atomic no.: 70, symbol as Yb, weight at 173.04, is being applied to numerous fiber amplifier and fiber optic technologies and in various lasing applications.

Ytterbium metal increases its electrical resistance when subjected to very high stresses. This property is used in stress gauges for monitoring ground deformations from earthquakes and nuclear explosions. Ytterbium can also be used as a dopant to help improve the grain refinement, strength, and other mechanical properties of stainless steel. Some Ytterbium alloys have rarely been used in dentistry.



39 Yttrium
Y
88.91
[Kr]4d¹5s²
a : 1.82
χp: 1.22

YTTRIUM

Yttrium, atomic no.: 39, symbol as Y, weight at 88.91, has the highest thermodynamic affinity for oxygen of any element, this characteristic is the basis for many of its applications. While not part of the rare earth series, it resembles the heavy rare earths which are sometimes referred to as the Yttrics for this reason.

Another unique characteristic derives from its ability to form crystals with useful properties.

Some of the many applications of Yttrium include in ceramics for crucibles for molten reactive metals, in florescent lighting phosphors, computer displays and automotive fuel consumption sensors.



Product Code	Product Name	Packing
Z00100 C ₁₄ H ₁₇ NO ₄ (10314-98-4)	Z-Isonipecotic Acid for Biochemistry M.W. : 263.00 Assay 98.0%	10 gm 25 gm
Z00120 C ₁₁ H ₁₃ NO ₃ (2304-94-1)	•Z-B-Alanine M. W.: 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00140 C ₁₁ H ₁₃ NO ₄ (26607-51-2)	•Z-D-Alanine M.W. : 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00180 C ₁₁ H ₁₃ NO ₄ (4132-86-9)	•Z-DL-Alanine M.W. : 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00220 C ₁₁ H ₁₃ NO ₄ (1142-20-7)	•Z-L-Alanine M. W.: 223.21 Assay 99.0%	5 gm 25 gm 100 gm
Z00260 C ₁₂ H ₂₀ NO ₄ (42918-86-5)	•Z-2-Aminobutyric Acid M.W. : 237.30 Assay 99.0%	1 gm 5 gm 25 gm
Z00300 C ₁₄ H ₂₀ N ₄ O ₄ (6382-93-0)	•Z-D-Arginine M.W. : 308.30 Assay 99.0%	1 gm 5 gm 25 gm
Z00340 C ₁₄ H ₂₀ N ₄ O ₄ ·HCl (56672-63-0)	•Z-L-Arginine HCl M. W.: 344.79 Assay 99.0%	25 gm 100 gm
Z00380 C ₁₂ H ₁₄ N ₂ O ₅ (4474-86-6)	•Z-D-Asparagine M.W. : 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00420 C ₁₂ H ₁₄ N ₂ O ₅ (29880-22-6)	•Z-DL-Asparagine M.W. : 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00460 C ₁₂ H ₁₄ N ₂ O ₅ (2304-96-3)	•Z-L-Asparagine M. W.: 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00500 C ₁₂ H ₁₃ NO ₆ (78663-07-7)	•Z-D-Aspartic Acid M. W.: 267.23 Assay 99.0%	1 gm 5 gm 25 gm
Z00540 C ₁₂ H ₁₃ NO ₆ (4515-21-3)	•Z-DL-Aspartic Acid M.W. : 267.23 Assay 99.0%	1 gm 5 gm 25 gm
Z00580 C ₁₂ H ₁₃ NO ₆ (1152-61-0)	•Z-L-Aspartic Acid M. W.: 267.23 Assay 99.0%	5 gm 10 gm 25 gm
Z00620 C ₁₃ H ₁₅ NO ₆ (63648-73-7)	•Z-D-Glutamic Acid M. W.: 281.27 Assay 99.0%	1 gm 5 gm 25 gm
Z00660 C ₁₃ H ₁₅ NO ₆	•Z-DL-Glutamic Acid M. W.: 281.27 Assay 99.0%	1 gm 5 gm
Z00700 C ₁₃ H ₁₅ NO ₆ (1155-62-0)	•Z-L-Glutamic Acid M. W.: 281.27 Assay 99.0%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
Z00740 C ₂₀ H ₂₁ NO ₆ (5680-86-4)	Z-L-Glutamic Acid-4- Benzyl Ester for Biochemistry M. W.: 371.39 Assay 98.0%	10 gm 25 gm
Z00780 C ₁₃ H ₁₆ N ₂ O ₅ (13139-52-1)	•Z-D-Glutamine M. W.: 280.28 Assay 99.0%	1 gm 5 gm 25 gm
Z00820 C ₁₃ H ₁₆ N ₂ O ₅ (2650-64-8)	•Z-L-Glutamine M. W.: 280.28 Assay 99.0%	1 gm 5 gm 25 gm 100 gm
Z00860 C ₁₀ H ₁₁ NO ₄ (1138-80-3)	•Z-Glycine M. W.: 209.20 Assay 99.0%	5 gm 25 gm 100 gm
Z00940 C ₁₄ H ₁₅ N ₃ O ₄ (19728-57-5)	•Z-DL-Histidine M. W.: 289.30 Assay 99.0%	1 gm 5 gm
Z00980 C ₁₄ H ₁₅ N ₃ O ₄ (14997-58-1)	•Z-L-Histidine M. W.: 289.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01020 C ₁₃ H ₁₅ NO ₅ (13504-85-3)	•Z-L-Hydroxyproline M. W.: 265.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01100 C ₁₄ H ₁₉ NO ₄ (3160-59-6)	•Z-L-Isoleucine M. W.: 265.30 Assay 99.0%	5 gm 25 gm 100 gm
Z01140 C ₁₄ H ₁₉ NO ₄ (28862-79-5)	•Z-D-Leucine M. W.: 265.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01180 C ₁₄ H ₁₉ NO ₄ (3588-60-1)	•Z-DL-Leucine M. W.: 265.30 Assay 99.0%	5 gm 25 gm
Z01240 C ₁₄ H ₁₉ NO ₄ (2018-66-8)	•Z-L-Leucine M. W.: 265.30 Assay 99.0%	5 gm 25 gm 100 gm
Z01280 C ₁₄ H ₂₀ N ₂ O ₄ (70671-54-4)	•Z-D-Lysine M. W.: 280.32 Assay 99.0%	1 gm 5 gm
Z01320 C ₁₄ H ₂₀ N ₂ O ₄ (2212-75-1)	•Z-L-Lysine M. W.: 280.32 Assay 99.0%	1 gm 5 gm 25 gm
Z01360 C ₁₃ H ₁₇ NO ₄ S (28862-80-8)	•Z-D-Methionine M. W.: 280.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01400 C ₁₃ H ₁₇ NO ₄ S (4434-61-1)	•Z-DL-Methionine M. W.: 283.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01440 C ₁₃ H ₁₇ NO ₄ S (1152-62-1)	•Z-L-Methionine M. W.: 283.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01480 C ₁₄ H ₁₉ NO ₄ (15027-14-2)	•Z-D-Norleucine M. W.: 265.30 Assay 99.0%	500 mgm 5 gm

Product Code	Product Name	Packing
Z01520 C ₁₄ H ₁₉ NO ₄ (15027-13-1)	•Z-DL-Norleucine M. W.: 265.30 Assay 99.0%	1 gm 5 gm
Z01560 C ₁₄ H ₁₉ NO ₄ (39608-30-5)	•Z-L-Norleucine M. W.: 265.30 Assay 99.0%	1 gm 5 gm
Z01600 C ₁₃ H ₁₇ NO ₄	•Z-D-Norvaline M. W.: 251.30 Assay 99.0%	1 gm 5 gm
Z01640 C ₁₃ H ₁₇ NO ₄ (21691-43-0)	•Z-DL-Norvaline M. W.: 251.30 Assay 99.0%	1 gm 5 gm
Z01680 C ₁₃ H ₁₇ NO ₄ (21691-44-1)	•Z-L-Norvaline M. W.: 251.30 Assay 99.0%	1 gm 5 gm
Z01720 C ₁₃ H ₁₈ N ₂ O ₄ (3304-51-6)	•Z-L-Ornithine M. W.: 266.30 Assay 99.0%	1 gm 5 gm
Z01760 C ₁₇ H ₁₇ NO ₄ (2448-45-5)	•Z-D-Phenylalanine M. W.: 299.32 Assay 99.0%	1 gm 5 gm 25 gm
Z01800 C ₁₆ H ₁₅ NO ₄ (17609-52-8)	Z-D-Phenylglycine for Biochemistry M. W.: 285.29 Assay 98.0%	10 gm 25 gm
Z01840 C ₁₇ H ₁₇ NO ₄ (3588-57-6)	•Z-DL-Phenylalanine M. W.: 299.32 Assay 99.0%	5 gm 25 gm
Z01880 C ₁₇ H ₁₇ NO ₄ (1161-13-3)	•Z-L-Phenylalanine M. W.: 299.32 Assay 99.0%	25 gm 100 gm
Z01920 C ₁₈ H ₁₉ NO ₄ (35909-92-3)	Z-L-Phenylalanine Methyl Ester for Biochemistry M. W.: 313.35 Assay 98.0%	10 gm 25 gm
Z01960 C ₂₃ H ₂₀ N ₂ O ₆ (2578-84-9)	Z-L-Phenylalanine 4-Nitrophenyl Ester for Biochemistry M. W.: 420.41 Assay 98.0%	10 gm 25 gm
Z02000 C ₁₆ H ₁₅ NO ₄ (53990-33-3)	Z-L-Phenylglycine for Biochemistry M. W.: 285.29 Assay 99.0%	10 gm 25 gm
Z02040 C ₁₃ H ₁₅ NO ₄ (6404-31-5)	•Z-D-Proline M. W.: 249.26 Assay 99.0%	500 mgm 1 gm 5 gm 25 gm
Z02080 C ₁₃ H ₁₅ NO ₄ (1148-11-4)	•Z-L-Proline M. W.: 249.26	1 gm 5 gm 25 gm
Z02120 C ₁₁ H ₁₃ NO ₅ (6081-61-4)	•Z-D-Serine M. W.: 239.20 Assay 99.0%	500 mgm 1 gm 5 gm 25 gm

Product Code	Product Name	Packing
Z02160 C ₁₁ H ₁₃ NO ₅ (1145-80-8)	•Z-L-Serine M. W.: 239.22 Assay 99.0%	1 gm 5 gm 25 gm
Z02200 C ₁₂ H ₁₅ NO ₅ (80384-27-6)	•Z-D-Threonine M. W.: 253.30 Assay 99.0%	500 mgm 1 gm 5 gm 25 gm
Z02240 C ₁₂ H ₁₅ NO ₅ (19728-63-3)	•Z-L-Threonine M. W.: 253.25 Assay 99.0%	1 gm 5 gm 25 gm 100 gm
Z02300 C ₁₉ H ₁₈ N ₂ O ₄ (2279-15-4)	•Z-D-Tryptophan M. W.: 338.40 Assay 99.0%	1 gm 5 gm 25 gm
Z02340 C ₁₉ H ₁₈ N ₂ O ₄ (7432-21-5)	•Z-L-Tryptophan M. W.: 338.40 Assay 99.0%	1 gm 5 gm 25 gm
Z02380 C ₁₇ H ₁₇ NO ₅ (64205-12-5)	•Z-D-Tyrosine M. W.: 315.32 Assay 99.0%	1 gm 5 gm 25 gm
Z02420 C ₁₇ H ₁₇ NO ₅ (1164-16-5)	•Z-L-Tyrosine M. W.: 315.32 Assay 99.0%	1 gm 5 gm 25 gm
Z02460 C ₁₃ H ₁₇ NO ₄ (1685-33-2)	•Z-D-Valine M. W.: 251.30 Assay 99.0%	1 gm 5 gm 25 gm
Z02500 C ₁₃ H ₁₇ NO ₄ (3588-63-4)	•Z-DL-Valine M. W.: 251.30 Assay 99.0%	5 gm 25 gm
Z02540 C ₁₃ H ₁₇ NO ₄ (1149-26-4)	•Z-L-Valine M. W.: 251.28 Assay 99.0%	25 gm 100 gm
Z02600 C ₁₉ H ₂₈ N ₂ O ₆ .C ₁₂ H ₂₃ N (2212-76-2)	Z-N-e-Lysine Dicyclohexyl Ammonium Salt for Biochemistry M. W.: 561.75 Assay 98.0%	10 gm 25 gm
Z02640 (78190-11-1)	Z-Nipecotic Acid for Biochemistry Assay 99.0%	10 gm 50 gm
Z02680 C ₂₄ H ₂₃ NO ₅ (16677-29-5)	Z-O-Benzyl-L-Tyrosine for Biochemistry M. W.: 405.44 Assay 98.0%	10 gm 25 gm
907480	new Zenker's Fixing for Microscopy Fixing System For Animal Tissue	100 ml
	Zeocarbe (Pemutit) See Dermutit	
	Zerolite See Seralites	
907490	new Ziehl Neelsen Acid Fast Stains Kit	1 kit
907500	Zinc (Zn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ Nist Traceable	100 ml 250 ml 500 ml
907502	new Zinc (Zn) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl Nist Traceable	100 ml 250 ml 500 ml

Z

Laboratory Chemicals

Product Code	Product Name	Packing
907540	Zinc (Zn) 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ Nist Traceable	100 ml
		500 ml
907560	Zinc 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ Nist Traceable	100 ml
		500 ml
907520	Zinc (Zn) 1000 ppm Single Element Std. Soln. for ICP in HCl Nist Traceable	100 ml
		500 ml
030596	Zinc Metal Dust Zn (7440-66-6)	500 gm
		25 kg
		50 kg
695305	Zinc Metal Dust AR Zn (7440-66-6)	500 gm
		25 kg
		50 kg
030598	Zinc (Metal) Granular Zn (7440-66-6)	500 gm
		25 kg
		50 kg
695315	Zinc (Metal) Granular AR Zn (7440-66-6)	500 gm
		25 kg
		50 kg
023797	Zinc Foil Zn (7440-66-6)	100 gm
		500 gm
	Zinc Metal Powder See Zinc (Metal) Dust	
274725	Zinc Wire, Dia (2mm) Zn (7440-66-6)	100 gm
695325	Zinc Wire, Dia (2mm) AR Zn (7440-66-6)	100 gm
030601	Zinc Acetate Pure C ₄ H ₆ O ₄ Zn.2H ₂ O (5970-45-6)	500 gm
		25 kg
		50 kg
695415	Zinc Acetate AR C ₄ H ₆ O ₄ Zn.2H ₂ O (5970-45-6)	500 gm
023795	Zinc Borate (10361-94-1)	500 gm
		1 kg
030603	Zinc Bromide ZnBr ₂ (7699-45-8)	500 gm
030604	Zinc Carbonate Basic [ZnCO ₃] ₂ [Zn(OH) ₂] ₃ (5263-02-5)	500 gm
		25 kg
		50 kg
907580	Zinc Chloride 0.1M Volumetric Solution Nist Traceable	1 lit
907590	new Zinc Chloride 0.5M Solution In Tetrahydrofuran	100 ml 500 ml
907592	new Zinc Chloride 0.5M Standardized Solution Nist Traceable	1 lit

Product Code	Product Name	Packing
030605	Zinc Chloride (Dry) Purified ZnCl ₂ (7646-85-7)	500 gm
		1 kg
		25 kg 50 kg
695505	Zinc Chloride (Dry) AR/ACS ZnCl ₂ (7646-85-7)	500 gm
		25 kg
		50 kg
999000	Zinc Chloride for Molecular Biology ZnCl ₂ (7646-85-7)	500 gm
023794	Zinc Chromate CrH ₂ O ₄ Zn (13530-65-9)	500 gm
274915	Zinc Cyanide Zn(CN) ₂ (557-21-1)	500 gm
	Zinc Dithiol See Toluene 3,4 Dithiol Zinc Derivative	
275005	Zinc Fluoride Purified ZnF ₂ (7783-49-5)	500 gm
	Zinc Foil See Zinc Foil	
907630	Zinc Iodide Starch Solution	100 ml
275095	Zinc Iodide for Synthesis ZnI ₂ (10139-47-6)	50 gm
		100 gm
030614	Zinc Nitrate Hexahydrate Zn(NO ₃) ₂ .6H ₂ O (10196-18-6)	500 gm
		25 kg
		50 kg
695595	Zinc Nitrate Hexahydrate AR Zn(NO ₃) ₂ .6H ₂ O (10196-18-6)	500 gm
	Zinc Ortho Phosphate See Zinc Phosphate	
023796	Zinc Oxalate ZnC ₂ O ₄ .2H ₂ O	250 gm
030617	Zinc Oxide Pure ZnO (1314-13-2)	500 gm
		1 kg
		5 kg 25 kg 50 kg
695605	Zinc Oxide AR ZnO (1314-13-2)	500 gm
275225	Zinc Parithione C ₁₀ H ₈ N ₂ O ₂ S ₂ ZN (13463-41-7)	25 gm
		100 gm
		500 gm
695695	Zinc Perchlorate AR Zn(ClO ₄) ₂ .6H ₂ O (10025-64-6)	100 gm
		500 gm

Product Code	Product Name	Packing
030615 Zn ₃ (PO ₄) ₂ (7779-90-0)	Zinc Phosphate Puram M. W.: 386.11 Assay 98.0%	500 gm
275265 ZnSe (1315-09-9)	Zinc Selenide Electronic Grade M. W.: 144.35 Assay (trace metal basis) 99.9%	10 gm
695735 ZnSeO ₃ (13597-46-1)	Zinc Selenite AR M. W.: M. W.: 192.35	25 gm
275445	Zinc Silicofluoride for Synthesis	500 gm
275510 (C ₁₇ H ₃₅ COO) ₂ Zn (557-05-1)	Zinc Stearate M. W.: 632.34 Assay (as Zn) 10.0-12.0%	500 gm
908500	Zinc Sulphate 0.05M Volumetric Solution HNO ₃ Nist Traceable	1 lit
908510	Zinc Sulphate 0.1M Volumetric Solution HNO ₃ Nist Traceable	1 lit
908505 new	Zinc Sulphate 0.05 mol/L Volumetric Solution	500 ml 1 lit 2.5 lit
908508 new	Zinc Sulphate 0.05M Standardized Solution Nist Traceable	1 lit
908515 new	Zinc Sulphate 0.1 mol/L Volumetric Solution	500 ml 1 lit 2.5 lit
908518 new	Zinc Sulphate 0.1M Standardized Solution Nist Traceable	1 lit
908520 new	Zinc Sulphate 0.1 mol/L (0.1M) For 500 ml Solution (Ampoule Packing)	1 amp 3 amp 6 amp
908530 new	Zinc Sulphate Solution 0.05M acc. to USP	500 ml
030621 ZnSO ₄ .7H ₂ O (7446-20-0)	Zinc Sulphate Heptahydrate Purified (Zinc sulphate-7-hydrate) M. W.: 287.54 Assay (Complexometric) 99.0%	500 gm 1 kg 5 kg 25 kg
695835 ZnSO ₄ .7H ₂ O (7446-20-0)	Zinc Sulphate AR/ACS (Zinc sulphate-7-hydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 287.54 Assay (Complexometric) 99.5%	500 gm 5 kg 25 kg 50 kg
030622 ZnSO ₄ .H ₂ O (7446-19-7)	Zinc Sulphate (Dried) Monohydrate M. W.: 179.45 Assay (complexometric) 99-100.5%	500 gm 25 kg 50 kg
030623 ZnS (1314-98-3)	Zinc Sulphide M. W.: 97.46 Assay (ex Zn) 98.0%	500 gm

Product Code	Product Name	Packing
369935 ZnS (1314-98-3)	Zinc Sulphide Special Grade M. W.: 97.46 Assay (Trace metal basis) 99.99%	100 gm
275725 H ₂ O ₃ SZn (13597-44-9)	Zinc Sulphite M. W.: 145.45	500 gm
275785 C ₄ H ₆ O ₆ Zn (551-64-4)	Zinc Tartrate M. W.: 213.45	500 gm
695925 C ₂₀ H ₁₅ N ₄ O ₆ SNa (62625-22-3)	Zincon AR M. W.: 462.41	1 gm 5 gm
275015 Zr (7440-67-7)	Zirconium Metal 100 mesh M. W.: 91.22	25 gm 100 gm 500 gm
276015 CH ₂ O ₇ Zr ₂ (57219-64-4)	Zirconium (IV) Carbonate Basic M. W.: 308.46	100 gm 500 gm
030627 ZrO ₂ (1314-23-4)	Zirconium Dioxide Calcined M. W.: 123.22 Assay (Gravimetric) (ZrO ₂ + HFO ₂) 98.5%	500 gm
696305 new	Zirconium Dioxide AR M. W.: 123.22 Assay (Gravimetric) (ZrO ₂ + HFO ₂) 98.5%	500 gm
	Zirconium (IV) Oxynitrate See Zirconyl Nitrate	
030630 ZrOCl ₂ .8H ₂ O (13520-92-8)	Zirconium Oxychloride (Zirconyl Chloride) M. W.: 322.25 Assay (ex Cl, Argentometric) 96.0%	100 gm 500 gm
696365 ZrOCl ₂ .8H ₂ O (13520-92-8)	Zirconium Oxychloride AR Octahydrate for Fluorine Determination M. W.: 322.25 Assay 99.5%	100 gm
276105 ZrSiO ₄ (10101-52-7)	Zirconium Silicate Extra Pure M. W.: 183.30	250 gm 1 kg
	Zirconyl Chloride See Zirconium Oxychloride	
026222 ZrO(NO ₃) ₂ .XH ₂ O (14985-18-3)	Zirconyl Nitrate tech. M. W.: 231.23+XH ₂ O Assay (Complexometric) about 27.0-32.0%	100 gm 500 gm
909810	ZN Acid Fast Stains Kit	657.00 kit

Z

Laboratory Chemicals





CROSS REFERENCE FOR NEW PRODUCT CODE

Laboratory Chemicals

Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code
927172	009415	010336	451095	010046	461740	925799	489595
927246	011725	040001	451185	910046	461765	913026	489685
034005	013900	040003	451275	027289	461790	010072	489965
936005	019995	027048	452115	010047	461815	010074	490010
927302	020740	027053	452205	927291	461840	933134	490205
927313	021495	027051	452725	020008	461865	010067	491095
910605	022565	025997	452815	010609	461890	027569	491125
934008	023985	013003	452905	010048	461915	010709	491135
030543	024277	010527	453925	010049	461940	010734	491145
025608	024825	010506	454015	010103	461965	010706	491325
027406	025065	010007	454105	927305	461990	010707	491515
927401	026810	927074	454195	025871	462005	010736	492005
939013	039013	010300	454285	010602	462015	927672	492035
927556	041460	010008	454375	013155	462040	010075	492335
915010	042510	010009	454465	013056	462065	010338	492645
927628	042555	010010	454555	010603	462090	010076	492735
927295	045370	913007	454645	010613	462115	010713	493685
926048	045750	010521	454855	010051	462140	010077	493905
910076	049190	025990	454945	010052	462165	010880	493915
025730	049285	010520	455125	010053	462190	020023	494515
014508	054400	010505	455735	010606	462265	943011	495315
014509	054410	010013	456255	010055	463965	027761	495790
014510	054420	010509	456300	044009	464175	010080	495935
934003	055580	027172	456390	028270	464265	027763	496360
956020	056240	010014	456435	013059	464355	010715	496370
928451	063940	010015	456525	013017	464445	927984	496415
928224	077115	010017	456615	010614	464930	010081	496420
913055	078400	010301	456705	010057	465020	927787	496445
028251	078545	010019	456795	027401	465110	010082	496465
933007	082190	018020	456885	027408	465715	010083	496475
928021	085425	010021	457050	034011	465805	027798	496485
928375	089195	010022	457095	010263	465895	010084	496500
928379	092900	010023	457140	010267	465985	027811	496595
028546	106815	010024	457185	010058	466075	010085	496605
928467	107310	010302	457230	010612	466605	010087	496630
028470	110635	010025	457275	010059	466695	927835	496655
936060	120940	010352	457320	010607	467485	010088	496660
938044	122405	010028	457430	020012	467805	010089	496685
928596	124190	010515	457435	010624	467885	027813	496700
934045	145500	010029	457460	020014	467995	010090	496710
929148	147510	010031	457480	010608	468085	010737	496715
929231	157525	010510	457490	020015	468705	910090	496720
929299	167565	010032	457510	020019	468805	010091	496775
929744	183095	027197	457535	010623	469215	010723	498400
939030	183840	927198	457745	020020	469395	010716	498445
939032	185075	010502	457790	025866	469575	025765	498470
028257	195125	010033	457815	013019	469865	020029	498495
029663	196780	010035	457840	027495	470045	010086	499660
912228	216150	010036	457865	010061	470410	010092	499705
910231	216215	010027	457890	010358	470535	010319	500380
930060	216740	010390	457915	913021	478455	010870	500390
910243	219190	010041	458205	027541	478730	010380	500865
930136	219595	027246	459095	010063	478775	037055	501715
930308	225760	010511	459185	010064	478820	933033	505495
930713	237435	010529	459275	010318	478865	010818	505550
910370	247145	010043	459365	927554	478910	010808	506225
930575	269050	010503	459455	010066	479000	010117	506250
911441	275510	038007	459545	010404	479415	028451	506260
032214	450005	913010	459635	010068	479595	010423	506600
010002	450140	913011	459725	010070	479775	028671	506905
927015	450230	010044	459815	010304	479955	928073	508365
010003	450320	010516	459905	010305	480135	010320	508635
010868	450410	010303	459995	015010	480315	010809	508665
010386	450500	010045	461585	010071	489505	010340	508705

CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code
010871	508710	056016	543965	011704	580165	012007	605085
010803	508805	010327	543985	010425	580535	012002	605275
010341	510405	010330	543990	010310	580545	010178	605365
010804	510495	010121	544105	010154	580575	010179	605375
010321	510705	010122	544305	011711	580635	010187	606025
010094	511080	010126	544735	010368	581085	020133	606035
028647	511545	010308	544738	029176	581105	010188	606355
010095	511785	024012	545045	010155	581315	020090	606415
010801	512605	010134	545215	010157	581645	012021	606420
028179	512695	010135	545255	020063	582025	929508	608855
010365	513210	010129	545325	010158	582495	010189	608865
010096	513305	010328	545335	079193	582500	940039	609455
913044	513350	013156	545445	029847	584315	010190	609515
028618	513375	010131	545475	015213	585165	010161	609575
010097	513450	928545	545505	934048	585205	010173	609725
010322	514360	028687	546015	020067	586085	010434	609755
010882	514365	010133	546025	020070	586125	010287	609795
010098	514465	028553	546065	010159	587092	044462	609835
928201	514530	011301	546095	010159	587095	012005	609865
010323	515505	034039	546125	929271	587100	010192	610435
010872	515510	011317	550065	013096	587185	929581	612225
024006	515605	010037	550325	034075	587445	010194	612285
010099	515875	010038	550345	011802	592625	010195	612305
928235	515920	010062	550365	010162	592665	010196	612335
010100	515965	010331	550385	010163	592675	010198	612375
010873	515970	010359	550555	011823	592735	029596	612465
010101	516295	010361	550595	011801	592805	010199	612515
013051	516505	044044	559255	028169	592855	010200	612545
010102	516525	010138	560735	011803	593125	010202	612615
013055	516535	010139	560915	011810	593235	010203	612705
010816	517135	029017	561185	011807	593335	010204	612755
010104	517225	029014	561188	011806	593425	010205	612805
016032	522415	010140	561191	013047	593515	010344	613625
020107	522505	010142	561285	013149	593520	012025	613715
020044	522550	011604	561555	011824	593590	010418	613805
010105	522640	929026	561615	020078	593630	010436	613905
010325	522830	010144	561675	010165	593715	010207	613965
010108	522920	010146	561725	010166	593745	010208	614055
010902	523455	010145	561815	010167	593765	010210	614365
010909	523495	010329	565395	010132	594475	010211	614405
010904	523515	010374	565435	011812	594540	010212	614465
010093	523525	929068	565475	034060	594955	012011	614565
028379	528615	010381	565625	029349	595065	010213	614625
010110	528620	029081	565955	010170	595135	010216	614725
010306	528650	010147	566035	029368	595745	010214	614765
011005	528675	010453	566065	029373	596400	010378	614805
011007	528705	010148	568065	020082	596585	010215	614895
010112	529075	011719	568105	040030	596805	010815	614935
011006	529870	010149	568135	011808	596895	010217	615025
044032	529900	010309	568215	011809	596905	010218	615065
010113	531140	010150	568255	913092	596915	010193	615175
010326	531160	011709	568285	011995	597455	010819	615215
010115	531190	010151	568325	929408	597485	010219	615305
010367	531345	013087	568505	937191	597525	010220	615395
011002	531410	013083	568510	929422	597600	010222	616475
011003	531455	011701	568600	010174	597665	012013	617585
010118	537055	011702	568705	913094	597725	010345	617645
010119	537345	029133	568895	012004	603835	010224	617665
028467	540865	011706	568940	013106	604495	010875	617675
011307	542005	010152	568985	013107	604525	010225	619935
011308	542115	011703	569015	013073	604585	913158	620875
010353	542535	010355	569075	010360	604975	013158	620885
928485	542810	029148	569165	010175	605075	012006	620925
011309	542820	011707	569205	012018	605080	010226	621385



CROSS REFERENCE FOR NEW PRODUCT CODE

Laboratory Chemicals

Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code
020098	621425	010256	645080	010284	661475	015283	743100
929719	621465	010274	645105	010877	661480	011313	743180
012101	623895	010257	645170	013133	661505	015249	743560
012103	623905	010384	645495	013134	661515	910387	743600
012100	623910	010258	645535	012308	661605	011314	743705
012104	623915	010313	645605	024045	661665	045003	744120
010227	627075	010259	645645	012320	661695	014043	747000
012099	627135	010260	645665	010286	662965	015246	747500
030010	627175	930203	645705	010370	663435	020158	752135
012150	632495	012224	645745	944127	663445	015127	752140
920101	632635	010261	645835	012309	663505	015318	752650
010228	632695	012205	646175	012310	664295	015020	753020
938057	632785	013113	646235	030714	664935	011999	759110
913111	632795	012206	646305	012311	665275	024696	762700
026172	632855	010262	646405	034072	665335	012020	762740
010414	632975	930726	646435	010315	665425	014018	763740
012216	634305	930214	646495	012335	665440	065320	764500
010230	638435	012225	646555	010290	671815	014011	765800
012228	638525	010264	646605	024011	671855	024652	765857
010231	638615	010265	646665	910290	671915	914012	765860
010232	638675	010357	646705	010291	676815	065322	769600
012208	638765	010333	646735	020122	677925	065326	770200
012232	638825	030233	646805	010292	679825	065329	771000
012220	640295	010429	646845	033132	679915	065324	771200
010419	640325	010268	646905	010293	686715	065340	771500
010233	640575	930236	646935	930578	686945	014081	774000
010234	641035	010269	646995	020124	687035	015247	774380
012212	641125	013123	647055	013137	687125	015221	775500
030718	641185	010270	647435	010296	695305	910371	775788
010236	641225	010271	647625	010294	695315	024276	775790
010235	641230	010272	648155	010297	695415	015331	776040
010237	641265	010314	648245	010379	695505	044384	779595
012215	641275	010273	649045	012455	695595	015273	779600
012213	641335	030308	649225	010298	695605	S22204	779700
012211	641425	010275	649265	012454	695695	025944	800100
010238	641485	010410	649665	010299	695835	025949	800280
012204	641525	010346	649765	013138	695925	025966	800300
012207	641585	012313	655565	010519	700100	025948	800320
010240	642205	010277	655745	025970	700140	025972	801040
010241	642243	012334	657055	010513	700330	025964	801740
030126	642325	012301	657165	010512	700380	025950	801790
010242	642385	010334	657835	065321	700580	025973	801840
010243	642445	012321	658605	014044	700630	016001	801890
930130	642905	012315	659335	014045	700640	025976	802370
010244	642945	013128	659415	S00200	700780	025977	802380
010245	642985	013129	659545	065323	703790	K1002	802390
012239	643005	030408	659605	025987	703940	025982	802720
020105	643065	030420	660295	025868	706440	025978	802860
010246	643105	010348	660355	014078	706950	014031	803140
012217	643145	010280	660415	015007	709700	025985	803610
012202	643195	012318	660435	014080	710000	016020	804500
030145	643255	024278	660505	015317	712900	S00203	804550
010249	643385	930433	660595	014002	713910	S00204	804750
010248	643405	020113	660655	010738	715910	RE0054	805100
010250	643465	020116	660695	065328	716610	025995	805600
010252	643525	910280	660735	014004	717600	027204	805950
010247	643545	024285	660745	015291	720750	S00351	806100
930171	644305	030436	660755	014015	720950	025956	806250
010351	644345	010281	660765	015218	721800	014249	806500
010356	644455	020119	661225	015357	723000	014086	807000
010254	644495	012305	661315	014079	723600	025999	807400
040025	644585	012323	661325	014021	728300	014134	807450
012221	644595	012306	661395	014005	729500	S01202	807500
010255	645075	012307	661415	914008	730900	S01203	807550



CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code
016473	808100	014137	817540	025227	849655	019093	874640
025862	808700	014138	817710	019246	849700	S15301	875020
025863	808710	033042	818800	025225	849780	S15351	875160
023004	808810	033041	818810	018008	849840	022042	875180
023003	808820	025708	819040	025237	849995	021030	875200
014115	809350	014139	819100	014140	850040	S15470	875500
025878	809500	S02502	819150	025228	850800	S15521	875710
014046	809900	S02508	819180	011751	852050	S15520	875730
025880	810300	022190	819700	011752	852070	014254	875750
025881	810600	021013	819740	025046	854500	022290	875900
025884	810620	035083	819900	025069	859230	024623	875920
014252	810840	025699	819960	036045	859260	014051	876190
025886	811000	025602	824800	036044	859300	024656	876300
036087	811040	025603	824810	014250	859400	014146	876500
022416	811100	036207	827000	014036	859630	S15733	876550
025888	811200	025595	827020	035022	860370	S15721	876570
025888	811200	025547	829100	036201	860400	S15724	876590
025889	811220	025546	829120	035066	860530	S15727	876610
025857	811320	016015	829150	025068	860640	016025	877100
021004	811740	025548	829180	014142	860920	018013	877360
021005	811780	025549	829450	025061	861220	S15803	877700
021006	812000	023022	829520	025062	861250	S15800	877760
MB0153	812050	035084	829620	035088	861390	S15807	877850
021007	812170	025524	829660	014143	863100	S15810	877950
S01690	812300	916032	829710	024981	863340	S15830	878160
S01720	812320	025523	829820	024983	863430	024698	878290
S01730	812340	023023	834200	CK1011	863460	024699	878640
S01735	812360	023024	834220	014144	863640	024700	878660
S01740	812380	028380	834320	035025	863970	018017	878780
S01770	812400	921056	834365	014168	864500	S15875	879160
S01775	812420	035056	834430	014145	864860	024494	883010
S01785	812440	034122	834440	035027	865630	024495	883225
S01670	812500	K1021	834730	035028	865650	024485	883410
S01815	812600	025441	835020	019809	865850	035037	887100
S01825	812610	019058	835030	021083	865895	024374	887330
S01835	812620	023001	835100	021022	866040	024370	887360
S01840	812630	025440	835500	035029	866180	K-9000	887390
S01850	812640	025355	839200	019085	866270	019120	888040
S01860	812650	035085	839210	035082	866320	S18201	888130
S01865	812660	025352	839300	014050	866370	014162	888160
S01870	812670	022191	839440	019092	866490	024389	888280
S01875	812680	014049	839910	024871	868330	024341	888310
S01880	812690	K1001	840050	025872	868420	024403	888400
S01885	812700	025350	840090	K1003	868500	014053	888680
S01890	812710	025354	840120	024874	868520	S18500	888710
S01895	812720	025351	840150	024881	868530	014054	888840
S01905	812730	035015	840200	024872	868540	S18504	888900
S01915	812740	025343	840250	019086	868740	S18512	888960
S01920	812750	025366	840390	019084	868760	024393	889280
S01930	812760	035016	844050	035154	868790	024365	889290
S01950	812770	S07300	844267	024890	868820	024375	889300
014135	813350	019223	844460	014147	868870	024373	889330
014136	814010	S07760	844620	024892	869200	018019	889340
CK1004	814810	S07755	844640	044071	869280	024372	889930
035007	814900	S07700	844700	S13302	869460	014259	890000
025692	814920	S07710	844730	024795	871200	012327	890290
035001	815110	S07730	844840	024789	871350	S18715	890300
RE0166	815300	S07770	844870	024794	871450	019130	890390
014938	815590	S07790	844990	018011	871520	024378	891000
025788	815880	025328	845200	014148	874100	018026	891000
016086	816010	028694	845250	024664	874370	024335	891030
019049	816150	010366	845300	034124	874420	023038	891150
021008	817340	014141	849300	035040	874430	024355	891410
019050	817410	025230	849600	035091	874440	018023	891600
025685	817500	025226	849650				

• Store at 0-4°C and Keep dry



CROSS REFERENCE FOR NEW PRODUCT CODE

Laboratory Chemicals

Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code	Product Code	New Product Code
018026	891630	MB0150	918000	FMOC53	FM0425	RE0918	RE2545
019145	891660	MB0151	920000	FMOC55	FM0435	RE0942	RE2635
024371	892060	MB0230	921000	FMOC57	FM0445	RE0984	RE2805
S18742	892065	MB0256	921500	FMOC59	FM0455	RE1001	RE2860
S18745	892070	MB0350	928500	FMOC60	FM0465	RE1009	RE2900
024377	892450	MB0351	928550	FMOC62	FM0475	RE1017	RE2925
030216	892935	MB0450	932500	FMOC64	FM0485	RE1052	RE3000
019158	893240	MB0521	937530	FMOC66	FM0495	RE1077	RE3095
018028	893340	MB0648	940600	FMOC68	FM0505	RE1120	RE3180
023043	893480	MB0680	941100	FMOC70	FM0515	RE1137	RE3235
014149	893990	MB0720	942120	FMOC72	FM0525	RE1152	RE3295
035038	894290	MB0820	948100	FMOC73	FM0635	RE1187	RE3390
024367	894490	MB0836	949000	921007	PA0100	RE1212	RE3485
S18796	894520	MB1240	959340	031011	PA0190	RE1220	RE3510
024312	894610	MB1270	959580	031042	PA0210	RE1056	RE3685
024311	894640	MB1660	961710	031043	PA1125	RE1255	RE3690
024339	894670	MB1426	970100	031049	PA1151	Z00010	Z00120
024307	894850	MB1636	970700	031050	PA1154	Z00020	Z00140
024306	894880	MB1637	970750	031045	PA1850	Z00030	Z00180
024308	894890	MB1638	970770	024289	PA1980	Z00040	Z00220
024338	894900	MB1640	970800	RE0051	RE0100	Z00050	Z00260
024305	894910	MB1642	970820	RE0052	RE0110	Z00060	Z00300
024352	895090	MB1670	971720	RE0056	RE0120	Z00070	Z00340
019165	895440	MB1676	971800	RE0160	RE0165	Z00080	Z00380
014093	896100	MB1682	972100	RE0165	RE0190	Z00090	Z00420
024244	896370	MB1689	972300	RE0205	RE0215	Z00100	Z00460
024242	896450	MB1677	972570	RE0210	RE0260	Z00110	Z00500
019176	896570	MB1953	984300	RE0218	RE0285	Z00120	Z00540
024299	897020	MB1960	984900	RE0222	RE0325	Z00130	Z00580
019177	897050	MB1669	985400	RE0312	RE0650	Z00140	Z00620
024236	897070	MB1972	986000	RE0311	RE0655	Z00150	Z00660
021031	897440	MB1990	986200	RE0331	RE0710	Z00160	Z00700
021032	897490	MB1980	986350	RE0336	RE0755	Z00170	Z00780
014056	897510	MB1982	986400	RE0345	RE0780	Z00180	Z00820
016036	897900	MB2000	986680	RE0379	RE0865	Z00190	Z00860
024281	898000	MB2080	987380	RE0403	RE0925	Z00200	Z00940
024280	898140	MB2241	990000	RE0411	RE0955	Z00210	Z00980
024245	900080	S22201	994000	RE0433	RE0995	Z00220	Z01020
024196	901000	MB2174	998660	RE0438	RE1015	Z00240	Z01100
022197	901160	MB2182	998780	RE0444	RE1035	Z00250	Z01140
024190	901210	FMOC05	FM0055	RE0443	RE1040	Z00260	Z01180
024194	901230	FMOC07	FM0065	RE0451	RE1055	Z00270	Z01240
024200	902550	FMOC09	FM0085	RE0467	RE1125	Z00280	Z01280
014095	902590	FMOC11	FM0095	RE0476	RE1150	Z00290	Z01320
016031	902690	FMOC13	FM0105	RE0482	RE1175	Z00300	Z01360
030729	902740	FMOC15	FM0115	RE0510	RE1255	Z00310	Z01400
019079	902990	FMOC17	FM0125	RE0518	RE1285	Z00315	Z01440
035039	903010	FMOC19	FM0175	RE0535	RE1360	Z00320	Z01480
014150	907500	FMOC21	FM0185	RE0534	RE1380	Z00330	Z01520
S25301	907560	FMOC23	FM0205	RE0577	RE1415	Z00340	Z01560
CK1005	909810	FMOC25	FM0215	RE0576	RE1420	Z00350	Z01600
915212	910548	FMOC27	FM0225	RE0611	RE1535	Z00360	Z01640
MB0014	910550	FMOC29	FM0235	RE0644	RE1685	Z00370	Z01680
MB0015	910560	FMOC31	FM0245	RE0645	RE1690	Z00390	Z01760
MB0023	911000	FMOC33	FM0255	RE0669	RE1780	Z00400	Z01840
MB0025	911020	FMOC35	FM0265	RE0678	RE1805	Z00410	Z01880
MB0025	911050	FMOC37	FM0295	RE0710	RE1880	Z00420	Z02040
MB0026	911100	FMOC39	FM0315	RE0718	RE1905	Z00430	Z02080
MB0028	911150	FMOC41	FM0335	RE0735	RE1985	Z00440	Z02120
MB0029	911200	FMOC43	FM0345	RE0743	RE2010	Z00450	Z02160
MB0031	911300	FMOC45	FM0355	RE0768	RE2070	Z00460	Z02200
MB0032	911350	FMOC47	FM0365	RE0779	RE2095	Z00470	Z02240
MB0050	913150	FMOC49	FM0385	RE0839	RE2345	Z00480	Z02300
MB0072	914550	FMOC51	FM0395	RE0848	RE2370	Z00490	Z02340
						Z00500	Z02380
						Z00510	Z02420
						Z00520	Z02460
						Z00530	Z02500
						Z00540	Z02540



microgen culture media products are made of high quality ingredients so as to produce maximum good results as expected by our customers. It is of great significance to know the functions and reactions of a particular ingredient and its interaction with other ingredients in a media. Here arises the necessity of strict evaluation of the ingredients.

In *microgen* each and every ingredient undergoes thorough testing prior to manufacturing by our well-equipped and highly efficient quality control department. Maximum quality control measures are taken throughout the manufacturing process to give the desired results. It will be our greatest effort to provide products of maximum attainable quality to our customers.

We serve a wide range of culture media products to meet the various requirements of Dairy, Pharmaceuticals, Veterinary, Cosmetics, Water Treatment, Public Health and Medical Microbiology departments.



dehydrated culture media
bases & supplements
CE Certified



microorganism growth requirements

Microorganism growth on culture media depends on a number of important factors :

- Proper nutrients must be available.
- Oxygen or other gases must be available as required.
- Moisture is necessary.
- The medium must have an appropriate pH.
- Proper temperature relations must prevail.
- The medium must be free of interfering bioburden.
- Contamination must be prevented.

A satisfactory microbiological culture medium must contain available sources of

- Carbon,
- Nitrogen,
- Inorganic phosphate and sulfur,
- Trace metals,
- Water,
- Vitamins

These were originally supplied in the form of meat infusion, Beef or yeast extracts frequently replace meat infusion in culture media. The addition of peptones, which are digests of proteins, provides readily available sources of nitrogen and carbon.

The pH of the culture medium is important for microorganism growth. Temperature is another important parameter mesophilic bacteria and fungi have optimal growth at temperatures of 25-40°C; thermophilic bacteria ("heat loving") grow only at temperature greater than 45°C psychrophilic ("cold loving") organisms require temperatures below 20°C. Human pathogenic organisms are generally mesophiles.

COMMON MEDIA CONSTITUENTS

Media formulations are developed on the ability of bacteria to use media components.

CONSTITUENTS	SOURCE
Amino-Nitrogen	Peptone, protein hydrolysate, infusions and extracts
Growth Factors	Blood, serum, yeast extract or vitamins, NAD
Energy Sources	Sugar, alcohols and carbohydrates
Buffer Salts	Phosphates, acetates and citrates
Mineral Salts and Metals	Phosphate, sulfate, magnesium, calcium, iron
Selective Agents	Chemicals, antimicrobials and dyes
Indicator Dyes	Phenol red, neutral red
Gelling agents	Agar, gelatin, alginate, silica gel

Media Ingredients

Peptone, protein hydrolysates, Infusions and extracts are the major sources of nitrogen and vitamins in culture media. Peptones are water-soluble ingredients derived from proteins by hydrolysis or digestion of the source material, e.g. meat, milk.

Carbohydrates are employed in culture media as energy sources and may be used for differentiating genera and identifying species.

Buffers maintain the pH of culture media.

Selective Agents include Bile Salts, dyes and antimicrobial agents.

Bile Salts and desoxycholate are selective for the isolation of gram-negative microorganisms, inhibiting gram-positive cocci.

Dyes and indicators are essential in the preparation of differential and selective culture media. In these formulations, dyes act as bacteriostatic agents, inhibitors of growth or indicators of changes in acidity or alkalinity of the substrate.

Antimicrobial agents are used in media to inhibit the growth of bacteria, yeasts and fungi.

Solidifying agents, including agar, gelatin and albumin, can be added to a liquid medium in order to change the consistency to a solid or semisolid state.

ENVIRONMENTAL FACTORS IN CULTURE MEDIA

Atmosphere

Most bacteria are capable of growth under ordinary conditions of oxygen tension. Obligate aerobes require the free admission of oxygen, while anaerobes grow only in the absence of atmospheric oxygen. Between these two groups are the microaerophiles, which develop best under partial anaerobic conditions, and the facultative anaerobes, which are capable of growing in the presence or absence of oxygen. Anaerobic conditions for growth of microorganisms are obtained in a number of ways :

- Addition of small amounts of agar to liquid media;
- Addition of fresh tissue to the medium;
- Addition of a reducing substance to the medium, e.g., sodium thioglycollate, thioglycollic acid and L-cystine;
- Displacement of the air by carbon dioxide;
- Absorption of the oxygen by chemicals;
- Inoculation into the deep layers of solid media or under a layer of oil in liquid media.

Many microorganisms require an environment of 5-10% CO₂. Levels greater than 10% are often inhibitory due to a decrease in pH as carbonic acid forms. Culture media vary in their susceptibility to form toxic oxidation products if exposed to light and air.

Water Activity

Proper moisture conditions are necessary for continued luxuriant growth of microorganisms. Organisms require an aqueous environment and must have "free" water. "Free" water is not bound in complex structure and is necessary for transfer of nutrients and toxic waste products. Evaporation during incubation or storage results in loss of "free" water and reduction of colony size or total inhibition of organism growth.

Protective Agents and Growth Factors

Calcium carbonate, soluble starch and charcoal are examples of protective agents used in culture media to neutralize and absorb toxic metabolites produced by bacterial growth.

NAD (V factor) and hemin (X factor) are growth factors required by certain bacteria; e.g., *Haemophilus* species and for enhanced growth of *Neisseria* species.

Surfactants, including Polysorbate 80, lower the interfacial tension around bacteria suspended in the medium. This activity permits more rapid entry of desired compounds into the bacterial cell and can increase bacterial growth.

The preparation of culture media from dehydrated media requires accuracy and attention to preparation. The following points are included to aid the user in successful and reproducible preparation of culture media.

DEHYDRATED MEDIA AND INGREDIENTS

- Store in a cool (15-30°C), dark and dry area unless otherwise specified.
- Note date opened.
- Check expiry (applied to intact container).
- Verify that the physical characteristics of the powder are typical.

GLASSWARE / PLASTICWARE

- Use high quality, low alkali borosilicate glass.
- Avoid detergent residue.
- Check for alkali or acid residue with a few drops of bromo thymol blue pH indicator (yellow is acidic; blue is alkaline).
- Use vessels at least 2-3 times the volume of medium.
- Do not use etched glassware.

EQUIPMENT

- Use measuring devices, scales, pH meters, autoclaves and other equipment that are frequently and accurately calibrated.

WATER

- Use distilled or deionized water.
- pH 5.5-7.5.

DISSOLVING THE MEDIUM

- Accurately weigh the appropriate amount of dehydrated medium.
- Dissolve the medium completely.
- Agitate the medium while dissolving.
- Take care to not overheat. Note media that are very sensitive to overheating. Overheated media will frequently appear darker. Do not heat in a microwave.

STERILIZATION

- The autoclave set-temperature should be 121°C.
- Routine autoclave maintenance is important. Ask manufacturer to check for "hot" and "cold" spots.
- The recommended 15 minute sterilization assumes a volume of 1 liter or less. Larger volumes may require longer cycles. Check with your autoclave manufacturer for recommended load configurations.
- Quantities of media in excess of two liters may require an extended autoclave time to achieve sterilization. Longer sterilization cycles can cause nutrient concentration changes and generation of inhibitory substances.

ADDING ENRICHMENTS AND SUPPLEMENTS

- Enrichments and supplements tend to be heat sensitive.
- Cool medium to 45-55°C in a waterbath prior to adding enrichments or supplements.

pH

- Commercial dehydrated media are designed to fall within the specified pH range after steam sterilization. The pH tends to fall approximately 0.2 units during steam sterilization.
- For filter sterilization, adjust the pH, if necessary, prior to filtering.
- Avoid excessive pH adjustment.

DISPENSING MEDIA

- Ensure gentle mixing during dispensing.
- Cool the medium to 50-55°C prior to dispensing to reduce water evaporation.
- Dispense quickly.
- If using an automatic plate dispenser, dispense general purpose media before dispensing selective media.
- Immediately recover or recap tubes to reduce the chance of contamination. Leave Petri dish covers slightly open for 1-2 hours to obtain a dry surface.

STORAGE AND EXPIRY

- In general, store steam-sterilized plated media inverted in a plastic bag or other container in a dark refrigerator for up to 1-2 weeks.

QUALITY CONTROL

- For media prepared in-house, each lot of every medium must be tested.
- Maintain Quality Control Organisms appropriately.
- Maintain appropriate records.
- Report deficiencies to the manufacturer.

REFERENCES

1. **Block, S.** 1992. Sterilization, p. 87-103. Encyclopedia of microbiology, vol. 4. Academic Press, Inc., San Diego, CA.
2. **Cote, R. J., and R. L. Gherna,** 1994. Nutrition and media, p. 155-178. In P. Gerhardt, R.G. E. Murray, W.A. Wood, and N.R. Krieg (ed.), Methods for general and molecular bacteriology. American Society for Microbiology, Washington, D.C.
3. **The United States Pharmacopels (USP XXIII) and The National Formulary (NF 18).** 1995. Sterilization and sterility assurance of compendial articles, p. 1976-1980. United States Pharmacopeial Convention Inc., Rockville, MD.
4. **Perkins, J.J.** 1969. Principles and methods of sterilization in health sciences, 2nd ed. Charles C. Thomas, Springfield, IL.
5. **Leahy, T.J.** 1986. Microbiology of sterilization processes. In F.J. Carleton and J.P. Agalloco (ed.), Validation of aseptic pharmaceutical processes. Marcel Dekker, Inc. New York, N.Y.
6. **Simko, R.J.** 1986. Organizing for validation. In F.J. Carleton and J.P. Agalloco (ed.), Validation of aseptic pharmaceutical processes. Marcel Dekker, Inc. New York, N.Y.

BACTERIA CONTROL STRAIN SOURCE

An integral part of quality control testing include quality control organisms. Microorganisms should be obtained from reputable sources, for example, the American Type Culture Collection (ATCC®) or other commercial sources.

MAINTENANCE / FROZEN STOCK CULTURES

If using commercial stock cultures, follow the manufacturer's recommendations for growth and maintenance.

To prepare frozen stock cultures of Staphylococcus species, Streptococcus species, Enterobacteriaceae and Pseudomonas aeruginosa :

1. Reconstitute the stock culture, if necessary.
2. Inoculate multiple plates of a general purpose medium (e.g., TSA or blood agar).
3. Incubate plates for 18-24 hours in an appropriate atmosphere and at the recommended temperature.
4. Check for purity and correct colony morphology.
5. If necessary, verify biochemical tests.
6. Remove sufficient growth from a confluent area to prepare a 0.5 McFarland standard ($1-2 \times 10^8$ CFU/ml). For fastidious organisms, adjust to a 1.0 McFarland.
7. Suspend the growth in 50-100 ml of cryoprotective medium, e.g., Tryptic Soy Broth with 10-15% Glycerol, Skim Milk or sterile defibrinated sheep blood.
8. Dispense 0.5-1.0 ml into sterile glass plastic freezing vials, Prepare enough vials for one year of storage. Assume only one freeze/thaw cycle per vial. Assume at least one fresh culture every four weeks.
9. Store vials at or below -50°C (freezer) for one year. Organisms will keep longer (indefinitely) if stored in ultra low temperature freezer or in a liquid nitrogen tank.

To use a frozen culture :

1. Thaw the vial quickly.
2. Use the culture directly subculture.
3. Discard any unused cell suspension.

WORKING CULTURES

Prepare no more than three serial subcultures from a frozen stock culture.

1. Inoculate an agar slant or plate with the frozen stock culture and incubate overnight.
2. Store the working culture at $2-8^{\circ}\text{C}$ or at room temperature for up to four weeks.

3. Check for purity and appropriate colony morphology.

or

1. Use the frozen stock culture directly as a working culture.

Maintain anaerobic cultures in Cooked Meat Medium or another suitable anaerobic medium. Alternatively, use frozen anaerobic cultures.

TEST PROCEDURE

1. Inoculate an agar plate from the "working culture".
2. Incubate overnight.
3. Suspend 3-5 isolated colonies with typical appearance in a small volume (0.5-1.0 ml) of TSB. Incubate 4-5 hours in an appropriate atmosphere and temperature.
4. Adjust the turbidity to 0.5 McFarland and 0.08-0.1 absorbance units at 625 nm.

or

1. Adjust an overnight culture to a 0.5 McFarland.
2. Plate 0.01 ml of the specimen to confirm a colony count of $1-2 \times 10^8$ CFU/ml. If using a frozen culture, confirm the appropriate density.

TO TEST CULTURAL RESPONSE

NON-SELECTIVE MEDIA

Dilute the cell suspension 1:100 in normal saline or purified water. Inoculate each plate with 0.01 ml to give $1-2 \times 10^{14}$ CFU/plate. Reduce the inoculum ten fold, if necessary, to obtain isolated colonies.

SELECTIVE MEDIA AND TUBED MEDIA

Dilute the cell suspension 1:10 in normal saline or purified water. Streak each plate with 10.01 ml of the suspension to provide $1-2 \times 10^5$ CFU/plate. Reduce the inoculum ten fold, if necessary, to avoid overwhelming some selective media.

RESULTS

For general-purpose media, sufficient, characteristic growth and typical colony morphology should be obtained with all test strains. For selective media, growth of designated organisms is inhibited and adequate growth of desired organisms is obtained. Color and hemolytic reaction criteria must be met.

REFERENCE


National Committee for Clinical Laboratory Standards. 1996. Quality assurance for commercially prepared microbiological culture media, 2nd ed. Approved standard. M22-A-2, vol. 16, no. 16. National Committee for Clinical Laboratory Standards, Wayne, PA.

typical analysis

"Typical" chemical compositions have been determined on media ingredients. The typical analysis is used to select products for research or production needs when specific nutritional characteristics are required. The specifications for the typical analysis include :

- Physical characteristics,
- Nitrogen content,
- Amino acids,
- Inorganics,
- Vitamins, and
- Biological testing.

All values are presented as weight/weight; % = g/100 g.



GLOSSARY

ASH

The higher the ash content, the lower the clarity of the prepared ingredient. The ash content includes sodium chloride, sulfate, phosphates, silicates and metal oxides. Acid-insoluble ash is typically from silicates found in animal fodder.

MOISTURE

Lower moisture levels (<.5%) are preferred. Higher moisture levels in dehydrated ingredients may reduce stability. In the presence of high moisture and high ambient temperatures, chemical interactions will cause darkening of the product and falling pH. These characteristics indicate product deterioration.

NITROGEN

Total Nitrogen : Total nitrogen is usually measured by the kjeldhal digestion or titration method. Not all organic nitrogen is nutritive. Percent (%) nitrogen x 6.25 ~ % proteins, peptides or amino acids present.

Amino Nitrogen : The amino nitrogen value shows the extent of protein hydrolysis by measuring the increase in free amino groups. This is a nutritionally meaningful value.

PH

Changes in pH from specified values, either after storage or processing, indicate deterioration. These changes are usually accompanied by darkening of the end product. Hydrolysates vary in their pH resistance according to their inherent buffering (phosphate) capacity.

PHOSPHATES

High-phosphate ingredients may be unsuitable for pH indicator media due to the inherent buffering of phosphates. However, phosphates do aid in gas production, which can be enhanced by deliberate addition of sodium phosphate.


SODIUM CHLORIDE

The NaCl content may reflect significant pH adjustments during processing e.g., acid hydrolysates. (See Ash).

TRACE METALS

Trace metals can directly antagonize antimicrobial activity in vitro or impact toxin production, chelating agents may be added to culture media to sequester trace metals and clarify the media.

label specimen



microgen DM 1083 Net content 100 g

MacConkey Broth Purple w/BCP

**FOR LABORATORY USE ONLY
NOT FOR DRUG USE**

Storage :
Hygroscopic : Store in a cool dry place below 25°C away from bright light.
No liability accepted for accidents in handling or use

Mfg. : APR-2014
Best before : MAR 2017
Batch No. :

ISO 9001:2008
OHSAS 18001:2007
WHO GMP

Central Drug House (P) Ltd.
7/28 Vardaan House, Daryaganj,
New Delhi-110002 (INDIA)
Customer care : care@cdhfinechemical.com

DIRECTIONS :
Suspend 40.01 gms of powder media in 1000 ml distilled water. Shake well & heat to dissolve the medium and distribute into test tubes with inverted Durham tubes. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.
*Formula adjusted, standardized to suit performance parameters.

FORMULA

Ingredients :	Grams/Litre
Peptic digest of animal tissue	20.000
Lactose	10.000
Sodium taurocholate	5.000
Sodium chloride	5.000
Bromo cresol purple	0.010
Final pH (at 25°C)	7.4 ± 0.2

USE
MacConkey Broth Purple w/BCP is used for presumptive identification of coliforms from variety of specimens such as water, milk and food etc.
Received
Opened
Specified expiry period applies if container stored as directed in intact condition only.
Important : On completion of work all used or unusable preparations of this product and derivatives thereof are to be disposed off by autoclaving and/or by incineration.

Use before
Manufacturing Date
Batch No.
Direction to use
Product Number
Formula
Product Name
Usage

PRODUCT DOUCMENTATION

Certificate of Analysis :

For any given product and its batch number, a COA can be requested for.

Material Safety Data Sheet :

To ensure proper handling and storage of the product, MSDS is also available for each Microgen media product.

Specification Sheet :

Product specifications may vary from those printed on the specification manual. To obtain the latest updated information for any product that you wish to purchase, kindly request a specification sheet or simply log on to our website and download copy.

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1874	A-1 Broth for determining the presence of faecal coliforms in water samples and foods by MPN Technique.	31.50 gms/litre	100 gm 500 gm
DM 1231	AATCC Bacteriostasis Agar for the detection of antibacterial activity of fabrics.	35.00 gms/litre	500 gm
DM 1221	AATCC Bacteriostasis Broth (FDA Broth) for routine antibacterial testing of antiseptics and disinfectants.	20.00 gms/litre	500 gm
DM 1232	AATCC Mineral Salts Agar for evaluation of fungicides for use on textiles and the resistance of textiles to mildew and rot.	27.80 gms/litre	500 gm
DM 1337	AC Agar for cultivation of a wide variety of microorganisms particularly for sterility testing.	35.20 gms/litre	500 gm
DM 1875	AC Broth for cultivation of common aerobes and sterility testing of solutions and biological products without mercurial preservatives.	34.20 gms/litre	500 gm
DM 1234	AK Agar No.2 (Sporulating Agar) (Arret and Kirshbaum Medium) for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of Pencillin and other antibiotics residues in milk and dairy products.	30.80	500 gm
DM 1226	APT Agar for cultivation of heterofermentative <i>Lactobacilli</i> and other organisms requiring a high thiamine content.	61.18 gms/litre	500 gm
DM 1227	APT Broth for the cultivation of heterofermentative lactic acid bacteria requiring high thiamine content.	46.20 gms/litre	500 gm
DM 1904	ASLA Agar Base for selective isolation and cultivation of <i>Propionibacterium</i> species from foods	16.19 gms/litre	500 gm
MS 2097	*Propionibacteria Growth Supplement	Δ	5 vl
DM 2033	Acetamide Agar (Twin Pack) for differentiation of nonfermentative gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i> .	10 of Part A + 22.63 of Part B	500 gm
DM 1148	Acetamide Broth (Twin Pack) for confirmation of <i>Pseudomonas aeruginosa</i> in water samples.	10 of Part A + 7.63 of Part B	100 gm 500 gm
DM 2370	Acetamide Nutrient Broth (Twin Pack) for detection of microbial utilization of acetamide.	0.56 of Part A + 2.0 of Part B	100 gm 500 gm
DM 2225	*Acetate Agar for the isolation and cultivation of <i>Leuconostoc</i> and <i>Pediococcus</i> species.	61.90 gms/litre	500 gm
DM 1339	Acetate Differential Agar for the defferentiation of <i>Shigella</i> species from members of the genus <i>Escherichia</i> .	29.18 gms/litre	500 gm
DM 1238	Acetobacter Agar (Glucose) for maintenance of glucose positive <i>Acetobacter</i> species.	38.00 gms/litre	500 gm
DM 1370	Acetobacter Agar (Mannitol) for maintenance of mannitol positive <i>Acetobacter</i> species.	48.00 gms/litre	500 gm
DM 1346	Acetobacter Agar w/Liver Extract for maintenance of glucose positive <i>Acetobacter</i> species.	57.00 gms/litre	500 gm
DM 2208	Acid Broth for the cultivation of acid tolerant microorganisms from canned food.	27.50 gms/litre	500 gm
DM 1341	Actinomyces Agar for cultivation and maintenance of the anaerobic Actinomyces species.	77.22 gms/litre	500 gm

A

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre of medium	Packing
A	DM 1233	Actinomyces Broth for cultivation and maintenance of anaerobic Actinomyces species.	57.22 gms/litre	500 gm
	DM 1855	Adams Agar for examination of sporulation in yeasts.	22.70 gms/litre	500 gm
	DM 1884	Aeromonas Isolation Medium Base for selective, differential isolation of <i>Aeromonas hydrophila</i> from clinical and environmental Specimens.	56.30 gms/litre	500 gm
	MS 2039	*Aeromonas Selective Supplement	Δ	5 vl
	DM 1343	Algae Culture Agar for isolation and cultivation of algae from soil, water and sewage. Also for carrying stock cultures of algae used in the bioassay of algicidal chemicals.	16.87 gms/litre	500 gm
	DM 1342	Algae Culture Broth for cultivation of algae from soil, water and sewage. Also for preparing the inoculum for the bioassay of algicidal chemicals.	1.87 gms/litre	100 gm 500 gm
	DM 1618	Alkaline Peptone Water for enrichment of <i>Vibrio</i> species.	20.00 gms/litre	100 gm 500 gm
	DM 1618I	Alkaline Peptone Water recommended for detection of <i>Vibrio Parahaemolyticus</i> .	50.00 gms/litre	500 gm
	DM 1618S	Alkaline Peptone Water recommended for detection of bacteria responsible for food poisoning.	15.00 gms/litre	100 gm
	DM 1010	Alternative Thioglycollate Medium (NIH Thioglycollate Broth) for sterility testing of turbid or viscous biological products	29.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 1651	Amies Transport Medium w/Charcoal for transportation and preservation of microbiological specimens.	19.75 gms/litre.	100 gm 500 gm
	DM 1235	Ammonium Phosphate Agar for detecting the ability of microorganisms to utilize ammonium phosphate as a source of nitrogen.	26.45 gms/litre	500 gm
	DM 1228	Anaerobic Agar a general purpose medium for the cultivation of anaerobic bacteria, especially, <i>Clostridium</i> species.	58.00 gms/litre	100 gm 500 gm
	DM 1491	Anaerobic Agar (Brewer) for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology.	53.00 gms/litre	500 gm
	DM 1230	Anaerobic Agar w/o Dextrose for carbohydrate fermentation studies of <i>Clostridia</i> , <i>Streptococci</i> and other organisms.	38.00 gms/litre	500 gm
	DM 1229	Anaerobic Agar w/o Dextrose and Eh Indicator for the isolation and identification of anaerobic pathogens and for the studies of haemolytic activity of <i>Clostridia</i> , <i>Streptococci</i> and other anaerobic organisms.	43.00 gms/litre	500 gm
	DM 2345	Anaerobic Blood Agar Base recommended for isolation and cultivation of Group A & Group B <i>Streptococci</i> from throat cultures and other clinical samples.	40.00 gms/litre	500 gm
	MS 2149	*Neomycine Supplement	Δ	5 vl
	DM 1978	Anaerobic Fermentation Medium Base for the detection of fermentation reactions of anaerobic microorganisms.	40.00 gms/litre	500 gm
	DM 2034	*Anaerobic CNA Agar Base for the selective isolation of anaerobic <i>Streptococci</i> .	44.14 gms/litre	100 gm
DM 1902	Anaerobic Egg Agar Base for detection of <i>Clostridium perfringens</i> in food samples.	55.00 gms/litre	500 gm	
MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl	

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1885S	Andrade Peptone Water a basal medium, which with carbohydrate addition is used to study fermentation reactions.	15.10 gms/litre	100 gm 500 gm
DM 1885	Andrade Peptone Water a basal medium, which with carbohydrate addition is used to study fermentation reactions.	15.10 gms/litre	100 gm 500 gm
DM 1909	Andrade Peptone Water w/Meat Extract as basal medium for studying fermentation reactions, particularly of members of the <i>Enterobacteriaceae</i> .	18.10 gms/litre	500 gm
DM 2346	Antinibiotic Assay Medium B for microbiological assay of Colistin sulphate and Polymyxin B sulphate using <i>Bordetella bronchiseptica</i> .	45.00+ 10 gms/litre polysorbate 80	500 gm
DM 1555	Antibiotic Assay Medium C as the broth medium in <i>Turbidimetric</i> assay of a wide variety of antibiotics.	20.00 gms/litre	500 gm
DM 1556	Antibiotic Assay Medium D for microbiological assay of Erythromycin and Neomycin using <i>Klebsiella pneumoniae</i> .	19.40 gms/litre	500 gm
DM 2347	Antibiotic Assay Medium E for microbiological assay of Neomycin sulphate and Framycetin sulphate using <i>Bacillus subtilis</i> and <i>Bacillus pumilus</i> .	28.67 gms/litre	500 gm
DM 1923	Antibiotic Assay Medium F for microbiological assay of Nystatin using <i>Saccharomyces cerevisiae</i> .	60.00 gms/litre	500 gm
DM 1991	Antibiotic Assay Medium L-AOAC for microbiological assay of Monensin using <i>Bacillus subtilis</i> as test organism.	28.64 gms/litre	500 gm
DM 1992	Antibiotic Assay Medium M-AOAC for microbiological assay of Lasalocid using <i>Bacillus subtilis</i> as a test organism.	33.64 gms/litre	500 gm
DM 1003	Antibiotic Assay Medium No. 1 (Seed Agar) (Antibiotic Assay Medium-A) for microbiological assay of β -lactam and other antibiotics.	30.50 gms/litre	100 gm 500 gm
DM 1005	Antibiotic Assay medium No. 2 (Base Agar) for microbiological assay of antibiotics.	25.50 gms/litre	500 gm
DM 1042	Antibiotic Assay Medium No. 3 for microbiological assay of antibiotics.	17.50 gms/litre	100 gm 500 gm
DM 1140	Antibiotic Assay Medium No. 4 (Yeast Beef Agar) for detection of Penicillin-G in milk samples using <i>Bacillus stearothermophilus</i> .	26.50 gms/litre	500 gm
DM 1006	Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/Yeast Extract) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i> .	25.50 gms/litre	500 gm
DM 1223	Antibiotic Assay Medium No. 6 for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay.	30.03 gms/litre	500 gm
DM 1041	Antibiotic Assay Medium No. 8 (Base Agar w/low pH) for microbiological assay of Mitomycin, Plicamycin and Vancomycin.	25.50 gms/litre	500 gm
DM 1147	Antibiotic Assay Medium No. 9 (Polymyxin Base Agar) as a base layer medium for assaying the products containing Polymyxin-B.	50.00 gms/litre	500 gm

A

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1225	Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar) as a seed layer medium for assaying the products containing Polymyxin-B, also for assaying Carbenicillin, Colistin and Colistimethate sodium.	42.00+ 10 ml of Polysorbate 80)	500 gm
DM 1004	Antibiotic Assay Medium No. 11 (Neomycin, Erythromycin Assay Agar) (Erythromycin Seed Agar) for microbiological assay of antibiotics.	30.50 gms/litre	100 gm 500 gm
DM 1280	Antibiotic Assay Medium No. 12 (Nystatin Assay Agar) for microbiological assay of Amphotericin B and Nystatin using <i>Saccharomyces cerevisiae</i> ATCC 2601.	62.50 gms/litre	500 gm
DM 1101	Antibiotic Assay Medium No. 19 for microbiological assay of Amphotericin B, Netamycin and Nystatin using <i>Saccharomyces cerevisiae</i> .	60.00 gms/litre	500 gm
DM 1167	Antibiotic Assay Medium No. 20 (Yeast Beef Broth) for microbiological assay of Amphotericin B using <i>Candida tropicalis</i> .	42.50 gms/litre	500 gm
DM 2667	Antibiotic Assay Medium No. 37 (Tryptone Soya Broth) for cultivation of wide variety of microorganisms and sterility testing of pharmaceutical preparations.	30.00 gms/litre	100 gm 500 gm
DM 1799	Antibiotic Assay Medium No. 38 for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i> .	45.40 gms/litre	500 gm
DM 2142	Antibiotic Assay Medium No. 39 for microbiological assay of Neomycin and Streptomycin using <i>Klebsiella pneumoniae</i> as the test organism.	17.50 gms/litre	500 gm
DM 2143	Antibiotic Assay Medium No. 40 for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	47.10 gms/litre	500 gm
DM 2144	Antibiotic Assay Medium No. 41 for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00 gms/litre	500 gm
DM 1164	Antifungal Assay Agar for assaying antifungal activity of pharmaceutical products and other materials by the cylinder plate or disc method.	75.76 gms/litre	500 gm
DM 1619	Arginine Dihydrolase Broth for detection of arginine dihydrolase producing microorganisms	19.31 gms/litre	500 gm
DM 1234	Arret & Kirshbaum Medium (Sporulating Agar) see AK Agar No. 2	30.80 gms/litre	500 gm
DM 1804	Ascospore Agar for detection of ascoporogenous yeasts.	43.50 gms/litre	500 gm
DM 1713	Ashby's Glucose Agar for cultivation of <i>Azotobacter</i> species from soil that can use glucose and atmospheric nitrogen as source of carbon and nitrogen respectively.	40.70 gms/litre	500 gm
DM 1706	Ashby's Mannitol Agar for isolation of <i>Azotobacter</i> species from soil that can use mannitol and atmospheric nitrogen as source of carbon and nitrogen respectively.	40.70 gms/litre	500 gm
DM 1672	Asparagine Broth (Coccidium Histoplasmin Broth) for the preparation of Coccidioidin and Histoplasmin antigens for immunodiagnostic work.	28.01 gms/litre	500 gm
DM 1725	Asparagine Gelatin Lactate Medium Base for isolation of sulphur bacteria.	152.50 gms/litre	100 gm
DM 1724	Asparagine Nitrate Medium for the isolation and cultivation of denitrifying bacteria from soil samples.	27.70 gms/litre	100 gm
DM 2192	Asparagine Proline Broth for cultivation of <i>Pseudomonas aeruginosa</i> from water samples by membrane filter technique.	14.50 gms/litre	100 gm 500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1182	Ayers and Johnson Agar (Stock Culture Agar) for maintenance of cultures of <i>Streptococci</i> and other microorganisms.	50.00 gms/litre	500 gm
DM 1158	Azide Blood Agar Base for selective isolation and cultivation of <i>Staphylococcus</i> and <i>Streptococcus</i> species from mixed bacterial flora.	33.20 gms/litre	500 gm
DM 1345	Azide Dextrose Broth a selective medium for detection of <i>Streptococci</i> in water, sewage, food and other materials suspected of sewage contamination.	34.70 gms/litre	500 gm
DM 2271	Azide Dextrose Broth w/BCP recommended for cultivation of faecal <i>Streptococci</i> .	34.70	500 gm
DM 1220	B.A.G.G. Broth Base (Buffered Azide Glucose Glycerol Broth Base) for detection of faecal <i>Streptococci</i> (group D) from clinical specimens and other materials of sanitary significance.	36.01 gms/litre	500 gm
DM 1861	B.T.B. Lactose Agar for isolation of pathogenic <i>Staphylococci</i>	33.17 gms/litre	100 gm 500 gm
DM 1036	*B12 Assay Medium (Vitamin B₁₂ Assay Medium) (Using <i>L. leichmannii</i>) for microbiological assay of Vitamin B ₁₂ using <i>Lactobacillus leichmannii</i> ATCC 7830 as the test organism.	84.53 gms/litre	500 gm 500 gm
DM 1185	*B12 Culture Agar (E. coli Maintenance Medium) (E. coli Mutant Culture Agar) for propagation, cultivation and maintenance of <i>Escherichia coli</i> mutant used in microbiological assay of Vitamin B ₁₂ .	37.85 gms/litre	100 gm 500 gm
DM 1035	*B12 Culture Agar (<i>L. leichmannii</i> Maintenance Medium) for propagation cultivation and maintenance of <i>Lactobacillus leichmannii</i> ATCC 7830	42.10 gms/litre	100 gm
DM 1206	*B12 Inoculum Broth for preparing the inoculum of <i>Lactobacillus leichmannii</i> ATCC 7830 for the microbiological assay of Vitamin B ₁₂ .	32.10 gms/litre	100 gm
DM 1906	B.C. Motility Test Medium for testing motility of <i>Bacillus cereus</i> .	23.00 gms/litre	500 gm
DM 1106	B.C.G. - Dextrose Agar (Snyder Test Agar) for the estimation of <i>Lactobacilli</i> , an indication of caries activity.	65.02 gms/litre	500 gm
DM 1205	B.D.G. - Broth, Hajna for presumptive detection of enteric bacilli present in treated drinking waters.	35.60 gms/litre	500 gm
DM 1492	B.G. Sulpha Agar (Brilliant Green Sulpha Agar) a highly selective medium for isolation and detection of <i>Salmonella</i> species in foods, especially eggs and egg products.	59.09 gms/litre	100 gm 500 gm
DM 2020	BPL Agar for isolation and identification of <i>Salmonellae</i> except <i>Salmonella serotype Typhi</i> in faeces, urine, milk and other materials.	40.04 gms/litre	500 gm
DM 1470	BYE Agar for cultivation and routine studies of distribution of Mycoplasmas or Pleuropneumonia Like organisms (PPOs) and L- forms of bacteria.	52.00 gms/litre	500 gm
DM 1833	Bacillus Cereus Agar Base a selective medium for isolation, detection and enumeration of <i>Bacillus cereus</i> .	40.97 gms/litre	100 gm 500 gm
MS 2003	*Polymyxin B Selective Supplement	Δ Δ	5 vl 5X5 vl
DM 2394	Bacillus Differentiation Agar for differentiation between <i>Bacillus cereus</i> and <i>Bacillus subtilis</i> based on mannitol fermentation.	22.00 gms/litre	4041

A

B

	Product Code	Product Name	Qty Per Litre of medium	Packing
B	DM 1043	Baird Parker Agar Base for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other Materials.	63.00 gms/litre	100 gm 500 gm
	MS 2046	*Egg Yolk Tellurite Emulsion (100 ml per vial)	Δ	5 vl
	MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	Δ	5 vl
	MS 2069	*B. P Sulpha Supplement	Δ	5 vl
	DM 1043S	Baird Parker Agar Base for isolation and enumeration of bacteria responsible for food poisoning	65.00 gms/950ml	100 gm 500 gm
	MS 2045	*Egg Yolk Emulsion 100 ml per vial	Δ	5 vl
	MS 2046	*Egg Yolk Tellurite Emulsion (100 ml per vial)	Δ	5 vl
	MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	Δ	5 vl
	MS 2195	*Fibrinogen Plasma Trypsin Inhibitor Supplement	Δ	1 vl
	DM 1043M	Baird Parker Agar Base for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other materials in accordance with IP	63.00 gms/litre	100 gm 500 gm
	MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
	MS 2052	*Potassium Tellurite 1.0% (1 ml per vial)	Δ	5 vl
	DM 2140	Baird Parker Agar Base w/ Sulpha recommended for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other materials.	63.05 gms/litre	4433
	MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
	MS 2046	*Egg Yolk Tellurite Emulsion (100 ml per vial)	Δ	5 vl
	MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	Δ	5 vl
	DM 1005	Base Agar See Antibiotic Assay Medium No.2	25.50 gms/litre	500 gm
	DM 1041	Base Agar w/low pH See Antibiotic Assay Medium No.8	25.50 gms/litre	500 gm
	BA 2274	•Meat Extract Paste		500 gm
	BA 2002	•Meat Extract Powder refined for use in microbial culture media		500 gm 2.5 kg
	BC 2002	•Meat Extract Powder, Certified for the maximum recovery and growth of a wide variety of microorganisms.		500 gm
	BA 2669	•Meat Extract Powder Type 1 used in media for routine cultivation and diagnostic purposes.		500 gm 5 kg
	DM 1806	•Meat Extract Agar for routine cultivation of non fastidious bacteria	33.00 gms/litre	100 gm 500 gm
	DM 1807	•Meat Extract Broth for routine cultivation of non fastidious bacteria	18.00 gms/litre	500 gm
	DM 1217	Bi.G.G.Y. Agar (Nickerson Medium) for detection, selective isolation, differentiation and presumptive identification of <i>Candida albicans</i> and <i>Candida tropicalis</i> .	45.00 gms/litre	500 gm
	DM 1071	Bile Broth Base for cultivation of members of the Enterobacteriaceae.	30.00 gms/litre	100 gm 500 gm
	DM 1972	Bile Esculin Agar for differential isolation and presumptive identification of group D <i>Streptococci</i> in food and pharmaceutical products.	64.50 gms/litre	100 gm 500 gm
	DM 1972I	Bile Esculin Agar recommended for isolation and identification of <i>Yersinia enterocolitica</i> from food and animal feeding stuffs.	64.50 gms/litre	500 gm
		•Meat Equivalent to Beef		

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2035	Bile Esculin Agar w/Kanamycin for selective isolation and presumptive identification of bacateria of the Bacteroides fragilis group from mixed flora.	44.60 gms/litre	100 gm 500 gm
DM 1340	Bile Esculin Agar Base for differential isolation and presumptive identification of group D <i>Streptococci</i> in food and pharmaceutical products.	63.50 gms/litre	500 gm
MS 2050	Aesculin (Esculin) 0.5 gm per vial	Δ	5 vl
DM 1493	Bile Esculin Azide Agar for selective isolation and presumptive identification of faecal <i>Streptococci</i> .	56.65 gms/litre	500 gm
DM 1493I	Bile Esculin Azide Agar recommended for isolation and presumptive identification of faecal <i>Streptococci</i> .	56.65 gms/litre	500 gm
DM 1481	Bile Peptone Transport Medium for safe collection, transport and presentation of cholera organisms.	25.00 gms/litre	500 gm
BA 2008	Bile Salts for Bacteriology		500 gm
BC 2008	Bile Salts, Certified a specially manufactured extract of bile salts, is recommended as a selective inhibitory agent in microbiological culture media.		500 gm
BA 2009	Bile Salts Mixture equivalent to Bile Salt No.3 for use in bacteriology culture media as selective inhibitory agent.		100 gm
BC 2009	Bile Salts Mixture, Certified recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria.		100 gm
DM 1739	Bile Salt Agar for isolation and enumeration of bile tolerant enteric bacilli.	43.00 gms/litre	100 gm 500 gm
DM 1739S	Bile Salt Agar for isolation and enumeration of bile tolerant enteric bacteria responsible for food poisoning.	40.00 gms/litre	100 gm 500 gm
DM 2157	Bile Salts Brilliant Green Starch Agar for selective isolation and identification of <i>Aeromonas hydrophila</i> from food and environmental specimens.	45.00 gms/litre	500 gm
BA 2021	Bio Peptone mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.		500 gm
BC 2021	Bio Peptone, Certified provides a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms.		500 gm
DM 1027U	Bismuth Sulphite Agar Medium for selective isolation of Salmonellae from faeces, urine, sewage and other materials in accordance with USP.	52.32 gms/litre	100 gm 500 gm
DM 1027	Bismuth Sulphite Agar for selective isolation of <i>Salmonellae</i> from faeces, urine, sewage and other materials.	52.33 gms/litre	100 gm 500 gm
DM 2004	Bismuth Sulphite Agar, Modified for isolation and preliminary identification of <i>Salmonella Typhi</i> and other <i>Salmonellae</i> from pathological materials, sewage, water supplies, food etc.	40.00 gms/litre	100 gm 500 gm
DM 1073	Blood Agar Base (Infusion Agar) for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood.	40.00 gms/litre	100 gm 500 gm
DM 1089	Blood Agar Base w/low pH an infusion medium, for isolation and cultivation of fastidious organisms, after addition of blood.	40.00 gms/litre	100 gm 500 gm

B

	Product Code	Product Name	Qty Per Litre of medium	Packing
B	DM 1834	Blood Agar Base No. 2 after addition of blood, medium permits maximum recovery of <i>Streptococci</i> , <i>Pneumococci</i> and other fastidious pathogenic microorganisms without interfering with their haemolytic reactions.	42.50 gms/litre	100 gm 500 gm
	MS 2005	* Brucella Selective Supplement	Δ	5 vl
	MS 2006	* Campylobacter Supplement-I (Blaser-Wang)	Δ	5 vl
	MS 2007	* Campylobacter Supplement-II (Butzler)	Δ	5 vl
	MS 2008	* Campylobacter Supplement-III (Skirrow)	Δ	5 vl
	MS 2009	* Campylobacter Growth Supplement	Δ	5 vl
	MS 2031	* Strepto Supplement	Δ	5 vl
	DM 1834A	Blood Agar Base No. 2 w/1.2% Agar especially devised to permit the maximum recovery fo fastidious pathogenic microorganisms without interfering with their haemolytic reactions.	39.50 gms/litre	500 gm
	MS 2005	* Brucella Selective Supplement	Δ	5 vl
	MS 2006	* Campylobacter Supplement-I (Blaser-Wang)	Δ	5 vl
MS 2007	* Campylobacter Supplement-II (Butzler)	Δ	5 vl	
MS 2008	* Campylobacter Supplement-III (Skirrow)	Δ	5 vl	
MS 2009	* Campylobacter Growth Supplement	Δ	5 vl	
MS 2031	* Strepto Supplement	Δ	5 vl	
DM 1887	Blood Free Campylobacter Selectivity Agar Base recommended for selective isolation and differentiation of <i>Campylobacter species</i> from food and animal stuffs.	45.50 gms/litre	500 gm	
MS 2067	* Campylobacter Supplement V (BFCSA)	Δ	5vl	
MS 2145	* CAT Selective Supplement	Δ	5vl	
DM 1175	Bordet Gengou Agar Base for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i> .	40.00 gms/litre	500 gm	
MS 2004	* Bordetella Selective Supplement	Δ	5 vl	
DM 1175A	Bordet Gengou Agar Base w/1.6% Agar for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i> .	36.00	500 gm	
MS 2004	* Bordetella Selective Supplement	Δ	5 vl	
DM 1216	Boric Acid Broth for the detection and presumptive identification of <i>Escherichia coli</i> , on the basis of the ability of these organisms to grow at 43°C and form gas from lactose in the presence of boric acid.	34.60 gms/litre	500 gm	
DM 1211	Brain Heart Infusion Agar (Special Infusion Agar) for cultivation of fastidious pathogenic bacteria, yeast and moulds.	52.00 gms/litre	100 gm 500 gm	
DM 1211A	Brain Heart Infusion Agar w/ 1% Agar for cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00 gms/litre	500 gm	
DM 2036	Brain Heart Infusion w/0.1% Agar for propagation of fastidios pathogenic cocci and other organisms associated blood culture work and allied pathological investigations.	38.00 gms/litre	500 gm	
DM 2037	Brain Heart Indusion w/6.5% NaCl for selective cultivation of salt tolerant microorganisms.	97.00 gms/litre	500 gm	
DM 2069	Brain Heart Infusion Agar w/ 3.0% Agar for cultivation of microorganisms when 3.0% Agar gel is desired.	67.00 gms/litre	500 gm	
DM 1210	Brain Heart Infusion Broth for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	37.00 gms/litre	100 gm 500 gm	
DM 1210I	Brain Heart Infusion Broth recommended for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and enrichment of <i>Staphylococcus aureus</i> .	37.00 gms/litre	500 gm	

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1212	Brain Heart Infusion w/PABA for examination of blood from patients under Sulphonamide therapy.	37.05 gms/litre	500 gm
DM 1213	Brain Heart Infusion w/PABA and Agar for improved growth of pathogens from blood from patients undergoing Sulphonamide treatment.	38.05 gms/litre	500 gm
DM 1019	Brewer Thioglycollate Medium for testing sterility of biological products and for isolation of aerobic and anaerobic organisms	40.50 gms/litre	100 gm 500 gm
DM 1195	Brewer Thioglycollate Medium, Modified (Linden Thioglycollate Medium) for testing sterility of biological products and for the isolation of aerobic and anaerobic organisms.	38.50 gms/litre	100 gm 500 gm
DM 1195A	Brewer Thioglycollate Medium, Modified for testing sterility of biological products and for isolation of aerobic and anaerobic organisms.	20.60 gms/litre	100 gm 500 gm
DM 1016	Brilliant Green Agar, Modified for selective isolation of <i>Salmonellae</i> other than <i>Salmonella Serotype Typhi</i> from faeces, foods, dairy products.	58.09 gms/litre	100 gm 500 gm
MS 2068	*Sulpha Supplement	Δ	5 vl
DM 1016U	Brilliant Green Agar, Modified for selective isolation of Salmonellae other than <i>Salmonella Serotype Typhi</i> from faeces, foods, dairy products etc. in accordance with USP.	58.09 gms/litre	100 gm 500 gm
DM 1016A	Brilliant Green Agar w/ 1.2% Agar recommended as enrichment medium for isolation of <i>Salmonellae</i> from faeces, urine and other pathological materials.	50.09 gms/litre	100 gm 500 gm
MS 2068	*Sulpha Supplement	Δ	5 vl
DM 1971	Brilliant Green Agar Base w/Phosphates recommended for selective isolation of <i>Salmonellae</i> while inhibiting <i>Escherichia coli</i> , <i>Proteus</i> and <i>Pseudomonas species</i> .	51.69 gms/litre	500 gm
MS 2068	*Sulpha Supplement	Δ	5 vl
DM 1971I	Brilliant Green Agar w/ Phosphates recommended for detection and enumeration of <i>Salmonellae</i> .	54.69 gms/litre	500 gm
DM 1971S	Brilliant Green Agar Base w/ Phosphates for selective isolation of bacteria responsible for food poisoning.	52.00 gms/litre	100 gm 500 gm
MS 2068	*Sulpha Supplement	Δ	5 vl
DM 1059	Brilliant Green Bile Agar for enumeration of coliform bacteria in water, sewage and foods.	20.70 gms/litre	100 gm 500 gm
DM 1121	Brilliant Green Bile Broth 2% for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products.	40.01 gms/litre	100 gm 500 gm 1 kg
DM 1492	Brilliant Green Sulpha Agar See BG Sulpha Agar	59.09 gms/litre	100 gm 500 gm
DM 2212	Bromo Cresol Purple Azide Broth for the confirmation of the presence of faecal <i>Streptococci</i> in Water and waste water.	35.93 gms/litre	500 gm
DM 1676	Bromo Cresol Purple Broth Base (Yeast Fermentation Broth Base) for studying fermentation of carbohydrates by pure cultures.	18.04 gms/litre	500 gm
DM 2265	Bromo Cresol Purple Broth w/Lactose for identification of <i>Escherichia coli</i> and coliform bacteria from water samples.	28.02 Gms/litre	500 gm

B

	Product Code	Product Name	Qty Per Litre of medium	Packing
B	DM 1074	Brucella Agar Base for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species from clinical and nonclinical specimens.	43.10 gms/litre	100 gm 500 gm
	MS 2005	* Brucella Selective Supplement	Δ	5 vl
C	MS 2006	* Campylobacter Supplement I (Blaser - Wang)	Δ	5 vl
	MS 2007	* Campylobacter Supplement II (Butzler)	Δ	5 vl
	MS 2008	* Campylobacter Supplement III (Skirrow)	Δ	5 vl
	MS 2009	* Campylobacter Growth Supplement	Δ	5 vl
	DM 1074A	Brucella Agar Base, Modified for cultivation of <i>Campylobacter</i> species.	44.10 gms/litre	500 gm
	MS 2009	* Campylobacter Growth Supplement	Δ	5 vl
	MS 2008	* Campylobacter Supplement III (Skirrow)	Δ	5 vl
	DM 2039	Brucella Agar w/Hemin and Vitamin K for cultivation of <i>Brucella</i> species, for isolation and subculture of anaerobes with addition of blood.	43.12 gms/litre	500 gm
	DM 1348	Brucella Broth Base for enrichment and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species from clinical and nonclinical specimens.	28.10 gms/litre	100 gm 500 gm
	MS 2009	* Campylobacter Growth Supplement	Δ	5 vl
	DM 1813	Buffered Charcoal Yeast Extract Agar Base for selective isolation and cultivation of <i>Legionella</i> species from clinical and other materials.	40.00 gms/litre	100 gm
	MS 2017	* Legionella Selective Supplement	Δ	5 vl
	MS 2037	* Legionella Selective Supplement II	Δ	5 vl
	MS 2038	* Legionella Selective Supplement III	Δ	5 vl
	MS 2040	* Legionella Selective Supplement IV (MWY)	Δ	5 vl
	MS 2041A	* Legionella Supplement (Twin Pack)	Δ	5 vl
	DM 1070	Buffered Glucose Broth (Glucose Phosphate Broth) See MR-VP Medium	17.00 gms/litre	100 gm 500 gm
	DM 1204	Buffered Glycerol Saline Base for collection and transportation of faecal specimens.	8.30+300 ml glycerol	100 gm 500 gm
	DM 1614	Buffered Peptone Water for pre-enrichment of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation.	20.00 gms/litre	100 gm 500 gm
	DM 1951	Buffered Tryptone Glucose Yeast Extract Broth for cultivation and characterization of <i>Clostridia</i> isolated from food specimens.	85.00 gms/litre	500 gm
	DM 1585	Buffered Yeast Agar for cultivation of yeasts and moulds and for the controlling of bottle washing operations in the soft-drinks and related industries.	41.00 gms/litre	500 gm
	DM 1707	Burk's Medium for isolation and cultivation of nitrogen fixing bacteria such as <i>Azotobacter</i> species.	21.33 gms/litre	500 gm
	DM 1349	Bushnell Haas Agar for examination of fuels for microbial contamination and for studying Hydrocarbon deterioration by microorganisms.	23.27 gms/litre	500 gm
	DM 1350	Bushnell Haas Broth for examining fuels for microbial contamination and for studying hydrocarbon deterioration by microorganisms.	3.27 gms/litre	100 gm 500 gm
	DM 1893	CAL Agar (Cellobiose Arginine Lysine Agar) for isolation and biochemical characterization of <i>Yersinia enterocolitica</i> .	46.03 gms/litre	100 gm
	DM 1894	CAL Broth (Cellobiose Arginine Lysine Broth) for isolation and biochemical characterization of <i>Yersinia enterocolitica</i> .	26.03 gms/litre	100 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1351	CHO Medium Base is a basal medium to which carbohydrates may be added for use in fermentation studies of anaerobic bacteria.	26.11 gms/litre	500 gm
DM 1352	C.L.E.D. Agar w/ Andrade Indicator for isolation, and differentiation of urinary pathogens on the basis of lactose fermentation.	36.25 gms/litre	100 gm 500 gm
DM 2146	C.L.E.D. Agar Base w/o Indicator for isolation, enumeration and presumptive identification of bacterial flora in urinary tract.	36.12 gms/litre	100 gm 500 gm
MS 2091	*Bromo Thymol Blue Supplement (20 mgm per vial)	Δ	5 vl
DM 1792	C.L.E.D. Agar w/Bromo Thymol Blue for isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	36.15 gms/litre	100 gm 500 gm
DM 2240	Campylobacter Nitrate Broth for identification of <i>Campylobacter</i> species on the basis of nitrate reduction.	27.00 gms/litre	500 gm
DM 1363	Carbon Utilization Agar for characterization of streptomycetes on the basis of carbon utilization source.	24.83 gms/litre	100 gm 500 gm
DM 1202	Cary-Blair Medium Base (Transport Medium w/o Charcoal) for collection and shipment of clinical specimens.	12.60 gms/litre	100 gm 500 gm
BA 2189	Casein Acid Hydrolysate , Certified, Sodium chloride less than 3%		500 gm
BA 2498	Casein Acid Hydrolysate special for Pertussis Vaccine production.		500 gm
BA 2013	Casein Acid Hydrolysate , Technical, used in antibiotic sensitivity test media, vaccine preparation media etc.		500 gm
BC 2013	Casein Acid Hydrolysate , Certified, recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.		500 gm
BA 2190	Casein Acid Hydrolysate , Vitamin Free		500 gm
BA 2014	Casein Enzyme Hydrolysate , Type-I Tryptone, used in sterility testing, diagnostic media preparations		500 gm 2.5 kg
BC 2014	Casein Enzyme Hydrolysate , Certified Tryptone, recommended in a number of media such as sterility testing media diagnostic media for biochemical Characterization, etc.		500 gm
BA 2028	Casein Enzyme Hydrolysate , Type-II		500 gm 5 kg
BA 2714	Casein Peptone , enzymic digest of casein		500 gm 2.5 kg
DM 1201	Casman Agar for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension.	43.60 gms/litre	500 gm
DM 1766	Casman Broth Base for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension.	29.60 gms/litre	500 gm
DM 1024	Cetrimide Agar Base for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimen.	46.70 gms/litre +10ml glycerol	100 gm 500 gm
MS 2130	*Nalidixic Selective Supplement	Δ	5 vl
DM 1024H	Cetrimide Agar Recommended as a selective medium used for the isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of BP.	45.30 gms/litre +10ml glycerol	100 gm 500 gm 2.5 kg 5 kg

C

DEHYDRATED CULTURE MEDIA & BASES

Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
C DM 1862	Cetrimide Broth for selective cultivation of <i>Pseudomonas aeruginosa</i>	25.30 gms/litre	100 gm 500 gm
DM 1862A	Cetrimide Broth Base recommended for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique.	31.90 gms/litre	500 gm
DM 1215	Chapman Stone Agar for selective isolation of <i>Staphylococci</i> causing food poisoning.	202.50 gms/litre	500 gm
DM 1344	Charcoal Agar Base for cultivation of <i>Bordetella pertussis</i> , for vaccine Production and also for stock culture Maintenance.	62.50 gms/litre	500 gm
MS 2004	*Bordetella Selective Supplement	Δ	5 vl
DM 1646	Charcoal Blood Agar Base for cultivation of <i>Bordetella pertussis</i> , for vaccine production and also for the maintenance of stock cultures.	54.50 gms/litre	3501
DM 2053	Charcoal Agar Base w/Niacin for cultivation and isolation of <i>Bordetella pertussis</i> and <i>Haemophilus influenzae</i> .	51.00 gms/litre	500 gm
MS 2004	*Bordetella Selective Supplement	Δ	5 vl
DM 1113	Chlamyospore Agar for differentiation of <i>Candida albicans</i> from other <i>Candida</i> species on the basis of chlamyospore formation.	37.10 gms/litre	100 gm 500 gm
DM 1580	China Blue Lactose Agar for defferentiation and enumeration of bacteria in milk.	38.30 gms/litre	500 gm
DM 2008	*Chloramphenicol Yeast Glucose Agar recommended for selective enumeration of yeasts and moulds in milk and milk products.	40.00 gms/litre	100 gm 500 gm
DM 1103	Chocolate Agar Base for isolation of <i>Neisseria gonorrhoeae</i> from chronic and acute cases of gonococcal infections.	45.50 gms/litre	100 gm 500 gm
MS 2022	*Haemoglobin Powder	Δ	
MS 2025	*Vitamins Growth Supplement (Vitamins and Amino Acids Mixture)	Δ	5vl
MS 2027	*Yeast Autolysate Supplement	Δ	5vl
DM 1728	Citrate Agar for cultivation of iron bacteria from soil samples.	27.20 gms/litre	100 gm 500 gm
DM 1552	Clausen Medium for sterility testing, in accordance with Nordic Pharmacopoeia Board.	40.00 gms/litre	500 gm
DM 1836	Clostridium Difficile Agar Base for selective isolation of <i>Clostridium difficile</i> from faeces.	69.10 gms/litre	500 gm
MS 2010	*Clostridium Difficile Supplement	Δ	5 vl
DM 2211	Coliform Broth for isolation and cultivation of coliform organisms from cream, yogurt and raw milk.	57.14 gms/litre	500 gm
DM 1144	Columbia Blood Agar Base an efficient base for preparation of blood agar, Chocolate agar and for various selective and identification media.	44.00 gms/litre	100 gm 500 gm
MS 2005	*Brucella Selective Supplement	Δ	5 vl
MS 2006	*Campylobacter Supplement-I (Blaser-Wang)	Δ	5 vl
MS 2007	*Campylobacter Supplement-II (Butzler)	Δ	5 vl
MS 2008	*Campylobacter Supplement-III (Skirrow)	Δ	5 vl
MS 2009	*Campylobacter Growth Supplement	Δ	5 vl

Product Code	Product Name	Qty Per Litre of medium	Packing
MS 2030	*Staph-Strepto Supplement	Δ	5 vI
MS 2031	*Strepto Supplement	Δ	5 vI
MS 2056	*G.Vaginalis Selective Supplement	Δ	5 vI
MS 2090	*Campylobacter Selective Supplement	Δ	5 vI
MS 2106	*Campylobacter Supplement VI (Butzler)	Δ	5 vI
DM 1144A	Columbia Blood Agar Base w/ 1% Agar a basal medium used with or without blood for isolation and cultivation of fastidious Bacteria.	39.00 gms/litre	500 gm
MS 2005	*Brucella Selective Supplement	Δ	5 vI
MS 2006	*Campylobacter Supplement-I (Blaser-Wang)	Δ	5 vI
MS 2007	*Campylobacter Supplement-II (Butzler)	Δ	5 vI
MS 2008	*Campylobacter Supplement III (Skirrow)	Δ	5 vI
MS 2009	*Campylobacter Growth Supplement	Δ	5 vI
MS 2031	*Strepto Supplement	Δ	5 vI
MS 2056	*G Vaginalis Selective Supplement	Δ	5 vI
MS 2090	*Campylobacter Selective Supplement	Δ	5 vI
MS 2106	*Campylobacter Supplement VI (Butzlea)	Δ	5 vI
MS 2119	*Streptococcus Selective Supplement	Δ	5 vI
DM 2133	Columbia Blood Agar Base w/Hemin an efficient and enriched base for preparation of chocolate and blood agar and for various selective and identification media.	44.01 gms/litre	500 gm
DM 1145	Columbia Broth Base for cultivation of fastidious organisms from clinical specimens.	35.01 gms/litre	500 gm
DM 1560	* Columbia C.N.A. Agar Base for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens.	44.02 gms/litre	500 gm
DM 1560A	* Columbia C.N.A. Agar Base w/1% Agar for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens.	39.02 gms/litre	500 gm
DM 1499	Cooke Rose Bengal Agar Base for selective isolation and cultivation of fungi.	36.54 gms/litre	500 gm
DM 1149	Cooked Meat Medium (R.C. Medium) for cultivation of aerobes and anaerobes, especially pathogenic <i>Clostridia</i> and also for the maintenance of stock cultures.	125.00 gms/litre	100 gm 500 gm
DM 1149S	Cooked Meat Medium (R.C. Medium) for cultivation of aerobes and anaerobes, especially pathogenic <i>Clostridia</i> and also for the maintenance of stock cultures.	115.40 gms/litre	100 gm 500 gm
DM 1146	Corn Meal Agar for production of chlamydo spores by <i>Candida albicans</i> and the maintenance of fungal stock cultures.	17.00 gms/litre	100 gm 500 gm
DM 1897	Crystal Violet Lactose Agar for differentiation of pure cultures of pathogenic and nonpathogenic <i>Staphylococci</i> .	33.00 gms/litre	500 gm
DM 1831	Crystal Violet Lactose Broth for detection of coliforms in water filtration control works.	16.00 gms/litre	500 gm
DM 1500	Culture Medium for RWC (Disinfectant Test Broth) for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organisms.	50.00 gms/litre	100 gm 500 gm
DM 1172	Cystine Heart Agar Base supports excellent growth of gram-negative cocci and other pathogenic organisms. with added haemoglobin it is used for cultivation of <i>Francisella tularensis</i> .	51.00 gms/litre	500 gm

C

	Product Code	Product Name	Qty Per Litre of medium	Packing
C	DM 1159	Cystine Tryptone Agar for maintenance, subculturing, detection of motility and fermentation studies with the addition of various carbohydrates.	28.51 gms/litre	100 gm 500 gm
D	DM 1075	Czapek Dox Agar a semisynthetic medium for general cultivation of fungi.	49.01 gms/litre	100 gm 500 gm
	DM 2170	Czapek Dox Agar Modified (Modified Czapek Dox Agar) for cultivation and maintenance of fungi.	45.36 gms/litre	500 gm
	MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vial
	DM 1076	Czapek Dox Broth a semisynthetic medium used for cultivation of fungi.	35.01 gms/litre	100 gm 500 gm
	DM 1732	Czapek Malt Agar for isolation, detection and cultivation of saprophytic fungi.	94.01 gms/litre	100 gm 500 gm
	DM 2335	Czapek Yeast Extract Agar for the cultivation and maintenance of <i>Aspergillus niger</i> .	51.40 gms/litre	500 gm
	DM 1482	Dnase Test Agar Base for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci.	42.00 gms/litre	100 gm
	MS 2051	Toluidine Blue (0.1 gm per vial)		5 vial
	DM 2419	DNase Test Agar w/ Methyl green for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic <i>Staphylococci</i> .	42.05 gms/litre	500 gm
	DM 2041	DNase Test Agar w/ Toluidine Blue for detection of deoxyribonuclease activity of microorganisms.	42.10 gms/litre	100 gm
	DM 1741	DNase Test Agar w/o DNA with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi.	40.00 gms/litre	100 gm 500 gm
	DM 1160	D.C.L.S. Agar a selective medium used to detect and isolate <i>Salmonella</i> and <i>Shigella</i> species also useful for isolation of <i>Virbio cholerae</i> .	49.53 gms/litre	100 gm 500 gm
	DM 1178	D.C.L.S. Agar, Hajna for the isolation of gram-negative enteric bacilli.	73.52 gms/litre	100 gm 500 gm
	DM 1501	Decarboxylase Agar Base for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid added to the medium.	24.02 gms/litre	500 gm
	DM 1393	Decarboxylase Broth Base, Moeller (Moeller Decarboxylase Broth Base) with the addition of appropriate L-amino acid, it is used to differentiate bacteria on the basis of their ability to decarboxylate the amino acid.	10.52 gms/litre	100 gm 500 gm
	DM 1912S	Decarboxylase Test Medium Base (Falkow) for testing amino acid decarboxylase activity.	9.00 gms/litre	100 gm 500 gm
	DM 1912	Decarboxylase Test Medium Base (Falkow) for testing amino acid decarboxylase activity.	9.02 gms/litre	100 gm 500 gm
	DM 1030	Deoxycholate Agar for the direct differential count of coliforms in dairy products and for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens.	45.03 gms/litre	100 gm 500 gm
	DM 1065	Deoxycholate Citrate Agar selective medium for the isolation of enteric pathogens particularly <i>Salmonella</i> and <i>Shigella</i> species	70.52 gms/litre	100 gm 500 gm
	DM 1065B	Deoxycholate Citrate Agar Medium (Agar Medium J) for selective isolation of enteric pathogens in accordance with BP.	69.02 gms/litre	500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1065M	Deoxycholate Citrate Agar for selective isolation and identification of <i>Salmonellae</i> in accordance with IP.	69.02 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 2074	Deoxycholate Citrate Agar, Modified (Heynes) selective medium for the isolation of <i>Salmonella</i> and <i>Shigella</i> species.	51.92 gms/litre	500 gm
DM 1222	Deoxycholate Citrate Agar w/o Sucrose for isolation and identification of enteric pathogens.	45.03 gms/litre	100 gm 500 gm
DM 1066	Deoxycholate Lactose Agar for isolation and enumeration of coliforms in water, Waste-water, milk and dairy products.	42.53 gms/litre	100 gm 500 gm
DM 1084	Dextrose Agar for cultivation of a wide variety of microorganisms.	43.00 gms/litre	100 gm 500 gm
DM 1286	Dextrose Agar Base, Emmons (Sabouraud Dextrose Agar Base, Modified) for selective cultivation of pathogenic fungi.	47.00 gms/litre	100 gm 500 gm
MS 2035	*CC Supplement	Δ	5 vl
DM 1044	Dextrose Broth for antibiotic sensitivity testing using the tube dilution method.	23.00 gms/litre	100 gm 500 gm
DM 1241	Dextrose Mannitol Agar (Gillies Agar No 1) for detection of urease production, dextrose and mannitol fermentation for primary isolation of <i>Salmonella</i> and <i>Shigella</i> species	46.05 gms/litre	500 gm
DM 1649	Dextrose Peptone Agar for general cultivation of organisms.	50.00 gms/litre	500 gm
DM 1650	Dextrose Peptone Broth for the cultivation of fastidious organisms, enumeration of thermophilic bacteria from canned foods and for routine sterility testing	35.00 gms/litre	500 gm
DM 1102	Dextrose Salt Agar enumeration of yeasts and moulds in butter and other dairy products.	35.00 gms/litre	500 gm
DM 1980	Dextrose Salt Broth enumeration of yeasts and moulds in butter and other dairy products.	20.00 gms/litre	500 gm
DM 1183	Dextrose Starch Agar for propagation of pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms.	65.00 gms/litre	500 gm
DM 1092	Dextrose Tryptone Agar for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods.	30.04 gms/litre	500 gm
DM 1913	Dextrose Tryptone Agar, Modified for isolation and cultivation of aciduric and thermophilic, aerobic flat-sour sporeformers from canned foods, sugar etc.	32.29 gms/litre	500 gm
DM 1122	Dextrose Tryptone Broth for enrichment and cultivation of mesophilic and thermophilic organisms in foods.	15.04 gms/litre	500 gm
DM 1914	Dextrose Tryptone Broth, Modified for isolation and cultivation of aciduric and thermophilic sporeformers.	17.29 gms/litre	500 gm
DM 2062	*Dey-Engley Neutralizing Broth for neutralizing and testing antiseptics and disinfectants.	39.02 gms/litre	500 gm
DM 1187	Dey-Engley Neutralizing Broth Base used along with Dey-Engley Neutralizing Broth Base for neutralizing and determining bactericidal activity of quaternary ammonium compounds.	17.52 gms/litre	500 gm
DM 1111	Diagnostic Stuart's Urea Broth Base (Urea Broth Base) recommended for the identification of bacteria on the basis of urea utilization, specially for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species.	18.71 gms/litre	100 gm 500 gm
MS 2048	*Urea 40% (5ml per vials)	Δ	5 vl

D

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
D	DM 1191	Diagnostic Thioglycollate Medium (Thioglycollate Medium w/o Indicator) for enrichment of blood cultures.	30.05 gms/litre	500 gm
E	DM 1549	Differential Reinforced Clostridial Broth Base for the cultivation of <i>Clostridia</i> from water.	29.00 gms/litre	100 gm 500 gm
	DM 1549I	Differential Reinforced Clostridial Broth Base recommended for cultivation of <i>Clostridia</i> from water.	29.00 gms/litre	500 gm
	DM 1915	Dihydrolase Broth Base for studying dihydrolase reaction of <i>Vibrio parahaemolyticus</i> .	43.03 gms/litre	500 gm
	DM 1500	Disinfectant Test Broth see Culture Medium for RWC	50.00 gms/litre	100 gm 500 gm
	DM 1354	Disinfectant Test Broth, AOAC for testing disinfectants in accordance with AOAC.	20.00 gms/litre	500 gm
	DM 1057	Double Sugar Agar, Russell (Russell Double Sugar Agar) for differentiation of gram-negative enteric bacilli on the basis of their ability to ferment dextrose and lactose with or without gas formation.	44.02 gms/litre	500 gm
	DM 1067	Dubos Broth Base for preparation of liquid medium for rapid cultivation of pure cultures of <i>Mycobacterium tuberculosis</i> and related microorganisms	6.26 gms/litre	100 gm 500 gm
	DM 1179	Dubos Oleic Agar Base for cultivation of <i>Mycobacteria</i> .	20.06 gms/litre	100 gm 500 gm
	MS 2020	*Oleic Albumin Supplement	Δ	5 vl
	DM 1839	Dubos Oleic Broth Base for cultivation of <i>Mycobacteria</i> .	5.06 gms/litre	100 gm 500 gm
	MS 2020	*Oleic Albumin Supplement	Δ	5 vl
	DM 1185	*E. coli Mutant Culture Agar (E. coli Maintenance Medium) See *B12 Culture Agar	37.85 gms/litre	100 gm
	DM 1127	EC Broth for selective enumeration of faecal and nonfaecal coliforms in water, waste water and shell fish.	37.00 gms/litre	100 gm 500 gm
	DM 1127I	EC Broth recommended for selective enumeration of presumptive <i>Escherichia coli</i> by MPN technique	37.00 gms/litre	500 gm
	DM 1748	Edward's Medium Base, Modified for selective and rapid isolation of <i>Streptococcus agalactiae</i> and other <i>Streptococci</i> associated with bovine mastitis.	41.33 gms/litre	100 gm
	DM 1287	EE Broth, Mossel for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods.	43.46 gms/litre	100 gm 500 gm
	DM 1287A	EE Broth Modified for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods.	45.01 gms/litre	500 gm
	DM 1287D	EE Broth, Mossel for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods.	45.01 gms/litre	500 gm
	DM 1287I	EE Broth, Mossel recommended for selective enrichment of Enterobacteriaceae in bacteriological examination of foods.	43.46 gms/litre	500 gm
	DM 1287H	EE Broth, Mossel Enterobacteria Enrichment Broth, Mossel is used for selective enrichment of Enterobacteriaceae from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 4)	42.93 gms/litre	100 gm 500 gm 2.5 kg 5 kg

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1317	EMB Agar for differential isolation of gram-negative enteric bacilli from clinical and nonclinical specimens.	35.96 gms/litre	100 gm 500 gm
DM 1301	EMB Agar Base a basal medium to which different carbohydrates and other test substances may be added for differentiation and study of various enteric bacteria.	27.46 gms/litre	100 gm 500 gm
DM 1022S	EMB Agar, Levine for isolation, enumeration and differentiation of members of Enterobacteriaceae.	37.50 gms/litre	100 gm 500 gm
DM 1022M	EMB Agar, Levine for isolation, enumeration and differentiation of members of Enterobacteriaceae in accordance with IP.	37.46 gms/litre	100 gm 500 gm
DM 1022	EMB Agar, Levine for isolation, enumeration and differentiation of members of Enterobacteriaceae.	37.46 gms/litre	100 gm 500 gm
DM 1503	EMB Broth for differentiation of gram-negative enteric bacteria.	22.46 gms/litre	100 gm 500 gm
DM 1808	Egg Yolk Agar Base for isolation and identification of <i>Clostridia</i> and certain other anaerobes.	75.10 gms/litre	500 gm
MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
DM 1086	Eijkman Lactose Broth for detection and differentiation of <i>Escherichia coli</i> from other coliforms on the basis of their ability to grow and liberate gas from lactose.	28.50 gms/litre	500 gm
DM 1368	Elliker Broth (Lactobacilli Broth) for cultivation of <i>Lactobacilli</i> and <i>Streptococci</i> of importance in dairy industry.	48.50 gms/litre	500 gm
DM 1466	Ellners Broth for induction of spore formation in <i>Clostridium perfringens</i>	67.60 gms/litre	500 gm
DM 1325	Emerson Agar for isolation and cultivation of <i>Actinomycetaceae</i> , <i>Streptomycetaceae</i> and moulds.	41.50 gms/litre	500 gm
DM 1773	Emerson YSS Agar for the isolation of Actinomycetes and other fungi.	40.50 gms/litre	500 gm
DM 1029	Endo Agar for the confirmation of the presumptive test for members of the coliform group.	41.50 gms/litre	100 gm 500 gm
DM 2077	Endo Agar Base for preparing Endo Agar to confirm presumptive test for lactose fermenting coliforms.	38.00 gms/litre	100 gm 500 gm
MS 2059	Basic Fuchsin (6.0 gm per vial)	Δ	1 vl
DM 2258	Endo Agar w/NaCl for detection and isolation of pathogenic enteric bacilli.	37.70 gms/litre	500 gm
DM 2075	Endo Agar, Modified for detection and isolation of coliforms and other enteric organisms.	38.60 gms/litre	500 gm
DM 1738	Enriched Thioglycollate Broth for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.	30.35 gms/litre	500 gm
DM 1392	Enterococcus Confirmatory Agar for confirming the presence of <i>Enterococci</i> in water supplies and other sources.	30.41 gms/litre	500 gm
DM 1394	Enterococcus Confirmatory Broth for confirming the presence of <i>Enterococci</i> in water supplies and other sources.	80.41 gms/litre	500 gm
DM 1419	Enterococcus Presumptive Broth for detection of <i>Enterococci</i> in water and other materials of sanitary importance.	15.43 gms/litre	500 gm
DM 1004	Erythromycin Seed Agar (Neomycin Erythromycin Assay Agar) See Antibiotic Assay Medium No.11	30.50 gms/litre	100 gm 500 gm

E

	Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
E	DM 2386	Esculin Agar for cultivation and differentiation of bacteria that can hydrolyze esculin and produce H ₂ S.	41.50 gms/litre	500 gm
	DM 1749	Esculin Azide Broth for selective cultivation and identification of <i>Streptococci</i> .	37.75 gms/litre	500 gm
F	DM 2382	Esculin Fermentation Broth for cultivation and differentiation of bacteria which hydrolyze esculin.	34.50 gms/litre	500 gm
	DM 2044	Esculin Iron Agar for verifying enterococcal colonies on membrane filters through which water samples have been filtered and which have been incubated on M-Enterococcus Agar, Modified.	16.50 gms/litre	100 gm
	DM 1426	Ethyl Violet Azide Broth (E.V.A. Broth) for selective, confirmatory detection of <i>Enterococci</i> as an indicator of faecal pollution in water and other specimens.	35.80 gms/litre	500 gm
	DM 1428	Eugonic Agar for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species.	44.40 gms/litre	500 gm
	DM 1429	Eugonic Broth for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species.	29.40 gms/litre	500 gm
	DM 1221	FDA Broth See AATCC Bacteriostasis Broth	20.00 gms/litre	500 gm
	DM 1565	FNA Medium (Fluorescein Denitrification Agar) for differentiation of <i>Pseudomonas</i> from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment.	30.50 gms/litre	500 gm
	DM 1919	Fermentation Medium Base for C. Perfringens for studying fermentation reaction of <i>Clostridium perfringens</i> with added carbohydrate	22.25 gms/litre	500 gm
	DM 1827	Fermentation Medium for Staphylococcus and Micrococcus for studying fermentation by <i>Staphylococcus</i> and <i>Micrococcus</i> species.	23.24 gms/litre	500 gm
	DM 1239	Fletcher Leptospira Medium Base (Leptospira Medium Base, Fletcher) for isolation, cultivation and maintenance of <i>Leptospira</i> species.	2.56 gms/litre	100 gm 500 gm
	DM 1117	*Fluid Casein Digest Soya Lecithin Medium (Twin Pack) for sanitary examination of surfaces.	25.00 of Part A + 40 ml of Part B	100 gm 500 gm
	DM 1026	Fluid Lactose Medium as a pre enrichment medium for detection of coliform bacteria in water, dairy products and food samples.	13.00 gms/litre	100 gm 500 gm
	DM 1013	Fluid Sabouraud Medium (Sabouraud Medium, Cluid) sterility test medium for moulds and lower bacteria in pharmaceutical preparations.	30.00 gms/litre	100 gm 500 gm
	DM 1025	Fluid Selenite Cystine Medium (Selenite Cystine Medium) (Twin Pack) enrichment medium for isolation of <i>Salmonellae</i> in foods, dairy products and materials of sanitary importance and clinical specimens.	19 Part of A + 4 Part of B	100 gm 500 gm
	DM 2533I	Fluid Selenite Cystine Broth (Twin Pack) recommended as an enrichment medium for isolation of <i>Salmonellae</i> from faeces, urine or other pathological materials.	19 Part of A + 4 Part of B	500 gm
	DM 1032	Fluid Tetrathionate Medium w/o Iodine and BG (Tetrathionate Broth Base w/o Iodine and BG) selective enrichment medium for isolating of <i>Salmonellae</i> from foods and other <i>pathological</i> materials.	46.00 gms/litre	100 gm 500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1009	Fluid Thioglycollate Medium for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles.	29.75 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1380	Fluid Thioglycollate Medium w/ Beef Extract for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing.	34.75 gms/litre	500 gm
DM 1431	Forget Fredette Agar for selective isolation of anaerobes from a mixture of aerobic and anaerobic flora.	40.50 gms/litre	500 gm
DM 1079	Fuchsin Lactose Broth for determination of 'coliform' titre in the bacteriological examination of water and other materials.	13.01 gms/litre	500 gm
DM 1094	Fungal Agar (Mycological Agar) for cultivation and maintenance of fungi	35.00 gms/litre	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vl
DM 1095	Fungal Agar w/low pH (Mycological Agar w/low pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria.	35.00 gms/litre	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vl
DM 1264	Fungal Broth (Mycological Broth) for cultivation of fungi.	50.00 gms/litre	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vl
DM 1265	Fungal Broth w/low pH (Mycological Broth w/low pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria.	50.00 gms/litre	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vl
DM 2010	Fungi Kimmig Agar Base for cultivation, isolation, identification and preservation of fungal strains.	50.00 gms/litre	500 gm
DM 1475	*Fungobiotic Agar (Mycobio Agar) for isolation of dermatophytes and other pathogenic fungi.	35.55 gms/litre	100 gm
DM 1432	Furunculosis Agar for detection of <i>Aeromonas salmonicida</i> by means of its brownish Red pigment production.	33.50 gms/litre	100 gm 500 gm
DM 2073	GBS Medium Base for rapid detection of group B <i>Streptococci</i> in clinical specimens.	110.25 gms/litre	500 gm
MS 2054	*GBS Supplement	Δ	5 vl
DM 1434	GC Agar Base with added blood or haemoglobin and other supplements, it is recommended for selective isolation and cultivation of <i>Gonococci</i> .	72.00 gms/litre	100 gm 500 gm
MS 2021	*GC Supplement w/ Antibiotics	Δ	5 vl
DM 1242	GN Broth, Hajna for selective enrichment of gram-negative organisms of the enteric group.	39.00 gms/litre	100 gm 500 gm
DM 1920	Gelatin Agar for cultivation and identification of <i>Vibrio</i> Species.	65.00 gms/litre	500 gm
DM 1686	Gelatin Iron Agar for detecting gelatin liquefaction and hydrogen sulphide production.	159.00 gms/litre	500 gm
DM 1521	Gelatin Mannitol Salt Agar (Staphylococcus Agar No. 110) for selective isolation and differentiation of pathogenic <i>Staphylococci</i>	149.50 gms/litre	100 gm 500 gm
BA 2020	Gelatin Peptone , enzymic digestion of gelatin, antibiotic assay media and various used, for fermentation media.		500 gm 2.5 kg
DM 1921	Gelatin Phosphate Salt Agar (GPS Agar) for cultivation and characterization of <i>Vibrio cholerae</i> from food.	40.00 gms/litre	500 gm

F

G

	Product Code	Product Name	Qty Per Litre of medium	Packing
G	DM 2148	Gelatin Salt Agar for cultivation and differentiation of <i>Vibrio</i> species from foods.	65.00 gms/litre	500 gm
H	DM 1241	Gillies Agar No. 1 See Dextrose Mannitol Agar	46.05 gms/litre	500 gm
	DM 1240	Gillies Agar No. 2 (Sucrose Salicin Agar) for detection of motility, hydrogen sulphide and indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species.	48.28 gms/litre	100 gm
	DM 1584	Giolitti-Cantoni Broth Base for selective enrichment of <i>Staphylococcus aureus</i> from suspected foods stuffs.	54.20 gms/litre	500 gm
	MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	Δ	5 vial
	DM 1483	Gluconate Test Medium for detection of gluconate oxidizing microorganisms.	43.50 gms/litre	500 gm
	DM 1982	Glucose Azide Broth for the enumeration of faecal <i>Streptococci</i> by MPN technique From water and sewage.	30.28 gms/litre	500 gm
	DM 1860	Glucose Broth for study of dextrose fermentation where pH indicator is not desired.	20.00 gms/litre	100 gm 500 gm
	DM 1433	Glucose Cysteine Agar Base w/ Thiamine with added blood or haemoglobin or hemin, it is used for cultivation and enumeration of <i>Pasteurella tularensis</i> .	58.00 gms/litre	100 gm 500 gm
	DM 1070	Glucose Phosphate Broth See MR-VP Medium	17.00 gms/litre	100 gm 500 gm
	DM 1621	Glucose Salt Teepol Broth (Twin Pack) for enrichment of <i>Vibrio parahaemolyticus</i> and marine isolates.	48 Part of A +4ml of Part B	100 gm 500 gm
	DM 1621S	Glucose Salt Teepol Broth (Twin Pack) for enrichment of <i>Vibrio parahaemolyticus</i> and marine isolates.	48 Part of A +4ml of Part B	100 gm 500 gm
	DM 1989	Glucose Starch Agar for detection of <i>Clostridium perfringens</i> with addition of salicin, raffinose and phenol red	68.00 gms/litre	500 gm
	DM 1963	Glucose Yeast Extract Agar for enumeration and cultivation of <i>Lactobacilli</i> in pharmaceutical preparations.	28.32 gms/litre	100 gm 500 gm
	DM 1757	Glucose Yeast Peptone Agar for isolation of yeasts from soil specimens.	50.00 gms/litre	500 gm
	DM 2089	Glutamate Starch Phenol Red Agar Base for detection of <i>Pseudomonas</i> and <i>Aeromonas</i> species in foodstuffs waste water and equipments in food industry.	44.86 gms/litre	500 gm
	DM 1360	Glycerol Asparagine Agar Base (ISP Medium No. 5) See ISP Medium No. 5	23.00 10 ml Glycerol	100 gm 500 gm
	DM 1243	H Broth for preparation of "H" antigen, used in the identification and differentiation of <i>Salmonella</i> species.	21.50 gms/litre	500 gm
	DM 1590	Halophilic Agar for isolation and cultivation of extremely halophilic bacteria.	325.00 gms/litre	500 gm
	DM 1591	Halophilic Broth for isolation and cultivation of extremely halophilic bacteria.	305.00 gms/litre	500 gm
	DM 2252	Hanahan's Broth (SOB Medium) for use in cultivation of recombinant strains of <i>Escherichia coli</i> .	28.08 gms/litre	500 gm
	BA 2191	Heart Infusion Powder, a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity.		500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1169	Heart Infusion Agar for isolation and cultivation of a wide variety of fastidious organisms.	40.00 gms/litre	100 gm 500 gm
DM 1170	Heart Infusion Broth for isolation and cultivation of a wide variety of fastidious organisms.	25.00 gms/litre	100 gm 500 gm
DM 1467	Hektoen Enteric Agar for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens.	76.67 gms/litre	100 gm 500 gm
DM 1775	Hemmes Medium Base for biochemical differentiation of <i>Salmonella</i> and <i>Shigella</i> species based on dextrose, lactose, sucrose fermentation, motility, hydrogen sulphide, indole and urease production.	42.95 gms/litre	500 gm
MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vI
DM 2158	Hemorrhagic Coli (HC) Agar for isolation and enumeration with an enzyme labeled monoclonal antibody of <i>Escherichia coli</i> .	61.13 gms/litre	500 gm
DM 1505	Herellea Agar for the selective isolation and differentiation of gram-negative, fermentative and nonfermentative organisms especially for differentiation of organisms of Mima and Herellea group.	62.27 gms/litre	500 gm
DM 2097	High Plate Count Agar for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	18.75 gms/litre	500 gm
DM 2218	High Salt Nutrient Agar recommended for isolation and cultivation of salt tolerant <i>Vibrio</i> species.	55.00 gms/litre	500 gm
DM 2219	High Salt Peptone Yeast Extract Agar recommended for confirmation of <i>Vibrio</i> species.	65.30 gms/litre	500 gm
DM 1717	Hofer's Alkaline Medium for selective isolation of <i>Agrobacterium</i> species while inhibiting <i>Rhizobium</i> species from soil samples.	26.82 gms/litre	100 gm
DM 2425	Hottinger Broth for the cultivation of less fastidious microorganisms and determination of indole in accordance with USSR State Pharmacopoeia.	23.00 gms/litre	100 gm
DM 1015	Hoyle Medium Base a highly selective medium used for the isolation and differentiation of <i>Corynebacterium diphtheriae</i> types.	40.00 gms/litre	100 gm 500 gm
MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	Δ	5 vI
DM 1871	Hugh Leifson Glucose Medium for differentiation of <i>Staphylococci</i> from <i>Micrococci</i> on the basis of anaerobic fermentation of glucose.	45.52 gms/litre	100 gm 500 gm
DM 1826	Hugh Leifson Medium for detecting aerobic and anaerobic breakdown of glucose.	19.35 gms/litre	100 gm 500 gm
DM 1826S	Hugh Leifson Medium for detecting aerobic and anaerobic breakdown of glucose.	20.33 gms/litre	100 gm 500 gm
DM 1356	ISP Medium No. 1 (Tryptone Yeast Extract Broth) a general purpose medium for not particularly fastidious microorganisms	8.00 gms/litre	100 gm 500 gm
DM 1424	ISP Medium No. 2 (Yeast Malt Agar) (Y M Agar) for the isolation and cultivation of yeasts, moulds and other aciduric microorganisms.	41.00 gms/litre	100 gm 500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vI
DM 1358	ISP Medium No. 3 for cultivation and characterization of <i>Streptomyces</i> species as per International Streptomyces Project.	38.00 gms/litre	100 gm 500 gm

H
I

	Product Code	Product Name	Qty Per Litre of medium	Packing
I	DM 1359	ISP Medium No. 4 (Inorganic Salt Starch Agar) for cultivation and characterization of <i>Streptomyces</i> species as per International Streptomyces Project.	36.50 gms/litre	100 gm 500 gm
K	DM 1360	ISP Medium No. 5 (Glycerol Asparagine Agar Base) for cultivation of <i>Streptomyces</i> species as per International Streptomyces Project.	23.00+ 10 ml Glycerol	100 gm 500 gm
	DM 1361	ISP Medium No. 6 (Peptone Yeast Extract Iron Agar) for use as per International Streptomyces Project.	37.58 gms/litre	100 gm 500 gm
	DM 1362	ISP Medium No. 7 (Tyrosine Agar) for isolation and characterization of <i>Streptomyces</i> species as per International Streptomyces project.	23.74 gms/litre	100 gm 500 gm
	DM 1247	IUT Medium Base for cultivation of <i>Mycobacterium tuberculosis</i> .	7.30 12 ml Glycerol	100 gm 500 gm
	DM 1364	Indole Nitrate Medium (Tryptone Nitrate Medium) for identification of microorganisms by means of nitrate reduction and indole Production.	25.00 gms/litre	100 gm 500 gm
	DM 1246	Inhibitory Mould Agar, Ulrich (Mould Inhibitory Agar, Ulrich) for selective isolation of pathogenic fungi.	36.17 gms/litre	500 gm
	DM 1723	Inorganic Salt Medium (Modified Raggios Medium) for studying soil microorganisms such as <i>Rhizobium</i> species.	4.14 gms/litre	100 gm 500 gm
	DM 1359	Inorganic Salt Starch Agar See ISP Medium No 4	36.50 gms/litre	100 gm 500 gm
	DM 1574	Inositol Brilliant Green Bile Agar (Plesiomonas Differential Agar) for selective isolation of <i>Plesiomonas Shigelloides</i> , and <i>Aeromonas</i> species from faeces and food stuffs.	52.02 gms/litre	500 gm
	DM 2161	Inositol Gelatin Medium for the cultivation of <i>Plesiomonas shigelloides</i> from foods as per APHA	140.05 gms/litre	500 gm
	DM 1615	Iron Oxidizing Medium (Twin Pack) for the isolation, cultivation and enrichment of <i>Thiobacillus ferrooxidans</i> .	3.85 of Part A + 44.22 of Part B	100 gm 500 gm
	DM 1868	Iron Sulphite Agar for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods.	26.00 gms/litre	100 gm 500 gm
	DM 1622	Isolation Medium For Iron Bacteria for the isolation of iron bacteria, especially those belonging to <i>Sphaerotilus-Leptothrix</i> group.	10.91 gms/litre	100 gm 500 gm
	DM 1583	K.R.A.N.E.P. Agar Base for selective enumeration of total <i>Staphylococci</i> from foodstuffs.	71.99 gms/litre	100 gm
	MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
	DM 1248	KF Streptococcal Agar Base for selective isolation and enumeration of faecal <i>Streptococci</i> in surface water by direct plating or by membrane filter method.	76.40 gms/litre	100 gm 500 gm
	MS 2057	*TTC Solution 1% (10 ml per vial)	Δ	5 vl
	MS 2093	*Bromo Cresol Purple (15 mg per vial)	Δ	5 vl
	DM 1249	KF Streptococcal Broth Base for detection and enumeration of faecal <i>Streptococci</i> in waters and examination of faeces and other materials.	57.05 gms/litre	100 gm 500 gm
	MS 2057	*TTC Solution 1% (10 ml per vial)	Δ	5 vl
	DM 2007	KF Streptococcus Agar w/BCP for detection and enumeration of faecal <i>Streptococci</i> .	76.41 gms/litre	100 gm 500 gm
	MS 2057	*TTC Solution 1% (10 ml per vial)	Δ	5 vl

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2021 MS 2057	KF Streptococcus Broth Base w/BCP for detection and enumeration of faecal <i>Streptococci</i> . *TTC Solution 1% (10 ml per vial)	56.41 gms/litre Δ	500 gm 5 vl
DM 1658 MS 2045 MS 2003	KG Agar Base for promoting fast and free sporulation to distinguish between <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> . *Egg Yolk Emulsion (100 ml per vial) *Polymyxin B Selective Supplement	19.52 gms/litre Δ Δ	500 gm 5 vl 5 vl
DM 1510	Kanamycin Esculin Azide Agar for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs.	44.67 gms/litre	100 gm
DM 1776	Kanamycin Esculin Azide Broth for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs.	32.67 gms/litre	100 gm
DM 2169	Kaper's Medium for the enumeration and identification of <i>Aeromonas hydrophilia</i> from foods, as per APHA.	37.92 gms/litre	500 gm
DM 2235	King's OF Medium Base for studying oxidation-fermentation of carbohydrates by <i>Campylobacter</i> species.	0.50 gms/litre	100 gm 500 gm
DM 1078	Kligler Iron Agar for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production.	57.52 gms/litre	100 gm 500 gm
DM 1078A	Kligler Iron Agar, Modified recommended for identification of <i>Yersinia enterocolitica</i> . Also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation of lactose and H ₂ S production.	57.41 gms/litre of dextrose,	500 gm
DM 1078I	Kligler Iron Agar recommended for identification of <i>Pseudomonas</i> species. It can be also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production.	57.70 gms/litre	500 gm
DM 1142 MS 2048	Kohn Two Tube Medium No. 1 Base for identification of Enterobacteriaceae on the basis of dextrose and mannitol fermentation and urease production. *Urea 40% (5 ml per vial)	46.05 gms/litre Δ	100 gm 500 gm 5 vl
DM 1802	Kohn Two Tube Medium No. 2 for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production.	48.12 gms/litre	100 gm
DM 1069	Koser Citrate Medium to differentiate <i>Escherichia coli</i> and <i>Enterobacter aerogenes</i> on the basis of citrate utilization.	5.70 gms/litre	100 gm 500 gm
DM 1742	L.D. Agar for cultivation and identification of fastidious anaerobic bacteria.	33.22 gms/litre	100 gm 500 gm
DM 1743	L.D. Esculin Agar for identification of anaerobic bacteria especially Bacteroides species on the basis of esculin hydrolysis.	34.62 gms/litre	100 gm 500 gm
DM 1582 MS 2057	L.S. Differential Medium Base (Lactobacillus Streptococcus Differential Medium Base) for differentiation of <i>Lactobacilli</i> and <i>Streptococci</i> on the basis of colonial morphology, TTC reduction and casein reaction. *TTC Solution 1% (10 ml per vial)	65.30 gms/litre Δ	500 gm 5 vl
DM 1599	Lactic Agar for enumeration and identification of lactic <i>Streptococci</i> and <i>Lactobacilli</i> by pour plate method.	63.50 gms/litre	100 gm

K
L

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2087	Lactic Bacteria Differential Agar for differentiation of homofermentative and heterofermentative lactic acid bacteria.	35.55 gms/litre	500 gm
DM 2086	Lactic Bacteria Differential Broth for differentiation of homofermentative and heterofermentative lactic acid bacteria.	20.55 gms/litre	500 gm
DM 1366	*Lactobacilli Agar, AOAC for carrying the stock cultures used in the microbiological assays of the B vitamins.	48.00 gms/litre	100 gm
DM 1368	Lactobacilli Broth See Elliker Broth	48.50 gms/litre	500 gm
DM 1367	*Lactobacilli Broth, AOAC for preparation of inocula of test bacteria used in microbiological assays of B vitamins.	38.00 gms/litre	500 gm
DM 1927	*Lactobacillus Bulgaricus Agar Base for isolation and identification of <i>Lactobacillus bulgaricus</i> .	70.00 gms/litre	500 gm
DM 2164	*Lactobacillus Heteroferm Screen Agar See MRS Agar Modified	47.19 gms/litre	500 gm
DM 1035	Lactobacillus Leichmannii Maintenance Medium See B12 Culture Agar	42.10 gms/litre	100 gm
DM 1641	*Lactobacillus MRS Agar (MRS Agar) for isolation and cultivation of <i>Lactobacilli</i> .	67.15 gms/litre	100 gm 500 gm
DM 16411	Lactobacillus MRS Agar (MRS Agar) recommended for the isolation and enumeration of lactic acid bacteria from meat and meat products.	65.13 gms/litre	500 gm
DM 1369	*Lactobacillus MRS Broth (MRS Broth) for cultivation of all <i>Lactobacilli</i> .	55.15 gms/litre	100 gm 500 gm
DM 2180	*Lactobacillus Selection Agar Base for isolation and enumeration of <i>Lactobacilli</i> from foods.	84.73 gms/litre	500 gm
DM 2165	*Lactobacillus Selection Oxgall Agar Base (LBS Oxgall Agar) for the selective isolation, cultivation and enumeration of Lactobacilli.	86.23 gms/litre	500 gm
DM 2166	*Lactobacillus Selection Broth Base for the selective isolation, cultivation and enumeration of Lactobacilli from foods.	69.73 gms/litre	500 gm
DM 2081	Lactose Blue Agar (BTB Lactose Agar, Modified) for differentiation of lactose fermenting and non-fermenting bacteria belonging to Enterobacteriaceae.	40.54 gms/litre	500 gm
DM 2003	Lactose Broth for the detection of coliform bacteria in water, foods, dairy products as per Standard Methods.	13.00 gms/litre	100 gm 500 gm
DM 2003S	Lactose Broth for the detection of coliform bacteria in water, foods, dairy products.	13.00 gms/litre	100 gm 500 gm
DM 2003E	Lactose Monohydrate Broth (Broth Medium D) for detection of coliform bacteria in water, foods, dairy products in accordance with E.P.	12.75 gms/litre	100 gm 500 gm
DM 1628	Lactose Gelatin Medium for the detection of Clostridium species from food samples.	135.00 gms/litre	500 gm
DM 1987	Lactose Gelatin Medium, Modified for detection and presumptive identification of Clostridium perfringens from foods, as per AOAC.	160.05 gms/litre	500 gm
DM 1987I	Lactose Gelatin Medium, Modified recommended for detection and enumeration of Clostridium perfringens from foods samples.	15.50 gms/litre	500 gm
DM 1080	Lauryl Sulphate Broth (Lauryl Tryptose Broth) for detection and enumeration of coliform bacteria in water, wastewater, dairy products and other foods samples.	35.60 gms/litre	100 gm 500 gm 1 kg 2.5 kg

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2070	Lauryl Tryptose Mannitol Broth w/Tryptophan a single tube medium used for confirmation of <i>Escherichia coli</i> in drinking water.	35.80 gms/litre	500 gm
DM 1180	Lead Acetate Agar for detection of hydrogen sulphide producing enteric bacteria.	36.28 gms/litre	500 gm
DM 1602	Lee's Agar for differential enumeration of yogurt starter bacteria (<i>Lactobacillus bulgaricus</i> , <i>Streptococcus thermophilus</i>).	51.52 gms/litre	500 gm
DM 1809	Legionella Agar Base with addition of supplements it is used for cultivation of <i>Legionella</i> species.	37.00 gms/litre	100 gm
MS 2016A	* Legionella Growth Supplement (Twin Pack)	Δ	5 vl
MS 2017	* Legionella Selective Supplement	Δ	5 vl
MS 2041A	* Legionella Supplement (Twin Pack)	Δ	5 vl
DM 1809A	Legionella Agar Base with addition of supplements it is used for cultivation of <i>Legionella</i> species.	25.00 gms/litre	500 gm
MS 2142	* Legionella Growth Supplement (BCYE)	Δ	5 vl
MS 2143	* Legionella (GVPC) Selective Supplement	Δ	5 vl
MS 2144	* Legionella (BMPA) Selective Supplement	Δ	5 vl
MS 2206	* Legionella Growth w/o L-Cysteine	Δ	5 vl
MS 2242	* Legionella Selective Supplement (GVPN)	Δ	5 vl
DM 2399	Legionella Enrichment Broth Base with addition of supplements it is used for cultivation of <i>Legionella</i> species.	27.50 gms/litre	100 gm
MS 2016A	* Legionella Growth Supplement (Twin Pack)	Δ	5 vl
DM 2009	Leptospira Medium Base for cultivation and maintenance of <i>Leptospira</i> species.	2.55 gms/litre	100 gm 500 gm
MS 2066	* Leptospira Enrichment Supplement	Δ	5 vl
DM 1239	Leptospira Medium Base, Fletcher See Fletcher Leptospira Medium Base	2.56 gms/litre	100 gm 500 gm
DM 1414	* Letheen Agar to determine the phenol coefficient of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i> ATCC 6538.	32.00 gms/litre	500 gm
DM 1946	* Letheen Agar, Modified (Modified Letheen Agar) for screening cosmetic products for microbial contamination.	54.10 gms/litre	500 gm
DM 1165	* Letheen Broth, AOAC for determination of bacterial activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i> ATCC 6538.	25.70 gms/litre	500 gm
DM 1976	* Letheen Broth, Modified (Modified Letheen Broth) for screening cosmetic products for microbial contamination.	42.80 gms/litre	500 gm
DM 1472	Levinthal's Medium Base for cultivation of <i>Haemophilus</i> species.	45.00 gms/litre	500 gm
DM 1569	Listeria Enrichment Broth (Twin Pack) for selective enrichment of <i>Listeria monocytogenes</i> from clinical specimens.	26.00 Part of A + 37.50 Part of B	500 gm
DM 1888	* Listeria Enrichment Broth, Modified for selective enrichment of <i>Listeria</i> species.	51.98 gms/litre	100 gm 500 gm
DM 1890A	* Listeria Enrichment Medium Base (UVM) for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens.	54.35 gms/litre	100 gm 500 gm
MS 2136	* Listeria UVM Supplement I	Δ	5 vl
MS 2137	* Listeria UVM Supplement II	Δ	5 vl

L

DEHYDRATED CULTURE MEDIA & BASES

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2215	Listeria Motility Medium recommended for testing motility of <i>Listeria monocytogenes</i> .	29.60 gms/litre	500 gm
DM 1114	Litmus Lactose Agar for differentiation of lactose fermenting and lactose nonfermenting microorganisms.	29.00 gms/litre	500 gm
DM 1609	Litmus Milk for maintenance of <i>Lactobacilli</i> and for determining the action of bacteria on milk.	101.00 gms/litre	100 gm 500 gm
DM 1373	Littman Oxgall Agar Base for primary isolation of pathogenic fungi.	55.01 gms/litre	500 gm
DM 1663	Littman Oxgall Broth Base for selective enrichment and cultivation of pathogenic fungi.	35.01 gms/litre	500 gm
BA 2326	Liver Extract Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.		500 gm
BA 2023	Liver Hydrolysate , an ideal ingredient of culture media used for the cultivation of fastidious Anaerobic bacteria.		500 gm
DM 1162	Lowenstein Jensen Medium Base (L.J. Medium) for isolation and cultivation of <i>Mycobacterium</i> species.	37.24 gms/600 ml	100 gm 500 gm
MS 2053	*Gruft Mycobacterial Supplement	Δ	5 vl
DM 1557	Luria Agar for routine cultivation and estimation of not particularly fastidious microorganisms.	35.00 gms/litre	500 gm
DM 2151	Luria Bertani Agar, Miller for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies, may be used for routine isolation and cultivation of not particularly fastidious microorganisms.	40.00 gms/litre	500 gm 1 kg 2.5 kg
DM 2245	Luria Bertani Broth, Miller for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms.	25.00 gms/litre	500 gm 1 kg
DM 1575	Luria Broth for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00 gms/litre	500 gm
DM 2230	Lysine Arginine Iron (LAI) Agar for the isolation and presumptive identification of <i>Yersinia</i> species from milk and milk products.	44.56 gms/litre	100 gm
DM 1376	Lysine Decarboxylase Broth for differentiating <i>Salmonella arizonae</i> from the Bethesda Bellerup group of <i>Enterobacteriaceae</i> .	14.02 gms/litre	100 gm 500 gm
DM 1376I	Lysine Decarboxylase Broth w/o Peptone recommended for distinguishing the <i>Salmonella arizonae</i> from the Bethesda Bellerup group of <i>Enterobacteriaceae</i> .	9.01 gms/litre	100 gm 500 gm
DM 1377	Lysine Iron Agar for differentiation of enteric organisms especially <i>Salmonella arizonae</i> , based on their ability to decarboxylate or deaminate lysine and to form Hydrogen sulphide (H ₂ S).	34.56 gms/litre	100 gm 500 gm
DM 1845	Lysine Iron Cystine Broth Base for rapid presumptive detection of <i>Salmonellae</i> in foods, food ingredients and feed materials.	25.72 gms/litre	100 gm 500 gm
MS 2101	*Novobiocin Selective Supplement	Δ	5 vl
DM 1330	Lysine Lactose Broth for determination of lysine decarboxylase activity of lactose nonfermenting members of <i>Enterobacteriaceae</i> especially <i>Salmonellae</i> .	24.02 gms/litre	

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1642	Lysine Medium Base for isolation and enumeration of wild yeasts in pitching yeasts.	66.27 gms/litre	100 gm 500 gm
MS 2123	*50% Potassium Lactate (10 ml per vial)	Δ	5 vl
DM 1846	*M-Broth for detecting <i>Salmonellae</i> in foods and feeds by the accelerated enrichment Serology procedures.	36.23 gms/litre	100 gm
DM 2119	M-Azide Broth Base for the cultivation and enumeration of <i>Enterococci</i> from water samples by membrane filter Technique.	156.40 gms/litre	500 gm
MS 2057	*TTC Solution 1% (10 ml per vial)	Δ	5 vl
DM 2130	M-BCG Yeast and Mould Broth for the detection of fungi in routine analysis of beverages using membrane filter technique	73.23 gms/litre	500 gm
DM 2101	M-Bismuth Sulphite Broth for selective detection of <i>Salmonellae</i> by the membrane filter technique.	64.65 gms/litre	500 gm
DM 2102	M-Brilliant Green Broth for selective differentiation for primary screening of <i>Salmonellae</i> in polluted water using membrane filter technique.	76.19 gms/litre	500 gm
DM 2105	M-EMB Broth for the detection of members of the coliform group by the membrane filter technique.	84.33 gms/litre	500 gm
DM 2106	M-Endo Agar LES for enumeration of coliforms in water using a two step membrane filter technique.	51.05 gms/litre	100 gm 500 gm
DM 2107	M-Endo Broth for estimation of coliforms in water samples using membrane filter technique.	61.50 gms/litre	100 gm 500 gm
DM 2103	M-Endo Broth MF (MF Endo Medium) (M-Coliform Broth) for the enumeration of coliform bacteria in water samples using one step membrane filter technique.	48.05 gms/litre	500 gm
DM 2109	M-Enrichment Broth for enumeration of bacteria by membrane filter technique and preliminary enrichment of organisms on membrane filter prior to using selective media.	54.00 gms/litre	500 gm
DM 2108	M-Enterococcus Agar Base for isolation and enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens.	41.50 gms/litre	500 gm
DM 2048	*M-Enterococcus Agar Base, Modified for recovery of Enterococci in water samples using membrane filter technique, along with Esculin Iron Agar for identification.	71.45 gms/litre	100 gm
MS 2057	*TTC solution 1% (10 ml per vial)	Δ	5 vl
DM 2123	M-(HPC) Heterotrophic Plate Count Agar Base for enumeration of heterotrophic microorganisms from water samples using membrane filter technique.	60.00 gms/litre	500 gm
DM 2110	M-HD Endo Broth for detection of coliforms in water samples by membrane filter technique.	57.14 gms/litre	500 gm
DM 2118	M-HD Endo Broth w/BG for detection of coliforms in highly polluted waters using membrane filter technique.	56.44 gms/litre	500 gm
DM 2023	M-Lauryl Sulphate Broth for enumeration of <i>Escherichia coli</i> in water using membrane filter technique.	76.20 gms/litre	500 gm

L

M

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre ⊖ of medium	Packing
M	DM 2023I	M-Lauryl Sulphate Broth recommended for enumeration of <i>Escherichia coli</i> and coliforms in water using membrane filter technique.	77.20 gms/litre	500 gm
	DM 2126	M-Nutrient Broth for enumeration of bacteria using membrane filter technique.	46.00 gms/litre	500 gm
	DM 2121	M-PA Agar Base for detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique.	39.68 gms/litre	500 gm
	MS 2202	*M-PA Selective Supplement	Δ	5 vl
	DM 2113	M-Slantz Enterococcus Broth Base for isolation and detection of Enterococci using membrane filter technique.	156.40 gms/litre	500 gm
	MS 2057	*TTC Solution 1% (10 ml per vial)	Δ	5 vl
	DM 2114	M-Standard Methods Broth for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique.	17.00 gms/litre	500 gm
	DM 2120	M-Staphylococcus Broth for detection and isolation of <i>Staphylococci</i> by membrane filter technique.	104.55 gms/litre	500 gm
	DM 2115	M-Tetrathionate Broth Base for selective enrichment of <i>Salmonellae</i> using membrane filter technique.	36.00 gms/litre	500 gm
	DM 2116	M-Tryptone Glucose Extract Broth for determination of bacterial count in milk and other samples in dairy sanitization by membrane filter technique.	18.00 gms/litre	500 gm
	DM 1929	M17 Agar Base for cultivation of lactic <i>Streptococci</i> and plaque assay of lactic bacteriophages.	33.25 gms/litre	500 gm
	DM 2019	M17 Agar w/o Lactose on addition of lactose, this medium can be used for cultivation and isolation of lactic <i>Streptococci</i> .	48.25 gms/litre	500 gm
	DM 2029	M17 Broth for cultivation and isolation of lactic <i>Streptococci</i> and their bacteriophages.	42.25 gms/litre	100 gm 500 gm
	DM 2063	M17 Agar w/ Glycerophosphate for cultivation of lactic <i>Streptococci</i> and plaque assay of lactic bacteriophages.	52.25 gms/litre	100 gm
	DM 1858	M2 Agar a semisynthetic culture medium used as a general purpose plate count Agar.	40.15 gms/litre	500 gm
	DM 1378	MIO Medium (Motility Indole Ornithine Medium) for the identification of <i>Enterobacteriaceae</i> on the basis of motility, indole production and ornithine decarboxylase activity.	31.02 gms/litre	500 gm
	DM 2076	MIU Medium Base for detection of motility, urease and indole production.	18.00 gms/litre	500 gm
	MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vl
	DM 1379	MOF Medium (Marine Oxidation Fermentation Medium) for differentiation of marine bacteria on the basis of fermentative and oxidative Metabolism of carbohydrates.	22.14 gms/litre	500 gm
	DM 1070	MR-VP Medium (Glucose Phosphate Broth) (Buffered Glucose Broth) for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group.	17.00 gms/litre	100 gm 500 gm
DM 1070S	MR-VP Medium (Buffered Glucose Broth) for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group.	15.00 gms/litre	100 gm 500 gm	
DM 1641	*MRS Agar See Lactobacillus MRS Agar	67.15 gms/litre	100 gm 500 gm	

Product Code	Product Name	Qty Per Litre ⊖ of medium	Packing
DM 2163	*MRS Agar, Modified (Lactobacilli Heteroferm Screen Agar) for isolation and cultivation of <i>Lactobacillus</i> species from salad dressings	62.19 gms/litre	500 gm
DM 1369	*MRS Broth See <i>Lactobacillus</i> MRS Broth	55.15 gms/litre	100 gm 500 gm
DM 1594	MY 40 Agar (Osmophilic Agar) for detection and isolation of osmophilic microorganisms from food samples.	445.00 gms/litre	500 gm
DM 2168	MY 40G Agar (Osmophilic Glucose Agar) for isolation and cultivation of osmotolerant microorganisms from foods.	427.00 gms/litre	500 gm
DM 1082	MacConkey Agar w/o CV, NaCl w/0.5% Sodium Taurocholate for cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic gram-positive organisms.	55.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1082A	MacConkey Agar w/o CV, NaCl w/ 0.5% Bile Salts for cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic gram-positive organisms.	47.00 gms/litre	500 gm
DM 1081	MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl for selective isolation and differentiation of coliform organisms and other enteric pathogens.	51.50 gms/litre	100 gm 500 gm
DM 1081A	MacConkey Agar w/ CV, NaCl and 0.15% Bile Salts to identify Enterobacteriaceae in the presence of coliforms and lactose nonfermenters from water, sewage, food products etc.	51.55 gms/litre	500 gm
DM 1081H	MacConkey Agar (Agar Medium H) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria, in accordance with BP.	49.53 gms/litre	100 gm 500 gm
DM 1008	MacConkey Agar w/o CV w/ 0.15% Bile Salts for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	51.53 gms/litre	100 gm 500 gm
DM 1008B	MacConkey Agar w/o CV, w/ 1.2% Agar for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	48.50 gms/litre	500 gm
DM 1008A	Mac Conkey Agar w/o CV, w/ 0.5% Bile Salts for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	52.00 gms/litre	500 gm
DM 1008E	MacConkey Agar Medium for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria and also isolation for faecal Streptococci.	55.37 gms/litre	500 gm
DM 1008S	MacConkey Agar for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	55.07 gms/litre	100 gm 500 gm
DM 1061	MacConkey Agar w/ Bromo Thymol Blue for detection of lactose fermenting enteric bacteria.	51.53 gms/litre	100 gm 500 gm
DM 2024	MacConkey Agar Base for studying carbohydrate fermentation reactions of coliforms by adding carbohydrates either individually or in combination.	40.00 gms/litre	
DM 1051	MacConkey Agar, Modified for isolation of Klebsiella species from water samples.	50.00 gms/litre	100 gm
DM 1007	MacConkey Broth w/Neutral Red for selective enrichment and enumeration of coliforms.	40.07 gms/litre	100 gm 500 gm

M

	Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
M	DM 1007S	MacConkey Broth w/ Neutral Red for selective enrichment and enumeration of coliforms,	40.07 gms/litre	100 gm 500 gm
	DM 1539	MacConkey Broth (Double Strength) w/Neutral Red for primary isolation of coliforms from large samples such as water or waste water.	80.15 gms/litre	100 gm 500 gm
	DM 1539S	MacConkey Broth (Double Strength) w/ Neutral Red for primary isolation of coliforms from large samples such as water or waste water.	80.14 gms/litre	100 gm 500 gm
	DM 1083	MacConkey Broth Purple w/BCP for the presumptive identification of coliforms from variety of specimens such as water,milk, and food etc.	40.01 gms/litre	100 gm 500 gm
	DM 1083I	MacConkey Broth Purple w/BCP recommended for presumptive identification of coliforms from water.	40.01 gms/litre	100 gm 500 gm
	DM 1083S	MacConkey Broth Purple w/ BCP for presumptive identification of coliforms from variety of specimens such as water, milk and food etc.	40.02 gms/litre	100 gm 500 gm
	DM 1796	MacConkey Broth Purple (Double Strength) w/BCP for the presumptive identification of coliforms from large samples.	80.00 gms/litre	100 gm 500 gm
	DM 1298	MacConkey Sorbitol Agar See Sorbitol Agar	50.03 gms/litre	100 gm 500 gm
	DM 1777	Maintenance (SCY) Medium for the maintenance of iron bacteria.	12.26 gms/litre	500 gm
	DM 1418	Maintenance Medium for B. subtilis ATCC 6633 for maintenance of <i>Bacillus subtilis</i> ATCC 6633, used as the test organism for microbiological assay of antibiotics.	30.50 gms/litre	100 gm
	DM 2266	Malachite green Broth for selective enrichment of <i>Pseudomonas aeruginosa</i> .	25.13 gms/litre	500 gm
	DM 1382	Malonate Broth for differentiation of <i>Enterobacter</i> and <i>Escherichia</i> on the basis of malonate utilization.	8.02 gms/litre	100 gm
	DM 1779	Malonate Broth, Ewing Modified for differentiation of members of Enterobacteriaceae on the basis of malonate utilization.	9.27 gms/litre	100 gm
	DM 1253	Malt Agar for detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also for carrying stock cultures of yeasts and moulds.	45.00 gms/litre	100 gm 500 gm
	BA 2004	Malt Extract Powder ideally suitable for use in media for cultivation of fungi.		500 gm
	BC 2004	Malt Extract Certified, ideally suitable for use in media for cultivation of fungi.		500 gm
	DM 1137	Malt Extract Agar Base (Malt Extract Agar w/Mycological Peptone) for detection, isolation and enumeration of yeasts and moulds.	50.00 gms/litre	500 gm
	MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vl
	DM 1995	Malt Extract Agar Base, Modified as per Thom and Church for isolation and cultivation of yeasts and moulds.	31.28 gms/litre	500 gm
	DM 1255	Malt Extract Broth Base for detection and enumeration of yeasts, moulds and aciduric microorganisms.	20.00 gms/litre	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	Δ	5 vl	
DM 2128	Malt Extract Broth, Modified as per Thom and Church for cultivation and enumeration of yeasts and moulds and to check sterility to detect presence of these organisms.	15.00 gms/litre	500 gm	

Product Code	Product Name	Qty Per Litre of medium	Packing
BA 2569	D(+) Maltose, Monohydrate, Extra pure NCR grade, for vaccine production		100 gm 500 gm
DM 2071	Mannitol Lysine Agar for selective isolation of Salmonellae other than <i>Salmonella serotype Typhi</i> and <i>Salmonella serotype Paratyphi A</i> .	49.02 gms/litre	500 gm
DM 1118	Mannitol Salt Agar Base for selective isolation of pathogenic <i>Staphylococci</i> .	111.02 gms/litre	100 gm 500 gm 2.5 kg 5 kg 5 vl
MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
DM 1383	Mannitol Salt Broth for selective isolation of presumptive pathogenic <i>Staphylococci</i> .	96.02 gms/litre	100 gm 500 gm
DM 2534	Mannitol Selenite Broth (Selenite Mannitol Broth) (Twin Pack) for selective enrichment of <i>Salmonellae</i> from clinical materials.	19.00 of Part A+ 4 of Part B	500 gm
DM 2537	Mannitol Selenite Broth w/ Brilliant Green (Twin Pack) for enrichment of Salmonellae from faeces, foodstuffs and other materials.	23.75 of Part A + 4 of Part B	500 gm
DM 1384	Marine Agar 2216 (Zobell Marine Agar) for isolation and enumeration of heterotrophic marine bacteria.	55.25 gms/litre	100 gm 500 gm
DM 1385	Marine Broth 2216 (Zobell Marine Broth) for cultivation of heterotrophic marine bacteria.	40.25 gms/litre	100 gm 500 gm
DM 1379	Marine Oxidation Fermentation Medium See MOF Medium	22.14 gms/litre	500 gm
DM 2030	Maximum Recovery Diluent a protective and isotonic diluent used for maximal recovery of microorganisms.	9.50 gms/litre	500 gm
BA 2003	Meat Extract Powder used in general purpose and diagnostic media preparations		500 gm
BC 2003	Meat Extract, Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.		500 gm
BA 2192	Meat Infusion Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.		500 gm
BA 2635	Meat Peptone for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.		500 gm
BA 3049	Meat Peptone Type P peptone from meat (peptic) is obtained by proteolytic digestion of meat with pepsin.		500 gm
BA 3050	Meat Peptone Type T peptone from meat (peptic) is obtained by proteolytic digestion of meat with trypsin.		500 gm
DM 1917	Mehlman's Maintenance Medium for maintenance of <i>Campylobacter</i> species.	38.02 gms/litre	500 gm
DM 1132	Micro Vitamin Test Culture Agar for cultivation and maintenance of stock cultures of <i>Lactobacilli</i> used in microbiological assays of vitamins.	52.10 gms/litre	100 gm
DM 1133	Micro Vitamin Test Inoculum Broth for preparation of inocula of <i>Lactobacilli</i> used in microbiological assays of vitamins.	37.10 gms/litre	100 gm

M

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre of medium	Packing
M	DM 1197	Middlebrook 7H9 Agar Base A for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	19.69 gms/litre	500 gm
	MS 2018	* Middlebrook OADC Growth Supplement	Δ	5 vl
	DM 1198	Middlebrook 7H9 Broth Base for cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	4.69 gms/litre	500 gm
	MS 2019	* Middlebrook ADC Growth Supplement	Δ	5 vl
	DM 1199	Middlebrook 7H10 Agar Base for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	19.47 gms/litre	500 gm
	MS 2018	* Middlebrook OADC Growth Supplement	Δ	5 vl
	DM 1196	Middlebrook 7H10 Agar Base, Special for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	19.49 gms/litre	500 gm
	MS 2018	* Middlebrook OADC Growth Supplement	Δ	5 vl
	DM 1511	Middlebrook 7H11 Agar Base for isolation, cultivation and sensitivity testing of <i>Mycobacteria</i> .	20.49 gms/litre	500 gm
	MS 2018	* Middlebrook OADC Growth Supplement	Δ	5 vl
	DM 1511A	Middlebrook 7H11 Agar Base w/o Malachite Green for isolation, cultivation and determination of antimicrobial susceptibility of <i>Mycobacteria</i> .	20.50 gms/litre	500 gm
	MS 2018	* Middlebrook OADC Growth Supplement	Δ	5 vl
	DM 1163	Milk Agar for enumeration of bacteria in milk and milk products, rinse waters, icecreams etc.	24.00 gms/litre	100 gm 500 gm
	DM 1782	Milk Agar (Brown and Scott Modified) (Twin Pack) for the confirmation of <i>Pseudomonas aeruginosa</i> in swimming pool waters.	100 gms of Part A + 28 of Part B	500 gm
	DM 2273	Milk Agar w/Cetrimide (Twin Pack) recommended for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water.	26.4 gms Part B + 133.33 gms of Part A	500 gm
	DM 2273S	Milk Agar w/ Cetrimide (Twin Pack) for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water.	19.80 of Part B + 100 gms of Part A	100 gm 500 gm
	DM 1661	Milk Salt Agar Base for selective isolation and cultivation of <i>Staphylococci</i> .	88.00 gms/litre	500 gm
	DM 2151	Miller Luria Bertani Agar See <i>Luria Bertani Agar</i> , Miller	40.00 gms/litre	500 gm 1 kg 2.5 kg
	DM 2245	Miller Luria Bertani Broth See <i>Luria Bertani Broth</i> , Miller	25.00 gms/litre	500 gm
	DM 1512	Minimal Agar for isolation and characterization of nutritional mutants of <i>Escherichia coli</i> .	26.60 gms/litre	500 gm
	DM 1389	Minimal Broth, Davis for isolation and characterization of nutritional mutants of <i>Escherichia coli</i> .	11.60 gms/litre	500 gm
	DM 1390	Minimal Broth, Davis w/o Dextrose for isolation and characterization of nutritional mutants of <i>Escherichia coli</i> .	10.60 gms/litre	500 gm
	DM 2254	Minimum Salts w/ Casein Acid Hydrolysate for the cultivation of <i>Escherichia coli</i> strains used for genetic and molecular studies.	19.54 gms/litre	500 gm
	DM 1259	Mitis Salivarius Agar Base for isolation of <i>Streptococci</i> from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> .	90.07 gms/litr	500 gm
	MS 2052	* Potassium Tellurite 1% (1ml per vial)	Δ	5 vl

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2236	Modified AEA Sporulation Medium Base for early sporulation of <i>Clostridium perfringens</i> from foods.	26.31 gms/litre	500 gm
DM 2150	Modified Bile Esculin Azide Agar for selective isolation and enumeration of group D <i>Streptococci</i> .	56.25 gms/litre	500 gm
DM 2170	Modified Czapek Dox Agar See Czapek Dox Agar Modified	45.36 gms/litre	500 gm
DM 2085	Modified Differential Clostridial Broth for enumeration of <i>Clostridia</i> from food stuffs and other samples by the MPN technique.	27.50 gms/litre	500 gm
DM 2237	Modified Duncan Strong (DS) Medium for isolation and differentiation of <i>Clostridium perfringens</i> from other <i>Clostridia</i> from foods on the basis of raffinose fermentation.	34.00 gms/litre	500 gm
DM 2045	*Modified Fungal Agar Base (Modified Inhibitory Mold Agar Base) for estimation of moulds in cosmetics and toiletries.	54.46 gms/litre	500 gm
DM 1946	*Modified Lethen Agar See Lethen Agar, Modified	54.10 gms/litre	500 gm
DM 1976	*Modified Lethen Broth See Lethen Broth, Modified	42.80 gms/litre	500 gm
DM 1723	Modified Raggios Medium See Inorganic Salt Medium	4.14 gms/litre	100 gm 500 gm
DM 2137	Modified Rappaport Vassiliadis Medium for selective enrichment of <i>Salmonellae</i> from food and environmental specimens.	30.03 gms/1110ml	500 gm
DM 21371	Modified Rappaport Vassiliadis Medium recommended for the isolation of <i>Salmonella</i> species from food and environmental specimens	30.00 gm/s1110ml	500 gm
DM 1600	*Modified Rogosa Agar (M16 Agar) for cultivation, enumeration of lactic <i>Streptococci</i> used in manufacturing of cheddar cheese.	36.00 gms/litre	500 gm
DM 2213	Modified Skim Milk Agar recommended for cultivation and enumeration of Microorganisms encountered in dairy industry.	24.50 gms/litre	500 gm
DM 1637	Modified V.P. Broth for performing VP test.	17.00 gms/litre	500 gm
DM 1393	Moeller Decarboxylase Broth Base See Decarboxylase Broth Base, Moeller	10.52 gms/litre	100 gm 500 gm
DM 1689	Moeller Decarboxylase Broth w/Arginine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride.	20.52 gms/litre	100 gm
DM 1687	Moeller Decarboxylase Broth w/Lysine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride.	20.52 gms/litre	100 gm
DM 1688	Moeller Decarboxylase Broth w/Ornithine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride.	20.52 gms/litre	100 gm
DM 1246	Mould Inhibitory Agar, Ulrich See Inhibitory Mould Agar, Ulrich	36.17 gms/litre	500 gm
DM 1474	Monsur Medium Base for selective isolation and differentiation of <i>Vibrio cholerae</i> and other <i>Vibrios</i> from pathological samples.	71.00 gms/litre	100 gm 500 gm
MS 2052	*Potassium Tellurite 1% (1 ml per vial)	△	5 vl

M

DEHYDRATED CULTURE MEDIA & BASES

Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
M DM 1847	Motility-Indole-Lysine Medium (MIL Medium) for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production.	36.52 gms/litre	100 gm 500 gm
DM 1514	Motility Medium S Base for easy detection of bacterial motility by means of TTC reduction.	60.00 gms/litre	500 gm
MS 2057	*TTC Solution 1% (10ml per vial)	Δ	5 vI
DM 1630	Motility Nitrate Medium, Buffered for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test.	19.50 gms/litre	500 gm
DM 1630I	Motility Nitrate Medium, Buffered recommended for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test.	19.50 gms/litre	500 gm
DM 1515	Motility Sulphide Medium for detection of motility and hydrogen sulphide production by pure cultures.	104.40 gms/litre	500 gm
DM 1260	Motility Test Medium for detection of bacterial motility.	20.00 gms/litre	500 gm
DM 1930	Motility Test Medium (Edwards and Ewing) for testing motility of enteric bacteria.	22.00 gms/litre	500 gm
DM 1930S	Motility Test Medium (Edwards and Ewing) for testing motility of enteric bacteria.	22.00 gms/litre	100 gm 500 gm
DM 1173	Mueller Hinton Agar for cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms to antimicrobial agents.	38.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1391	Mueller Hinton Broth to determine the susceptibility of bacteria to <i>Sulphonamides</i> by the tube dilution method.	21.00 gms/litre	100 gm 500 gm
DM 1876	Mueller Kauffman Tetrathionate Broth Base for improved enrichment and isolation of <i>Salmonellae</i> .	82.05 gms/litre	100 gm 500 gm
DM 1977	Mutans-Sanguis Agar for differentiation of <i>Streptococcus mutans</i> and <i>Streptococcus sanguis</i> associated with oral microflora.	98.10 gms/litre	500 gm
DM 1475	*Mycobio Agar See Fungobiotic Agar	35.55 gms/litre	100 gm
DM 1094	Mycological Agar See Fungal Agar	35.00 gms/litre	500 gm
DM 2422	Mycological Agar, Modified for cultivation of fungi.	36.00 gms/litre	500 gm
DM 1095	Mycological Agar w/low pH See Fungal Agar w/low pH	35.00 gms/litre	500 gm
BA 2006	Mycological Peptone See Peptone M		500 gm
BC 2006	Mycological Peptone, Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.		500 gm
DM 1264	Mycological Broth See Fungal Broth	50.00 gms/litre	500 gm
DM 1266	Mycoplasma Agar Base (PPLO Agar Base) with the addition of enrichment, it is used for isolation and cultivation of Mycoplasma species (Pleuro-pneumonia-like organisms-PPLO).	36.00 gms/litre	100 gm 500 gm
MS 2075	*Mycoplasma Enrichment Supplement	Δ	5 vI

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1268	Mycoplasma Broth Base w/CV (PPLO Broth Base w/CV) with the addition of enrichment it is used for isolating <i>Mycoplasma</i> species (PPLO) from clinical specimens and mixed cultures.	21.00 gms/litre	500 gm
MS 2052	*Potassium Tellurite 1% (1 ml per vial)	Δ	5 vl
MS 2075	*Mycoplasma Enrichment Supplement	Δ	5 vl
DM 1267	Mycoplasma Broth Base w/o CV (PPLO Broth Base w/o CV) with the addition of enrichment it is recommended for enrichment of Mycoplasmas species (Pleuro-pneumonia-like organisms)	21.00 gms/litre	500 gm
MS 2075	*Mycoplasma Enrichment Supplement	Δ	5vl
DM 1194	NIH Agar for sterility testing and for cultivation and maintenance of isolates from sterility testing of biological products.	43.05 gms/litre	100 gm 500 gm
DM 1004	Neomycin, Erythromycin Assay Agar (Erythromycin Seed Agar) for microbiological assay of antibiotic in accordance with U.S.P.	30.50 gms/litre	100 gm 500 gm
DM 1217	Nickerson Medium See Bi. G.G.Y. Agar	45.00 gms/litre	500 gm
DM 1072	Nitrate Agar for detection of nitrate reducing bacteria.	21.00 gms/litre	500 gm
DM 1439	Nitrate Broth for detection of nitrate reduction by bacteria.	9.00 gms/litre	100 gm 500 gm
DM 1439S	Nitrate Broth for detection of nitrate reduction by bacteria.	39.00 gms/litre	100 gm 500 gm
DM 1001	Nutrient Agar for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids.	28.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1012M	Nutrient Agar (Medium) a general culture medium which may be used as enriched medium by incorporating blood or other biological fluids in accordance with I.P.	37.00 gms/litre	100 gm 500 gm
DM 1087	Nutrient Agar 1.5% for cultivation of bacteria not requiring a highly nutritious medium can be enriched with blood, ascitic fluid or other enriching fluids.	31.00 gms/litre	100 gm 500 gm
DM 1087I	Nutrient Agar, 1.5% recommended as a general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment.	28.00 gms/litre	500 gm
DM 2269	Nutrient Agar No. 2 for general purpose culture medium.	40.00 gms/litre	500 gm
DM 2269S	Nutrient Agar No. 2 for general purpose culture medium.	40.00 gms/litre	100 gm 500 gm
DM 1561	Nutrient Agar, pH 6.8 a general purpose nutrient medium for examination of water, sewage, faeces and other materials.	23.00 gms/litre	100 gm 500 gm
DM 1561A	Nutrient Agar, pH 7.0 recommended for cultivation of <i>Salmonella</i> species.	23.00 gms/litre	100 gm 500 gm
DM 1931	Nutrient Agar w/ Manganese for promoting sporulation in <i>Bacillus</i> species.	23.03 gms/litre	500 gm
DM 1012	Nutrient Agar w/1% Peptone a general culture medium which may be used as enriched medium by Incorporating blood or other biological fluids.	35.00 gms/litre	100 gm 500 gm

M

N

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
N	DM 1090	Nutrient Agar, pH 6.0 w/0.8% NaCl for cultivation of bacteria requiring slightly acidic pH.	31.00 gms/litre	100 gm 500 gm
O	DM 2274	Nutrient Agar for Oxidase recommended for confirmation of presence of oxidase in microorganisms in water.	22.00 gms/litre	500 gm
P	DM 1002	Nutrient Broth for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	13.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 2362	Nutrient Broth No. 2 for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media.	15.00 gms/litre	500 gm
	DM 1244	Nutrient Broth w/ 1% Peptone a sterility testing medium for aerobes.	25.00 gms/litre	100 gm 500 gm
	DM 1088	Nutrient Broth, pH 6.9 w/o NaCl as general purpose medium for the cultivation of microorganisms.	8.00 gms/litre	100 gm 500 gm
	DM 1244S	Nutrient Broth w/ 1% Peptone as a general purpose culture medium.	25.00 gms/litre	100 gm 500 gm
	DM 1060	Nutrient Gelatin for detection of gelatin liquefaction by proteolytic microorganisms.	128.00 gms/litre	500 gm
	DM 1280	Nystatin Assay Agar for microbiological assay of Amphotericin B and Nystatin using <i>Saccharomyces cerevisiae</i> ATCC 2601.	62.50 gms/litre	500 gm
	DM 1848	Orchid Agar for germination of orchid seeds.	30.03 gms/litre	500 gm
	DM 2223	Ornithine Decarboxylase Broth recommended by Iso committee for detection of the ability of microorganisms to decarboxylate ornithine.	9.01 gms/litre	100 gm
	DM 2186	PA Broth for the detection of presence and absence of coliform bacteria in water from treatment plants or distribution systems.	30.50 gms/litre	500 gm
	DM 1611	PE-2 Medium for detection and cultivation of mesophilic anaerobic sporeformers in specimens collected from food processing plants.	23.04 gms/litre	500 gm
	DM 2173	PL Agar for the isolation and cultivation of <i>Plesiomonas shigelloides</i> from foods.	43.58 gms/litre	500 gm
	DM 1849	*PM Indicator Agar (Penicillin in Milk Indicator Agar) for rapid detection of trace amounts of Penicillin in milk as per AOAC.	32.06 gms/litre	500 gm
	DM 1266	PPLO Agar Base See Mycoplasma Agar Base	36.00 gms/litre	100 gm 500 gm
	DM 1268	PPLO Broth Base w/ CV See Mycoplasma Broth Base w/ CV	21.00 gms/litre	500 gm
	DM 1267	PPLO Broth Base w/o CV See Mycoplasma Broth Base w/o CV	21.00 gms/litre	500 gm
	DM 1941	PSB Broth Base for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from foods.	50.64 gms/litre	500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1941I	PSB Broth, Modified recommended for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from foods.	30.78 gms/litre	500 gm
DM 1940	PSTA Enrichment Broth Base for secondary enrichment of <i>Yersinia enterocolitica</i> from foods.	5.20 gms/litre	100 gm 500 gm
DM 1037	*Pantothenate Assay Medium for microbiological assay of Pantothenic acid or its salts using <i>Lactobacillus plantarum</i> as the test organism.	73.12 gms/litre	100 gm
DM 1135	Pantothenate Culture Agar for culturing <i>Lactobacillus plantarum</i> ATCC 8014 used in the microbiological assay of Pantothenic acid or its salts.	45.00 gms/litre	100 gm
DM 1542	Pantothenate Inoculum Broth for preparation of inoculum used in microbiological assay of Pantothenic acid or its salts.	38.00 gms/litre	100 gm
DM 2185	Park and Sanders Enrichment Broth Base recommended for selective enumeration of thermotolerant <i>Campylobacter</i> species from foods.	28.35 gms/litre	500 gm
MS 2104	*Park and Sanders Selective Supplement I	Δ	5 vl
MS 2105	*Park and Sanders Selective Supplement II	Δ	5 vl
DM 2185I	Park and Sanders Broth Base recommended for selective enumeration of thermotolerant <i>Campylobacter</i> species in food and animal feed.	29.35 gms/litre	500 gm
MS 2104	*Park and Sanders Selective Supplement I	Δ	5 vl
MS 2105	*Park and Sanders Selective Supplement II	Δ	5 vl
DM 1867	Peizer TB Medium Base for cultivation of <i>Mycobacterium tuberculosis</i>	44.72 gms/litre	500 gm
DM 1440	Peptone Iron Agar for detection of hydrogen sulphide production by microorganisms.	36.58 gms/litre	100 gm
BA 2001	Peptone, Bacteriological contains high tryptophan content used as culture media ingredient in variety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and Other products.		500 gm 1 kg 2.5 kg
BC 2001	Peptone, Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.		500 gm
BA 2006	Peptone M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.		500 gm
BA 2015	Peptone Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.		500 gm
BA 2667	Peptone Type I, Bacteriological used as culture media ingredient.		500 gm 5 kg
DM 2231	Peptone Sorbitol Bile Broth for identification of <i>Yersinia enterocolitica</i> from dairy products.	30.93 gms/litre	500 gm
DM 1028	Peptone Water all purpose growth medium and as a base of carbohydrate fermentation media.	15.00 gms/litre	100 gm 500 gm
DM 1028I	Peptone Water w/ Phenol Red recommended for studying fermentation ability of <i>Yersinia enterocolitica</i> .	15.02 gms/litre	500 gm

P

Product Code	Product Name	Qty Per Litre of medium	Packing
P DM 1670	Peptone Yeast Dextrose Agar (Cantino) for cultivation of aquatic fungi like <i>Blastocladiella</i> species.	25.50 gms/litre	100 gm
DM 1671	Peptone Yeast Dextrose Broth (Cantino) for cultivation of aquatic fungi like <i>Blastocladiella</i> species.	5.50 gms/litre	100 gm
DM 1361	Peptone Yeast Extract Iron Agar See ISP Medium No 6	37.58 gms/litre	100 gm 500 gm
DM 1442	Peptonized Milk Agar for cultivation of lactic acid bacteria and examination of dairy products.	27.00 gms/litre	500 gm
DM 1579	Perfringens Agar Base (O.P.S.P.) for selective isolation and enumeration of <i>Clostridium perfringens</i> from foods.	50.50 gms/litre	500 gm
MS 2011	* Perfringens Supplement-I	Δ	5 vI
MS 2012	* Perfringens Supplement-II	Δ	5 vI
DM 1837	Perfringens Agar Base (T.S.C./S.F.P. Agar Base) with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of <i>Clostridium perfringens</i> .	47.00 gms/litre	500 gm
MS 2013	* S.F.P. Supplement (Perfringens S.F.P. Supplement)	Δ	5 vI
MS 2014	* T.S.C. Supplement (Perfringens T.S.C. Supplement)	Δ	5 vI
MS 2045	* Egg Yolk Emulsion (100 ml per vial)	Δ	5 vI
MS 2243	* Clostridium Perfringens Supplement	Δ	5 vI
DM 1787	Pfizer Selective Enterococcus Agar for selective isolation and cultivation of <i>Enterococci</i> .	57.75 gms/litre	500 gm
DM 1053	Phenol Red Agar Base a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms.	31.02 gms/litre	100 gm 500 gm
DM 1055	Phenol Red Dextrose Agar for Dextrose fermentation studies of microorganisms.	41.02 gms/litre	100 gm 500 gm
DM 1270	Phenol Red Lactose Agar for Lactose fermentation studies of microorganisms.	41.02 gms/litre	100 gm 500 gm
DM 1271	Phenol Red Maltose Agar for Maltose fermentation studies of microorganisms.	41.02 gms/litre	100 gm 500 gm
DM 1571	Phenol Red Mannitol Agar for Mannitol fermentation studies of microorganisms.	41.02 gms/litre	100 gm 500 gm
DM 1273	Phenol Red Sucrose Agar for Sucrose fermentation studies of microorganisms.	41.02 gms/litre	100 gm 500 gm
DM 1872	Phenol Red Tartrate Agar for identification and differentiation of Salmonellae on the basis of tartrate utilization.	40.02 gms/litre	100 gm
DM 1054	Phenol Red Broth Base a basal medium to which carbohydrates are added for determination of fermentation reactions of pure cultures of microorganisms.	16.00 gms/litre	100 gm 500 gm
DM 1279	Phenol Red Broth Base w/ Meat Extract highly nutritive basal medium which can be used to study fermentation of carbohydrates.	16.00 gms/litre	100 gm 500 gm
DM 2200	Phenol Red Adonitol Broth for Adonitol fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2014	Phenol Red Arabinose Broth for Arabinose fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 1056	Phenol Red Dextrose Broth for Dextrose fermentation studies of microorganisms.	21.00 gms/litre	100 gm 500 gm
DM 1617	Phenol Red Dulcitol Broth for Dulcitol fermentation studies of microorganisms.	21.00 gms/litre	100 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2135	Phenol Red Galactose Broth for Galactose fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2017	Phenol Red Inositol Broth for Inositol fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 1275	Phenol Red Lactose Broth for Lactose fermentation studies of microorganisms.	21.00 gms/litre	100 gm 500 gm
DM 1275I	Phenol Red Lactose Broth recommended for Lactose fermentation studies of coliforms.	25.02 gms/litre	100 gm 500 gm
DM 1276	Phenol Red Maltose Broth for Maltose fermentation studies of microorganisms.	21.00 gms/litre	100 gm 500 gm
DM 1570	Phenol Red Mannitol Broth for Mannitol fermentation studies of microorganisms.	21.00 gms/litre	100 gm 500 gm
DM 2013	Phenol Red Raffinose Broth for Raffinose fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2183	Phenol Red Rhamnose Broth for Rhamnose fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2011	Phenol Red Salicin Broth for Salicin fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2012	Phenol Red Sorbitol Broth for Sorbitol fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2016	Phenol Red Starch Broth for Starch fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 1274	Phenol Red Sucrose Broth for Sucrose fermentation studies of microorganisms.	21.00 gms/litre	100 gm 500 gm
DM 2201	Phenol Red Trehalose Broth for Trehalose fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 2015	Phenol Red Xylose Broth for Xylose fermentation studies of microorganisms.	21.00 gms/litre	100 gm
DM 1652	Phenolphthalein Phosphate Agar for identification of phosphatase positive <i>Staphylococcus aureus</i> .	28.01 gms/litre	100 gm 500 gm
DM 1281	Phenylalanine Agar for differentiation of <i>Proteus</i> and <i>Providencia</i> group of organisms from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine.	26.00 gms/litre	100 gm 500 gm
DM 1781	Phenylalanine Malonate Broth (Shaw and Clarke Medium) for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine.	11.03 gms/litre	100 gm
DM 1461	Phosphate Buffer, APHA, pH 7.2 for preparation of dilution, blanks for the examination of waters, dairy products, foods, eating utensils and other specimens.	34.00 gms/litre	100 gm 500 gm
DM 1783	Photobacterium Broth for cultivation and demonstration of luminiscence of photobacteria.	65.61 gms/litre	100 gm
DM 1519	Pike Streptococcal Broth Base for selective enrichment and cultivation of <i>Streptococci</i> from throat swabs and othe clinical specimens.	30.26 gms/litre	100 gm 500 gm
DM 1520	Pikovskaya's Agar for detection of phosphate solubilizing soil microorganisms.	31.30 gms/litre	100 gm 500 gm

P

Product Code	Product Name	Qty Per Litre of medium	Packing
P DM 1091	Plate Count Agar (Standard Methods Agar) for determination of plate counts of microorganisms in foods, water and wastewater.	23.50 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1091A	Plate Count Agar for determining plate counts of microorganisms in milk and dairy products by pour plate technique.	17.50 gms/litre	100 gm 500 gm
DM 1091S	Plate Count Agar for determining plate counts of microorganisms in milk and dairy products by pour plate technique.	30.00 gms/litre	100 gm 500 gm
DM 2025	Plate Count Agar, Special for estimation of microbial counts in raw milk and other dairy products as per Netherlands Dairy Association.	40.52 gms/litre	500 gm
DM 2351	Plate Count Agar w/BCP for enumeration of <i>Lactobacilli</i> in cultured milk, yogurt and sour creams.	24.64 gms/litre	500 gm
DM 1574	Plesiomonas Differential Agar See Inositol Brilliant Green Bile Agar	52.05 gms/litre	500 gm
DM 1096	Potato Dextrose Agar for isolation and enumeration of yeasts and moulds from dairy and other food products.	39.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1096H	Potato Dextrose Agar for the cultivation of yeasts and moulds from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP.	39.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1937	Potato Dextrose Agar w/3% Agar for cultivation of yeasts and moulds from dairy and other food products.	54.00 gms/litre	500 gm
DM 1403	Potato Dextrose Broth for cultivation and enumeration of yeasts and moulds.	24.00 gms/litre	500 gm
DM 1938	Potato Dextrose Rose Bengal Agar for promoting ascospore production.	39.00 gms/litre	500 gm
DM 2174	Potato Dextrose Sucrose Agar for the isolation and cultivation of <i>Zygosaccharomyces rouxii</i> from chocolate syrup.	659.00 gms/litre	500 gm
DM 1174	Potato Infusion Agar for isolation of <i>Brucella</i> species.	49.00 gms/litre	500 gm
DM 2178	Pre-Enrichment Broth Base for isolation and enrichment of <i>Yersinia enterocolitica</i> from foods.	39.10 gms/litre	500 gm
DM 1939	Preston Agar Base recommended for selective isolation of thermotolerant <i>Campylobacter</i> species.	37.00 gms/litre	500 gm
DM 1956	Propionibacter Isolation Agar Base for selective isolation of <i>Propionibacteria</i>	40.30 gms/litre	500 gm
BA 2005	Proteose Peptone a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.		500 gm 5 kg
BC 2005	Proteose Peptone, Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.		500 gm
DM 1406	Pseudomonas Isolation Agar Base for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and nonclinical specimens.	45.03 gms/litre	100 gm 500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1120	Pseudomonas Agar (For Fluorescein) for detection of fluorescein production by <i>Pseudomonas</i> species.	38.00 gms/litre	100 gm 500 gm
DM 1120U	Pseudomonas Agar Medium For Detection of Fluorescein for detection of fluorescein production by <i>Pseudomonas</i> species in accordance with U.S.P.	37.23 gms/litre	100 gm 500 gm
DM 1119	Pseudomonas Agar (For Pyocyanin) for detection of pyocyanin production by <i>Pseudomonas</i> species.	46.40 gms/litre	100 gm 500 gm
DM 1119M	Pseudomonas Agar Medium For Detection of Pyocyanin) for detection of pyocyanin production by <i>Pseudomonas</i> species in accordance with I.P.	46.40 gms/litre	100 gm 500 gm
DM 2096	Pseudomonas Asparagine Broth for presumptive determination of <i>Pseudomonas aeruginosa</i> from recreational or natural water as per A.P.H.A.	4.50 gms/litre	100 gm 500 gm
DM 1098	Purple Agar Base for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms.	31.02 gms/litre	500 gm
DM 1284	Purple Broth Base for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms.	15.02 gms/litre	500 gm
DM 1962	R-2A Agar for heterotrophic plate count of treated potable water using longer incubation periods	18.12 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 2052	R-3A Agar for subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples.	21.25 gms/litre	500 gm
DM 1149	R.C. Medium See Cooked Meat Medium	125.00 gms/litre	100 gm 500 gm
DM 1576	RS Medium Base for selective isolation, cultivation and presumptive identification of <i>Aeromonas hydrophila</i> .	45.43 gms/litre	500 gm
MS 2096	*Novobiocin Supplement	Δ	5 vl
DM 1500	RWC Medium See Culture Medium for RWC/Disinfectant Test Broth	50.00 gms/litre	100 gm 500 gm
DM 1880	Rappaport Vassiliadis Medium for enrichment of <i>Salmonellae</i> , based on its ability to multiply selectively at high osmotic pressure, low pH and at 43°C, with modest nutritional requirements.	49.17 gms/litre	100 gm 500 gm
DM 1154	Reinforced Clostridial Agar for the cultivation and enumeration of <i>Clostridia</i> and other anaerobes.	51.00 gms/litre	100 gm 500 gm
DM 1443	Reinforced Clostridial Broth for cultivation and enumeration of <i>Clostridia</i> and other anaerobes.	38.00 gms/litre	100 gm 500 gm
DM 1443A	Reinforced Clostridial Broth w/o Agar for the cultivation and enumeration of <i>Clostridia</i> when a semisolid medium is preferred.	37.50 gms/litre	100 gm 500 gm
DM 1443H	Reinforced Medium for Clostridial for the enrichment of <i>Clostridia</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 14).	37.54 gms/litre	100 gm 500 gm
DM 1408	Rhizobium Medium for cultivation and isolation of <i>Rhizobium species</i> .	31.80 gms/litre	500 gm
DM 2026	Rice Extract Agar for identification of <i>Candida albicans</i> by means of its chlamydospore production.	40.00 gms/litre	500 gm

P
R

	Product Code	Product Name	Qty Per Litre of medium	Packing
R	DM 1525	Ringer Salt Solution Powder an isotonic diluent for food, milk and dairy products during microbiological examination.	8.91 gms/litre	100 gm
S	DM 1859	Rippey-Cabelli Agar Base for differential and selective isolation of <i>Aeromonas hydrophila</i> species from water samples using membrane filter technique.	32.34 gms/litre	100 gm
	MS 2107	*Rippey Cabelli Selective Supplement	Δ	5 vl
	DM 1149	Robinson's Cooked Meat Medium (R.C. Medium) See Cooked Meat Medium	125.00 gms/litre	100 gm 500 gm
	DM 1130	*Rogosa SL Agar for selective cultivation of oral and faecal <i>Lactobacilli</i> .	74.72 gms/litre	500 gm
	DM 1407	*Rogosa SL Broth for selective cultivation of all <i>Lactobacilli</i> including oral and faecal <i>Lactobacilli</i> .	59.72 gms/litre	500 gm
	DM 2177	SA Agar Base for isolation, cultivation and differentiation of <i>Aeromonas hydrophila</i> from foods based on starch hydrolysis as per APHA.	31.01 gms/litre	500 gm
	MS 2082	*Ampicillin Supplement	Δ	5 vl
	DM 2535	SBG Enrichment Broth (Twin Pack) for selective enrichment of <i>Salmonellae</i> from clinical specimens.	19.67 Part of A+ 4 Part of B	100 gm
	DM 2371	SD Agar for the growth of yeasts for molecular biology purposes.	46.71 gms/litre	500 gm
	DM 1297	SF Broth for selective cultivation, detection and differentiation of Enterococci from other cocci in diagnostic work.	36.03 gms/litre	500 gm
	DM 2005	S.F.P. Agar Base for the presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods.	47.00 gms/litre	500 gm
	MS 2013	*S.F.P. Supplement (Perfringens S.F.P. Supplement)	Δ	5 vl
	MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
	DM 1181	SIM Medium for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli.	36.23 gms/litre	500 gm
	DM 1632	*SPS Agar for detection of <i>Clostridium perfringens</i> in foods.	40.03 gms/litre	500 gm
	DM 1898	*SPS Agar Modified for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs.	41.28 gms/litre	500 gm
	DM 1108	SS Agar (Salmonella Shigella Agar) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuffs etc.	63.02 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 2067	*Sabouraud Chloramphenicol Agar for selective cultivation of yeasts and moulds.	65.00 gms/litre	100 gm 500 gm
	DM 1063	Sabouraud Dextrose Agar for cultivation of yeasts, moulds and aciduric microorganisms.	65.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 1063H	Sabouraud Dextrose Agar (Sabouraud Dextrose Agar Medium) recommended for the cultivation of yeasts, moulds and aciduric bacteria in accordance with harmonized methodology of United States Pharmacopoeia.	65.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 2313	Sabouraud Dextrose Maltose Agar for cultivation of moulds and yeasts and for testing antimycotic substances.	45.00 gms/litre	500 gm
DM 2460	Sabouraud Dextrose Maltose Broth for cultivation of moulds, yeasts and aciduric organisms as well as testing antimycotic substances.	30.00 gms/litre	500 gm
DM 1286	Sabouraud Dextrose Agar Base, Modified See Dextrose Agar Base, Emmons	47.00 gms/litre	100 gm 500 gm
MS 2035	*CC Supplement	Δ	5 vl
DM 1062	Sabouraud Maltose Agar for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions.	65.00 gms/litre	500 gm
DM 1064	Sabouraud Maltose Broth for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions.	50.00 gms/litre	500 gm
DM 1013	Sabouraud Medium, Fluid See Fluid Sabouraud Medium.	30.00 gms/litre	100 gm 500 gm
DM 1573	Salmonella Agar, ONOZ for selective isolation and identification of <i>Salmonellae</i> from clinical specimens.	76.15 gms/litre	500 gm
DM 1821	Salt Polymixin Broth Base for detection and enumeration of <i>Vibrio</i> species.	33.00 gms/litre	500 gm
MS 2003	*Polymyxin-B Selective Supplement	Δ	5 vl
DM 1821I	Salt Polymixin Broth Base recommended for detection and enumeration of <i>Vibrio</i> species.	29.70 gms/litre	500 gm
MS 2003	*Polymyxin-B Selective Supplement	Δ	5 vl
DM 2276	Sauton's Fluid Medium for cultivation and enumeration of <i>Mycobacteria</i> , in accordance with I.P.	3.19 gms/litre	100 gm 500 gm
DM 1003	Seed Agar See Antibiotic Assay Medium No. 1	30.50 gms/litre	100 gm 500 gm
DM 1052	Selenite Broth (Selenite F Broth) (Twin Pack) an enrichment medium for isolation of <i>Salmonella</i> species from faeces, urine or other pathological materials.	19.00 Part A + 4 of Part B	100 gm 500 gm
DM 1052M	Selenite F Broth (Twin Pack) an enrichment medium for isolation of <i>Salmonella</i> from faeces, urine or other pathological materials, in accordance with I.P.	19.00 Part A + 4 of Part B	100 gm 500 gm
DM 1970	Selenite Broth Base w/o Biselenite with addition of selenite, it is used for enrichment of <i>Salmonellae</i> species from food, dairy products and pathological materials.	19.00 gms/litre	500 gm
DM 1025	Selenite Cystine Broth (Twin Pack) See Fluid Selenite Cystine Medium	19.01 of Part A +4.00 of Part B	100 gm 500 gm
DM 2079	Selenite Cystine Broth Base w/o Biselenite for selective enrichment of <i>Salmonella</i> and possibly <i>Shigella sonnei</i> from faeces, urine, water and foodstuffs.	19.01 gms/litre	500 gm
DM 2534	Selenite Mannitol Broth (Twin Pack) See Mannitol Selenite Broth	19.00 of Part A +4.00 of Part B	500 gm
DM 1293	Sellers Differential Agar for differentiation and identification of gram-negative nonfermentative bacilli especially <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter calcoaceticus</i> .	44.89 gms/litre	500 gm

S

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre of medium	Packing
S	DM 2191	Semisolid Nutrient Agar recommended for detection of <i>Salmonella</i> species on the basis of motility and hydrogen sulphide (H ₂ S) production.	12.00 gms/litre	500 gm
	DM 1645	Shapton Medium for enumeration of spores of <i>Bacillus stearothermophilus</i> which causes flat sour spoilage in canned foods with pH more than 4.5	27.53 gms/litre	500 gm
	DM 1411	Simmons Agar Base a synthetic medium recommended for differentiation between faecal coli and members of the aerogenes group on the basis of citrate utilization.	21.28 gms/litre	100 gm
	DM 1099	Simmons Citrate Agar for differentiating members of Enterobacteriaceae on the basis of citrate utilization.	24.28 gms/litre	100 gm 500 gm
	DM 1530	Skim Milk for cultivation of dairy organisms and differentiation of <i>Clostridium</i> species.	100.00 gms/litre	500 gm
	DM 1763	Skim Milk Agar for cultivation and enumeration of microorganisms encountered in dairy industry.	51.50 gms/litre	500 gm
	DM 1612	Slanetz and Bartley Medium for detection and enumeration of faecal <i>Streptococci</i> by membrane filter technique.	46.50 gms/litre	100 gm 500 gm
	DM 1612I	Slanetz and Bartley Medium recommended for detection and enumeration of faecal <i>Streptococci</i> by membrane filter technique.	46.50 gms/litre	500 gm
	DM 1106	Snyder Test Agar See BCG-Dextrose Agar	65.02 gms/litre	500 gm
	BA 2154	Sodium Bi Selenite		100 gm
	BA 2708	Sodium Tauroglycocholate		500 gm
	DM 1298	Sorbitol Agar (Sorbitol MacConkey Agar) for isolation and identification of enteropathogenic <i>Escherichia coli</i> strains associated with infant diarrhoea.	50.03 gms/litre	100 gm 500 gm
	DM 1299	Sorbitol Iron Agar for cultural identification and differentiation of enteropathogenic <i>Escherichia coli</i> which do not ferment sorbitol.	46.03 gms/litre	500 gm
	DM 1290	Soyabean Casein Digest Agar (Tryptone Soya Agar) (Casein Soyabean Digest Agar) a general purpose medium used for cultivation of a wide variety of microorganisms.	40.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 1011	Soyabean Casein Digest Medium (Tryptone Soya Broth) a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopoeia.	30.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 1011H	Soyabean Casein Digest Medium (Casein Soyabean Digest Broth) a general purpose medium used for cultivation of a wide variety of microorganisms from Pharmacopoeia products in accordance with the microbial limit testing by harmonised methodology of UPS/EP/BP/JP/IP.	29.77 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 1322	Soyabean Casein Digest Medium (Tryptone Soya Broth w/o Dextrose.) recommended for cultivation of anaerobic microorganisms when the presence of carbohydrate is not desired.	27.50 gms/litre	500 gm
	DM 1323	Soyabean Casein Digest Medium w/0.1% Agar (Tryptone Soya Broth w/0.1% Agar) for cultivation of anaerobes from root canals, blood and other specimens.	31.00 gms/litre	500 gm
	DM 1207	Soyabean Casein Digest Medium w/Yeast Extract and Hemin w/o Dextrose (Tryptone Soya w/Yeast Extract and Hemin w/o Dextrose) a highly nutritious medium which supports luxuriant growth of fastidious bacteria.	32.52 gms/litre	100 gm 500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1306	Stuart Transport Medium (Transport Medium, Stuart) for preservation and transportation of <i>Neisseria</i> species and other fastidious organisms from clinic to the laboratory.	14.10 gms/litre	100 gm 500 gm
DM 2131	Stuart Transport Medium w/o Methylene Blue for routine transport of <i>gonococcal</i> species and other fastidious organisms.	14.00 gms/litre	100 gm 500 gm
DM 1309	*Sulphate API Agar w/o Sodium Lactate for detection and estimation of sulphate reducing bacteria.	25.41 gms/litre	500 gm
DM 1310	*Sulphate API Broth w/o Sodium lactate for detection of sulphate reducing bacteria.	11.41 gms/litre	500 gm
DM 1523	*Sulphate API Broth w/o NaCl for detection, differentiation and estimation of sulphate reducing bacteria.	1.41 gms/litre	100 gm 500 gm
DM 1800	Sulphate Reducing Medium (Twin Pack) for cultivation and enumeration of sulphate reducing bacterium- <i>Thiobacillus thiooparus</i>	2.32 of Part A+ 10.00 of Part B	100 gm 500 gm
DM 1803	Sulphate Reducing Medium (Triple Pack) for enumeration of sulphate reducing bacteria in water samples.	7.10 of Part A+ 0.49 of Part B + 3.50 of Part C	100 gm 500 gm
DM 1311	Sulphite Agar for detection of thermophilic sulphide producing anaerobes.	31.00 gms/litre	500 gm
DM 1559	Sulphur Medium (Twin Pack) for cultivation of <i>Thiobacillus thiooxidans</i> .	4.07 of Part A+ 10.00 of Part B	100 gm 500 gm
DM 1100	TB Broth Base for cultivation of <i>Mycobacterium tuberculosis</i> .	12.10 gms/litre	500 gm
DM 1034	TB Broth Base w/o Tween 80 for cultivation of <i>Mycobacteria</i> when the presence of oelic acid is undesirable.	11.60 gms/litre	500 gm
DM 1189	TCBS Agar for selective isolation and cultivation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> causing food poisoning.	89.08 gms/litre	100 gm 500 gm
DM 1870	TCBS Agar (Selective) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> .	89.08 gms/litre	100 gm 500 gm
DM 1870A	TCBS Agar, Modified for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> .	88.00 gms/litre	100 gm 500 gm
DM 1870S	TCBS Agar for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> .	89.00 gms/litre	100 gm 500 gm
DM 1791	TGB Agar (Tryptone Glucose Beef Extract Agar) for enumeration of bacteria in water, air, milk and dairy products.	24.00 gms/litre	100 gm 500 gm
DM 1950	TN Agar for isolation and cultivation of <i>Vibrios</i> from food samples.	35.00 gms/litre	500 gm
DM 1402	TPEY Agar Base with addition of supplement, it is recommended for selective isolation and enumeration of Staphylococci from foods.	60.00 gms/litre	500 gm
MS 2045	*Egg Yolk Emulsion (100 ml per vial)	Δ	5 vl
MS 2052	*Potassium Tellurite 1% (1 ml per vial)	Δ	5 vl
DM 2250	Tartoff- Hobbs Broth (Terrific Broth) for the cultivation of recombinant strains of <i>Escherichia coli</i> .	47.60 gms/litre	500 gm

S
T

	Product Code	Product Name	Qty Per Litre of medium	Packing
S	BA 2007	Soya Peptone papaic digest of soyabean meal, plant peptone		500 gm 5 kg
	BC 2007	Soya Peptone, Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.		500 gm
	BA 2015	Special Peptone See Peptone Special		500 gm
	BC 2015	Special Peptone, Certified specially designed to maximize the growth of fastidious microorganisms.		500 gm
	DM 1412	Spiolate Broth, OMATA for mass cultivation of <i>Treponema pallidum</i> , Reiter strain for antigen production and other studies.	29.00 gms/litre	100 gm
	DM 1234	Sporulating Agar See AK Agar No 2 (Arret & Krishbaum Medium)	30.80 gms/litre	500 gm
	DM 1302	*Standard Methods Agar w/Tween 80 and Lecithin for sanitary examination of surfaces, that is, for counts before and after Application of disinfectants.	29.20 gms/litre	100 gm 500 gm
	DM 1588	Standard Methods Caseinate Agar for detection of proteolytic microorganisms.	40.13 gms/litre	100 gm
	DM 1877	Standard Nutrient Agar a general utility medium for cultivation and enumeration of not particularly fastidious microorganisms.	45.00 gms/litre	500 gm
	DM 2210	Standard Nutrient Agar No. 1 for the cultivation of fastidious bacteria.	37.00 gms/litre	500 gm
	DM 2224	Standard Nutrient Broth No. 1 for the cultivation of fastidious bacteria.	25.00 gms/litre	500 gm
	DM 1521	Staphylococcus Agar No. 110 See Gelatin Mannitol Salt Agar	149.50 gms/litre	100 gm 500 gm
	DM 1156	Staphylococcus Agar No. 110 w/Azide for selective isolation and testing of pathogenic <i>Staphylococci</i> .	149.60 gms/litre	500 gm
	DM 1107	Starch Agar for detection of starch hydrolyzing microorganisms.	30.00 gms/litre	500 gm
	DM 1182	Stock Culture Agar See Ayers and Johnson Agar	50.00 gms/litre	500 gm
	DM 1925	Streptococcus Lactis Differential Agar Base for differentiation of citrate utilizing lactic <i>Streptococci-Lactococcus lactis</i> (<i>Streptococcus lactis</i>) subspecies diacetylactis from citrate non-utilizing <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) and <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) subspecies cremoris.	32.50 gms/litre	500 gm
	DM 1304	Streptococcus Selection Agar for selective isolation and enumeration of all types of <i>Streptococci</i> including Group A beta Haemolytic strains.	45.60 gms/litre	500 gm
	DM 1303	Streptococcus Selection Broth for selective isolation and cultivation of <i>streptococci</i> including group A beta Haemolytic strains.	30.60 gms/litre	500 gm
	DM 1948	Streptococcus Thermophilus Isolation Agar for determining the ratio of <i>Streptococcus thermophilus</i> and <i>Lactobacillus bulgaricus</i> in yoghurt.	42.00 gms/litre	500 gm
	DM 1006	Streptomycin Assay Agar w/Yeast Extract (Antibiotic Assay Medium No. 5) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i> .	25.50 gms/litre	500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1045	Taurocholate Broth for selective isolation of coliforms from water, milk and other food products.	40.00 gms/litre	500 gm
DM 2260	Tellurite Blood Agar Base for the selective isolation and cultivation of <i>Corynebacterium</i> species.	31.00 gms/litre	100 gm 500 gm
MS 2022	*Haemoglobin Powder	Δ	
MS 2025	*Vitamins Growth Supplement	Δ	5 vial
MS 2052	*Potassium Tellurite 1% (1 ml per vial)	Δ	5 vial
DM 1616	Tergitol-7 Agar Base for selective enumeration and identification of coliform organisms.	33.13 gms/litre	100 gm 500 gm
MS 2057	*TTC Solution 1% (10 ml per vial)	Δ	5 vial
DM 1850	Tergitol-7 Agar H for selective isolation and differentiation of enteric bacteria from urine specimens.	34.13 gms/litre	500 gm
DM 1851	Tergitol-7 Broth selective and differential medium for detection and enumeration of coliforms.	18.13 gms/litre	500 gm
DM 2255	Tetrathionate Brilliant Green Bile Broth for isolation and identification of <i>Salmonellae</i> .	63.07 gms/litre	500 gm
DM 1032M	Tetrathionate Broth Medium an enrichment broth for isolation of <i>Salmonellae</i> from specimens suspected to be contaminated with <i>Salmonellae</i> in accordance with I.P.	77.40 gms/litre	100 gm 500 gm
DM 1032	Tetrathionate Broth Base (w/o Iodine and BG) See Fluid Tetrathionate Medium w/o Iodine and BG	46.00 gms/litre	100 gm 500 gm
DM 2256	Tetrathionate CV Enrichment Broth for the selective enrichment of <i>Salmonellae</i> from meat and foodstuffs.	35.00 gms/litre	500 gm
DM 1413	Thayer Martin Medium Base for selective isolation of <i>Gonococci</i> from pathological specimens.	42.00 gms/litre	100 gm 500 gm
MS 2021	*GC Supplement w/ Antibiotics	Δ	5 vial
MS 2022	*Haemoglobin Powder	Δ	100 gm
MS 2023	*V.C.N. Supplement	Δ	5 vial
MS 2024	*V.C.N.T. Supplement	Δ	5 vial
MS 2025	*Vitamins Growth Supplement	Δ	5 vial
DM 1125	Thermoacidurans Agar for isolation of <i>Bacillus thermoacidurans</i> from food products.	39.00 gms/litre	500 gm
DM 1788	Thiobacillus Agar for isolation and cultivation of <i>Thiobacillus</i> species.	22.66 gms/litre	500 gm
DM 1789	Thiobacillus Broth for cultivation of <i>Thiobacillus</i> species.	10.16 gms/litre	500 gm
DM 1608	Thioglycollate Agar for cultivation of anaerobic microorganisms.	49.00 gms/litre	500 gm
DM 1462	Thioglycollate Broth w/ Liver Extract (B.Q. Vaccine Medium) See B.Q. Vaccine Medium	30.00 gms/litre	500 gm
DM 1010	Thioglycollate Broth, Alternative See Alternative Thioglycollate Medium (NIH Thioglycollate Medium)	29.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1009	Thioglycollate Medium Fluid See Fluid Thioglycollate Medium.	29.75 gms/litre	100 gm 500 gm 2.55 kg 5 kg
DM 1979	Thioglycollate Medium w/ Hemin and Vitamin K for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions.	29.65 gms/litre	500 gm

T

DEHYDRATED CULTURE MEDIA & BASES

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1190	Thioglycollate Medium w/o Dextrose for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates.	25.70 gms/litre	500 gm
DM 1191	Thioglycollate Medium w/o Indicator See Diagnostic Thioglycollate Medium	30.05 gms/litre	500 gm
DM 1195	Thioglycollate Medium Linden See Brewer Thioglycollate Medium Modified.	38.50 gms/litre	100 gm 500 gm
DM 1610	Thiogel Medium for cultivation of strictly anaerobic, aerobic as well as facultative microorganisms and for the identification of pure cultures on the basis of their ability to liquefy gelatin.	80.05 gms/litre	100 gm 500 gm
DM 1314	Tinsdale Agar Base for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i> .	40.67 gms/litre	500 gm
DM 1313	Todd Hewitt Broth for cultivation of group A haemolytic <i>Streptococci</i> used for serological studies.	37.00 gms/litre	100 gm 500 gm
DM 1048	*Tomato Juice Agar for cultivation and enumeration of <i>Lactobacilli</i> .	51.00 gms/litre	500 gm
DM 1879	*Tomato Juice Agar, Special for cultivation and enumeration of <i>Lactobacilli</i> from saliva and of other acidophilic bacteria.	60.00 gms/litre	500 gm
DM 2027	*Tomato Juice Broth for cultivation of yeasts and other aciduric microorganisms.	41.23 gms/litre	500 gm
DM 1315	Transport Charcoal Medium for transportation of clinical specimens.	24.00 gms/litre	500 gm
DM 1306	Transport Medium (Stuart) See Stuart Transport Medium.	14.10 gms/litre	100 gm 500 gm
DM 1202	Transport Medium w/o Charcoal See Cary-Blair Medium.	12.60 gms/litre	100 gm 500 gm
DM 1157	Tributyryn Agar Base w/o Tributyrin for detection of lipolytic microorganisms.	23.00 gms/litre	100 gm 500 gm
MS 2081	*Tributyryn (10 ml per vial)	Δ	5 vl
DM 1021	Triple Sugar Iron Agar for identification of gram-negative enteric bacilli on the basis of dextrose, Lactose and sucrose fermentation and hydrogen sulphide production.	64.52 gms/litre	100 gm 500 gm
DM 1021S	Triple Sugar Iron Agar for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production.	64.52 gms/litre	100 gm 500 gm
DM 1021I	Triple Sugar Iron Agar recommended for identification of members of <i>Enterobacteriaceae</i> especially <i>Salmonella</i> species.	64.62 gms/litre	500 gm
BA 2014	Tryptone Type I See Casein Enzyme Hydrolysate used in sterility testing, diagnostic media preparations.		500 gm 2.5 kg
BC 2014	Tryptone, Certified See Casein Enzyme Hydrolysate, Certified		500 gm
BA 2029	Tryptone T, Type-III for tetanus toxin, culture media ingredient.		500 gm
DM 1319	Tryptone Agar Base for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes.	23.52 gms/litre	500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1463	Tryptone Broth (Tryptone Water) for detection of indole producing microorganisms.	15.00 gms/litre	100 gm 500 gm
DM 1961	Tryptone Bile Agar for rapid detection and enumeration of <i>Escherichia coli</i> in foods using a modified direct plating method.	36.50 gms/litre	500 gm
DM 1791	Tryptone Glucose Beef Extract Agar See TGB Agar	24.00 gms/litre	100 gm 500 gm
DM 1014	Tryptone Glucose Extract Agar (Tryptone Glucose Yeast Extract Agar) for enumeration of bacteria in water, air, milk and dairy products.	24.00 gms/litre	100 gm 500 gm
DM 1952	Tryptone Glucose Yeast Extract Broth for enumeration of microorganisms from foods by MPN technique.	17.25 gms/litre	500 gm
DM 1364	Tryptone Nitrate Medium See Indole Nitrate Medium	25.00 gms/litre	100 gm 500 gm
DM 1953	Tryptone Phosphate Broth for enrichment and cultivation of enteropathogenic <i>Escherichia coli</i> from suspected food samples.	30.50 gms/litre	500 gm
DM 1290	Tryptone Soya Agar (Casein Soyabean Digest Agar) See Soyabean Casein Digest Agar a general purpose medium used for cultivation of a wide variety of microorganisms.	40.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1011	Tryptone Soya Broth See Soyabean Casein Digest Medium	30.00 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1323	Tryptone Soya Broth w/0.1% Agar See Soyabean Casein Digest Medium w/ 0.1% Agar	31.00 gms/litre	500 gm
DM 1322	Tryptone Soya Broth w/o Dextrose See Soyabean Casein Digest Medium w/o Dextrose	27.50 gms/litre	500 gm
DM 2056	Tryptone Tellurite Agar Base for selective isolation of pathogens from clinical specimens, especially from nose, throat and vagina.	47.00 gms/litre	500 gm
MS 2052	*Potassium Tellurite 1% (1 ml per vial)	△	5 vial
DM 1463	Tryptone Water (Tryptone Broth) for detection of indole producing microorganisms.	15.00 gms/litre	100 gm 500 gm
DM 1463I	Tryptone Water recommended for detection of indole production	25.00 gms/litre	500 gm
DM 1463S	Tryptone Water w/o Sodium Chloride for detection of <i>Vibrio cholerae</i> and <i>Vibrio para-haemolyticus</i> .	10.00 gms/litre	100 gm 500 gm
DM 2198	Tryptone Water Broth w/BCP for the cultivation of <i>Salmonella</i> species from foods.	17.29 gms/litre	500 gm
DM 2272	Tryptone Yeast Extract Agar recommended for estimation of microbial counts in water.	21.00 gms/litre	500 gm
DM 2193	Tryptone Yeast Extract Agar w/BCP recommended for isolation and enumeration of <i>Enterobacteriaceae</i> and <i>Bacillus cereus</i> .	41.51 gms/litre	500 gm
DM 1356	Tryptone Yeast Extract Broth See ISP Medium No. 1	8.00 gms/litre	100 gm 500 gm
BA 2030	Tryptose bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.		500 gm 2.5 kg

T

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
T	BC 2030	Tryptose , Certified designed to promote luxuriant growth of highly fastidious microorganisms.		500 gm
U	DM 1538	Tryptose Agar for isolation, cultivation and differentiation primarily of <i>Brucella</i> , but also of <i>Streptococci</i> , <i>Pneumococci</i> , <i>Meningococci</i> and other pathogenic microorganisms.	41.00 gms/litre	500 gm
V	DM 1996	Tryptose Agar w/Thiamine HCl for isolation, differentiation and cultivation of fastidious microorganisms in an infusion free medium.	41.00 gms/litre	500 gm
	DM 1097	Tryptose Blood Agar Base for the isolation of fastidious organisms and determining the haemolytic reactions.	33.00 gms/litre	100 gm 500 gm
	DM 1450	Tryptose Blood Agar Base w/Yeast Extract with or without added blood it can be used for culturing fastidious microorganisms.	34.00 gms/litre	500 gm
	DM 1177	Tryptose Broth for the cultivation primarily of <i>Brucella</i> species.	26.00 gms/litre	500 gm
	DM 1997	Tryptose Broth w/Thiamine HCl for cultivation and differentiation of fastidious microorganisms in an infusion free medium.	26.00 gms/litre	500 gm
	DM 1093	Tryptose Phosphate Broth for cultivation of fastidious bacteria.	29.50 gms/litre	100 gm 500 gm
	DM 1634	*Tryptose Sulphite Neomycin Agar for selective isolation and enumeration of <i>Clostridium perfringens</i> in foods or other specimens.	40.07 gms/litre	100 gm
	DM 1415	Universal Beer Agar (UB Agar) for culturing microorganisms of significance in the brewing industry.	62.16 gms/litre	100 gm
	DM 1112	Urea Agar Base (Christensen) (Autoclavable) for detection of urease production, particularly by <i>Proteus vulgaris</i> , <i>Micrococci</i> and paracolon organisms.	24.01 gms/litre	100 gm 500 gm
	MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vl
	DM 1112I	Urea Agar Base, Christensen recommended for the detection of urease production, particularly by members of the genus <i>Proteus</i> .	24.01 gms/litre	500 gm
	MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vl
	DM 1112S	*Urea Agar Base (Christensen) for detection of urease production, particularly by <i>Proteus vulgaris</i> , <i>Micrococci</i> and paracolon organisms.	24.51 gms/litre	100 gm 500 gm
	MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vl
	DM 1111	Urea Broth Base (Diagnostic Stuart's Urea Broth Base) recommended for the identification of bacteria on the basis of urea utilization, specially for the differentiation of <i>Proteus</i> , <i>Simonella</i> and <i>Shigella</i> species.	18.71 gms/litre	100 gm 500 gm
	MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vl
	DM 1111M	Urea Broth for the identification of bacteria on the basis of urea utilization specifically for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species in accordance with I.P.	38.70 gms/litre	500 gm
	DM 1416	Veillonella Agar Base for selective isolation of <i>Veillonella</i> species.	23.75 gms/litre	500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1820	Vibrio Agar for selective cultivation of <i>Vibrio</i> species.	79.92 gms/litre	500 gm
DM 2153	Vibrio Parahaemolyticus Sucrose Agar for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood samples as per APHA.	73.52 gms/litre	500 gm
DM 1049S	Violet Red Bile Agar recommended for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products.	41.53 gms/litre	100 gm 500 gm
DM 1049A	Violet Red Bile Agar (1.2%) recommended for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products.	38.53 gms/litre	500 gm
DM 1458	Violet Red Bile Broth for detection and enumeration of coliforms from water and food.	26.53 gms/litre	500 gm
DM 1581H	Violet Red Bile Glucose Agar recommended for detection and enumeration of <i>Enterobacteriaceae</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	40.62 gms/litre	100 gm 500 gm 2.5 kg 5 kg
DM 1036	*Vitamin B12 Assay Medium See B12 Assay Medium	84.53 gms/litre	100 gm
DM 1023	Vogel-DMhanson Agar Base w/o Tellurite (V.J. Agar) for selective isolation of coagulase positive, mannitol fermenting <i>Staphylococcus aureus</i> from heavily contaminated foods and clinical specimens.	61.02 gms/litre	100 gm 500 gm
MS 2052	*Potassium Tellurite 1% (1ml per vial)	Δ	5 vl
DM 2152	Wesley Broth Base used as a selective enrichment medium for isolation of <i>Campylobacter jejuni</i> from poultry products as per APHA.	39.25 gms/litre	500 gm
MS 2077	*Campylobacter Selective Supplement	Δ	5 vl
DM 1832	Wilkins Chalgren Anaerobic Agar Base for selective isolation and cultivation of anaerobic bacteria and susceptibility testing of anaerobes by the agar dilution method.	43.01 gms/litre	500 gm
MS 2001	*Non Spore Anaerobic Supplement	Δ	5 vl
MS 2002	*G.N. Spore Anaerobic Supplement	Δ	5 vl
DM 1863	Wilkins Chalgren Anaerobic Broth Base for cultivation and susceptibility testing of anaerobic bacteria.	33.01 gms/litre	500 gm
MS 2001	*Non Spore Anaerobic Supplement	Δ	5 vl
MS 2002	*G.N. Spore Anaerobic Supplement	Δ	5 vl
DM 1331	Wilson Blair Agar Base with the addition of selective reagent used for the isolation of <i>Salmonella serotype Typhi</i> .	60.00 gms/litre	100 gm 500 gm
DM 1332	Wilson Blair Agar w/BG for isolation and preliminary identification of <i>Salmonella typhi</i> from clinical specimens.	52.32 gms/litre	100 gm 500 gm
DM 1129	Wort Agar for the cultivation and enumeration of yeasts.	48.28 gms/litre	100 gm 500 gm
DM 1333	Wort Broth for cultivation and enumeration of yeasts.	33.28 gms/litre	500 gm

V
W

DEHYDRATED CULTURE MEDIA & BASES

	Product Code	Product Name	Qty Per Litre of medium	Packing
X	DM 1336	Xylose Lysine Agar Base for isolation and identification of pathogenic enteric bacilli.	45.08 gms/litre	500 gm
Y	DM 1031	Xylose Lysine Deoxycholate Agar (XLD Agar) for selective isolation and enumeration of <i>Salmonella serotype Typhi</i> and other <i>Salmonella</i> species.	56.68 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 1031H	XLD Agar a selective medium recommended for the isolation and enumeration of <i>Salmonella</i> Typhi and other <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP	54.80 gms/litre	100 gm 500 gm 2.5 kg 5 kg
	DM 2251	YT Broth (2XYT Broth) for the cultivation of recombinant strains of <i>Escherichia coli</i> .	31.00 gms/litre	500 gm
	BA 2194	Yeast Autolysate extract from autolysing yeast cells (<i>Saccharomyces</i>) specially cultivated to obtain yeast autolysate.		500 gm
	DM 2413	Yeast and Mould Broth for isolation and cultivation of yeasts and moulds.	20.00 gms/litre	500 gm
	DM 1140	Yeast Beef Agar See Antibiotic Assay Medium No. 4	26.50 gms/litre	500 gm
	BA 2025	Yeast Extract Paste suitable for culture media		500 gm
	BA 2027	Yeast Extract Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.		500 gm 2.5 kg
	BC 2027	Yeast Extract Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.		500 gm
	BA 2668	Yeast Extract Powder Type I specially developed for routine bacteriological work.		500 gm 5 kg
	DM 1456	Yeast Extract Agar highly nutritive medium recommended for plate count of microorganisms in water.	23.00 gms/litre	100 gm 500 gm
	DM 1955	Yeast Extract Rose Bengal Broth Base for the cold enrichment for the recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from food sample.	26.30 gms/litre	500 gm
	DM 1676	Yeast Fermentation Broth Base See Bromo Cresol Purple Broth	18.04 gms/litre	500 gm
	DM 1720	Yeast Lactose Agar for cultivation of soil microorganisms such as <i>Rhizobium</i> species.	26.80 gms/litre	100 gm
	DM 1424	Yeast Malt Agar (YM Agar) See ISP Medium No. 2	41.00 gms/litre	100 gm 500 gm
	DM 1425	Yeast Malt Broth (YM Broth) for isolation and cultivation of yeasts, moulds and aciduric microorganisms.	21.00 gms/litre	100 gm 500 gm
	MS 2095	*10% Lactic Acid Solution (10 ml per vial)	△	5 vl
	DM 1715	Yeast Mannitol Agar w/1.5% Agar for cultivation, isolation & enumeration of soil microorganisms like <i>Rhizobium</i> species.	27.80 gms/litre	100 gm 500 gm

Product Code	Product Name	Qty Per Litre of medium	Packing
DM 1716	Yeast Mannitol Broth for cultivation of <i>Rhizobium</i> species.	12.80 gms/litre	500 gm
DM 1138	*Yeast Morphology Agar for classification of yeasts on the basis of their colonial characteristics & cell morphology.	34.75 gms/litre	100 gm
DM 1139	*Yeast Nitrogen Base for classification of yeasts on the basis of their ability to assimilate carbon compounds.	6.75 gms/litre	100 gm
DM 1878	*Yeast Nitrogen Base w/o Amino Acids for investigating carbon and nitrogen requirements of yeasts.	6.70 gms/litre	100 gm
DM 1151	*Yeast Nitrogen Base w/o Amino Acids and Ammonium Sulphate for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds.	1.71 gms/litre	100 gm
DM 2061	Yeast Phosphate Agar for isolation of dimorphic pathogenic fungi from clinical specimens.	21.50 gms/litre	500 gm
DM 2367	Yersinia Enrichment Broth Base for the enrichment of <i>Yersinia</i> species, in particular <i>Yersinia enterocolitica</i> from human and animal intestinal contents.	13.01 gms/litre	500 gm
DM 2221	Yersinia Identification Broth Base recommended for identification of <i>Yersinia</i> species.	10.02 gms/litre	500 gm
MS 2048	*Urea 40% (5 ml per vial)	Δ	5 vial
DM 1564	Yersinia Isolation Agar recommended for selective isolation of <i>Yersinia</i> species from foods.	79.02 gms/litre	500 gm
DM 1843	Yersinia Selective Agar Base recommended for selective isolation and enumeration of <i>Yersinia enterocolitica</i> from clinical specimens and foods samples.	58.04 gms/litre	500 gm
MS 2034	*Yersinia Selective Supplement	Δ	5 vial
DM 1384	Zobell Marine Agar 2216 See Marine Agar 2216	55.25 gms/litre	100 gm 500 gm
DM 1385	Zobell Marine Broth 2216 See Marine Broth 2216	40.25 gms/litre	100 gm 500 gm

Y
Z



★ Store below 8°C
 Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium

Product Code	Product Name	Packing	Product Code	Product Name	Packing
BC 2112	Basic Fuchsin Certified	10 gm	BA 2190	Casein Acid Hydrolysate Vitamin Free	500 gm
BA 2274	Meat Extract Paste	500 gm	BA 2014	Casein Enzyme Hydrolysate , Type-I Tryptone, used in sterility testing, diagnostic media preparations.	500 gm 2.5 kg
BA 2002	Meat Extract Powder refined for use in microbial culture media	500 gm 2.5 kg	BC 2014	Casein Enzyme Hydrolysate, Certified Tryptone, rich in tryptophan and is used by a wide variety of microorganisms, recommended in a number of media such as Sterility Testing media. Diagnostic media for biochemical characterization, etc.	500 gm
BC 2002	Meat Extract Powder , Certified for the maximum recovery and growth of a wide variety of microorganisms. It is usually incorporated in a concentration of 0.3% to 0.5% when combined with suitable peptones.	500 gm	BA 2028	Casein Enzyme Hydrolysate , Type-II equivalent to Casitone, used in Antibiotic Assay Media.	500 gm 5 kg
BA 2669	Meat Extract Powder Type 1 used in media for routine cultivation and diagnostic purposes.	500 gm 5 kg	BC 2028	Casein Enzyme Hydrolysate , Type-II, Certified is a refined product providing high quality soluble source of amino acids, polypeptides and peptides. It is a very rich source of Amino Nitrogen. Recommended for Laboratory and fermentation media, for commercial production of antibiotics, toxins and enzymes.	500 gm
BA 2008	Bile Salts for Bacteriology.	500 gm	BA 9707	Casein Enzyme Hydrolysate (MB grade) suitable for recombinant strains growth and molecular biology work	500 gm
BC 2008	Bile Salts, Certified a specially manufactured extract of bile salts, prepared from fresh ox bile, is recommended as a selectively inhibitory agent in microbiological culture media	500 gm	BA 2714	Casein Peptone enzymic, digest of casein	500 gm 2.5 kg
BA 2009	Bile Salts Mixture equivalent to Bile Salt No. 3 for use in Bacteriological culture media as selective inhibitory agent	100 gm	BA 6902	Casein Peptone Soya Meat a mixture of casein, soya and meat peptones that provides broad spectrum of peptides and amino acids that supports better microbiological growth characteristics.	500 gm
BC 2009	Bile Salts Mixture, Certified recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria	100 gm	BC 2032	Certified Heart Infusion, with Low Endotoxin a rich nutritive component used in media for propagation of cell line.	500 gm
BA 2021	Bio Peptone mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	500 gm	BC 2031	Certified Peptone, with Low Endotoxin recommended as a source of organic nitrogen and growth factor for propagation of cell line.	500 gm
BC 2021	Bio Peptone , Certified provides a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms	500 gm		Cholic Acid, Sodium Salt See Sodium Cholate	
BA 2189	Casein Acid Hydrolysate , Certified Sodium chloride less than 3%	500 gm	BC 2114	Crystal Violet , Certified	10 gm 25 gm
BA 2498	Casein Acid Hydrolysate special for Pertussis Vaccine production.	500 gm	BC 2115	Eosine Yellow , Certified Water Soluble	10 gm 25 gm
BA 2013	Casein Acid Hydrolysate , Technical used in antibiotic sensitivity test media, vaccine preparation media etc.	500 gm	BA 2019	Gelatin Crystal for Bacteriology	500 gm
BC 2013	Casein Acid Hydrolysate , Certified recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	500 gm			

Product Code	Product Name	Packing	Product Code	Product Name	Packing
BA 2020	Gelatin Peptone enzymic digestion of gelatin, used, for antibiotic assay media and various fermentation media.	500 gm 2.5 kg	BC 2003	Meat Extract , Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.	500 gm
BA 2449	L-Glutamine TC grade	10 gm	BA 2192	Meat Infusion Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	500 gm
BA 2191	Heart Infusion Powder a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity test.	500 gm	BA 2635	Meat Peptone for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	500 gm
BA 2565	Lactose Monohydrate Bacteriological grade	500 gm	BA 3049	Meat Peptone Type P peptone from meat (peptic) is obtained by proteolytic digest of meat with pepsin.	500 gm
BA 9710	Liver Extract Paste used for cultivation of fastidious anaerobic bacteria and bulk production of vaccines, steroids, enzymes etc.	500 gm	BA 3050	Meat Peptone Type T peptone from meat (peptic) is obtained by proteolytic digest of meat with trypsin.	500 gm
BA 2326	Liver Extract Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.	500 gm	BC 2116	Methylene Blue Certified	25 gm 100 gm
BA 2023	Liver Hydrolysate an ideal ingredient of culture media used for the cultivation of fastidious anaerobic bacteria.	500 gm	BA 2006	Mycological Peptone See Peptone M	500 gm
BA 8405	Liver Hydrolysate, Neutralized recommended for use in culture medium for cultivation of fastidious anaerobic bacteria.	500 gm	BC 2006	Mycological Peptone , Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	500 gm
BA 2022	Liver Infusion Powder suitable for vaccine manufacturing.	500 gm	BC 2357	Nigrosin Certified	10 gm
BA 2004	Malt Extract Powder ideally suitable for use in media for cultivation of fungi.	500 gm	BA 4565	Oat Meal Powder recommended for cultivation of fungi in microbiological culture media.	500 gm
BR 2004	Malt Extract Powder, Refined purified under controlled condition which is ideally suitable for broth media.	500 gm	BA 2656	Papaic Digest of Casein it is rich in proteases, peptides and free amino acids, recommended for bulk production of antibiotics, enzymes and biomolecule production.	500 gm
BC 2004	Malt Extract , Certified ideally suitable for use in media for cultivation of fungi.	500 gm	BA 2001	Peptone , Bacteriological contains high tryptophan content used as culture media ingredient in variety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and other products.	500 gm 1 kg 2.5 kg
BA 2569	D(+) Maltose, Monohydrate, Extra pure NCR grade, for vaccine production	100 gm 500 gm	BC 2001	Peptone , Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.	500 gm
BA 2018	D(+) Maltose, Monohydrate, for bacteriological purpose	100 gm 500 gm			
BA 2570	D-Mannitol, A.R. Sterile (γ irradiated) suitable for use in media fill trials.	5 kg 50 kg			
BA 2003	Meat Extract Powder used in general purpose and diagnostic media preparations	500 gm			

Product Code	Product Name	Packing	Product Code	Product Name	Packing
BA 2006	Peptone M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	500 gm	BA 2131	Sodium Deoxycholate as a selective inhibitory agent for	25 gm 100 gm 500 gm
BA 2015	Peptone Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	500 gm	BA 2011	Sodium Taurocholate as a selective inhibitory agent for bacteriological culture media.	500 gm
BA 2667	Peptone Type I, Bacteriological used as culture media ingredient.	500 gm 5 kg	BC 2011	Sodium Taurocholate, Certified a purified component of Ox bile (free from bile acid) is recommended as a selective agent in microbiological culture media.	500 gm
BA 9709	Peptone Type III, Bacteriological recommended for general bacteriological work including mass cultivation.	500 gm	BA 2708	Sodium Tauroglycocholate	500 gm
BA 2275	Peptonized Milk suitable for Lactobacilli, yeasts and moulds.	500 gm	BA 2007	Soya Peptone papaic digest of soyabean meal, plant peptone	500 gm 5 kg
BA 2005	Proteose Peptone a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	500 gm 5 kg	BC 2007	Soya Peptone, Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.	500 gm
BC 2005	Proteose Peptone, Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	500 gm	BA 9714	Soya Peptone Type I plant peptone is a soluble end product of the enzymic digestion of soyabean meal by papain.	500 gm 5 kg
BA 8394	Proteose Peptone A enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, recommended for cultivation of fastidious pathogens and particularly for bulk production of antibiotics, enzyme, veterinary preparations and bacterial toxins, specially diphtheria toxin.	500 gm	BA 2015	Special Peptone See Peptone Special	500 gm
BA 8392	Proteose Peptone B enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, provides superior nutrition for fastidious organisms including pyogenic cocci.	500 gm 2.5 kg	BC 2015	Special Peptone, Certified specially designed to maximize the growth of fastidious microorganisms.	500 gm
BA 2280	Protose enzymic digest of mixed proteins, recommended for fermentation and vaccine industries.	500 gm	BA 3158	Sucrose TC grade	500 gm 1 kg 5 kg
BA 4973	Sodium Bicarbonate TC grade	100 gm 500 gm	BA 2014	Tryptone Type I See Casein Enzyme Hydrolysate	500 gm 2.5 kg
BA 2154	Sodium Biselenite	100 gm	BC 2014	Tryptone, Certified See Casein Enzyme Hydrolysate, Certified	500 gm
BA 3150	Sodium Chloride TC grade	500 gm	BA 2193	Tryptone D, Type IV tryptic digest of casein, recommended for vaccine production.	500 gm
BA 2202	Sodium Cholate cholic acid, sodium salt as a selective inhibitory agent for bacteriological culture media.	25 gm 100 gm	BA 2029	Tryptone T, Type-III for tetanus toxin, culture media ingredient.	500 gm
			BA 2030	Tryptose bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	500 gm 2.5 kg
			BC 2030	Tryptose, Certified designed to promote luxuriant growth of highly fastidious microorganisms.	500 gm

Product Code	Product Name	Packing	Product Code	Product Name	Packing
BA 2194	Yeast Autolysate extract from autolysing yeast cells (<i>Saccharomyces</i>) specially cultivated to obtain yeast autolysate.	500 gm	BC 2027	Yeast Extract Powder , Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	500 gm
BA 2025	Yeast Extract Paste suitable for culture media	500 gm	BA 2668	Yeast Extract Powder Type I specially developed for routine bacteriological work.	500 gm 5 kg
BA 2027	Yeast Extract Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.	500 gm 2.5 kg			





Product Code	Product Name	Packing
PM 1217	Bi.G.G.Y. Agar Plate (Nickerson Agar Plate) For detection, selective isolation, differentiation and presumptive identification of <i>Candida albicans</i> and <i>Candida tropicalis</i> .	20 plts 50 plts
PM 1211	Brain Heart Infusion Agar Plate For cultivation of fastidious pathogenic bacteria, yeasts and moulds.	20 plts 50 plts
PM 2139	Brucella Agar Plate with Hemin & Vitamin K1 used for the isolation and cultivation of <i>Brucella</i> species.	20 plts 50 plts
PM 1792	CLED Agar w/Bromo Thymol Blue Plate For isolation and differentiation of urinary pathogens on the basis of lactose fermentation	20 plts 50 plts
PM 1024	Cetrimide Agar Plate For selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimens.	20 plts 50 plts
PM 1024H	Cetrimide Agar Plate For the selection and subculture of <i>Pseudomonas aeruginosa</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts 50 plts
PM 1103	Chocolate Agar Plate For isolation of <i>Neisseria gonorrhoeae</i> from chronic and acute cases of gonococcal infections.	20 plts 50 plts
PM 1317	EMB Agar Plate For differential isolation of gram-negative enteric bacilli from clinical and non-clinical specimens.	20 plts 50 plts
PM 1022	EMB Agar, Levine Plate For isolation, enumeration and differentiation of members of Enterobacteriaceae	20 plts 50 plts
PM 1029	Endo Agar Plate For the confirmation of the presumptive test for members of coliform group.	20 plts
PM 1015	Hoyles Media Plate with Supplement For selective isolation and differentiation of <i>Corynebacterium diphtheria</i> types.	50 plts
PM 1180	Lead Acetate Agar Plate for detection of hydrogen sulphide producing enteric bacteria.	20 plts
PM 1151	Luria Bertani Agar Plate for the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular studies; may be used for routine isolation, cultivation of not particularly fastidious microorganisms	20 plts 50 plts
PM 2108	M-Enterococcus Agar Plate for isolation & enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens.	20 plts 50 plts
PM 2123	M-(HPC) Heterotrophic Plate Count Agar Plate for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	20 plts 50 plts
PM 1081	MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl Plate For selective isolation and differentiation of coliform organisms and other enteric pathogens	20 plts 50 plts
PM 1082	MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate Plate For cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic gram-positive organisms.	20 plts 50 plts
PM 1298	MacConkey Sorbitol Agar Plate for isolation and identification of enteropathogenic <i>Escherichia coli</i> strains associated with infant diarrhoea.	20 plts 50 plts

READY PREPARED MEDIA PLATES



Product Code	Product Name	Packing
PM 1118	Mannitol Salt Agar Plate For selective isolation of pathogenic Staphylococci.	20 plts 50 plts
PM 1173	Mueller Hinton Agar Plate For determination of susceptibility of microorganisms to antimicrobial agents.	20 plts 50 plts
PM 1001	Nutrient Agar Plate A general purpose medium used for cultivation of wide variety of microorganisms	20 plts 50 plts
PM 1091	Plate Count Agar Plate For determination of plate counts of microorganisms in foods, water and waste water	20 plts 50 plts
PM 1096	Potato Dextrose Agar Plate For isolation and enumeration of yeasts and moulds from dairy and other food products.	20 plts 50 plts
PM 1120	Pseudomonas Fluorescein Agar Plate For detection of fluorescein production by Pseudomonas species.	20 plts 50 plts
PM 1119	Pseudomonas Pyocyanin Agar Plate For detection of pyocyanin production by Pseudomonas species.	50 plts
PM 1962	R-2A Agar Plate For heterotrophic plate count of treated potable water, using longer incubation period.	20 plts 50 plts
PM 2052	R-3A Agar Plate For subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples.	20 plts 50 plts
PM 1108	SS Agar (Salmonella Shigella Agar) Plate For differential and selective isolation of Salmonella and Shigella species from pathological specimens, suspected foodstuffs etc.	20 plts 50 plts
PM 2067	Sabouraud Chloramphenicol Agar Plate For selective cultivation of yeasts and moulds.	20 plts 50 plts
PM 1063H	Sabouraud Dextrose Agar Plate For the subculture of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP/IP	20 plts 50 plts
PM 1063	Sabouraud Dextrose Agar Plate For cultivation of yeasts, moulds and aciduric microorganisms.	20 plts 50 plts
PM 1290	Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) A general purpose medium used for cultivation of a wide variety of microorganisms.	20 plts 50 plts
PM 1413	Thayer Martin Agar Plate w/ VCNT For selective isolation of Gonococci from pathological specimens.	20 plts 50 plts
PM 1031H	Xylose Lysine Deoxycholate Agar Plate for the selection and subculture of salmonella in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts 50 plts
PM 1031	Xylose Lysine Deoxycholate Agar (XLD Agar) Plate for selective isolation and enumeration of Salmonella Typhi and other Salmonella species.	20 plts 50 plts

- Ready to use sterile poured plates
- Saves Preparation and sterilization time
- Wide range of media in prepared from to cover needs of microbiologists and pathologists.


Product Code	Product Name	Packing
SM 1972	Bile Esculin Agar For differential isolation and presumptive identification of Group D Streptococci in food and pharmaceutical products	5x100 ml 5x500 ml
SM 1211	Brain Heart Infusion Agar Recommended for the cultivation of fastidious pathogenic bacteria, yeasts and moulds.	5x100 ml
SM 1024H	Cetrimide Agar For the selection and subculture of <i>Pseudomonas aeruginosa</i> in accordance with harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x500 ml
SM 1728	Citrate Agar For cultivation of iron bacteria	5x500 ml
SM 1144H	Columbia Agar For the selection and subculture of <i>Clostridium sporogenes</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x500 ml
SM 1150	Corn Meal Dextrose Agar For cultivation of phytopathological fungi and other fungi.	5x500 ml
SM 1467	Hektoen Enteric Agar For differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens.	5x100 ml 5x500 ml
SM 1078	Kligler Iron Agar For differential identification of gram negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production.	5x100 ml
SM 1057	Luria Agar For routine cultivation and estimation of not particularly fastidious microorganisms.	5x500 ml
SM 1081	MacConkey Agar Recommended for selective isolation and differentiation of coliform organisms and other enteric pathogens.	5x100 ml
SM 1081H	MacConkey Agar For the selection and subculture of <i>Escherichia coli</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x500 ml
SM 1082	MacConkey Agar Recommended for cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic gram positive organisms.	5x100 ml
SM 1118H	Mannitol Salt Agar For the selection and subculture of <i>Staphylococcus aureus</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x500 ml
SM 1260	Motility Test Agar For detection of bacterial motility.	5x100 ml
SM 1173	Mueller Hinton Agar Recommended for cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms.	5x100 ml
SM 1001	Nutrient Agar Recommended as general culture medium for cultivation of less fastidious microorganisms.	5x100 ml 5x500 ml
SM 1091	Plate Count Agar Recommended for determination of plate counts of microorganisms in food, water and waste	5x100 ml 5x500 ml

READY PREPARED STERILE SOLID MEDIA

Product Code	Product Name	Packing
SM 1096	Potato Dextrose Agar Recommended for isolation and enumeration of yeasts and moulds from dairy and other food products.	5x100 ml 5x500 ml
SM 1096H	Potato Dextrose Agar For the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x500 ml
SM 1962B	R2A Agar For heterotrophic plate count of treated potable water using longer incubation periods.	5x100 ml 5x500 ml
SM 1063	Sabouraud Dextrose Agar For cultivation of yeasts, moulds and aciduric microorganisms.	5x500 ml
SM 1063H	Sabouraud Dextrose Agar For cultivation of <i>C. albicans</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x250 ml 5x500 ml
SM 1290	Soyabean Casein Digest Agar Recommended as a general purpose medium for cultivation of wide variety of microorganisms.	5x100 ml 5x500 ml
SM 1290H	Soyabean Casein Digest Agar For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x250 ml 5x500 ml
SM 1021	Triple Sugar Iron Agar For identification of gram negative enteric bacilli on the basis of dextrose lactose and sucrose fermentation and hydrogen sulphide production	5x100 ml
SM 1581H	Violet Red Bile Glucose Agar For the subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	5x100 ml 5x500 ml
SM 1049	Violet Red Bile Glucose Agar For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy food products.	5x100 ml
SM 1031H	Xylose Lysine Deoxycholate Agar For the selection and subculture of <i>Salmonella</i> species in accordance with the harmonized method of USP/EP/BP/JP/IP	5x100 ml 5x500 ml

- Ready to use sterile solid media in glass bottles.
- No sterilization required just melt and pour plates.
- Economical and saves preparation time.
- Wide range available to meet the needs of microbiologists and pathologists.
- On request other media can also be available as ready to use sterile solid media.





Product Code	Product Name	Packing
LQ 1210	Brain Heart Infusion Broth Recommended for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	5x100 ml 5x500 ml
LQ 1157	GN Broth, Hajna For the selective enrichment of gram negative organisms of the enteric group	5x100 ml
LQ 1108	Letheen Broth For determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus.	5x100 ml
LQ 1131	Letheen Broth Modified For screening cosmetic products for microbial contamination	5x100 ml 5x500 ml
LQ 1104H	#Rappaport Vassiliadis Broth For selective enrichment of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	5x100 ml
LQ 1148	Soyabean Casein Digest Medium w/BCP Soyabean Casein Digest Medium with BCP is a general-purpose medium used for the cultivation of a wide variety of microorganisms. With the addition of carbohydrates it can be also used for the fermentation studies.	10x100 ml
LQ 1158	Soyabean Casein Digest Medium with Tween 80 & Lecithin For determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	10x100 ml
LQ 1114	Terrific Broth For the cultivation of recombinant strains of Escherichia coli.	5x100 ml
READY TO USE WASH SOLUTION		
LQ 1123	Buffered Sodium Chloride Peptone Solution pH 7.0 For the preparation of test suspension in accordance with harmonized methods of USP, EP, BP & JP	10x100 ml 5x300 ml
LQ 1121	Diluting Fluid A Diluent in testing of pharmaceuticals in accordance with USP.	10x100 ml 5x300 ml 5x500 ml
LQ 1510	Diluting Fluid D Diluent in testing of pharmaceuticals in accordance with USP.	10x100 ml 5x300 ml
LQ 1122	Diluting Fluid K Diluent in testing of pharmaceuticals in accordance with USP.	10x100 ml 5x300 ml
LQ 1124	Neutralizing Fluid For neutralizing the activity of antimicrobial agents in accordance with EP & BP	10x100 ml 5x300 ml
LQ 1141	Sterile Saline 0.85% Used as a diluent.	5x90 ml
READY TO USE MEDIA FOR MICROBIAL LIMIT TEST.		
LQ 1119H	Enterobacteria Enrichment Broth Mossel For enrichment of bile organisms in accordance with the harmonized method of USP/EP/BP/JP/IP	10x100 ml
LQ 1115H	MacConkey Broth For selective enrichment of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP	10x100 ml
LQ 1130H	Reinforced Medium for Clostridia For the cultivation and enumeration of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	5x100 ml
LQ 1120H	Sabouraud Dextrose Broth For enrichment of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP/IP	10x 100 ml 5x 500 ml
<ul style="list-style-type: none"> ● Ready prepared Liquid Medium in Glass Bottles ● To meet the needs of microbiologists and pathologist ● Liquid medium available for general cultivation ● Sterility test media also available for easy detection of aerobes anaerobes and fungi ● Medium available for Microbial Limit test in accordance with harmonized methods of USP/EP/BP/JP/IP 		

READY PREPARED STERILE SOLID MEDIA



Product Code	Product Name	Packing
MS 1316	CDHCulture Transport Swab w/ CVTR Medium Recommended for transporting viral specimens at ambient temperature.	50 nos
MS 2760	CDHViral Transport Swab with 3ml viral transport medium in a 15ml centrifuge tube and 1 sterile Flocked Nylon Swabs recommended for collection and transport of viruses.	50 nos
AL 1167	CDHViral Transport Swab Medium with 3ml viral transport medium in a 15 ml centrifuge tube, recommended for collection and transport of viruses.	50x3 ml
MS 2760A	CDHViral Transport Swab kit (A) with 3ml viral transport medium 15 ml centrifuge tube with nasopharyngeal swab and throat swab (viscose), recommended for collection and transport of viruses.	50 nos
MS 2760B	CDHViral Transport Swab kit (B) with 3ml viral transport medium in 15 ml centrifuge tube with nasopharyngeal swab and polyester swab, recommended for collection and transport of viruses.	50 nos
MS 2760C	CDHViral Transport Swab Kit (C) With 3ml viral transport medium in 15 ml self standing tube with nasopharyngeal swab recommended for collection and transport of viruses.	50 nos
MS 2760D	CDHViral Transport Swab Kit (D) with 3ml viral transport medium in 15 ml centrifuge tube and throat swab (viscose). recommended for collection and transport of viruses.	50 nos
MS 1760E	CDHViral Transport Swab Kit (E) with 3ml viral transport medium in 15 ml centrifuge tube with nasopharyngeal swab and polyester swab (scored), recommended for collection and transport of viruses.	50 nos
MS 1760F	CDHViral Transport Swab Kit (F) with 3ml viral transport medium in 15 ml self standing tube with polyester swab (scored) recommended for collection and transport of viruses.	25 nos 50 nos
MS 1760G	CDHViral Transport Swab Kit (G) with 3ml viral transport medium in 15 ml self standing tube with sterile foam tipped swab (scored), recommended for collection and transport of viruses.	25 nos 50 nos

	MS1760	A	B	C	D	E	F	G
Centrifuge Tube W/3 ml Medium	✓	✓	✓	-	✓	✓	-	-
Self Standing Tube W/3 ml Medium	-	-	-	✓	-	-	✓	✓
Nasopharyngeal Swab	✓	✓	✓	✓	-	✓	-	-
Throat swab (viscose)	-	✓	-	-	✓	-	-	-
Polyester swab	-	-	✓	-	-	-	-	-
Polyester swab (scored)	-	-	-	-	-	✓	✓	-
Sterile foam tipped swab (scored)	-	-	-	-	-	-	-	✓


- System Contains combination of medium and swab
- Maximizes sample yield
- Maximizes recovery
- Compatible with cell culture and molecular based assays.
- PW2172 has a molded breakpoint which allows swab to be broken into the tube

Product Code	Product Name	Packing	Product Code	Product Name	Packing
Simple Stains for Bacteria					
814920	Carbol Fuchsin (ZN, Dilute)	125 ml 500 ml	839200	Gentian Violet Alcoholic Solution	125 ml
829620	Eosin, 2% w/v	125 ml	863430	Malachite Green, 1% w/v	100 ml
			865650	Methylene Blue (Aqueous)	125 ml
Stains for Bacteria and Bovine Cells in Milk					
868820	Newman's Stain	100 ml			
Stains for Blood Films for Spirochaets, Protozoa and other purposes					
839300	Giemsa's Stain Solution	125 ml 250 ml	863460	Malarial Parasite-Kit (contains 834430 and 834440)	kit
844050	Haematoxylin (Delafield's)	125 ml	834430	Field's Stain A Solution	125 ml
860370	Leishman's Stain (Powder Separate)	250 ml	834440	Field's Stain B Solution	125 ml
903010	Wright's Staining Solution	125 ml 250 ml	863970	May Grunwald's Eosin-Methylene	125 ml 500 ml
Stains for Capsule Staining					
814810	Capsule Stains-Kit (contains 035028 and 024892)	kit	865650	Methylene Blue (Aqueous)	125 ml
			869200	Nigrosin Stain, 10% Soln. For Negative Staining	125 ml
Other Stains					
810600	Borax Carmine (Grenacher's) Alcoholic Stain	125 ml	874420	Papanicolaous Solution 1a	125 ml
810620	Borax Carmine (Grenacher's) Aqueous Stain	125 ml			
Stains for Acid Fast Staining					
909810	ZN Acid Fast Stains-Kit (contains 025950, 035007, 035027)	kit	814900	Carbol Fuchsin (ZN, Strong)	125 ml
801790	Acid fast Decolourizer	125 ml	865630	Methylene Blue (Löffler's)	125 ml 500 ml
Stains for Mycobacteria Staining					
834730	Fluorescent Stains -Kit for mycobacteria (Contains 024684, 025964, 024693)	kit	801740	Acid Alcohol	125 ml 500 ml
024684	Phenolic Auramine	125 ml	878880	Potassium Permanganate 1.0 N	500 ml
Stains for Fungi					
859260	Lactophenol Cotton Blue	500 ml	875920	Picric Acid (Saturated, Aqueous)	100 ml 500 ml
859300	Lactophenol Picric Acid Soln.	100 ml 500 ml			
Stains for Gram Staining					
840050	Gram's Colour Staining- Kit (Contains 025350, 025354, 035015, 025343, 025351)	kit	840200	Gram's Iodine Solution	125 ml
840090	Gram's Crystal Violet	125 ml	887100	Safranin Staining Solution	125 ml
840120	Gram's Decolourizer	500 ml	835600	Fuchsin Basic 0.1% w/v (Gram's Counterstain)	125 ml
Staining of Intestinal Protozoa					
861390	Lugol's Solution	125 ml			

Product Code	Product Name	Packing	Product Code	Product Name	Packing
Stains for Metachromatic Staining					
865630	Methylene Blue (Loffler's)	125 ml 500 ml	868500	Neisser's Metachromatic Stains-Kit (contains 035015, 024874, and 035154)	kit
802390	Albert's Metachromatic Stains- Kit (contains 025976 and 025977)	kit	840200	Gram's Iodine Solution	125 ml
802370	Albert's Stain A	125 ml	868520	Neisser's Stain A Soln. (Methylene Blue)	125 ml
802380	Albert's Stain B	125 ml	868790	Neutral Red pH indicator Solution	125 ml
Stains for Negative Staining					
869200	Nigrosin Stain, 10% w/v	125 ml			
Stains for Spore Staining					
887390	Schaeffer & Fulton's Spore Stains-Kit (contains 024374 and 024370)	kit	887330	Schaeffer & Fulton's Spore Stain A	100 ml
			887360	Schaeffer & Fulton's Spore Stain B	100 ml
Stains for Malignant Cells					
874430	Papanicolaous Soln. 2b Orange (II) Soutlion	125 ml	874440	Papanicolaous Soln. 3b-Polychromatic EA 50 Soln.	450/125 ml
Readymade Indicators (in liquid form)					
806250	Andrade's Indicator	125 ml	875180	Phenolphthalein Indicator Solution 1% w/v	125 ml
811740	Bromo Cresol Green Indicator Solution	125 ml	875200	Phenol Red Indicator Solution 0.02%	125 ml
811780	Bromo Cresol Purple Indicator Solution	125 ml	897440	Thymol Blue Indicator Solution	125 ml
812000	Bromo Phenol Blue Indicator Solution	125 ml	897490	Thymolphthaleine Indicator Solution	125 ml
865850	Methyl Orange Indicator Solution	125 ml	901000	Universal Indicator Solution pH 4-11	125 ml 500 ml
866040	Methyl Red Indicator Solution	125 ml			
868790	Neutral Red pH Indicator Solution	125 ml			
Readymade Analytical Reagents					
808100	Barium Chloride 10% Solution	500 ml	868740	Nessler's Reagent (For detection of Ammonia and Ammonium salt)	100 ml
808700	Barritt Reagent A	100 ml	868760	Nessler's Reagent (for serum urea nitrogen)	100 ml
808710	Barritt Reagent B	100 ml	897900	O-Tolidine Reagent (For chlorine estimation)	500 ml
808810	Benedict's Reagent Qualitative	500 ml 5 lit	877100	Potassium Chromate Solution 5%	125 ml
808820	Benedict's Reagent Quantitative	500 ml	878640	Potassium oxalate, 5% Solution	125 ml
819960	C.S.F. Diluting Fluid	125 ml	840000	R.B.C. Diluting Fluid (Gower's)	500 ml
829100	E.D.T.A 5% w/v Solution	125 ml	883010	R.B.C. Diluting Fluid (Hayem's)	500 ml
829520	Ehrlics's Reagent	125 ml	891410	Sodium Citrate Solution 3.8%	500 ml
802860	Folin & Wu's Alkaline Copper Solution	500 ml	894490	Sulphanilic Acid Solution 0.8%	100 ml
835100	Folin & Wu's Phosphate, Molybdate Solution	500 ml	894610	5-Sulphosalicylic Acid 3% Solution	125 ml
835500	Fouchet's Reagent	125 ml	898140	Topfer Reagent	125 ml
854500	Kovac's Indole Reagent	100 ml	030467	o-Toluidine (for blood glucose estimation)	500 ml
871200	O'Meara Reagent	100 ml	902550	W.B.C. Diluting Fluid (Truck's)	125 ml 500 ml
868420	a-Naphthylamine Solution	100 ml			

Product Code	Product Name	Symbol	Strength	Product Code	Product Name	Symbol	Strength
AD 1035	Amikacin	Ak	30 mcg	AD 1015	Furazolidone	FR	100 mcg
AD 1001	Amoxicillin	AMX	10 mcg	AD 1016	Gentamicin	GEN	10 mcg
AD 1002	Ampicillin	AMP	10 mcg	AD 1170	Gentamicin	GEN	30 mcg
AD 1077	Ampicillin	AMP	25 mcg	AD 1017	Kanamycin	K	30 mcg
AD 1003	Bacitracin	B	10 units	AD 1018	Lincomycin	L	2 mcg
AD 1157	Cefaclor	CF	30 mcg	AD 1206	Lomefloxacin	LOM	10 mcg
AD 1047	Cefazolin	CZ	30 mcg	AD 1019	Methicillin	MET	5 mcg
AD 1072	Cefoperazone	CPZ	75 mcg	AD 1021	Nalidixic Acid	NA	30 mcg
AD 1062	Ceftazidime	CAZ	30 mcg	AD 1022	Neomycin	N	30 mcg
AD 1110	Ceftizoxime	CZX	30 mcg	AD 1046	Netillin (Netilmicin Sulphate)	NET	30 mcg
AD 1065	Ceftriaxone	CTR	30 mcg	AD 1023	Nitrofurantoin	NIT	300 mcg
AD 1061	Cefuroxime	CXM	30 mcg	AD 1057	Norfloxacin	NX	10 mcg
AD 1116	Cefadroxil	CFR	30 mcg	AD 1053	Novobiocin	NV	30mcg
AD 1048	Cefalexin	CN	30 mcg	AD 1069	Ofloxacin	OF	2mcg
AD 1050	Cephalothin	CEP	30 mcg	AD 1043	Oxacillin	OX	5 mcg
AD 1040	Cefotaxime	CTX	30 mcg	AD 1070	Pefloxacin	PF	5 mcg
AD 1006	Chloramphenicol	C	30 mcg	AD 1028	Penicillin-G	P	10 units
AD 1060	Ciprofloxacin	CIP	5 mcg	AD 1066	Piperacillin	PI	100 mcg
AD 1051	Clindamycin	CD	2 mcg	AD 1096	Rifampicin	RIF	2 mcg
AD 1008	Cloxacillin	COX	1 mcg	AD 1126	Roxithromycin	RO	30 mcg
AD 1009	Colistin (Methane Sulphonate)	CL	10 mcg	AD 1031	Streptomycin	S	10 mcg
AD 1071	Co-Trimazine (Human)	CM	25 mcg	AD 1037	Tetracycline	TE	30 mcg
AD 1010	Co-Trimoxazole	COT	25 mcg	AD 1044	Tobramycin	TOB	10 mcg
AD 1012	Doxycycline Hydrochloride	DO	30 mcg	AD 1039	Trimethoprim	TR	5 mcg
AD 1013	Erythromycin	E	15 mcg	AD 1045	Vancomycin	VA	30 mcg

Product Code	Product Name	Symbol	Strength	Product Code	Product Name	Symbol	Strength
DD 0001	For Gram Positive Bacteria			DD 0100	For Urinary Tract Isolates		
	Ampicillin/Sulbactam	A	20 mcg		Ampicillin/Sulbactam	A	20 mcg
	Co-Trimoxazole	Co	25 mcg		Co-Trimoxazole	Co	25 mcg
	Cephalexin	Cp	30 mcg		Ceftizoxime	Ck	30 mcg
	Tetracycline	T	30 mcg		Chloramphenicol	C	30 mcg
	Cefotaxime	Ce	30 mcg		Cephalexin	Cp	30 mcg
	Ciprofloxacin	Cf	5 mcg		Tetracycline	T	30 mcg
	Pefloxacin	Pf	10 mcg		Ciprofloxacin	Cf	5 mcg
	Ofloxacin	Of	1 mcg		Nitrofurantoin	Nf	300 mcg
	Roxythromycin	Rf	15 mcg		Nalidixic Acid	NA	30 mcg
	Lincomycin	L	2 mcg		Pefloxacin	Pf	10 mcg
	Gentamicin	G	10 mcg		Norfloxacin	Nx	10 mcg
Cloxacillin	Cx	1 mcg	Ofloxacin	Of	5 mcg		
DD 0050	For Gram Negative Bacteria						
	Ampicillin/Sulbactam	A	20 mcg				
	Co-Trimoxazole	Co	25 mcg				
	Cefotaxime	Ce	30 mcg				
	Piperacillin	Pc	100 mcg				
	Chloramphenicol	C	30 mcg				
	Ciprofloxacin	Cf	5 mcg				
	Ceftizoxime	Ck	30 mcg				
	Tetracycline	T	30 mcg				
	Ofloxacin	Of	5 mcg				
	Gentamicin	G	10 mcg				
	Amikacin	Ak	30 mcg				
Pefloxacin	Pf	10 mcg					



general instructions to the users

The Dehydrated Media are highly hygroscopic and get deteriorated easily unless stored in a cool & dry place away from bright light.

So care must be taken in the storage of dehydrated media.

Following instructions should be followed while using dehydrated culture media.

1. Read carefully the instruction given on the label.
2. Note the batch no. and date before opening the container.
3. Before use confirm that the media is not deteriorated physically.
4. Since the media is hygroscopic in nature, please ensure that the container is tightly closed and stored in cool and dry place after use.

DISSOLVING THE MEDIA : For dissolution use clean undamaged glassware two-three times larger in volume than the final volume of media to be prepared. Water which meets the U.S.P./I.P specifications should only be used.

Place accurately weighed amount of the medium in a clean dry flask. Add part of water and swirl until dissolved then add the remaining water through the sides of the flask to make up the required volume. For complete dissolution heat the media taking care to avoid overheating or scorching.

ADJUSTMENT OF pH : After preparations the pH of the media should be in concordance with value mentioned on the label at 25°C. If required, the pH should be adjusted to the specified value by adding 1N or 0.1N HCl or NaOH solution.

STERILIZATION : Sterilization of the media is usually carried out at 121 °C for 15 minutes using an autoclave. Autoclave efficiency should be checked from time to time.

POURING OF STERILIZED MEDIA : After sterilization Agar media should be poured into petri dishes at 45-50°C. The medium should be mixed well avoiding bubble formation. Agar surface should be dried at 30-40°C in the incubator before inoculation to avoid microbial swarming.

STORAGE OF PREPARED MEDIA : Unless the medium is not used in the same day it is prepared, then it should be kept in moisture proof containers.

Agar containing media should not be stored at higher temperatures. Agar plates should be stored at 2-8°C in sealed moisture proof containers. Stability of the prepared culture media is limited and varies considerably. Never store media below 0°C as it destroys its gel strength.

DISPOSAL OF MEDIA : All specimens and cultures should be carefully handled and must not be disposed without autoclaving. Cultures in vessels should be autoclaved for approximately 30 minutes at 121 °C before disposal.

STORAGE OF MICROGEN CULTURE MEDIA PRODUCTS : For obtaining desired results  culture media products should be stored in specified storing conditions. It is recommended to use the products in the order of Batch number/Mfg. date.

Storage temperature and shelf-life of the  culture media products are as follows.

- (a) **Dehydrated media :** Dehydrated media if stored under specified conditions will have shelf-life of 2 to 5 years. Storage temperature for dehydrated media are preferably between 8 and 25°C.
- (b) **Selective supplements :** Except Horse serum (-20°C) all other supplements are required to store at 2 - 8°C. These products have a shelf-life of 1 - 3 years.
- (c) **Antimicrobial susceptibility discs :** These are to be stored at -20°C but working stock at 28°C Shelf-life is from 1 to 3 years.

certain precautions while using dehydrated media

Faults	Reasons
Drift in pH hydrolysis of	Overheating, incomplete mixing, prolonged sterilization, use of alkaline glass, impure water, ingredients, prolonged storage at high temperature.
Incomplete Solubility	Inadequate heating of agar media incomplete mixing.
Darkening	Overheating of the medium, excess amount of dehydrated powder, improper mixing.
Soft Gel	Agar not in solution, improper reconstitution of dehydrated medium, acid hydrolysis of agar, failure to compensate for dilution of agar by the inoculum.
Loss of Growth differentiating properties	Promoting of repeated remelting, excessive heating, incomplete mixing, failure to compensate for dilution of ingredients, disturbance in the formula by inoculum carriers, etc.
Abnormal Colour of Medium	Deteriorated, dehydrated medium, improperly washed glassware, impure water.
Contamination	Improper/Insufficient sterilization. Poor technique in adding enrichments and pouring plates.

BULK PACKS



*We offer a wide range of chemicals
in attractive containers*

Available Packs

Solids : 25 Kg. & 50 Kg.

Liquids : 25 lit., 100 lit. & 200 lit.

- Fast Deliveries
- Safe & Convenient to handle
- Consistent & High quality as per international standards
- And all these at affordable prices.

Certificate of Analysis is available on request





Central Drug House (P) Ltd.

AN ISO 9001:2008 CERTIFIED COMPANY

Corporate Office: 7/28, Vardaan House, Ansari Road, Daryaganj
New Delhi-110 002 (India)

Phone : +91-11-49404040 (100 Lines) Fax : 49404050

E-mail : sales@cdhfinechemical.com - (Domestic)
export@cdhfinechemical.com - (Overseas)

Website : www.cdhfinechemical.com

Works : Plot No. D-2/CH/9, Dahej-2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch-392130 (Gujarat)