

**SILVER CHROMATE**  
**CAS No 7784-01-2**

**MATERIAL SAFETY DATA SHEET**  
**SDS/MSDS**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifiers**

Product name : Silver Chromate

CAS-No. : 7784-01-2

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Industrial & for professional use only.

**1.3 Details of the supplier of the safety data sheet**

Company : Central Drug House (P) Ltd  
7/28 Vardaan House  
New Delhi -110002  
INDIA

Telephone : +91 11 49404040

Email : [care@cdhfinechemical.com](mailto:care@cdhfinechemical.com)

**1.4 Emergency telephone number**

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Oxidizing solids (Category 2), H272  
Skin sensitisation (Category 1), H317  
Carcinogenicity, Inhalation (Category 1B), H350i  
Acute aquatic toxicity (Category 1), H400  
Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 Label elements**

**Labelling according Regulation (EC) No 1272/2008**

Pictogram



Signal word

Danger

Hazard statement(s)

H272 : May intensify fire; oxidizer.  
H317 : May cause an allergic skin reaction.  
H350i : May cause cancer by inhalation.  
H410 : Very toxic to aquatic life with long lasting effects

Precautionary statement(s)	
P201	Obtain special instructions before use.
P220	Keep/Store away from clothing/ combustible materials.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	:	Ag <sub>2</sub> CrO <sub>4</sub>
Molecular weight	:	331.73 g/mol
CAS-No.	:	7784-01-2
EC-No.	:	232-043-8
Index-No.	:	024-017-00-8

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Silver chromate</b>			
CAS-No.	7784-01-2	Ox. Sol. 2; Skin Sens. 1; Carc.	<= 100 %
EC-No.	232-043-8	1B; Aquatic Acute 1; Aquatic	
Index-No.	024-017-00-8	Chronic 1; H272, H317, H350i, H400, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### **5.2 Special hazards arising from the substance or mixture**

Silver/silver oxides, Chromium oxides

### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

### **5.4 Further information**

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Light sensitive. hygroscopic

Storage class (TRGS 510): Oxidizing hazardous materials

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Personal protective equipment**

##### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: powder<br>Colour: grey   |
| b) Odour  | No data available  |
| c) Odour Threshold                              | No data available  |
| d) pH   | No data available  |
| e) Melting point/freezing point                 | No data available  |
| f) Initial boiling point and boiling range      | No data available  |
| g) Flash point                                  | Not applicable   |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | No data available  |
| j) Upper/lower flammability or explosive limits | No data available  |
| k) Vapour pressure                              | No data available  |
| l) Vapour density                               | No data available  |
| m) Relative density                             | 5.625 g/cm <sup>3</sup> at 25 °C   |
| n) Water solubility                             | No data available  |
| o) Partition coefficient: n-octanol/water       | No data available  |
| p) Auto-ignition temperature                    | No data available  |
| q) Decomposition temperature                    | No data available  |
| r) Viscosity                                    | No data available  |
| s) Explosive properties                         | No data available  |
| t) Oxidizing properties                         | The substance or mixture is classified as oxidizing with the category 2. |

### **9.2 Other safety information**

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong reducing agents, Alcohols, Strong acids

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Silver/silver oxides, Chromium oxides

Other decomposition products - No data available

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

No data available Silver chromate

#### Skin corrosion/irritation

No data available (Silver chromate)

#### Serious eye damage/eye irritation

No data available (Silver chromate)

#### Respiratory or skin sensitisation

No data available (Silver chromate)

#### Germ cell mutagenicity

No data available (Silver chromate)

#### Carcinogenicity

Possible human carcinogen (Silver chromate)

(Silver chromate)

IARC: 1 - Group 1: Carcinogenic to humans (Silver chromate)

#### Reproductive toxicity

No data available (Silver chromate)

#### Specific target organ toxicity - single exposure

No data available (Silver chromate)

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available (Silver chromate)

#### Additional Information

RTECS: Not available

May cause argyria (a slate-gray or bluish discoloration of the skin and de silver). (Silver chromate)

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available(Silver chromate)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1479

IMDG: 1479

IATA: 1479

### 14.2 UN proper shipping name

ADR/RID: OXIDIZING SOLID, N.O.S. (Silver chromate)

IMDG: OXIDIZING SOLID, N.O.S. (Silver chromate)

IATA: Oxidizing solid, n.o.s. (Silver chromate)

### 14.3 Transport hazard class(es)

ADR/RID: 5.1

IMDG: 5.1

IATA: 5.1

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

H272

May intensify fire; oxidizer.

H317

May cause an allergic skin reaction.

H350i

May cause cancer by inhalation.

H400

Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.cdhfinechemical.com](http://www.cdhfinechemical.com) for additional terms and conditions of sale.