

PROPIONALDEHYDE CAS NO 123-38-6

MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	Propionaldehyde	
	CAS-No.	123-38-6	
1.2	Relevant identified uses of the substance or mixture and uses advised against		nst
	Identified uses	Laboratory chemicals, Industrial & for profession	nal use only.
1.3	Details of the supplier of the safety data sheet		
	Company	Central Drug House (P) Ltd 7/28 Vardaan House New Delhi -110002 INDIA	
	Telephone Email	+91 11 49404040 care@cdhfinechemical.com	
1.4	Emergency telephone number		
	Emergency Phone #	91 11 49404040 (9:00am - 6:00 pm) [Office hou	rs]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram



Signal word Hazard statement(s) H225

Highly flammable liquid and vapour.

H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Precautionary statement(s)	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P210	Avoid breathing vapours.
P261	Wear protective gloves/ eye protection/ face protection.
P280	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P305 + P351 + P338	contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard	none

2.3 Other hazards

Statements

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Stench.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	Propanal Aldehyde C-3
Formula	:	С ₃ Н ₆ О
Molecular weight	:	58.08 g/mol
CAS-No.	:	123-38-6
EC-No.	:	204-623-0
Index-No.	:	605-018-00-8

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component			Classification	Concentration
Propanl				
	CAS-No.	123-38-6	Flam. Liq. 2; Acute Tox. 4;	<= 100 %
	EC-No.	204-623-0	Skin Irrit. 2; Eye Irrit. 1; STOT	
	Index-No.	605-018-00-8	SE 3; H225, H302, H332,	

H315, H318, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C

Handle and open container with care. Handle and store under inert gas. Air and moisture sensitive. Storage class (TRGS 510): Flammable Liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: colourless
b)	Odour	Stench.
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -81 °C - lit.
f)	Initial boiling point and boiling range	46 - 50 °C - lit.
g)	Flash point	-40 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
,		
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 16.1 %(V) Lower explosion limit: 2.6 %(V)
j) k)	Upper/lower flammability or	
	Upper/lower flammability or explosive limits	Lower explosion limit: 2.6 %(V)
k)	Upper/lower flammability or explosive limits Vapour pressure	Lower explosion limit: 2.6 %(V) 343 mbar at 20 °C
k) I)	Upper/lower flammability or explosive limits Vapour pressure Vapour density	Lower explosion limit: 2.6 %(V) 343 mbar at 20 °C 2.01 - (Air = 1.0)
k) l) m)	Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density	Lower explosion limit: 2.6 %(V) 343 mbar at 20 °C 2.01 - (Air = 1.0) 0.805 g/cm3 at 25 °C

- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties No data available

9.2 Other safety information

Surface tension 23.4 mN/m at 20 °C

Relative vapour density 2.01 - (Air = 1.0)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2** Chemical stability Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials Oxidizing agents, Strong bases, Strong reducing agents

Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1,690 mg/kg(Propanal) (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - > 4.6 mg/l(Propanal) (OECD Test Guideline 403) LD50 Dermal - Rabbit - 2,460 mg/kg(Propanal) Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Dyspnea.

Skin corrosion/irritation

Irritating to skin.(Propanal)

Serious eye damage/eye irritation

Eyes - Rabbit(Propanal) Result: Risk of serious damage to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation

No data available(Propanal)

Germ cell mutagenicity

in vitro assay(Propanal) Other cell types Result: positive DNA damage Ames test(Propanal) Result: Not mutagenic in Ames Test Mutagenicity (micronucleus test)(Propanal) Mouse Result: In vivo tests did not show any chromosomal changes. **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Propanal)

Specific target organ toxicity - single exposure May cause respiratory irritation.(Propanal)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available(Propanal)

Additional Information

RTECS: UE0350000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea(Propanal)

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 14 mg/l - 96 h(Propanal)

12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable

Ratio BOD/ThBOD 95 %(Propanal)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available(Propanal)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life.

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1	UN numbe ADR/RID: 7	-	IMDG: 1275	IATA: 1275
14.2	UN proper ADR/RID: IMDG: IATA:	shipping name PROPIONALDEHYDE PROPIONALDEHYDE Propionaldehyde		
14.3	Transport ADR/RID: 3	hazard class(es) 3	IMDG: 3	IATA: 3
14.4	Packaging ADR/RID: I		IMDG: II	IATA: II
14.5	Environme ADR/RID: r	ental hazards no	IMDG Marine pollutant: no	IATA: no
14.6	Special pr No data av	ecautions for user ailable		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225 H302 H302 + H332	Highly flammable liquid and vapour. Harmful if swallowed. Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.