



## n-BUTANOL GC-HS CAS No 71-36-3

# MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : n-Butanol GC-HS

CAS-No. : 71-36-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd

7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002

**INDIA** 

Telephone : +91 11 49404040

Email : <u>care@cdhfinechemical.com</u>

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear eye protection/face protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P403 + P235 Store in a well-ventilated place. Keep cool.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Butyl alcohol

n-Butanol

Formula : (CH<sub>3</sub>).(CH<sub>2</sub>)<sub>3</sub>OH Molecular weight : 74.12 g/mol CAS-No. : 71-36-3 EC-No. : 200-751-6 Index-No. : 603-004-00-6

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

n-Butanol

CAS-No. 71-36-3 Flam. Liq. 3; Acute Tox. 4; <= 100 %

EC-No. 200-751-6 Skin Irrit. 2; Eye Dam. 1; Index-No. 603-004-00-6 STOT SE 3; H226, H302, H315, H318, H336, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Flash back possible over considerable distance.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas. hygroscopic Storage class (TRGS 510): Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear Colour: colourless
b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

e) Melting point/freezing Melting point/range: -90 °C

point

f) Initial boiling point and 116 - 118 °C

boiling range

g) Flash point 35 °C - closed cup
h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 11.2 %(V) flammability or Lower explosion limit: 1.4 %(V)

explosive limits

k) Vapour pressure 4 mmHg at 20 °Cl) Vapour density 2.56 - (Air = 1.0)

m) Relative density 0.809-0.810 g/mL at 25 °C

n) Water solubility soluble

o) Partition coefficient: n- No data available

octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

## 9.2 Other safety information

Relative vapour density 2.56 - (Air = 1.0)

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Exposure to moisture

Heat, flames and sparks.

## 10.5 Incompatible materials

Oxidizing agents, Alkali metals, Bases, Strong acids, Halogens

#### 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 790 mg/kg(n-Butanol)

Remarks: Liver:Fatty liver degeneration. Kidney, Ureter, Bladder:Other changes. Blood:Other changes.

LC50 Inhalation - Rat - 4 h - 8000 ppm(n-Butanol)

LD50 Dermal - Rabbit - 3,400 mg/kg(n-Butanol)

#### Skin corrosion/irritation

Skin - Rabbit(n-Butanol) Result: Skin irritation - 24 h

## Serious eye damage/eye irritation

Eyes - Rabbit(n-Butanol)

Result: Blindness

(OECD Test Guideline 405)

## Respiratory or skin sensitisation

No data available(n-Butanol)

#### Germ cell mutagenicity

No data available(n-Butanol)

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

## Reproductive toxicity

No data available(n-Butanol)

## Specific target organ toxicity - single exposure

May cause respiratory irritation.(n-Butanol)
May cause drowsiness or dizziness.(n-Butanol)

## Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available(n-Butanol)

#### **Additional Information**

RTECS: EO1400000

drying, cracking of the skin, Skin irritation(n-Butanol)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(n-Butanol)

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1,840 mg/l - 96 h(n-Butanol)

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 1,983 mg/l - 48 h(n-Butanol)

other aquatic invertebrates

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 24 h

- 921 mg/l(n-Butanol)

Bioconcentration factor (BCF): 0.38

## 12.4 Mobility in soil

No data available(n-Butanol)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1120 IMDG: 1120 IATA: 1120

14.2 UN proper shipping name

ADR/RID: BUTANOLS IMDG: BUTANOLS IATA: Butanols

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

#### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May

cause drowsiness or dizziness.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.