

# BENZYL TRIMETHYL AMMONIUM HYDROXIDE 40% SOLN. IN METHANOL

# MATERIAL SAFETY DATA SHEET SDS/MSDS

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Benzyl Trimethyl ammonium Hydroxide 40% Soln. in Methanol
	Product code	:	809300
1.2	2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Industrial & for professional use only.
1.3	.3 Details of the supplier of the safety data sheet		safety data sheet
	Company	:	Central Drug House (P) Ltd 7/28 Vardaan House New Delhi -110002 INDIA
	Telephone Email	:	+91 11 49404040 care@cdhfinechemical.com

### 1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Specific target organ toxicity - single exposure (Category 1), H370

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal word

Hazard statement(s) H225 H301 + H311 + H331 H314 H370



Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled Causes severe skin burns and eye damage. Causes damage to organs.

Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
Supplemental Hazard Statements	none

### 2.3 Other hazards - none

### **SECTION 3: Composition/information on ingredients**

### 3.1 Mixtures

Hazardous ingredien Component	ts according to Regulatio	n (EC) No 1272/2008 Classification	Concentration
Methanol			
CAS-No. EC-No. Index-No.	67-56-1 200-659-6 603-001-00-X	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301, H331, H311, H370 Concentration limits: >= 10 %: STOT SE 1, H370;	>= 50 - <= 100 %
Benzyltrimethylamm	onium hydroxide	3 - < 10 %: STOT SE 2, H37	1;
CAS-No. EC-No.	100-85-6 202-895-5	Skin Corr. 1B; H314	>= 25 - < 50 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 **Further information** 

Use water spray to cool unopened containers.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

#### 6.2 **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 **Reference to other sections**

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### Precautions for safe handling 7.1

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Hygroscopic.

Storage class (TRGS 510): Flammable Liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### 8.2 **Exposure controls**

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: cloudy, liquid Colour: light yellow
	b)	Odour	No data available
	c)	Odour Threshold	No data available
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -98 °C
	f)	Initial boiling point and boiling range	65 °C at 1013 hPa
	g)	Flash point	11 °C - closed cup
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 36.5 %(V) Lower explosion limit: 5.5 %(V)
	k)	Vapour pressure	No data available
	I)	Vapour density	No data available
	m)	Relative density	0.920 g/cm3
	n)	Water solubility	No data available
	0)	Partition coefficient: n- octanol/water	log Pow: -0.7
	p)	Auto-ignition temperature	455 °C
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	No data available
9.2		<b>er safety information</b> data available	

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid Heat, flames and sparks. Extremes of temperature and direct sunlight.
- **10.5** Incompatible materials Acids, Oxidizing agents, Alkali metals, Acid chlorides, Acid anhydrides, Reducing agents
- Hazardous decomposition products
   Hazardous decomposition products formed under fire conditions. Carbon oxides, Nitrogen oxides (NOx)
   Other decomposition products No data available
   In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

Acute toxicity No data available

Skin corrosion/irritation No data available

Serious eye damage/eye irritation

No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity** 

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

### **Additional Information**

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

### **SECTION 12: Ecological information**

12.1 Toxicity No data available

12.2 Persistence and degradability No data available

12.3	Bioaccumulative potential No data available			
12.4	Mobility in soil No data available			
12.5	Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted			
12.6	Other adverse effects No data available			
SECT	ION 13: Dis	posal considerations		
13.1	Waste trea	tment methods		
	<b>Product</b> Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.			
	Contaminated packaging Dispose of as unused product.			
SECT	ION 14: Tra	nsport information		
14.1	UN numbe ADR/RID: 3	•	IMDG: 3286	IATA: 3286
14.2			TOXIC, CORROSIVE, N.O.S. (Benzyltrimethylammonium hydroxide,	
	IMDG:	Methanol) FLAMMABLE LIQUID, Methanol)	, TOXIC, CORROSIVE, N.O.S. (Ben	zyltrimethylammonium hydroxide,
	IATA:	•	c, corrosive, n.o.s. (Benzyltrimethyla	mmonium hydroxide, Methanol)
14.3	Transport ADR/RID: 3	hazard class(es) 3 (6.1, 8)	IMDG: 3 (6.1, 8)	IATA: 3 (6.1, 8)
14.4	Packaging group ADR/RID: II		IMDG: II	ΙΑΤΑ: ΙΙ
14.5	Environmental hazards ADR/RID: no		IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user No data available			
SECT	SECTION 15: Regulatory information			
15.1				
15.2	This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. <b>Chemical safety assessment</b> For this product a chemical safety assessment was not carried out			
SECTION 16: Other information				
	Full text of $H_{\rm s}$ Statements referred to under sections 2 and 3			

## Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301 + H311 +	Toxic if swallowed, in contact with skin or if inhaled
H331	
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H371	May cause damage to organs.

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.