

Name of the Product Park and Sanders Selective Supplement I

Code No. MS 2104

Section 1 : Chemical Identification

Code No. : MS 2104

Name of the Product : Park and Sanders Selective Supplement I

Produced by : Central Drug House Pvt. Ltd.

Address : 7/28 Vardaan House, Darya Ganj, New Delhi (INDIA)

Tel. No. : 00 91 11 49404040

Section 2 Hazards Identification

2.1 Classification of the substance or mixture

CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]

Sensitisation, Skin, (Category 1), H317

2.2 Label elements

Labeling according to Regulation (EC) No.1272/2008



Pictograph

Signal word Warning Hazard Statement(s)

H317 : May cause an allergic skin reaction

Precautionary Statement(s)

 ${\tt P280} \qquad : \quad {\tt Wear protective gloves/protective clothing/eye protection}.$

P302+P352: IF ON SKIN: wash with plenty of soap and water.

P333+P313: IF SKIN irritation or rash occurs: Get medical advice/attention.

2.3 Other Hazards

None

Section 3 Composition/Information On Ingredients

3.2 Mixture

Component	Classification	Concentration		
Vancomycin hydrochloride				
CAS No.: 1404-93-9	As Per EC Regulation 1272/2008 Skin Sens. 1 H317	>=45 - <=55%		

Refer Section 16 for complete statement of H codes and its classification

Section 4 First - Aid Measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult aphysician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact



		Rinse immediately with plenty of water for at least 15 minutes. Consult a physician. If swallowed		
		Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult aphysician.		
	4.2	Most important symptoms and effects, both acute and delayed No data available.		
	4.3	Indication of immediate medical attention and special treatment needed No data available		
Section 5	Fire Fightin	g Measures		
	5.1	Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable extinguishing media		
	5.2	No data available. Special hazards arising from the substance or mixture Nature of decomposition products not known.		
	5.3 5.4	Precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary Further information		
Section 6	Accidental	No data available Release Measures		
	6.1	Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.		
	6.2	Evacuate personnel to safe areas. Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.		
	6.3	Methods and materials for containment and cleaning up Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.		
	6.4	Reference to other sections For disposal see Section 13.		
Section 7	Handling and Storage			
	7.1	Precautions for safe handling Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.		
	7.2	Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.		
	7.3	Recommended Storage Temperature: On receipt store between 2-8°C Specific end uses Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.		
Section 8	Exposure Controls / Personal Protection			
	8.1	Control parameters Components with workplace control parameters		
		Exposure controls Appropriate engineering controls		
		Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products. Personal protective equipment		



working with the product. Eye/face protection Tightly fitting saftey goggles; Faceshield under appropriate government standar Skin protection Handle with gloves. Gloves must be insiglove's outer surface) to avoid skin conwith applicable laws and good laborate satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 demonstration Complete suit protecting against chemic concentration and amount of the dange Respiratory protection Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection	pected prior to use. Use proper glove removal technique (without touching act with this product. Dispose contaminated gloves after use in accordance by practices. Wash and dry hands. The selected protective gloves have to			
working with the product. Eye/face protection Tightly fitting saftey goggles; Faceshield under appropriate government standar Skin protection Handle with gloves. Gloves must be insiglove's outer surface) to avoid skin comwith applicable laws and good laborato satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 de Body protection Complete suit protecting against chemic concentration and amount of the dange Respiratory protection Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate Environment exposure controls	(8-inch minimum). Use equipment for eye protection tested and approved ds such as NIOSH (US) or EN 166 (EU). Dected prior to use. Use proper glove removal technique (without touching act with this product. Dispose contaminated gloves after use in accordance ry practices. Wash and dry hands. The selected protective gloves have to erived from it. Cals. The type of protective equipment must be selected according to the erous substance at the specific workplace. In grespirators are appropriate use a full-face respirator with multi-purpose 187) respirator cartridges as a backup to engineering controls. If the 201, use a full-face supplied air respirator. Use respirators and components			
Eye/face protection Tightly fitting saftey goggles; Faceshield under appropriate government standar Skin protection Handle with gloves. Gloves must be insiglove's outer surface) to avoid skin conwith applicable laws and good laborato satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 de Body protection Complete suit protecting against chemic concentration and amount of the dange Respiratory protection Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate Environment exposure controls	des such as NIOSH (US) or EN 166 (EU). Deceted prior to use. Use proper glove removal technique (without touching act with this product. Dispose contaminated gloves after use in accordance by practices. Wash and dry hands. The selected protective gloves have to derived from it. December 1. Cals. The type of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the err			
Tightly fitting saftey goggles; Faceshield under appropriate government standar <i>Skin protection</i> Handle with gloves. Gloves must be ins glove's outer surface) to avoid skin conwith applicable laws and good laborato satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 demonstration and amount of the dangen <i>Respiratory protection</i> Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate <i>Environment exposure controls</i>	des such as NIOSH (US) or EN 166 (EU). Deceted prior to use. Use proper glove removal technique (without touching act with this product. Dispose contaminated gloves after use in accordance by practices. Wash and dry hands. The selected protective gloves have to derived from it. December 1. Cals. The type of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the err			
under appropriate government standar <i>Skin protection</i> Handle with gloves. Gloves must be ins glove's outer surface) to avoid skin conwith applicable laws and good laborato satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 de <i>Body protection</i> Complete suit protecting against chemic concentration and amount of the dange <i>Respiratory protection</i> Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate <i>Environment exposure controls</i>	des such as NIOSH (US) or EN 166 (EU). Deceted prior to use. Use proper glove removal technique (without touching act with this product. Dispose contaminated gloves after use in accordance by practices. Wash and dry hands. The selected protective gloves have to derived from it. December 1. Cals. The type of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the errous substance at the specific workplace. Description of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the error of protective equipment must be selected according to the err			
Handle with gloves. Gloves must be insiglove's outer surface) to avoid skin conwith applicable laws and good laborato satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 de Body protection Complete suit protecting against chemic concentration and amount of the dange Respiratory protection Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate Environment exposure controls	act with this product. Dispose contaminated gloves after use in accordance by practices. Wash and dry hands. The selected protective gloves have to derived from it. Cals. The type of protective equipment must be selected according to the errous substance at the specific workplace. In respirators are appropriate use a full-face respirator with multi-purpose graph respirator cartridges as a backup to engineering controls. If the land, use a full-face supplied air respirator. Use respirators and components			
Body protection Complete suit protecting against chemic concentration and amount of the dange Respiratory protection Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate Environment exposure controls	cals. The type of protective equipment must be selected according to the crous substance at the specific workplace. ing respirators are appropriate use a full-face respirator with multi-purpose 87) respirator cartridges as a backup to engineering controls. If the on, use a full-face supplied air respirator. Use respirators and components			
Complete suit protecting against chemiconcentration and amount of the dange <i>Respiratory protection</i> Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate <i>Environment exposure controls</i>	ing respirators are appropriate use a full-face respirator with multi-purpose 87) respirator cartridges as a backup to engineering controls. If the on, use a full-face supplied air respirator. Use respirators and components			
concentration and amount of the dange Respiratory protection Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate Environment exposure controls	ing respirators are appropriate use a full-face respirator with multi-purpose 87) respirator cartridges as a backup to engineering controls. If the on, use a full-face supplied air respirator. Use respirators and components			
Where risk assessment shows air-purify combination (US) or type ABEK (EN 143 respirator is the sole means of protection tested and approved under appropriate Environment exposure controls	87) respirator cartridges as a backup to engineering controls. If the on, use a full-face supplied air respirator. Use respirators and components			
Environment exposure controls	government standards such as MOSH (OS) of CEN (EO).			
·				
Do not empty into arains.				
Physical and Chemical Properties				
.1 Information on basic physical and chem	ical properties			
Appearance	White Homogeneous Powder			
Odour	No data available			
Odour Threshold	No data available			
pH	No data available			
Melting/freezing point	No data available			
Initial boiling point and boiling range	No data available			
Flash point	No data available			
Flammability (Solid, gas)	No data available			
Vapour pressure	No data available			
Relative density	No data available			
Water Solubility	No data available			
Partition coefficient: n-octanol/water	No data available			
Autoignition Temperature	No data available			
Viscosity	No data available			
,				
Explosive properties	No data available			
Oxidizing properties	No data available			
Vapour density Thermal decomposition	No data available No data available			
9.2 Other safety information No data available	Stability and Reactivity			
No data available				
No data available				
No data available ility and Reactivity D.1 Reactivity				
No data available ility and Reactivity D.1 Reactivity No data available				
No data available ility and Reactivity D.1 Reactivity				



	10.3	Possibility of hazardous reactions
		No data available
	10.4	Conditions to avoid
		No data available
	10.5	Incompatible materials
		No data available
	10.6	Hazardous decomposition products
		Other Decomposition products not known.
Section 11	Toxicolo	gical Information
	11.1	Information on toxicological effects
		Acute toxicity
		No data available
		Skin corrosion/irritation
		Mixture may cause skin irritation.
		Serious eye damage/eye irritation
		Mixture may cause eye irritation.
		Respiratory or skin sensitisation
		Mixture may cause skin
		sensitisation.
		Germ cell mutagenicity
		No data available
		Carcinogenicity
		IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,
		possible or confirmed human carcinogen by IARC.
		Reproductive toxicity
		No data available
		Specific target organ toxicity- single exposure
		No data available
		Specific target organ toxicity - repeated exposure
		No data available
		Aspiration hazard
		No data available
		Potential Health Effects Inhalations
		REFER SECTION 2
		Skin
		REFER SECTION 2
		Eyes
		REFER SECTION 2
		Ingestion
		REFER SECTION 2
		Additional Information
		RTECS: Not available
	11.2	Components
		Vancomycin Hydrochloride
		Acute Oral Toxicity Rat LD50: 10,000 mg/kg Mouse LD50:5,000 mg/kg
		Acute Intraperitoneal ToxicityRat LD50:2218 mg/kg Mouse LD50:1734 mg/kg
		Acute Intravenous ToxicityRat LD50: 319 mg / kg
		Acute Subcutaneous Toxicity Mouse LD50: >5000mg/kg
		Adiitional information:
		Aditional information.
		RTECS: YW4380000



Ecological Information			
12.1 Toxicity			
No data available			
12.2 Persistence and degradability			
No data available			
12.3 Bioaccumulative potential			
No data available			
12.4 Mobility in soil			
No data available			
12.5 PBT and vPvB assessment			
PBT/vPvB assessment was not conducted as chemical safety assessment is not required.			
12.6 Other adverse effects			
No data available			
Disposal Considerations			
13.1 Waste treatments methods			
Product			
Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced			
professional waste disposal service to dispose off this material.			
13.2 Contaminated packaging			
Dispose of as unused product.			
Transport Information			
14.1 UN-No			
ADNR: ADR: IATA_C: IATA_P: IMDG: RID:			
14.2 UN proper shipping name			
ADNR : Not dangerous goods			
ADR : Not dangerous goods			
IATA_C : Not dangerous goods			
IATA_P : Not dangerous goods			
IMDG : Not dangerous goods			
RID : Not dangerous goods 14.3 Transport hazard class (es)			
14.3 Transport hazard class (es) ADNR: ADR: IATA_C: IATA_P: IMDG: RID:			
ABINI. ABIN. MAYE. MARE.			
14.4 Packaging group			
ADNR: ADR: IATA_C: IATA_P: IMDG: RID:			
14.5 Environmental hazards			
ADNR: No ADR: No IMDG: Marine pollutant No IATA_C: No IATA_P: No RID: No			
14.6 Special precautions for use			
No data available			
Regulatory Information			
This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. 15.1 Safety health and environment regulations/legislation specific for the substance or mixture			
15.1 Safety health and environment regulations/legislation specific for the substance or mixture No data available			
15.2 Chemical Safety Assessment			
No data available			
Other Information			
Text of H codes and classification mentioned in section 3			
H317 : May cause an allergic skin reaction			



Further Information

The information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. The information is offered solely for user's obligation to investigate and determine the suitability of the information for their particular purpose.