

cdhfinechemical.com

# n-NONANE CAS NO 111-84-2

# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers Product name : n-Nonane

CAS-No. : 111-84-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

## **1.3** Details of the supplier of the safety data sheet

Company	:	Central Drug House (P) Ltd 7/28 Vardaan House New Delhi -110002 INDIA
Telephone Email	:	+91 11 49404040 care@cdhfinechemical.com

### 1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 3), H226 Skin irritation (Category 2), H315 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Hazard statement(s) H226 H304



Flammable liquid and vapour. May be fatal if swallowed and enters airways.

H315 H336 H410	Causes skin irritation. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s) P210	Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
P273	Avoid release to the environment.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P331	Do NOT induce vomiting.
P391	Collect spillage.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms	:	n-Nonane
Formula Molecular weight CAS-No.	:	C <sub>9</sub> H <sub>20</sub> 128.26 g/mol 111-84-2
EC-No.	:	203-913-4

#### Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification

oomponom		Clabolineation	Concontration
<b>n-Nonane</b> CAS-No. EC-No.	111-84-2 203-913-4	Flam. Liq. 3; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H315, H336, H304, H400, H410	<= 100 %
		M-Factor - Aquatic Acute: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Concentration

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## **Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

## 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **6.3** Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Moisture sensitive. Storage class (TRGS 510): Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: clear and colourless
b)	Odour	No data available
C)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -53 °C - lit.
f)	Initial boiling point and boiling range	151 °C - lit.
g)	Flash point	31.0 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 2.9 %(V) Lower explosion limit: 0.87 %(V)
k)	Vapour pressure	4.27 mmHg at 25 °C
I)	Vapour density	No data available
m)	Relative density	0.718 g/cm3 at 25 °C
n)	Water solubility	0.0002 g/l at 25 $^\circ\text{C}$ - slightly soluble
o)	Partition coefficient: n- octanol/water	log Pow: 5.65
p)	Auto-ignition temperature	205.0 °C
q)	Decomposition temperature	No data available

- r) Viscosity 1.008 mm2/s at 20 °C -
- s) Explosive properties No data available
- t) Oxidizing properties No data available

# 9.2 Other safety information

Surface tension 22.38 mN/m at 25 °C

## SECTION 10: Stability and reactivity

# 10.1 Reactivity

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Strong oxidizing agents

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

## Acute toxicity

No data availableNonane LC50 Inhalation - Rat - male - 4 h - 23,760 mg/m3(Nonane) (OECD Test Guideline 403)

## Skin corrosion/irritation

Skin - Rat(Nonane) Result: Skin irritation (Draize Test)

# Serious eye damage/eye irritation

No data available(Nonane)

# Respiratory or skin sensitisation

No data available(Nonane)

## Germ cell mutagenicity

Ames test(Nonane) S. typhimurium Result: negative

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### **Reproductive toxicity**

No data available(Nonane)

Specific target organ toxicity - single exposure No data available(Nonane)

Specific target organ toxicity - repeated exposure No data available

## Aspiration hazard

No data available(Nonane)

### **Additional Information**

Repeated dose toxicity - Rat - female - Oral - No observed adverse effect level - 100 mg/kg(Nonane) RTECS: RA6115000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Nonane)

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

static test EC50 - Daphnia magna (Water flea) - 0.2 mg/l - 48 h(Nonane) Toxicity to daphnia and other aquatic invertebrates

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available
- 12.4 Mobility in soil No data available(Nonane)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

14.1	UN number ADR/RID: 1920	IMDG: 1920	IATA: 1920
14.2	UN proper shipping name ADR/RID: NONANES IMDG: NONANES IATA: Nonanes		
14.3	<b>Transport hazard class(es)</b> ADR/RID: 3	IMDG: 3	IATA: 3
14.4	Packaging group ADR/RID: III	IMDG: III	IATA: III
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: yes	IATA: no
14.6	Special precautions for user No data available		

## **SECTION 15: Regulatory information**

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
- **15.2 Chemical safety assessment** For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.