

**1-DECANOL  
CAS NO 112-30-1**

**MATERIAL SAFETY DATA SHEET  
SDS/MSDS**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifiers**

Product name : 1-Decanol

CAS-No. : 112-30-1

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Industrial & for professional use only.

**1.3 Details of the supplier of the safety data sheet**

Company : Central Drug House (P) Ltd  
7/28 Vardaan House  
New Delhi -110002  
INDIA

Telephone : +91 11 49404040

Email : [care@cdhfinechemical.com](mailto:care@cdhfinechemical.com)

**1.4 Emergency telephone number**

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Eye irritation (Category 2), H319

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 Label elements**

**Labelling according Regulation (EC) No 1272/2008**

Pictogram



Signal word

Warning

Hazard statement(s)

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P273

Avoid release to the environment.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

none

Statements

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : n-Decyl alcohol  
Alcohol C10

Formula : C<sub>10</sub>H<sub>22</sub>O  
Molecular weight : 158.28 g/mol  
CAS-No. : 112-30-1  
EC-No. : 203-956-9

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
<b>Decane-1-ol</b>			
CAS-No.	112-30-1	Eye Irrit. 2; Aquatic Chronic 3;	<= 100 %
EC-No.	203-956-9	H319, H412	

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Combustible liquids not in Storage Class 3

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Personal protective equipment**

##### **Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

##### **Body Protection**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: clear, liquid Colour: colourless
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 5 - 7 °C - lit.
f) Initial boiling point and boiling range	231 °C - lit.
g) Flash point	82 °C - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	5.46 - (Air = 1.0)
m) Relative density	0.829 g/cm <sup>3</sup> at 25 °C
n) Water solubility	0.0211 g/l at 20 °C - OECD Test Guideline 105 - slightly soluble
o) Partition coefficient: n-octanol/water	log Pow: 4.5 at 25 °C
p) Auto-ignition temperature	ca.254 °C at 1015.0 hPaAuto-flammability
q) Decomposition temperature	No data available
r) Viscosity	15.81 mm <sup>2</sup> /s at 20 °C - 8.47 mm <sup>2</sup> /s at 40 °C -
s) Explosive properties	No data available
t) Oxidizing properties	No data available

### 9.2 Other safety information

Surface tension	35.8 mN/m at 22.5 °C
Relative vapour density	5.46 - (Air = 1.0)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Strong oxidizing agents, Acid chlorides, Acid anhydrides  
Strong oxidizing agents, Acid chlorides, Acid anhydrides

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides  
Other decomposition products - No data available  
In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 4,720 mg/kg(Decan-1-ol)

Remarks: Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Dyspnea.

LC50 Inhalation - Rat - 4 h - > 2.05 mg/l(Decan-1-ol)

LC50 Inhalation - Rat - 1 h - > 71 mg/l(Decan-1-ol)

LD50 Dermal - Rabbit - > 2,000 - 4,000 mg/kg(Decan-1-ol)  
(OECD Test Guideline 402)

LD50 Dermal - Rat - > 5,000 mg/kg(Decan-1-ol)

#### Skin corrosion/irritation

Skin - Rabbit(Decan-1-ol)

Result: Mild skin irritation

(OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit(Decan-1-ol)

Result: Moderate eye irritation - 24 h

#### Respiratory or skin sensitisation

Buehler Test - Guinea pig(Decan-1-ol)

Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

No data available(Decan-1-ol)

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available(Decan-1-ol)

#### Specific target organ toxicity - single exposure

No data available(Decan-1-ol)

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available(Decan-1-ol)

#### Additional Information

RTECS: HE4375000

Prolonged or repeated exposure may cause:, Drowsiness, Effects due to ingestion may include:, Diarrhoea, Difficulty in breathing, Aspiration or inhalation may cause chemical pneumonitis. (Decan-1-ol)

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates NOEC - Daphnia magna (Water flea) - 0.11 mg/l - 21 d(Decan-1-ol)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 30 d(Decan-1-ol)  
Result: 88 % - Readily biodegradable  
(OECD Test Guideline 301D)

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available(Decan-1-ol)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: - IMDG: - IATA: -

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods  
IMDG: Not dangerous goods  
IATA: Not dangerous goods

### 14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

### 14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.cdhfinechemical.com](http://www.cdhfinechemical.com) for additional terms and conditions of sale.