

cdhfinechemical.com

# **TETRAMETHYL AMMONIUM** HYDROXIDE PENTAHYDRATE EXTRA PURE CAS No. 10424-65-4

# MATERIAL SAFETY DATA SHEET SDS/MSDS

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Tetramethyl Ammonium Hydroxide Pentahydrate Extra Pure
	CAS-No.	:	10424-65-4
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised agai		e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Industrial & for professional use only.
1.3	Details of the supplier of the safety data sheet		
	Company	:	Central Drug House (P) Ltd 7/28 Vardaan House New Delhi -110002 INDIA
	Telephone Email	:	+91 11 49404040 : <u>care@cdhfinechemical.com</u>
1.4	Emergency telephone num	nbe	r

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

#### SECTION 2: Hazards identification Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 2), H300 Acute toxicity, Dermal (Category 1), H310 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 1), Central nervous system, H370 Specific target organ toxicity - repeated exposure, Dermal (Category 1), Liver, thymus, H372

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

2 Label elements			
Labelling according Regulation (EC) No 1272/2008			
Pictogram			
	$\vee$ $\vee$ $\vee$ $\vee$		
Signal word	Danger		
Hazard statement(s) H300 + H310 H314 H370 H372	Fatal if swallowed or in contact with skin. Causes severe skin burns and eye damage. Causes damage to organs (Central nervous system). Causes damage to organs (Liver, thymus) through prolonged or repeated exposure in contact with skin.		
H411	Toxic to aquatic life with long lasting effects.		
Precautionary statement(s) P260 P273 P280 P303 + P361 + P353	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated		
1303 11301 11333	clothing. Rinse skin with water.		
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Supplemental Hazard Statements	none		
<b>Reduced Labeling (&lt;= 1</b> 2 Pictogram	25 ml)		
Signal word	Danger		
Hazard statement(s) H370 H372 H314	Causes damage to organs. Causes damage to organs through prolonged or repeated exposure in contact with skin. Causes severe skin burns and eye damage.		
H300 + H310	Fatal if swallowed or in contact with skin.		
Precautionary statement(s) P260 P280	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		

Page 2 of 11

Supplemental Hazard none Statements

### 3.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula	:	C4H13NO·5H2O
Molecular weight	:	181,23 g/mol
CAS-No.	:	10424-65-4
EC-No.	:	200-882-9

Component		Classification	Concentration
Tetramethylammonium hydroxide pentahydrate			
CAS-No. EC-No.	10424-65-4 200-882-9	Acute Tox. 2; Acute Tox. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 1; STOT RE 1; Aquatic Chronic 2; H300, H310, H314, H318, H370, H372, H411 Concentration limits: >= 25 %: Acute Tox. 1, H310; 6,25 - < 25 %: Acute Tox. 2, H310; 1,25 - < 6,25 %: Acute Tox. 3, H311; 0,625 - 1,25 %: Acute Tox. 4, H312;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# **4.1 Description of first-aid measures**

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

**Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **6.2 Environmental precautions**

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **6.4 Reference to other sections**

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. Air sensitive. hygroscopic

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

# Ingredients with workplace control parameters

# 8.2 Exposure controls

# Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

Wear Suitable protective clothing

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

Page 5 of 11

# SECTION 9: Physical and chemical properties Information on basic physical and chemical properties

a)	Appearance	Form: solid
b)	Odor	ammoniacal
c)	Odor Threshold	No data available
d)	рН	14 at ca.1.000 g/l at 20 °C
e)	Melting point/freezing point	Melting point/range: 67 - 70 °C - lit.
f)	Initial boiling point and boiling range	Not applicable
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	No data available
	Relative density	No data available
n)	Water solubility	2.200 g/l at 15 °C
o)	Partition coefficient: n-octanol/water	log Pow: < -1,4 at 20 °C - Bioaccumulation is not expected.
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

# 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature).

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid**

Air Avoid moisture. no information available

**10.5 Incompatible materials** 

No data available

**10.6 Hazardous decomposition products** 

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

LD50 Oral - Rat - female - 7,5 - 50 mg/kg (OECD Test Guideline 423) Remarks: (anhydrous substance) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract., Symptoms may be delayed. LD50 Dermal - Rat - male and female - 12,5 mg/kg (Expert judgment) Symptoms: Causes severe systemic effects after dermal exposure which could lead to death.

#### Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h (OECD Test Guideline 404) Remarks: (anhydrous substance)

#### Serious eye damage/eye irritation

Causes serious eye damage.

# Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (anhydrous substance) Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: (anhydrous substance) Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** Causes damage to organs. - Central nervous system

# Specific target organ toxicity - repeated exposure

Skin contact - Causes damage to organs through prolonged or repeated exposure. - Liver, thymus

#### Aspiration hazard

No data available

#### **11.2 Additional Information**

Repeated dose toxicity - Rat - female - Oral - 28 d - NOAEL (No observed adverse effect level) - 10 mg/kg

Cough, Shortness of breath, Headache, Nausea, Vomiting To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Systemic effects:

Nausea Vomiting Shortness of breath Unconsciousness respiratory arrest death

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

# SECTION 12: Ecological information

12.1 Toxicity		
Toxicity to fish	flow-through test LC50 - Pimephales promelas (fathead minnow) - 462 mg/l - 96 h (OECD Test Guideline 203) Remarks: The value is given in analogy to the following substances: tetramethylammonium chloride	
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 3 mg/l - 48 h (OECD Test Guideline 202) Remarks: (anhydrous substance)	
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 96,3 mg/l - 72 h (OECD Test Guideline 201) Remarks: (anhydrous substance)	
	static test NOEC - Pseudokirchneriella subcapitata (green algae) - 6,25 mg/l - 72 h (OECD Test Guideline 201) Remarks: (anhydrous substance)	
Toxicity to bacteria	static test EC50 - activated sludge - > 503 mg/l - 3 h (OECD Test Guideline 209)	
<b>12.2 Persistence and d</b> Biodegradability	legradability aerobic - Exposure time 28 d Result: 100 % - Readily biodegradable. (OECD Test Guideline 301B) Remarks: (anhydrous substance)	
Biochemical Oxygen Demand (BOD)	0,08 mg/g	
12.3 Bioaccumulative potential No data available		
12.4 Mobility in soil No data available		
<b>12.5 Results of PBT an</b>	d vPvB assessment	

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

Additional ecological Discharge into the environment must be avoided. information

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14:** Transport information

<b>14.1 UN number</b> ADR/RID: 3423	IMDG: 3423	IATA: 3423
IMDG: TETRAMETHYL	<b>ame</b> AMMONIUM HYDROXIDE, SOLID AMMONIUM HYDROXIDE, SOLID nmonium hydroxide, solid	
14.3 Transport hazard clas ADR/RID: 8	ss(es) IMDG: 8	IATA: 8
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5 Environmental hazaro ADR/RID: no	ds IMDG Marine pollutant: no	IATA: no
14.6 Special precautions for user No data available		

#### **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### National legislation

Seveso III: Directive 2012/18/EU of the European : ACUTE TOXIC Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS

Page 10 of 11

# Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H300 H300 + H310 H310 H311 H312 H314 H318 H370	Fatal if swallowed. Fatal if swallowed or in contact with skin. Fatal in contact with skin. Toxic in contact with skin. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. Causes damage to organs.
H372	Causes damage to organs (/\$/*_ORG_REP_DERM/\$/) through prolonged or repeated exposure in contact with skin.
H411	Toxic to aquatic life with long lasting effects.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.