Aluminium Chloride Anhydrous **CAS No 7446-70-0**	**MATERIAL SAFETY DATA SHEET** **SDS/MSDS**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : **Aluminium Chloride** Anhydrous

CAS-No. : 7446-70-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd
DGL 128-129, DLF The Galleria,
Mayur Vihar Phase 1 Extension,
New Delhi-110091
INDIA

Telephone : +91 11 49404040
Email : care@cdhfinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008
Skin corrosion (Category 1B), H314
Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372
Specific target organ toxicity - repeated exposure, Oral (Category 2), Central nervous system, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008
Pictogram



Signal word	Danger
Hazard statement(s)	
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs (Central nervous system) through

prolonged or repeated exposure if swallowed.

Precautionary statement(s)	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Reacts violently with water.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula	:	AICI3
Molecular weight	:	133.34 g/mol
CAS-No.	:	7446-70-0
EC-No.	:	231-208-1
Index-No.	:	013-003-00-7

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Aluminium chloride anhydrous			
CAS-No.	7446-70-0	Skin Corr. 1B; STOT RE 1; STOT RE 2; H314, H372, H373	<= 100 %
EC-No.	231-208-1		
Index-No.	013-003-00-7		

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice
Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact
Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed
Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture
Hydrogen chloride gas, Aluminum oxide

5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information
No data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
For personal protection see section 8.

6.2 Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up
Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections
For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Avoid contact with skin and eyes. Avoid formation of dust and aerosols.
Provide appropriate exhaust ventilation at places where dust is formed.
For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities
Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. Vent periodically. Handle and open container with care.
Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)
Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection
Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection
Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection
Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection
Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure
Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: light yellow
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	pH	2.4 at 100 g/l at 20 °C
e)	Melting point/freezing point	Melting point/range: 190 °C - lit.
f)	Initial boiling point and boiling range	187.7 °C at 1003 hPa
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	1.00 mmHg at 100 °C < 1.00 mmHg at 20 °C
l)	Vapour density	No data available
m)	Relative density	2.4400 g/cm3
n)	Water solubility	soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

9.2 Other safety information

Bulk density	1,200 kg/m3

SECTION 10: Stability and reactivity

10.1 Reactivity
No data available

10.2 Chemical stability
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions
No data available

10.4 Conditions to avoid
Avoid moisture.

10.5 Incompatible materials
Strong oxidizing agents, Alcohols, Mixtures of nitrobenzene and aluminum chloride are thermally unstable and may lead to explosive decomposition due to a multi-step decomposition reaction occurring above 90 degrees C, which self-accelerates with high exothermicity producing azo- and azoxypolymers.

10.6 Hazardous decomposition products
Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Aluminum oxide
Other decomposition products - No data available
In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity
LD50 Oral - Rat - 3,450 mg/kg(Aluminium chloride anhydrous)

Skin corrosion/irritation

Serious eye damage/eye irritation
Eyes - Human(Aluminium chloride anhydrous)
Result: Severe eye irritation

Respiratory or skin sensitisation
- Guinea pig(Aluminium chloride anhydrous)

Result: Did not cause sensitisation on laboratory animals.
(Maximisation Test)

Germ cell mutagenicity

No data available(Aluminium chloride anhydrous)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity
Laboratory experiments have shown teratogenic effects.(Aluminium chloride anhydrous)

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.(Aluminium chloride anhydrous)

Specific target organ toxicity - single exposure
No data available(Aluminium chloride anhydrous)

Specific target organ toxicity - repeated exposure
Oral - The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2. - Central nervous system
Inhalation - The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - Lungs

Aspiration hazard
No data available(Aluminium chloride anhydrous)

Additional Information
RTECS: BD0525000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, prolonged or repeated exposure can cause:, Damage to the lungs.(Aluminium chloride anhydrous)

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Salmo gairdneri - 36.6 mg/l - 96 h(Aluminium chloride anhydrous)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 27.3 mg/l - 48 h(Aluminium chloride anhydrous) (EG 84/449)
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 0.57 mg/l - 96 h(Aluminium chloride anhydrous)

12.2 Persistence and degradability
The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential
No data available

12.4 Mobility in soil
No data available(Aluminium chloride anhydrous)

12.5 Results of PBT and vPvB assessment
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects
Harmful to aquatic life.

No data available

Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product
Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging
Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number
ADR/RID: 1726 IMDG: 1726 IATA: 1726

14.2 UN proper shipping name
ADR/RID: ALUMINIUM CHLORIDE, ANHYDROUS
IMDG: ALUMINIUM CHLORIDE, ANHYDROUS
IATA: Aluminium chloride, anhydrous

14.3 Transport hazard class(es)
ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II | IMDG: II | IATA: II

14.5 Environmental hazards

ADR/RID: no | IMDG Marine pollutant: no | IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.