



Name of the Product Code No. Section 1 : Chemical Identification Code No. : PT 1018 Name of the Product : Murashige & Skoog Medium Produced by : Central Drug House Pvt. Ltd. Address : 7/28 Vardaan House, Darya Ganj, New Delhi (INDIA) Tel. No. : 00 91 11 49404040	Murashige & Skoog Medium PT 1018																																		
Section 2	Hazards Identification																																		
2.1	Classification of the substance or mixture CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP] Oxidising solids, (Category 3), H272 Acute toxicity, Oral, (Category 4), H302 Skin corrosion or irritation, (Category 2), H315 Serious eye damage or eye irritation, (Category 2A), H319 Specific target organ toxicity, single exposure, Respiratory tract irritation, (Category 3), H335 Hazardous to the aquatic environment, long term hazard, (Category 2), H411 For the full text of the H-Statements mentioned in this Section, See Section 16																																		
2.2	Label elements Labeling according to Regulation (EC) No.1272/2008 <div style="text-align: center;">   </div> <p style="text-align: center;">GHS07 GHS03</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;">Pictogram</td> <td></td> </tr> <tr> <td>Signal word</td> <td>Warning</td> </tr> <tr> <td>Hazard Statement(s)</td> <td></td> </tr> <tr> <td>H272</td> <td>May intensify fire; oxidizer</td> </tr> <tr> <td>H302</td> <td>Harmful if swallowed</td> </tr> <tr> <td>H315</td> <td>Causes skin irritation</td> </tr> <tr> <td>H319</td> <td>Causes serious eye irritation</td> </tr> <tr> <td>H335</td> <td>May cause respiratory irritation</td> </tr> <tr> <td>H411</td> <td>Toxic to aquatic life with long lasting effects</td> </tr> <tr> <td>Precautionary Statement(s)</td> <td></td> </tr> <tr> <td>P210</td> <td>Keep away from heat/sparks/open flames/hot surfaces. — No smoking.</td> </tr> <tr> <td>P273</td> <td>Avoid release to the environment.</td> </tr> <tr> <td>P280</td> <td>Wear protective gloves/protective clothing/eye protection/face protection.</td> </tr> <tr> <td>P301+P330+P331+P310</td> <td>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.</td> </tr> <tr> <td>P305+P351+P338</td> <td>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</td> </tr> <tr> <td>P370 + P378</td> <td>In case of fire: Use suitable extinguishing media for extinction.</td> </tr> <tr> <td>P391</td> <td>Collect spillage. Hazardous to the aquatic environment</td> </tr> </table>	Pictogram		Signal word	Warning	Hazard Statement(s)		H272	May intensify fire; oxidizer	H302	Harmful if swallowed	H315	Causes skin irritation	H319	Causes serious eye irritation	H335	May cause respiratory irritation	H411	Toxic to aquatic life with long lasting effects	Precautionary Statement(s)		P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.	P273	Avoid release to the environment.	P280	Wear protective gloves/protective clothing/eye protection/face protection.	P301+P330+P331+P310	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P370 + P378	In case of fire: Use suitable extinguishing media for extinction.	P391	Collect spillage. Hazardous to the aquatic environment
Pictogram																																			
Signal word	Warning																																		
Hazard Statement(s)																																			
H272	May intensify fire; oxidizer																																		
H302	Harmful if swallowed																																		
H315	Causes skin irritation																																		
H319	Causes serious eye irritation																																		
H335	May cause respiratory irritation																																		
H411	Toxic to aquatic life with long lasting effects																																		
Precautionary Statement(s)																																			
P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.																																		
P273	Avoid release to the environment.																																		
P280	Wear protective gloves/protective clothing/eye protection/face protection.																																		
P301+P330+P331+P310	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.																																		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.																																		
P370 + P378	In case of fire: Use suitable extinguishing media for extinction.																																		
P391	Collect spillage. Hazardous to the aquatic environment																																		
2.3	Other Hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.																																		
Section 3	Composition/Information On Ingredients																																		



3.1 Mixture

Component	Classification	Concentration
Potassium nitrate		
CAS No. : 7757-79-1 EC No. : 231-818-8	As Per EC Regulation 1272/2008 Ox. Sol. 3 H272	>=40 - <=50%

Component	Classification	Concentration
Ammonium nitrate		
CAS No. : 6484-52-2 EC No. : 229-347-8	As Per EC Regulation 1272/2008 Ox. Sol. 3; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3 H272; H315; H319; H335	>=30 - <=50%

Component	Classification	Concentration
Manganese sulphate		
CAS No. : 10034-96-5 EC No. : 232-089-9 Index No.: 025-003-00-4	As Per EC Regulation 1272/2008 STOT RE 2; Aquatic Chronic 2 H373; H411	>=0.3 - <=0.5%

Component	Classification	Concentration
Boric acid		
CAS No. : 10043-35-3 EC No. : 233-139-2 Index- No.: 005-007-00-2	As Per EC Regulation 1272/2008 Repr.Tox. 1A, 1B H360	>=0.1 - <=0.2%

Component	Classification	Concentration
Potassium iodide		
CAS No. : 7681-11-0 EC No. : 231-659-4	As Per EC Regulation 1272/2008 Acute Tox.oral 4; Skin Irrit. 2; Eye Irrit. 2A H302; H315; H319	>=0.01 - <=0.03%

Component	Classification	Concentration
Zinc sulphate, heptahydrate		
CAS No. : 7446-20-0 EC No. : 231-793-3 Index-No.: 030-006-00-9	As Per EC Regulation 1272/2008 Acute Tox.oral 4; Eye Dam. 1; Aquatic Chronic 1 H302; H318; H410	>=0.1 - <=0.3%

Component	Classification	Concentration
Copper sulphate		
CAS No. : 7758-98-7 EC No. : 231-847-6	As Per EC Regulation 1272/2008 Acute Tox.oral 4; Skin Irrit. 2; Eye Irrit. 2A; Aquatic Chronic 1 H302; H315;	>=0.0001 - <=0.001%



			H319; H410 As Per EC Directive 67/548/EEC or 1999/45/EC Xn; Xi; N R22; R36/38; R50/53														
		<table border="1"><thead><tr><th>Component</th><th>Classification</th><th>Concentration</th></tr></thead><tbody><tr><td colspan="3">Iron (II) sulphate,7H2O</td></tr><tr><td>CAS No. : 7782-63-0</td><td>As Per EC Regulation 1272/2008</td><td rowspan="3">>=0.5 - <=0.8%</td></tr><tr><td>EC No. : 231-753-5</td><td>Acute Tox.oral 4; Skin Irrit. 2</td></tr><tr><td>Index-No.: 026-003-01-4</td><td>H302;H315</td></tr></tbody></table>	Component	Classification	Concentration	Iron (II) sulphate,7H2O			CAS No. : 7782-63-0	As Per EC Regulation 1272/2008	>=0.5 - <=0.8%	EC No. : 231-753-5	Acute Tox.oral 4; Skin Irrit. 2	Index-No.: 026-003-01-4	H302;H315		
Component	Classification	Concentration															
Iron (II) sulphate,7H2O																	
CAS No. : 7782-63-0	As Per EC Regulation 1272/2008	>=0.5 - <=0.8%															
EC No. : 231-753-5	Acute Tox.oral 4; Skin Irrit. 2																
Index-No.: 026-003-01-4	H302;H315																
		<table border="1"><thead><tr><th>Component</th><th>Classification</th><th>Concentration</th></tr></thead><tbody><tr><td colspan="3">Nicotinic acid</td></tr><tr><td>CAS No. : 59-67-6</td><td>As Per EC Regulation 1272/2008</td><td rowspan="2">>=0.01 - <=0.02%</td></tr><tr><td>EC No. : 200-441-0</td><td>Eye Irrit. 2A H319</td></tr></tbody></table>	Component	Classification	Concentration	Nicotinic acid			CAS No. : 59-67-6	As Per EC Regulation 1272/2008	>=0.01 - <=0.02%	EC No. : 200-441-0	Eye Irrit. 2A H319				
Component	Classification	Concentration															
Nicotinic acid																	
CAS No. : 59-67-6	As Per EC Regulation 1272/2008	>=0.01 - <=0.02%															
EC No. : 200-441-0	Eye Irrit. 2A H319																
Section 4	First - Aid Measures																
	4.1	Description of first aid measures General advice Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. In case of skin contact Wash off with soap and plenty of water. Consult a physician. In case of eye contact Rinse immediately with plenty of water for at least 15 minutes. Consult a physician. If swallowed Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.															
	4.2	Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.															
	4.3	Indication of immediate medical attention and special treatment needed No data available															
Section 5	Fire Fighting Measures																
	5.1	Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable extinguishing media No data available.															
	5.2	Special hazards arising from the substance or mixture Magnesium oxides, Sulphur oxides, Sodium oxides, Iron oxides, Calcium Oxide, Cobalt oxides, Copper oxides, Manganese oxides, Molybdenum oxides, Oxides of Phosphorus, Potassium oxides, Zinc oxides															
	5.3	Precautions for fire-fighters Cool closed containers exposed to fire with water spray.															
	5.4	Further information Wear self-contained breathing apparatus for firefighting if necessary.															



Section 6	Accidental Release Measures
	<p>6.1 Personal precautions, protective equipment and emergency procedures Use personnel protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.</p> <p>6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into environment must be avoided.</p> <p>6.3 Methods and materials for containment and cleaning up Keep in suitable, closed containers for disposal. Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.</p> <p>6.4 Reference to other sections For disposal see Section 13.</p>
Section 7	Handling and Storage
	<p>7.1 Precautions for safe handling Avoid formation of dust and aerosols. Avoid exposure Obtain special instructions before use. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from heat and source of ignition</p> <p>7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Oxidizing Solids Recommended Storage Temperature : 2-8°C</p> <p>7.3 Specific end uses Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.</p>
Section 8	Exposure Controls / Personal Protection
	<p>8.1 Control parameters</p> <p>8.2 Exposure controls Appropriate engineering controls Handle in accordance to general industrial hygiene and safety practice. Wash hands before breaks, immediately after handling the products and at the end of workday.</p> <p>Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN 166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Have eye washing facilities readily available where eye contact can occur.</p> <p>Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.</p> <p>Body protection Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.</p> <p>Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</p> <p>Environment exposure controls Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.</p>



Section 9	Physical and Chemical Properties
	9.1 Information on basic physical and chemical properties Appearance White to off-white, homogenous powder Odour No data available Odour Threshold No data available pH 3.5 – 4.5 Melting/freezing point No data available Initial boiling point and boiling range No data available Flash point No data available Upper/lower flammability or explosive limits No data available Evaporation rate No data available Flammability (Solid, gas) No data available Vapour pressure No data available Relative density No data available Water Solubility Soluble after boiling in distilled water Autoignition Temperature No data available Decomposition Temperature No data available Viscosity No data available Explosive properties No data available Oxidizing properties No data available Vapour density No data available Thermal decomposition No data available 9.2 Other safety information No data available
Section 10	Stability and Reactivity
	10.1 Reactivity No data available 10.2 Chemical stability Stable under recommended storage conditions. 10.3 Possibility of hazardous reactions No data available 10.4 Conditions to avoid No data available 10.5 Incompatible materials Strong reducing agents, Strong acids, Powdered metals 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions - Nitrogen oxides(NO _x), Sulphur oxides, Oxides of phosphorus, Potassium oxides, Magnesium oxide, Cobalt/cobalt oxides, Calcium oxide, Copper oxides.
Section 11	Toxicological Information
	11.1 Information on toxicological effects Acute toxicity No data available Remarks : No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available



	<p>Respiratory or skin sensitisation No data available</p> <p>Germ cell mutagenicity No data available</p> <p>Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.</p> <p>Reproductive toxicity No data available</p> <p>Specific target organ toxicity- repeated exposure No data available</p> <p>Aspiration hazard No data available</p> <p>Additional Information RTECS : Not Applicable</p>
Section 12	Ecological Information
	<p>12.1 Toxicity No data available</p> <p>12.2 Persistence and degradability No data available</p> <p>12.3 Bioaccumulative potential No data available</p> <p>12.4 Mobility in soil No data available</p> <p>12.5 PBT and vPvB assessment This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.</p> <p>12.6 Other adverse effects</p>
Section 13	Disposal Considerations
	<p>13.1 Waste treatments methods Product Dispose of as unused product.</p> <p>13.2 Contaminated packaging Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licenced professional waste disposal service to dispose off this material.</p>
Section 14	Transport Information
	<p>14.1 UN-No ADNR : 1477 ADR : 1477 IATA_C : 1477 IATA_P : 1477 IMDG : 1477 RID : 1477</p> <p>14.2 UN proper shipping name ADNR : Nitrates, inorganic, n.o.s. ADR : Nitrates, inorganic, n.o.s. IATA_C : Nitrates, inorganic, n.o.s. IATA_P : Nitrates, inorganic, n.o.s. IMDG : Nitrates, inorganic, n.o.s. RID : Nitrates, inorganic, n.o.s.</p> <p>14.3 Transport hazard class (es) ADNR : 5.1 ADR : 5.1 IATA_C : 5.1 IATA_P : 5.1 IMDG : 5.1 RID : 5.1</p> <p>14.4 Packaging group ADNR : II ADR : II IATA_C : II IATA_P : II IMDG : II RID : II</p> <p>14.5 Environmental hazards ADNR : No ADR : No IMDG : Marine pollutant No IATA_C : No</p>



	<p>14.6 Special precautions for use No data available</p>																																																				
Section 15	<p>Regulatory Information This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.</p> <p>15.1 Safety health and environment regulations/legislation specific for the substance or mixture</p> <p>15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out.</p>																																																				
Section 16	<p>Other Information</p> <table border="0"> <tr><td>H272</td><td>May intensify fire; oxidizer</td></tr> <tr><td>H302</td><td>Harmful if swallowed</td></tr> <tr><td>H315</td><td>Causes skin irritation</td></tr> <tr><td>H318</td><td>Causes serious eye damage</td></tr> <tr><td>H319</td><td>Causes serious eye irritation</td></tr> <tr><td>H335</td><td>May cause respiratory irritation</td></tr> <tr><td>H360</td><td>May damage fertility or the unborn child</td></tr> <tr><td>H373</td><td>May cause damage to organs through prolonged or repeated exposure</td></tr> <tr><td>H410</td><td>Very toxic to aquatic life with long lasting effects</td></tr> <tr><td>H411</td><td>Toxic to aquatic life with long lasting effects</td></tr> <tr><td>Acute Tox.oral 4</td><td>Acute toxicity, oral, Category 4</td></tr> <tr><td>Aquatic Chronic 1</td><td>Hazardous to the aquatic environment, long term hazard, Category 1</td></tr> <tr><td>Aquatic Chronic 2</td><td>Hazardous to the aquatic environment, long term hazard, Category 2</td></tr> <tr><td>Eye Dam. 1</td><td>Serious eye damage or eye irritation, Category 1</td></tr> <tr><td>Eye Irrit. 2A</td><td>Serious eye damage or eye irritation, Category 2A</td></tr> <tr><td>Ox. Sol. 3</td><td>Oxidising solids, Category 3</td></tr> <tr><td>Repr.Tox. 1A, 1B</td><td>Reproductive toxicity, Category 1A, 1B</td></tr> <tr><td>Skin Irrit. 2</td><td>Skin corrosion or irritation, Category 2</td></tr> <tr><td>STOT RE 2</td><td>Specific target organ toxicity, repeated exposure, Category 2</td></tr> <tr><td>STOT SE 3</td><td>Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3</td></tr> <tr><td>R22</td><td>Harmful if swallowed.</td></tr> <tr><td>R36/38</td><td>Irritating to eyes and skin.</td></tr> <tr><td>R50/53</td><td>Very toxic to aquatic organisms, may cause long-term adverse. Effects in the aquatic environment.</td></tr> <tr><td>N</td><td>Dangerous for the environment</td></tr> <tr><td>Xi</td><td>Irritant</td></tr> <tr><td>Xn</td><td>Harmful</td></tr> </table> <p>Further Information</p> <p>The information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. The information is offered solely for user's obligation to investigate and determine the suitability of the information for their particular purpose.</p>	H272	May intensify fire; oxidizer	H302	Harmful if swallowed	H315	Causes skin irritation	H318	Causes serious eye damage	H319	Causes serious eye irritation	H335	May cause respiratory irritation	H360	May damage fertility or the unborn child	H373	May cause damage to organs through prolonged or repeated exposure	H410	Very toxic to aquatic life with long lasting effects	H411	Toxic to aquatic life with long lasting effects	Acute Tox.oral 4	Acute toxicity, oral, Category 4	Aquatic Chronic 1	Hazardous to the aquatic environment, long term hazard, Category 1	Aquatic Chronic 2	Hazardous to the aquatic environment, long term hazard, Category 2	Eye Dam. 1	Serious eye damage or eye irritation, Category 1	Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A	Ox. Sol. 3	Oxidising solids, Category 3	Repr.Tox. 1A, 1B	Reproductive toxicity, Category 1A, 1B	Skin Irrit. 2	Skin corrosion or irritation, Category 2	STOT RE 2	Specific target organ toxicity, repeated exposure, Category 2	STOT SE 3	Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3	R22	Harmful if swallowed.	R36/38	Irritating to eyes and skin.	R50/53	Very toxic to aquatic organisms, may cause long-term adverse. Effects in the aquatic environment.	N	Dangerous for the environment	Xi	Irritant	Xn	Harmful
H272	May intensify fire; oxidizer																																																				
H302	Harmful if swallowed																																																				
H315	Causes skin irritation																																																				
H318	Causes serious eye damage																																																				
H319	Causes serious eye irritation																																																				
H335	May cause respiratory irritation																																																				
H360	May damage fertility or the unborn child																																																				
H373	May cause damage to organs through prolonged or repeated exposure																																																				
H410	Very toxic to aquatic life with long lasting effects																																																				
H411	Toxic to aquatic life with long lasting effects																																																				
Acute Tox.oral 4	Acute toxicity, oral, Category 4																																																				
Aquatic Chronic 1	Hazardous to the aquatic environment, long term hazard, Category 1																																																				
Aquatic Chronic 2	Hazardous to the aquatic environment, long term hazard, Category 2																																																				
Eye Dam. 1	Serious eye damage or eye irritation, Category 1																																																				
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A																																																				
Ox. Sol. 3	Oxidising solids, Category 3																																																				
Repr.Tox. 1A, 1B	Reproductive toxicity, Category 1A, 1B																																																				
Skin Irrit. 2	Skin corrosion or irritation, Category 2																																																				
STOT RE 2	Specific target organ toxicity, repeated exposure, Category 2																																																				
STOT SE 3	Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3																																																				
R22	Harmful if swallowed.																																																				
R36/38	Irritating to eyes and skin.																																																				
R50/53	Very toxic to aquatic organisms, may cause long-term adverse. Effects in the aquatic environment.																																																				
N	Dangerous for the environment																																																				
Xi	Irritant																																																				
Xn	Harmful																																																				