



Name of the Product Code No. Section 1 :	Murashige & Skoog Medium (Finer & Nagasawa Modification) w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar PT 1051 Chemical Identification Code No. : PT 1051 Name of the Product : Murashige & Skoog Medium (Finer & Nagasawa Modification) w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar Produced by : Central Drug House Pvt. Ltd. Address : 7/28 Vardaan House, Darya Ganj, New Delhi (INDIA) Tel. No. : 00 91 11 49404040														
Section 2	Hazards Identification 2.1 Classification of the substance or mixture CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP] Oxidising solids, (Category 3), H272 Skin corrosion or irritation, (Category 2), H315 Serious eye damage or eye irritation, (Category 2A), H319 Specific target organ toxicity, single exposure, Respiratory tract irritation, (Category 3), H335 For the full text of the H-Statements mentioned in this Section, See Section 16 2.2 Label elements Labeling according to Regulation (EC) No.1272/2008 <div style="display: flex; justify-content: center; gap: 20px;">   </div> <p style="text-align: center;">Pictogram Signal word Warning Hazard Statement(s) H272 May intensify fire; oxidizer H315 Causes skin irritation H319 Causes serious eye irritation H335 May cause respiratory irritation Precautionary Statement(s) P221 Take any precaution to avoid mixing with combustibles. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Present and easy to do. Continue rinsing.</p> 2.3 Other Hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.														
Section 3	Composition/Information On Ingredients 3.1 Mixture <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Component</th> <th style="width: 40%;">Classification</th> <th style="width: 30%;">Concentration</th> </tr> </thead> <tbody> <tr> <td>Potassium nitrate</td> <td></td> <td></td> </tr> <tr> <td>CAS No. :</td> <td>7757-79-1</td> <td rowspan="2" style="text-align: center; vertical-align: middle;">As Per EC Regulation 1272/2008 Ox. Sol. 3 H272</td> </tr> <tr> <td>EC No. :</td> <td>231-818-8</td> </tr> <tr> <td></td> <td></td> <td style="text-align: center;">>=60 - <=70%</td> </tr> </tbody> </table>	Component	Classification	Concentration	Potassium nitrate			CAS No. :	7757-79-1	As Per EC Regulation 1272/2008 Ox. Sol. 3 H272	EC No. :	231-818-8			>=60 - <=70%
Component	Classification	Concentration													
Potassium nitrate															
CAS No. :	7757-79-1	As Per EC Regulation 1272/2008 Ox. Sol. 3 H272													
EC No. :	231-818-8														
		>=60 - <=70%													



Component	Classification	Concentration
Ammonium nitrate		
CAS No. : 6484-52-2 EC No. : 229-347-8	As Per EC Regulation 1272/2008 Ox. Sol. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3 H272; H315; H319; H335 As Per EC Directive 67/548/EEC or 1999/45/EC O (gas); Xi R8; R36/37/38	>=15 - <=20%

Component	Classification	Concentration
Calcium chloride, anhydrous		
CAS No. : 10043-52-4 EC No. : 233-140-8	As Per EC Regulation 1272/2008 Eye Irrit. 2A H319	>=5 - <=10%

Component	Classification	Concentration
Manganese sulphate		
CAS No. : 10034-96-5 EC No. : 232-089-9 Index-No : 025-003-00-4	As Per EC Regulation 1272/2008 STOT RE 2; Aquatic Chronic 2 H373; H411	>=0.3 - <=0.5%

Component	Classification	Concentration
Boric acid		
CAS No. : 10043-35-3 EC No. : 233-139-2 Index-No : 005-007-00-2	As Per EC Regulation 1272/2008 Repr.Tox. 1A, 1B H360	>=0.1 - <=0.3%

Component	Classification	Concentration
Potassium iodide		
CAS No. : 7681-11-0 EC No. : 231-659-4	As Per EC Regulation 1272/2008 Acute Tox.oral 4; Skin Irrit. 2; Eye Irrit. 2A H302; H315; H319	>=0.01 - <=0.03%

Component	Classification	Concentration
Zinc sulphate, heptahydrate		
CAS No. : 7446-20-0 EC No. : 231-793-3 Index-No : 030-006-00-9	As Per EC Regulation 1272/2008 Acute Tox.oral 4; Eye Dam. 1; Aquatic Chronic 1 H302; H318; H410	>=0.1 - <=0.3%

Component	Classification	Concentration
Copper sulphate pentahydrate		
CAS No. : 7758-99-8	As Per EC Regulation 1272/2008 H302; H315; H319; H410	>=0.0004 - <=0.0007%



Component	Classification	Concentration
Cobalt chloride, 6H2O		
CAS No. : 7791-13-1	As Per EC Regulation 1272/2008	≥0.0004 - ≤0.0007%
EC No. : 231-589-4	Acute Tox.oral 4; Skin Sens. 1; Resp.	
Index-No : 027-004-00-5	Sens. 1; Muta. 2; Carc. 1B; Repr. 1B; Aquatic Chronic 1 H302; H317; H334; H341; H350i; H360F; H410	

Section 4	First - Aid Measures
4.1	Description of first aid measures <i>General advice</i> Consult a physician. Show this safety data sheet to the doctor in attendance. <i>If inhaled</i> Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a physician. <i>In case of skin contact</i> Wash off with soap and plenty of water. Consult a physician. <i>In case of eye contact</i> Rinse immediately with plenty of water for at least 15 minutes. Consult a physician. <i>If swallowed</i> Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
4.2	Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.
4.3	Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5	Fire Fighting Measures
5.1	Extinguishing media <i>Suitable extinguishing media</i> Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. <i>Unsuitable extinguishing media</i> No data available.
5.2	Special hazards arising from the substance or mixture Magnesium oxides, Sulphur oxides, Sodium oxides, Iron oxides, Calcium Oxide, Cobalt oxides, Copper oxides, Manganese oxides,, Molybdenum oxides, Oxides of Phosphorus, Potassium oxides, Zinc oxides
5.3	Precautions for fire-fighters Cool closed containers exposed to fire with water spray.
5.4	Further information Wear self-contained breathing apparatus for firefighting if necessary.

Section 6	Accidental Release Measures
6.1	Personal precautions, protective equipment and emergency procedures Use personnel protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
6.2	Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into environment must be avoided.
6.3	Methods and materials for containment and cleaning up Keep in suitable, closed containers for disposal.Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.
6.4	Reference to other sections



	For disposal see Section 13.																												
Section 7	Handling and Storage																												
	<p>7.1 Precautions for safe handling Avoid formation of dust and aerosols. Use only in well ventilated areas. Keep away from heat, sparks and open flame.</p> <p>7.2 Conditions for safe storage, including any incompatibilities Store in cool/well-ventilated place. Storage class (TRGS 510): Oxidizing Solids Recommended Storage Temperature : 2 - 8°C</p> <p>7.3 Specific end uses Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.</p>																												
Section 8	Exposure Controls / Personal Protection																												
	<p>8.1 Control parameters</p> <p>8.2 Exposure controls Appropriate engineering controls Handle in accordance to general industrial hygiene and safety practice. Wash hands before breaks, immediately after handling the products and at the end of workday.</p> <p>Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN 166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Have eye washing facilities readily available where eye contact can occur.</p> <p>Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.</p> <p>Body protection Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.</p> <p>Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).</p> <p>Environment exposure controls Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.</p>																												
Section 9	Physical and Chemical Properties																												
	<p>9.1 Information on basic physical and chemical properties</p> <table border="0"> <tr> <td>Appearance</td> <td>White to off-white, homogenous powder.</td> </tr> <tr> <td>Odour</td> <td>No data available</td> </tr> <tr> <td>Odour Threshold</td> <td>No data available</td> </tr> <tr> <td>pH</td> <td>3.5 - 4.5</td> </tr> <tr> <td>Melting/freezing point</td> <td>No data available</td> </tr> <tr> <td>Initial boiling point and boiling range</td> <td>No data available</td> </tr> <tr> <td>Flash point</td> <td>No data available</td> </tr> <tr> <td>Upper/lower flammability or explosive limits</td> <td>No data available</td> </tr> <tr> <td>Evaporation rate</td> <td>No data available</td> </tr> <tr> <td>Flammability (Solid, gas)</td> <td>No data available</td> </tr> <tr> <td>Vapour pressure</td> <td>No data available</td> </tr> <tr> <td>Relative density</td> <td>No data available</td> </tr> <tr> <td>Water Solubility</td> <td>Soluble in water</td> </tr> <tr> <td>Autoignition Temperature</td> <td>No data available</td> </tr> </table>	Appearance	White to off-white, homogenous powder.	Odour	No data available	Odour Threshold	No data available	pH	3.5 - 4.5	Melting/freezing point	No data available	Initial boiling point and boiling range	No data available	Flash point	No data available	Upper/lower flammability or explosive limits	No data available	Evaporation rate	No data available	Flammability (Solid, gas)	No data available	Vapour pressure	No data available	Relative density	No data available	Water Solubility	Soluble in water	Autoignition Temperature	No data available
Appearance	White to off-white, homogenous powder.																												
Odour	No data available																												
Odour Threshold	No data available																												
pH	3.5 - 4.5																												
Melting/freezing point	No data available																												
Initial boiling point and boiling range	No data available																												
Flash point	No data available																												
Upper/lower flammability or explosive limits	No data available																												
Evaporation rate	No data available																												
Flammability (Solid, gas)	No data available																												
Vapour pressure	No data available																												
Relative density	No data available																												
Water Solubility	Soluble in water																												
Autoignition Temperature	No data available																												



	Decomposition Temperature Viscosity Explosive properties Oxidizing properties Vapour density Thermal decomposition	No data available No data available No data available No data available No data available No data available
	9.2 Other safety information No data available	
Section 10	Stability and Reactivity	
	10.1 Reactivity No data available	
	10.2 Chemical stability Stable under recommended storage conditions.	
	10.3 Possibility of hazardous reactions No data available	
	10.4 Conditions to avoid No data available	
	10.5 Incompatible materials No data available	
	10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions - Nitrogen oxides(NOx), Sulphur oxides, Oxides of phosphorus, Potassium oxides, Magnesium oxide, Cobalt/cobalt oxides, Calcium oxide, Copper oxides	
Section 11	Toxicological Information	
	11.1 Information on toxicological effects Acute toxicity No data available Remarks : No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity- repeated exposure No data available Aspiration hazard No data available Additional Information RTECS : Not Applicable	
Section 12	Ecological Information	
	12.1 Toxicity No data available	
	12.2 Persistence and degradability	



	<p>No data available</p> <p>12.3 Bioaccumulative potential No data available</p> <p>12.4 Mobility in soil No data available</p> <p>12.5 PBT and vPvB assessment This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.</p> <p>12.6 Other adverse effects</p>
Section 13	Disposal Considerations
	<p>13.1 Waste treatments methods Product Dispose of as unused product.</p> <p>13.2 Contaminated packaging Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licenced professional waste disposal service to dispose off this material.</p>
Section 14	Transport Information
	<p>14.1 UN-No ADNR : 1477 ADR : 1477 IATA_C : 1477 IATA_P : 1477 IMDG : 1477 RID : 1477</p> <p>14.2 UN proper shipping name ADNR : Nitrates, inorganic, n.o.s. ADR : Nitrates, inorganic, n.o.s. IATA_C : Nitrates, inorganic, n.o.s. IATA_P : Nitrates, inorganic, n.o.s. IMDG : Nitrates, inorganic, n.o.s. RID : Nitrates, inorganic, n.o.s.</p> <p>14.3 Transport hazard class (es) ADNR : 5.1 ADR : 5.1 IATA_C : 5.1 IATA_P : 5.1 IMDG : 5.1 RID : 5.1</p> <p>14.4 Packaging group ADNR : II ADR : II IATA_C : II IATA_P : II IMDG : II RID : II</p> <p>14.5 Environmental hazards ADR : No IMDG : Marine Pollutant : No IATA_C : No</p> <p>14.6 Special precautions for use No data available</p>
Section 15	Regulatory Information
	<p>This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.</p> <p>15.1 Safety health and environment regulations/legislation specific for the substance or mixture</p> <p>15.2 Chemical Safety Assessment For this product a chemical safety assessment was not carried out.</p>
Section 16	Other Information



H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360	May damage fertility or the unborn child
H360F	May damage fertility
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
Acute Tox.oral 4	Acute toxicity, oral, Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment, long term hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, long term hazard, Category 2
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage or eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Ox. Sol. 3	Oxidising solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Repr.Tox. 1A, 1B	Reproductive toxicity, Category 1A, 1B
Resp. Sens. 1 Skin	Sensitisation, respiratory, Category 1
Irrit. 2	Skin corrosion or irritation, Category 2
Skin Sens. 1 STOT	Sensitisation, Skin, Category 1
RE 2	Specific target organ toxicity, repeated exposure, Category 2 Specific
STOT SE 3	target organ toxicity, single exposure, Respiratory tract irritation, Category 3
R36/37/38	Irritating to eyes, respiratory system and skin.
R8	Contact with combustible material may cause fire.
O (gas)	Oxidising (gas)
Xi	Irritant
Further Information	
The information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. The information is offered solely for user's obligation to investigate and determine the suitability of the information for their particular purpose.	