

cdhfinechemical.com

DIETHYLENE GLYCOL CAS No 111-46-6

MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifiers Product name | : | Diethylene Glycol |
|-----|---|---|---|
| | CAS-No. | : | 111-46-6 |
| 1.2 | Relevant identified uses of the substance or mixture and uses advised against | | |
| | Identified uses | : | Laboratory chemicals, Industrial & for professional use only. |
| 1.3 | Details of the supplier of the safety data sheet | | |
| | Company | : | Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi -110002 INDIA |
| | Telephone Email | : | +91 11 49404040 care@cdhfinechemical.com |
| | | | |

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Specific target organ toxicity - repeated exposure (Category 2), H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal wordWarningHazard statement(s)Harmful if swallowed.
May cause damage to organs through prolonged or repeated exposure.Precautionary statement(s)noneSupplemental Hazardnone

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Synonyms | : 2,2 -Oxydiethanol Bis(2-hydroxyethyl) ether Diglycol 2-Hydroxyethyl ether | |
|---|--|--|
| Formula Molecular weight CAS-No. EC-No. Index-No. | : C ₄ H ₁₀ O ₃ : 106.12 g/mol : 111-46-6 : 203-872-2 : 603-140-00-6 | |

Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification

| Diethylene glycol | | | |
|-------------------|--------------|--------------------------|----------|
| CAS-No. | 111-46-6 | Acute Tox. 4; STOT RE 2; | <= 100 % |
| EC-No. | 203-872-2 | H302, H373 | |
| Index-No. | 603-140-00-6 | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Concentration

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- **6.2** Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

hygroscopic Storage class (TRGS 510): Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| a) Appearance | Form: viscous liquid Colour: colourless | | |
|---|---|--|--|
| b) Odour | slight | | |
| c) Odour Threshold | No data available | | |
| d) pH | 5.0 - 8 at 500 g/l at 20 °C | | |
| e) Melting point/freezing point | Melting point/range: -10 °C | | |
| f) Initial boiling point and boiling range | 245 °C | | |
| g) Flash point | 143 °C - closed cup | | |
| h) Evaporation rate | < 0.01 - Butyl acetate | | |
| i) Flammability (solid, gas) | No data available | | |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 12.3 %(V) Lower explosion limit: 2 %(V) | | |
| k) Vapour pressure | 0.008 hPa at 25 °C | | |
| I) Vapour density | 3.66 - (Air = 1.0) | | |
| m) Relative density | 1.118 g/mL at 20 °C | | |
| n) Water solubility | completely miscible | | |
| Partition coefficient: n- octanol/water | log Pow: -1.999 | | |
| p) Auto-ignition | 372 °C | | |
| temperature | at 1,013.25 hPa | | |
| q) Decomposition temperature | No data available | | |
| r) Viscosity | No data available | | |
| s) Explosive properties | No data available | | |
| t) Oxidizing properties | No data available | | |
| Other safety information Surface tension 48. | .5 mN/m at 25 °C | | |
| | 66 - (Air = 1.0) | | |
| FION 10: Stability and reactivity | | | |

SECTION 10: Stability and reactivity

10.1 Reactivity No data available

9.2

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid Heating in air. Exposure to moisture

10.5 Incompatible materials Strong oxidizing agents, Strong acids, Zinc

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 12,565 mg/kg(Diethylene glycol) LD50 Oral - Human - 1,000 mg/kg(Diethylene glycol) Remarks: Effects due to ingestion may include: Drowsiness Gastrointestinal disturbance Liver disorders Behavioral:Muscle weakness. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)Diethylene glycol LD50 Dermal - Rabbit - 11,890 mg/kg(Diethylene glycol)

Skin corrosion/irritation

Skin - Rabbit(Diethylene glycol) Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit(Diethylene glycol) Result: No eye irritation

Respiratory or skin sensitisation

Maximisation Test - Guinea pig(Diethylene glycol) Result: Did not cause sensitisation on laboratory animals. (Directive 67/548/EEC, Annex V, B.6.)

Germ cell mutagenicity

No data available(Diethylene glycol)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Diethylene glycol)

Specific target organ toxicity - single exposure

No data available(Diethylene glycol)

Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure. Oral - Kidney(Diethylene glycol)

Aspiration hazard No data available(Diethylene glycol) Additional Information

Repeated dose toxicity - Rat - Oral - No observed adverse effect level - 100 mg/kg(Diethylene glycol) RTECS: ID5950000

Symptoms and signs of poisoning are:(Diethylene glycol) Confusion., Dizziness, Kidney injury may occur., Unconsciousness, Convulsions, Nausea, Headache, Vomiting, Pulmonary edema. Effects may be delayed.(Diethylene glycol)

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish | LC50 - Pimephales promelas (fathead minnow) - 75,200 mg/l - 96 h(Diethylene glycol) |
|---|--|
| | LC50 - Carassius auratus (goldfish) - 5,000 mg/l - 24 h(Diethylene glycol) |
| Toxicity to daphnia and other aquatic invertebrates | EC50 - Daphnia magna (Water flea) - > 10,000 mg/l - 24 h(Diethylene glycol) (DIN 38412) |

12.2 Persistence and degradability

| Biodegradability | anaerobic - Exposure time 28 d(Diethylene glycol) |
|------------------|---|
| | Result: 90 - 100 % - Readily biodegradable |
| | (OECD Test Guideline 301B) |

12.3 Bioaccumulative potential

Bioaccumulation

Leuciscus idus melanotus - 3 d - 0.05 mg/I(Diethylene glycol)

Bioconcentration factor (BCF): 100

12.4 Mobility in soil

No data available(Diethylene glycol)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

| 14.1 | UN number ADR/RID: - | IMDG: - | IATA: - |
|------|--|---------------------------|----------|
| 14.2 | UN proper shipping nameADR/RID:Not dangerous goodsIMDG:Not dangerous goodsIATA:Not dangerous goods | | |
| 14.3 | Transport hazard class(es) ADR/RID: - | IMDG: - | IATA: - |
| 14.4 | Packaging group ADR/RID: - | IMDG: - | IATA: - |
| 14.5 | Environmental hazards ADR/RID: no | IMDG Marine pollutant: no | IATA: no |
| 14.6 | Special precautions for user No data available | | |

SECTION 15: Regulatory information

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
- **15.2 Chemical safety assessment** For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

| H302 | Harmful if swallowed. |
|------|--|
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.