



# **DPX Mountant** for Microscopy & Histology

# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifiers** 

Product name **DPX Mountant** for Microscopy & Histology

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

> Central Drug House (P) Ltd Company

7/28 Vardaan House New Delhi-10002

INDIA

+91 11 49404040 Telephone

Email care@cdhfinechemical.com

1.4 **Emergency telephone number** 

> Emergency Phone # +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315 Eve irritation (Category 2), H319

Reproductive toxicity (Category 1B), H360Df

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways. H312 + H332 Harmful in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention. P370 + P378 In case of fire: Use dry powder or dry sand to extinguish.

Supplemental Hazard none

Statements

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

**Xylene** 

CAS-No. 1330-20-7 Flam. Liq. 3; Acute Tox. 4; >= 90 - <= 100

EC-No. 215-535-7 Skin Irrit. 2; Eye Irrit. 2; STOT % Index-No. 601-022-00-9 SE 3; STOT RE 2; Asp. Tox. 1; H226, H332, H312, H315, H319, H335, H373, H304

**Dibutyl phthalate** Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

CAS-No. 84-74-2 Repr. 1B; Aquatic Acute 1; >= 10 - < 20 %

EC-No. 201-557-4 H360Df, H400

Index-No. 607-318-00-4 M-Factor - Aquatic Acute: 1

Registration number 01-2119493042-44-XXXX

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Components with workplace control parameters

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

a) Appearance

Vapour density

### 9.1 Information on basic physical and chemical properties

Form: liquid

No data available

,	. 1-1	
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	28 °C
g) h)	Flash point Evaporation rate	28 °C No data available
	•	
h)	Evaporation rate	No data available
h) i)	Evaporation rate Flammability (solid, gas) Upper/lower flammability or	No data available No data available

m) Relative density 1 g/cm3

n) Water solubility No data available
o) Partition coefficient: n- No data available

octanol/water

p) Auto-ignition No data available temperature

q) Decomposition

No data available

temperature r) Viscosity

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Bases, Strong oxidizing agents, acids, Chlorine, Nitrates

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Xylene)

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Exposure can cause damage to the:, Central nervous system depression, Dermatitis, Anorexia., Bronchitis, Tremors, Blurred vision, Incoordination., Headache, Vomiting, Dizziness, Weakness, anemia, Prolonged or repeated exposure to skin causes defatting and dermatitis.

Central nervous system depression, Dermatitis, Anorexia., Shortness of breath, Bronchitis, Tremors, Blurred vision, Incoordination., Headache, Dizziness, Weakness

Central nervous system - (Dibutyl phthalate)

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Toxic to aquatic life.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 1993 IMDG: 1993 IATA: 1993

## 14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, N.O.S. (Xylene)
IMDG: FLAMMABLE LIQUID, N.O.S. (Xylene)
IATA: Flammable liquid, n.o.s. (Xylene)

### 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

### 14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

No data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Authorisations and/or restrictions on use

Dibutyl phthalate CAS-No.: 84-74-2

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

Toxic for reproduction (article 57c)

ED/67/2008

Dibutyl phthalate CAS-No.: 84-74-2

REACH - List of substances subject to authorisation (Annex XIV)

Toxic for reproduction (category 1B)

Sunset Date: 21.02.2015

Exempted (Categories of) Uses: Uses in the immediate packaging of medicinal products covered under

Regulation (EC) No 726/2004, Directive 2001/82/EC, and/or Directive 2001/83/EC.

Dibutyl phthalate CAS-No.: 84-74-2

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, preparations and articles (Annex XVII)

Toxic to reproduction: category 1B Restricted to professional users.

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Dibutyl phthalate CAS-No.: 84-74-2

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous

substances, preparations and articles (Annex XVII)

Shall not be used in toys

See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H312 + H332 Harmful in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.