

cdhfinechemical.com

p-NITRO TOLUENE CAS NO 99-99-0

MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : p-Nitro Toluene

CAS-No. : 99-99-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company	:	Central Drug House (P) Ltd 7/28 Vardaan House New Delhi -110002 INDIA
Telephone Email	:	+91 11 49404040 care@cdhfinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Specific target organ toxicity - repeated exposure (Category 2), H373 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal word

Hazard statement(s) H301 + H311 + H331 H373

Toxic if swallowed, in contact with skin or if inhaled May cause damage to organs through prolonged or repeated exposure.

H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s) P261 P273 P280 P301 + P310 P311	Avoid breathing dust. Avoid release to the environment. Wear protective gloves/ protective clothing. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Call a POISON CENTER /doctor.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	1-Methyl-4-nitrobenzene
Formula Molecular weight CAS-No.		C ₇ H ₇ NO ₂ 137.14 g/mol 99-99-0
EC-No. Index-No.	:	202-808-0 609-006-00-3

Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification

Concentration

4-Nitrotoluene			
CAS-No.	99-99-0	Acute Tox. 3; STOT RE 2;	<= 100 %
EC-No.	202-808-0	Aquatic Chronic 2; H301,	
Index-No.	609-006-00-3	H331, H311, H373, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx)
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- **6.3** Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Combustible solids, toxic

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- 8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: light yellow	
b)	Odour	No data available	
c)	Odour Threshold	No data available	
d)	рН	No data available	
e)	Melting point/freezing point	Melting point/range: 52 - 54 °C - lit.	
f)	Initial boiling point and boiling range	238 °C - lit.	
g)	Flash point	106.00 °C - closed cup	
h)	Evaporation rate	No data available	
i)	Flammability (solid, gas)	The product is not flammable Flammability (solids)	
j)	Upper/lower flammability or explosive limits	Lower explosion limit: 1.6 %(V)	
k)	Vapour pressure	0.13 hPa at 20 °C	
I)	Vapour density	5.49	
m)	Relative density	1.392 g/cm3 at 25 °C	
n)	Water solubility	0.345 g/l at 20 °C	
0)	Partition coefficient: n- octanol/water	log Pow: 2.37 at 25 °C	
p)	Auto-ignition temperature	450 °C	
q)	Decomposition temperature	No data available	
r)	Viscosity	No data available	
s)	Explosive properties	No data available	
t)	Oxidizing properties	No data available	
	Other safety information Relative vapour density 5.49		

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No data available

10.2 Chemical stability Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Oxidizing agents, Reducing agents, Strong bases
- 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,250 mg/kg(4-Nitrotoluene) (OECD Test Guideline 401) LCLO Inhalation - Rat - 1 h - 4 ppm(4-Nitrotoluene) LC50 Inhalation - Rat - 975 mg/m3(4-Nitrotoluene) Remarks: Brain and Coverings:Recordings from specific areas of CNS. Liver:Fatty liver degeneration. Blood:Methemoglobinemia-Carboxyhemoglobin. LD50 Dermal - Rat - > 16,000 mg/kg(4-Nitrotoluene) Remarks: Lungs, Thorax, or Respiration:Other changes. Liver:Fatty liver degeneration. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

Skin corrosion/irritation

Skin - Rabbit(4-Nitrotoluene) Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit(4-Nitrotoluene) Result: No eye irritation - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitisation

Buehler Test - Guinea pig(4-Nitrotoluene) Result: Does not cause skin sensitisation. (OECD Test Guideline 406)

Germ cell mutagenicity

Ames test(4-Nitrotoluene) S. typhimurium Result: negative Mutagenicity (micronucleus test)(4-Nitrotoluene) Rat - male Result: negative

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (4-Nitrotoluene)

Reproductive toxicity

Specific target organ toxicity - single exposure No data available(4-Nitrotoluene)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available(4-Nitrotoluene)

Additional Information

RTECS: XT3325000

Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, burning sensation, Absorption into the body leads to the formation of methemoglobin which in delayed 2 to 4 hours or longer.(4-Nitrotoluene)

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 49.7 mg/l - 96.0 h(4- Nitrotoluene)
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - ca. 4.2 mg/l - 48 h(4- Nitrotoluene) (ISO 6341)
Toxicity to algae	static test EC50 - Chlorella pyrenoidosa (aglae) - 22 mg/l - 96 h(4-Nitrotoluene) (OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 14 d(4-Nitrotoluene)

Result: 0.8 % - According to the results of tests of biodegradability this product is not readily biodegradable.

- (OECD Test Guideline 301C)
- **12.3 Bioaccumulative potential** No data available

12.4 Mobility in soil No data available(4-Nitrotoluene)

12.5 Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and

toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number ADR/RID: 3446

IMDG: 3446

IATA: 3446

14.2 UN proper shipping name

ADR/RID:	NITROTOLUENES, SOLID
IMDG:	NITROTOLUENES, SOLID
IATA:	Nitrotoluenes, solid

14.3	Transport hazard class(es) ADR/RID: 6.1	IMDG: 6.1	IATA: 6.1
14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H301 H301 + H311 + H331	Toxic if swallowed. Toxic if swallowed, in contact with skin or if inhaled
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.