



# THIOPHENOL CAS NO 108-98-5

# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Thiophenol

CAS-No. : 108-98-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd

7/28 Vardaan House New Delhi -110002

INDIA

Telephone : +91 11 49404040

Email : care@cdhfinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

#### **SECTION 2: Hazards identification**

2.1

# Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 1), H330 Acute toxicity, Dermal (Category 2), H310

Skin irritation (Category 2), H315 Eve irritation (Category 2), H319

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure, Oral (Category 2), Nervous system, H371 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 1), Kidney, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Hazard statement(s)

H226 Flammable liquid and vapour.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled

H318 Causes serious eye damage. H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H371 May cause damage to organs (Nervous system) if swallowed.

H373 May cause damage to organs (Kidney) through prolonged or repeated

exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse

mouth.

P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON

CENTER/doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental Hazard

Statements Pictogram none



Signal word

Hazard statement(s)

H226 Flammable liquid and vapour.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H371 May cause damage to organs (Nervous system) if swallowed.
H372 Causes damage to organs (Kidney) through prolonged or repeated

exposure if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately

call a POISON CENTER/doctor.

P302 + P352 + P310 IF ON SKIN: Wash with plenty of water. Immediately call a POISON

CENTER/doctor.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P370 + P378 In case of fire: Use dry powder or dry sand to extinguish.

Supplemental Hazard

Statements

none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Stench.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Phenyl mercaptan

Benzenethiol

Formula : C<sub>6</sub>H<sub>6</sub>S

Molecular weight : 110.20 g/mol
CAS-No. : 108-98-5
EC-No. : 203-635-3

## Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

#### Benzenethiol

CAS-No. 108-98-5 Flam. Liq. 3; Acute Tox. 2; <= 100 %

EC-No. 203-635-3 Acute Tox. 1; Acute Tox. 2; Skip Irrit. 3; Eve Irrit. 3; Book

Skin Irrit. 2; Eye Irrit. 2; Repr. 2; STOT SE 2; STOT SE 3; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H300, H330, H310, H315, H319, H361, H371, H335, H372, H400, H410

M-Factor - Aquatic Acute: 100

- Aquatic Chronic: 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhalod

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

## In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Sulphur oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas. Air sensitive.

Storage class (TRGS 510): Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

Oxidizing properties

## 9.1 Information on basic physical and chemical properties

Information on basic physical and chemical properties			
a)	Appearance	Form: clear, liquid Colour: colourless	
b)	Odour	unpleasant	
c)	Odour Threshold	No data available	
d)	рН	No data available	
e)	Melting point/freezing point	Melting point/range: -15 °C - lit.	
f)	Initial boiling point and boiling range	169 °C - lit.	
g)	Flash point	50 °C - closed cup	
h)	Evaporation rate	No data available	
i)	Flammability (solid, gas)	No data available	
j)	Upper/lower flammability or explosive limits	No data available	
k)	Vapour pressure	3.4 mmHg at 40 °C 1.4 mmHg at 20 °C	
l)	Vapour density	3.8 - (Air = 1.0)	
m)	Relative density	1.073 g/mL at 25 °C	
n)	Water solubility	No data available	
o)	Partition coefficient: n-octanol/water	No data available	
p)	Auto-ignition temperature	No data available	
q)	Decomposition temperature	No data available	
r)	Viscosity	No data available	
s)	Explosive properties	No data available	

No data available

## 9.2 Other safety information

Relative vapour density 3.8 - (Air = 1.0)

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Do not store near acids., Strong bases, Strong oxidizing agents

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides Other decomposition products - No data available

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 46.2 mg/kg(Benzenethiol)

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Coma. Respiratory disorder LC50 Inhalation - Rat - 4 h - 33 ppm(Benzenethiol)

Remarks: Lungs, Thorax, or Respiration:Respiratory stimulation. Behavioral:Somnolence (general depressed activity). Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.

LD50 Dermal - Rabbit - 134 mg/kg(Benzenethiol)

Remarks: Behavioral:Muscle weakness. Behavioral:Ataxia. Cyanosis

## Skin corrosion/irritation

## Serious eye damage/eye irritation

No data available(Benzenethiol)

## Respiratory or skin sensitisation

No data available(Benzenethiol)

## Germ cell mutagenicity

No data available(Benzenethiol)

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.(Benzenethiol)

## Specific target organ toxicity - single exposure

Oral - The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

- Nervous system(Benzenethiol)

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation. (Benzenethiol)

#### Specific target organ toxicity - repeated exposure

Oral - The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - Kidney

## **Aspiration hazard**

No data available(Benzenethiol)

#### **Additional Information**

RTECS: DC0525000

Cough, Shortness of breath, Headache, Nausea, Vomiting(Benzenethiol)

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Oryzias latipes (Japanese medaka) - 0.009 mg/l - 96 h(Benzenethiol)

(OECD Test Guideline 203)

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 0.0044 mg/l - 48 h(Benzenethiol)

other aquatic invertebrates

(OECD Test Guideline 202)

Toxicity to algae

EC50 - Pseudokirchneriella subcapitata (green algae) - 0.211 mg/l - 72

h(Benzenethiol)

(OECD Test Guideline 201)

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available(Benzenethiol)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

No data available

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 2337 IMDG: 2337 IATA: 2337

# 14.2 UN proper shipping name

ADR/RID: PHENYL MERCAPTAN IMDG: PHENYL MERCAPTAN Phenyl mercaptan

Passenger Aircraft: Not permitted for transport Cargo

Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 6.1 (3) IMDG: 6.1 (3) IATA: 6.1 (3)

14.4 Packaging group

ADR/RID: I IMDG: I IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H226 H300 H300 + H310 + H330	Flammable liquid and vapour. Fatal if swallowed. Fatal if swallowed, in contact with skin or if inhaled
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs if swallowed.
H372	Causes damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs (/\$/*_ORG_REP_ORAL/\$/) through prolonged or repeated exposure if swallowed.
H400	Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## **Further information**

H410

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.