

# cdhfinechemical.com

# Cellosolve Acetate CAS No 111-15-9

# MATERIAL SAFETY DATA SHEET SDS/MSDS

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Cellosolve Acetate
	CAS-No.	:	111-15-9
1.2	Relevant identified uses of	the	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Industrial & for professional use only.
1.3 Details of the supplier of the safety data sheet			afety data sheet
	Company	:	Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA
	Telephone Email	:	+91 11 49404040 care@cdhfinechemical.com

# 1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

# **SECTION 2:** Hazards identification

# 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008** Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Reproductive toxicity (Category 1B), H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008
Pictogram



Signal word

Elemmehle liquid and y

Hazard statement(s) H226 H302 + H312 + H332

Flammable liquid and vapour. Harmful if swallowed, in contact with skin or if inhaled

H360FD	May damage fertility. May damage the unborn child.
Precautionary statement(s) P201 P280 P308 + P313	Obtain special instructions before use. Wear protective gloves/ protective clothing. IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	: 1-Acetoxy-2-ethoxyethane Ethylene glycol monoethyl ether acetate Cellosolve® acetate
Formula	: C <sub>6H12O3</sub>
Molecular weight	: 132.12 g/mol
CAS-No.	: 111-15-9
EC-No.	: 203-839-2
Index-No.	: 607-037-00-7

# Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification

Concentration

**Ethylglycol acetate** Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

CAS-No.	111-15-9	Flam. Liq. 3; Acute Tox. 4;	<= 100 %
EC-No.	203-839-2	Repr. 1B; H226, H302, H332,	
Index-No.	607-037-00-7	H312, H360FD	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information Use water spray to cool unopened containers.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).
- 6.4 Reference to other sections For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): Flammable liquids

#### 7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -61 °C - lit.
f)	Initial boiling point and boiling range	156 °C - lit.
g)	Flash point	54 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
	Upper/lower flammability or explosive limits	Upper explosion limit: 13 %(V) Lower explosion limit: 1.7 %(V)
k)	Vapour pressure	2 mmHg at 20 °C
I)	Vapour density	4.56 - (Air = 1.0)
m)	Relative density	0.975 g/cm3 at 25 °C

	n)	Water solubility	No data available
	o)	Partition coefficient: n- octanol/water	No data available
	p)	Auto-ignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	No data available
9.2	Oth	ner safety information	
		Surface tension	31.8 mN/m at 25 °C
		Relative vapour density	4.56 - (Air = 1.0)
SECT	ION	10: Stability and reactivity	/
10.1	10.1 Reactivity No data available		

- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid Heat, flames and sparks.

10.5 Incompatible materials Strong oxidizing agents, Nitrates, Strong acids, Strong bases

#### 10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - 2,700 mg/kg(Ethylglycol acetate) LC50 Inhalation - Rat - 8 h - 12,100 mg/m3(Ethylglycol acetate)

# Skin corrosion/irritation

Skin - Rabbit(Ethylglycol acetate) **Result: Open irritation test** 

Serious eye damage/eye irritation No data available(Ethylglycol acetate)

Respiratory or skin sensitisation No data available(Ethylglycol acetate)

# Germ cell mutagenicity

No data available(Ethylglycol acetate)

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

May cause congenital malformation in the fetus.(Ethylglycol acetate) Presumed human reproductive toxicant(Ethylglycol acetate)

May cause reproductive disorders.(Ethylglycol acetate)

**Specific target organ toxicity - single exposure** No data available(Ethylglycol acetate)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available(Ethylglycol acetate)

#### Additional Information RTECS: KK8225000

Nausea, Headache, Vomiting(Ethylglycol acetate)

#### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 193.6 mg/l - 48 h(Ethylglycol acetate) other aquatic invertebrates

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available
- **12.4 Mobility in soil** No data available(Ethylglycol acetate)

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Avoid release to the environment.

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

# SECTION 14: Transport information

14.1	UN number ADR/RID: 1172	2	IMDG: 1172	IATA: 1172
14.2	IMDG: ET	THYLENE GLYCOL N	MONOETHYL ETHER ACETATE MONOETHYL ETHER ACETATE thyl ether acetate	
14.3	Transport haza ADR/RID: 3	ard class(es)	IMDG: 3	IATA: 3
14.4	Packaging gro ADR/RID: III	oup	IMDG: III	IATA: III
14.5	Environmental ADR/RID: no	l hazards	IMDG Marine pollutant: no	IATA: no
14.6	Special precau No data availa			

## **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Authorisations and/or restrictions on use

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302 + H312 +	Harmful if swallowed, in contact with skin or if inhaled
H332	
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H360FD	May damage fertility. May damage the unborn child.

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.