

# cdhfinechemical.com

# o-Phenylene Diamine CAS No 95-54-5

# MATERIAL SAFETY DATA SHEET SDS/MSDS

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	o-Phenylene Diamine
	CAS-No.	:	95-54-5
1.2	Relevant identified uses of	of th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Industrial & for professional use only.
1.3	Details of the supplier of t Company		safety data sheet Central Drug House (P) Ltd 7/28 Vardaan House New Delhi-10002 INDIA
	Telephone Email	:	+91 11 49404040 care@cdhfinechemical.com
1.4	Emergency telephone number		

# Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2), H319 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 2), H351 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram



Signal word	Danger
Hazard statement(s) H301 H312 + H332	Toxic if swallowed. Harmful in contact with skin or if inhaled
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 + P310	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	:	OPD 1,2-Diaminobenzene 1,2-Phenylenediamine
Formula	:	C <sub>6H8N2</sub>
Molecular weight	:	108,14 g/mol
CAS-No.	:	95-54-5
EC-No.	:	202-430-6
Index-No.	:	612-145-00-2

# Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification

o-Phenylenediamine			
CAS-No. EC-No. Index-No.	95-54-5 202-430-6 612-145-00-2	Acute Tox. 3; Acute Tox. 4; Eye Irrit. 2; Skin Sens. 1; Muta. 2; Carc. 2; Aquatic Acute 1; Aquatic Chronic 1; H301, H332, H312, H319, H317, H341, H351, H400, H410	<= 100 %
		M-Factor - Aquatic Acute: 1 Aquatic Chronic: 1	-

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

# 4.1 Description of first aid measures

# **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

Concentration

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides, Nitrogen oxides (NOx)
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
- **6.2** Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- **6.3** Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

# SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.
- **7.2** Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Moisture sensitive. Store under nitrogen. May darken on storage Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use

respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains . Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Colour: white, tan
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	8,7
e)	Melting point/freezing point	Melting point/range: 98 - 102 °C
f)	Initial boiling point and boiling range	256 - 258 °C
g)	Flash point	136 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available

	j)	Upper/lower flammability or explosive limits	Lower explosion limit: 1,5 %(V)	
	k)	Vapour pressure	3,27 hPa at 100 °C 0,01 hPa at 25 °C 0,001 hPa at 20 °C - OECD Test Guideline 104	
	I)	Vapour density	No data available	
	m)	Relative density	1,030 g/cm3 -	
	n)	Water solubility	39,3 g/l at 20 °C - OECD Test Guideline 105	
	o)	Partition coefficient: n- octanol/water	log Pow: 0,12 at 25 °C - OECD Test Guideline 107	
	p)	Auto-ignition temperature	No data available	
	q)	Decomposition temperature	No data available	
	r)	Viscosity	No data available	
	s)	Explosive properties	No data available	
	t)	Oxidizing properties	No data available	
9.2	Oth	ner safety information		
		Bulk density	0,74 g/cm3 at 24 °C	
SECT		10: Stability and reactivi	ty	
10.1		<b>ictivity</b> data available		
10.2 10.3				
	No data available			
	Conditions to avoid No data available			
10.5	Incompatible materials Strong oxidizing agents			
10.6	Hazardous decomposition products Other decomposition products - No data available In the event of fire: see section 5			
SECT	ION	11: Toxicological inform	ation	
11.1	Info	ormation on toxicologica	l effects	
		u <b>te toxicity</b> data available		
	LC50 Inhalation - Rat - male - 4 h - 3,6 mg/l			
	<b>Skin corrosion/irritation</b> Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)			
	Serious eye damage/eye irritation Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405)			

## Respiratory or skin sensitisation

Maximisation Test (GPMT) - Guinea pig Result: May cause sensitisation by skin contact.

#### Germ cell mutagenicity

In vitro tests showed mutagenic effects

Ames test S. typhimurium Result: negative

Mouse Result: negative

#### Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

#### **Additional Information**

Repeated dose Rat - male - Oral - NOAEL : 400 mg/kg - OECD Test Guideline 407

toxicity

RTECS: Not available

Exposure can cause numbness, tingling, and weakness in extremities., Nausea, Dizziness, Headache, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 44 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 1,4 mg/l - 48 h
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata - 0,16 mg/l - 96 h

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 0 % - Not biodegradable (OECD Test Guideline 301C)

#### **12.3 Bioaccumulative potential** No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

	ADR/RID: 2	1673	IMDG: 1673	IATA: 1673
14.2	• •	<b>shipping name</b> PHENYLENEDIAMINE PHENYLENEDIAMINE Phenylenediamines	-	
14.3	Transport I ADR/RID: 6	<b>nazard class(es)</b> 5.1	IMDG: 6.1	IATA: 6.1
14.4	Packaging ADR/RID: I		IMDG: III	IATA: III
14.5	Environme ADR/RID: y	<b>ntal hazards</b> /es	IMDG Marine pollutant: yes	IATA: no

# 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H312 + H332	Harmful in contact with skin or if inhaled
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

# **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.