



# 1,4-DIOXANE CAS NO 123-91-1

# MATERIAL SAFETY DATA SHEET SDS/MSDS

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 1.4-Dioxane

CAS-No. : 123-91-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd

7/28 Vardaan House Ansari Road Daryaganj New Delhi -110002

INDIA

Telephone : +91 11 49404040

Email : <a href="mailto:care@cdhfinechemical.com">care@cdhfinechemical.com</a>

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319 Carcinogenicity (Category 2), H351

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

GHS02 GHS08 GHS07

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P370 + P378 In case of fire: Use dry powder or dry sand to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

Supplemental Hazard information (EU)

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Dioxane

Diethylene oxide

# Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

1,4-Dioxane

CAS-No. 123-91-1 Flam. Liq. 2; Eye Irrit. 2; Carc. <= 100 %

EC-No. 204-661-8 2; STOT SE 3; H225, H319,

Index-No. 603-024-00-5 H351, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

# **Derived No Effect Level (DNEL)**

Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Long-term local effects	144 mg/m3
Workers	Inhalation	Long-term systemic effects	73 mg/m3
Workers	Skin contact	Long-term systemic effects	21 mg/m3

## Predicted No Effect Concentration (PNEC)

Compartment Value

Soil0.153 mg/kgMarine water0.67 mg/lFresh water10 mg/lFresh water sediment37 mg/kgSewage treatment plant2700 mg/lAquatic intermittent release10 mg/l

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odourc) Odour ThresholdNo data available

d) pH 6.0 - 8 at 500 g/l at 20 °C

e) Melting point/freezing

point

Melting point/range: 10 - 12 °C - lit.

f) Initial boiling point and boiling range

100 - 102 °C - lit.

g) Flash point 1

12 °C - closed cup No data available

i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 22 %(V) flammability or Lower explosion limit: 2 %(V)

explosive limits

h) Evaporation rate

k) Vapour pressure 27 mmHg at 20 °C

40 mmHg at 25.20 °C

I) Vapour density 3.04 - (Air = 1.0)

m) Relative density 1.034 g/cm3 at 25 °C

n) Water solubility completely miscible

o) Partition coefficient: n-

octanol/water

log Pow: -0.27

p) Auto-ignition temperature

375 °C

q) Decomposition

No data available

temperature r) Viscosity

Viscosity

No data available

Explosive properties

No data available

Oxidizing properties

No data available

9.2 Other safety information

Surface tension 36.9 mN/m at 25 °C

Relative vapour density 3.04 - (Air = 1.0)

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

s)

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions. Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Oxygen, Oxidizing agents, Halogens, Reducing agents, Perchlorates., Trimethylaluminum

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 4,200 mg/kg(1,4-Dioxane)

LC50 Inhalation - Rat - 2 h - 46,000 mg/m3(1,4-Dioxane)

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Other.

LD50 Dermal - Rabbit - 7,858 mg/kg(1,4-Dioxane)

#### Skin corrosion/irritation

Skin - Human(1,4-Dioxane)

Remarks: Chronic exposure causes drying effect on the skin and eczema.

Skin - Rabbit(1,4-Dioxane)

Result: No skin irritation

#### Serious eye damage/eye irritation

Eyes - Rabbit(1,4-Dioxane) Result: Eye irritation - 24 h

## Respiratory or skin sensitisation

No data available(1,4-Dioxane)

# Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.(1,4-Dioxane)

## Carcinogenicity

This product is or contains a component that has been reported to be possi classification.(1,4-Dioxane) Limited evidence of carcinogenicity in animal studies(1,4-Dioxane) (1,4-Dioxane)

IARC: 2B - Group 2B: Possibly carcinogenic to humans (1,4-Dioxane)

# Reproductive toxicity

No data available(1,4-Dioxane)

# Specific target organ toxicity - single exposure

May cause respiratory irritation.(1,4-Dioxane)

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available(1,4-Dioxane)

#### **Additional Information**

RTECS: JG8225000

Nausea, Vomiting, Weakness, Dizziness, Vertigo, Headache, Sweating, loss of appetite, Kidney injury may occur., Liver injury may occur.(1,4-Dioxane)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(1,4-Dioxane)

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 985 mg/l - 96 h(1,4-Dioxane)

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 8,450 mg/l - 24 h(1,4-Dioxane)

other aquatic invertebrates

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 72 h(1,4-

Dioxane)

#### 12.2 Persistence and degradability

Biodegradability Result: < 5 % - Not readily biodegradable.

#### 12.3 Bioaccumulative potential

Does not bioaccumulate.

#### 12.4 Mobility in soil

No data available(1,4-Dioxane)

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1165 IMDG: 1165 IATA: 1165

# 14.2 UN proper shipping name

ADR/RID: DIOXANE IMDG: DIOXANE IATA: Dioxane

## 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

#### 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

## 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.