

**N,N-DIMETHYL FORMAMIDE
CAS NO 68-12-2**

**MATERIAL SAFETY DATA SHEET
SDS/MSDS**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : N,N-Dimethyl formamide

CAS-No. : 68-12-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Central Drug House (P) Ltd
7/28 Vardaan House
Ansari Road Daryaganj
New Delhi -110002
INDIA

Telephone : +91 11 49404040
Email : care@cdhfinechemical.com

1.4 Emergency telephone number

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226
Acute toxicity, Inhalation (Category 4), H332
Acute toxicity, Dermal (Category 4), H312
Eye irritation (Category 2), H319
Reproductive toxicity (Category 1B), H360D

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H226 Flammable liquid and vapour.
H312 + H332 Harmful in contact with skin or if inhaled
H319 Causes serious eye irritation.
H360D May damage the unborn child.

Precautionary statement(s)	
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P370 + P378	In case of fire: Use dry powder or dry sand to extinguish.
Supplemental Hazard Statements	none

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	DMF
Formula	:	C ₃ H ₇ NO
Molecular weight	:	73.09 g/mol
CAS-No.	:	68-12-2
EC-No.	:	200-679-5
Index-No.	:	616-001-00-X

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
N,N-Dimethylformamide	In cluded in the Candidate List of Substances of Very High Concern ((SVHC) according to Regulation (E C) No. 1907/2006 (REACH)	
CAS-No.	68-12-2	Flam. Liq. 3; Acute Tox. 4; Eye <= 100 %
EC-No.	200-679-5	Irrit. 2; Repr. 1B; H226, H332,
Index-No.	616-001-00-X	H312, H319, H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value
Workers	Skin contact	Acute systemic effects	26.3mg/kg BW/d
Workers	Inhalation	Acute systemic effects	30 mg/m ³
Workers	Skin contact	Long-term systemic effects	3.31mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	15 mg/m ³
Workers	Inhalation	Long-term local effects	15 mg/m ³
Workers	Inhalation	Acute local effects	30 mg/m ³

Predicted No Effect Concentration (PNEC)

Compartment	Value
Water	30 mg/l
Soil	16.235 mg/kg
Marine water	3 mg/kg
Fresh water	30 mg/l
Fresh water sediment	25.05 mg/kg
Onsite sewage treatment plant	123 mg/l

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type ABEK (EN 14387) respirator cartridges as a backup to enginee protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|---|
| a) Appearance | Form: liquid, clear
Colour: colourless |
| b) Odour | amine-like |
| c) Odour Threshold | No data available |
| d) pH | 6.7 |
| e) Melting point/
freezing point | Melting point/range: -61 °C |
| f) Initial boiling point
and boiling range | 153 °C |
| g) Flash point | 58 °C - closed cup |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |

j) Upper/lower flammability or explosive limits	Upper explosion limit: 15.2 %(V) Lower explosion limit: 2.2 %(V)
k) Vapour pressure	2.70 mmHg at 20 °C 3.87 mmHg at 25 °C
l) Vapour density	2.52 - (Air = 1.0)
m) Relative density	0.944 g/mL
n) Water solubility	completely miscible
o) Partition coefficient: n-octanol/water	log Pow: -1.01
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

9.2 Other safety information

Relative vapour density 2.52 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 2,800 mg/kg(N,N-Dimethylformamide)

LC50 Inhalation - Rat - 4 h - 9 - 15 mg/l(N,N-Dimethylformamide)

LD50 Dermal - Rabbit - 1,500 mg/kg(N,N-Dimethylformamide)

Skin corrosion/irritation

Skin - Human(N,N-Dimethylformamide)

Result: Mild skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - Rabbit(N,N-Dimethylformamide)

Result: Moderate eye irritation

Respiratory or skin sensitisation

No data available(N,N-Dimethylformamide)

Germ cell mutagenicity

Mouse(N,N-Dimethylformamide)

lymphocyte

Mutation in mammalian somatic cells.

Carcinogenicity

This product is or contains a component that is not classifiable as to its classification.(N,N-Dimethylformamide)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (N,N-Dimethylformamide)

Reproductive toxicity

May cause congenital malformation in the fetus.(N,N-Dimethylformamide)

Specific target organ toxicity - single exposure

No data available(N,N-Dimethylformamide)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(N,N-Dimethylformamide)

Additional Information

RTECS: LQ2100000

Warning: intolerance for alcohol can occur up to 4 days after dimethylform a potent liver toxin., Vomiting, Diarrhoea, Abdominal pain, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(N,N-Dimethylformamide)

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 9,000 - 13,000 mg/l - 96 h(N,N-Dimethylformamide)
	LC50 - Lepomis macrochirus (Bluegill) - 6,700 - 7,500 mg/l - 96 h(N,N-Dimethylformamide)
	LC50 - Pimephales promelas (fathead minnow) - 10,400 - 10,800 mg/l - 96 h(N,N-Dimethylformamide)
	LC50 - Oncorhynchus mykiss (rainbow trout) - 9,800 mg/l - 96 h(N,N-Dimethylformamide)
	LC50 - Lepomis macrochirus (Bluegill) - 6,300 mg/l - 96 h(N,N-Dimethylformamide)
	LC50 - Pimephales promelas (fathead minnow) - 10,600 mg/l - 96 h(N,N-Dimethylformamide)
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 9,600 - 13,100 mg/l - 48 h(N,N-Dimethylformamide)
	EC50 - Daphnia magna (Water flea) - 15,700 mg/l - 48 h(N,N-Dimethylformamide)
Toxicity to algae	LC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 96 h(N,N-Dimethylformamide)

12.2 Persistence and degradability

Biodegradability Result: > 90 % - Readily biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available(N,N-Dimethylformamide)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2265

IMDG: 2265

IATA: 2265

14.2 UN proper shipping name

ADR/RID: N,N-DIMETHYLFORMAMIDE

IMDG: N,N-DIMETHYLFORMAMIDE

IATA: N,N-Dimethylformamide

14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H312 + H332	Harmful in contact with skin or if inhaled
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.