



**LITHIUM FLUORIDE  
CAS No 7789-24-4**

**MATERIAL SAFETY DATA SHEET  
SDS/MSDS**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifiers**

Product name : Lithium Fluoride

CAS-No. : 7789-24-4

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Industrial & for professional use only.

**1.3 Details of the supplier of the safety data sheet**

Company : Central Drug House (P) Ltd  
7/28 Vardaan House  
New Delhi -110002  
INDIA

Telephone : +91 11 49404040  
Email : [care@cdhfinechemical.com](mailto:care@cdhfinechemical.com)

**1.4 Emergency telephone number**

Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Acute toxicity, Oral (Category 3), H301

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 Label elements**

**Labelling according Regulation (EC) No 1272/2008**

Pictogram



GHS06

Signal word : Danger

Hazard statement(s)

H301	Toxic if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statement(s)  
P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information (EU)  
EUH032 Contact with acids liberates very toxic gas.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
Contact with acids liberates very toxic gas.  
Weak hydrogen fluoride-releaser

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula : LiF  
Molecular weight : 25.94 g/mol  
CAS-No. : 7789-24-4  
EC-No. : 232-152-0

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Classification	Concentration
<b>Lithium fluoride</b>		
CAS-No. 7789-24-4	Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H301, H315, H319, H335	<= 100 %
EC-No. 232-152-0		

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Hydrofluoric (HF) acid burns require immediate and specialized first aid a hours depending on the concentration of HF. After decontamination with wa penetration/absorption of the fluoride ion. Treatment should be directed exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel exposures may require subcutaneous calcium gluconate except for digital a technique, due to the potential for tissue injury from increased pressure and should be considered when undergoing decontamination. Prevention of a obtained by giving milk, chewable calcium carbonate tablets or Milk of Ma hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Dry powder

#### **5.2 Special hazards arising from the substance or mixture**

Hydrogen fluoride, Lithium oxides

#### **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4 Further information**

No data available

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **6.3 Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

#### **6.4 Reference to other sections**

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

#### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Do not store near acids. Storage class (TRGS 510): Combustible solids, toxic

#### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

#### **8.2 Exposure controls**

##### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

##### **Personal protective equipment**

###### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a) Appearance	Form: Powder with lumps
b) Odour	No data available
c) Odour Threshold	No data available
d) pH	7.0 - 8.5 at 0.26 g/l at 25 °C
e) Melting point/freezing point	Melting point/range: 845 °C
f) Initial boiling point and boiling range	No data available
g) Flash point	Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	2.64 g/mL at 25 °C
n) Water solubility	ca.0.3 g/l at 20 °C
o) Partition coefficient: n-octanol/water	No data available
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Avoid moisture.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Lithium oxides

Reacts with water to form: - Hydrogen fluoride

In the event of fire: see section 5

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 143 mg/kg(Lithium fluoride)

Inhalation: Irritating to respiratory system.(Lithium fluoride)

#### Skin corrosion/irritation

No data available(Lithium fluoride)

#### Serious eye damage/eye irritation

No data available(Lithium fluoride)

#### Respiratory or skin sensitisation

No data available(Lithium fluoride)

#### Germ cell mutagenicity

No data available(Lithium fluoride)

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its classification.(Lithium fluoride)  
(Lithium fluoride)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

Lithium and its compounds are possible teratogens by analogy to lithium ca positive animal teratogenic data.(Lithium fluoride)

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.(Lithium fluoride)

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available(Lithium fluoride)

## Additional Information

RTECS: Not available

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Cyanosis and t-wave inversion have occurred in the breast-fed infants of women receiving lithium carbonate therapy., Lithium and its compounds are possible teratogens by analogy to lithium ca positive animal teratogenic data., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Large doses of lithium ion have caused dizziness and prostration, and can Dehydration, weight loss, dermatological effects, and thyroid disturbance include slurred speech, blurred vision, sensory loss, ataxia, and convuls effects such as tremor, clonus, and hyperactive reflexes may occur as a r(Lithium fluoride)  
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Lithium fluoride)

## SECTION 12: Ecological information

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available(Lithium fluoride)

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 3288

IMDG: 3288

IATA: 3288

### 14.2 UN proper shipping name

ADR/RID: TOXIC SOLID, INORGANIC, N.O.S. (Lithium fluoride)

IMDG: TOXIC SOLID, INORGANIC, N.O.S. (Lithium fluoride)

IATA: Toxic solid, inorganic, n.o.s. (Lithium fluoride)

### 14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

### 14.4 Packaging group

ADR/RID: III

IMDG: III

IATA: III

**14.5 Environmental hazards**

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

**14.6 Special precautions for user**

No data available

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.2 Chemical safety assessment**

For this product a chemical safety assessment was not carried out

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

EUH032 Contact with acids liberates very toxic gas.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.cdhfinechemical.com](http://www.cdhfinechemical.com) for additional terms and conditions of sale.