

cdhfinechemical.com

Copper Oxide CAS No 1317-39-1

MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	Copper Oxide
	CAS-No.	:	1317-39-1
1.2	Relevant identified uses of	of th	e substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Industrial & for professional use only.
1.3	Details of the supplier of t Company		afety data sheet Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA
	Telephone Email	:	+91 11 49404040 care@cdhfinechemical.com_
1.4	Emergency telephone nu Emergency Phone #	mbe :	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2), H319 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Warning

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008
Pictogram

Signal word

Hazard statement(s) H302 + H332 H319

Harmful if swallowed or if inhaled Causes serious eye irritation.

H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s) P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	:	Cuprous oxide
	Formula Molecular weight CAS-No. EC-No. Index-No.	-	Cu2O 143.08 g/mol 1317-39-1 215-270-7 029-002-00-X

Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification

Concentration

Dicopper	oxide
----------	-------

Dicopper oxide			
CAS-No.	1317-39-1	Acute Tox. 4; Eye Irrit. 2;	<= 100 %
EC-No.	215-270-7	Aquatic Acute 1; Aquatic	
Index-No.	029-002-00-X	Chronic 1; H302, H332, H319,	
		H400, H410	
		M-Factor - Aquatic Acute: 10	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Copper oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Air and moisture sensitive. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle r (US) or type ABEKP2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Colour: dark red
b)	Odour	odourless
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 1,230 °C
f)	Initial boiling point and boiling range	No data available
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapour pressure	No data available
I)	Vapour density	No data available
m)	Relative density	6 g/mL at 25 °C
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	No data available
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Otl	ner safety information	
	Bulk density	1.4 g/l

9.2

SECTION 10: Stability and reactivity

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** Air Avoid moisture.
- **10.5 Incompatible materials** Oxidizing agents
- 10.6 Hazardous decomposition products
 Hazardous decomposition products formed under fire conditions. Copper oxides
 Other decomposition products No data available
 In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - male and female - 1,340 mg/kg(Dicopper oxide) (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - 3.34 mg/l(Dicopper oxide) (OECD Test Guideline 403) LD50 Dermal - Rabbit - > 2,000 mg/kg(Dicopper oxide) (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit(Dicopper oxide) Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit(Dicopper oxide) Result: Irritating to eyes.

(OECD Test Guideline 405)

Respiratory or skin sensitisation Maximisation Test - Guinea pig(Dicopper oxide) Did not cause sensitisation on laboratory animals. (OECD Test Guideline 406)

Germ cell mutagenicity

No data available(Dicopper oxide)

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Specific target organ toxicity - single exposure No data available(Dicopper oxide)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available(Dicopper oxide)

Additional Information

Repeated dose toxicity - Rat - male and female - Inhalation - 678 h - No observed adverse effect level - > 2 mg/kg - Lowest observed adverse effect level - 0.2 mg/kg(Dicopper oxide) RTECS: GL8050000

Symptoms of systemic copper poisoning may include: capillary damage, heada central nervous system excitation followed by depression, jaundice, convu renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, copper deposition in the cornea as exemplified by humans with Wilson's di lead to hemolytic anemia and accelerates arteriosclerosis. (Dicopper oxide)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (Dicopper oxide)

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	LC50 - Cyprinodon variegatus (sheepshead minnow) - > 0.17 mg/l - 9	
	h(Dicopper oxide)	

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 0.5 mg/l - 48 h(Dicopper oxide) other aquatic invertebrates

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available
- 12.4 Mobility in soil No data available(Dicopper oxide)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 3077	IMDG: 3077

IATA: 3077

14.2 UN proper shipping name

ADR/RID:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dicopper oxide)
IMDG:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Dicopper oxide)
IATA:	Environmentally hazardous substance, solid, n.o.s. (Dicopper oxide)

14.3	Transport hazard class(es) ADR/RID: 9	IMDG: 9	IATA: 9
14.4	Packaging group ADR/RID: III	IMDG: III	IATA: III
14.5	Environmental hazards ADR/RID: yes	IMDG Marine pollutant: no	IATA: yes

14.6 Special precautions for user

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 H302 + H332	Harmful if swallowed. Harmful if swallowed or if inhaled
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.