

## cdhfinechemical.com

## Aluminium Foil 0.14mm thickness Sheet CAS No 7429-90-5

## MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking         1.1       Product identifiers Product name       :       Aluminium Foil 0.14mm thickness Sheet         CAS-No.       :       7429-90-5         1.2       Relevant identified uses of the substance or mixture and uses advised against Identified uses       :       Laboratory chemicals, Industrial & for professional use only.         1.3       Details of the supplier of the safety data sheet Company       :       Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA         Telephone       :       +91 11 49404040 Email       :       :         1.4       Emergency telephone number Emergency Phone #       :       +91 11 49404040 (9:00am - 6:00 pm) [Office hours]         SECTION 2: Hazards identification       :       :       11 49404040 (9:00am - 6:00 pm) [Office hours]         SECTION 2: Hazards identification       :       :       1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16.       :         2.1       Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram       :       :         Signal word Hazard statement(s)       Danger       :       :	CAS NO 7423-30-3					
Product name       :       Aluminium Foil 0.14mm thickness Sheet         CAS-No.       :       7429-90-5         1.2       Relevant identified uses of the substance or mixture and uses advised against Identified uses       :         Identified uses       :       Laboratory chemicals, Industrial & for professional use only.         1.3       Details of the supplier of the safety data sheet Company       :       Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA         Telephone       :       : +91 11 49404040 care@cdhfinechemical.com         1.4       Emergency telephone number Emergency Phone #       :       : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]         SECTION 2: Hazards identification       :       : egulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400         For the full text of the H-Statements mentioned in this Section, see Section 16.       :         2.1       Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram       :         Signal word       Danger	SECTION 1: Identification of the substance/mixture and of the company/undertaking					
<ul> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Laboratory chemicals, Industrial &amp; for professional use only.</li> <li>1.3 Details of the supplier of the safety data sheet Company : Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA</li> <li>Telephone : +91 11 49404040 Email : care@cdhfinechemical.com</li> <li>1.4 Emergency telephone number Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16.</li> <li>2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram</li> <li>Signal word Danger</li> </ul>	1.1					
Identified uses       : Laboratory chemicals, Industrial & for professional use only.         1.3       Details of the supplier of the safety data sheet Company       : Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA         Telephone       : +91 11 49404040 Email       : care@cdhfinechemical.com         1.4       Emergency telephone number Emergency Phone #       : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]         SECTION 2: Hazards identification       2.1         2.1       Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16.         2.2       Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram         Signal word       Danger						
<ul> <li>1.3 Details of the supplier of the safety data sheet Company <ul> <li>Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA</li> <li>Telephone</li> <li>+91 11 49404040</li> <li>Email</li> <li>care@cdhfinechemical.com</li> </ul> </li> <li>1.4 Emergency telephone number Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification according to Regulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16.</li> <li>2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram</li> <li>Signal word</li> <li>Danger</li> </ul>	1.2					
Company : Central Drug House (P) Ltd 7/28 Vardaan House Ansari Road Daryaganj New Delhi-110002 INDIA Telephone : +91 11 49404040 Email : care@cdhfinechemical.com 1.4 Emergency telephone number Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours] SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger						
Email       : care@cdhfinechemical.com         1.4       Emergency telephone number Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours]         SECTION 2: Hazards identification         2.1       Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16.         2.2       Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram         Signal word       Danger	1.3					
Emergency Phone # : +91 11 49404040 (9:00am - 6:00 pm) [Office hours] SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger						
Acute aquatic toxicity (Category 1), H400 For the full text of the H-Statements mentioned in this Section, see Section 16. 2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger	SEC					
2.2 Label elements Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger						
Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger						
Pictogram Signal word Danger	2.2					
Signal word Danger						
Signal word Danger						
H228 Flammable solid.						
Precautionary statement(s)P210Keep away from heat/sparks/open flames/hot surfaces. No smoking.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ ventilating/ lighting/ equipment.P280Wear protective gloves/ protective clothing/ eye protection/ face protection.						
P370 + P378 In case of fire: Use sand for extinction.						
Supplemental Hazard none Statements						

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula	: Al	
Molecular weight	: 26	5.98 g/mol
CAS-No.	: 74	29-90-5
EC-No.	: 23	31-072-3

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Aluminum CAS-No.	7429-90-5	Aquatic Acute 1; H400	<= 100 %
EC-No.	231-072-3	M-Factor - Aquatic Acute: 1	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2 .2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

#### Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Aluminum oxide

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information No data available

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- 6.2 Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- 6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

#### SECTION 7: Handling and storage

- 7.1 **Precautions for safe handling** Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.
- **7.2 Conditions for safe storage, including any incompatibilities** Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. Air and moisture sensitive. Storage class (TRGS 510): Non Combustible Solids

7.3 Specific end use(s) Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Respiratory protection is not required. Where protection from nuisance le (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: Foil		
b)	Odour	No data available		
c)	Odour Threshold	No data available		
d)	рН	No data available		
e)	Melting point/freezing point	Melting point/range: 660.37 °C - lit.		
f)	Initial boiling point and boiling range	2,460 °C - lit.		
g)	Flash point	Not applicable		
h)	Evaporation rate	No data available		
i)	Flammability (solid, gas)	May form combustible dust concentrations in air.		
j)	Upper/lower flammability or explosive limits	No data available		
k)	Vapour pressure	No data available		
I)	Vapour density	No data available		
m)	Relative density	2.7 g/cm3 at 25 °C		
n)	Water solubility	No data available		
o)	Partition coefficient: n- octanol/water	No data available		
p)	Auto-ignition temperature	No data available		
q)	Decomposition temperature	No data available		
r)	Viscosity	No data available		
s)	Explosive properties	No data available		
t)	Oxidizing properties	No data available		
Other safety information No data available				
TION 10: Stability and reactivity				

### **SECTION 10: Stability and reactivity**

10.1 Reactivity No data available

9.2

- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid No data available
- 10.5 Incompatible materials Oxidizing agents
- **10.6 Hazardous decomposition products** Hazardous decomposition products formed under fire conditions. - Aluminum oxide Other decomposition products - No data available In the event of fire: see section 5

#### **SECTION 11:** Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity No data availableAluminum

Skin corrosion/irritation No data available(Aluminum)

Serious eye damage/eye irritation No data available(Aluminum)

**Respiratory or skin sensitisation** No data available(Aluminum)

Germ cell mutagenicity

No data available(Aluminum)

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available(Aluminum)

**Specific target organ toxicity - single exposure** No data available(Aluminum)

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available(Aluminum)

#### Additional Information

RTECS: BD0330000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Aluminum)

#### **SECTION 12: Ecological information**

12.1 Toxicity

Toxicity to fishLC50 - Oncorhynchus mykiss (rainbow trout) - 0.12 mg/l- 96 h(Aluminum)

- mortality LOEC Ctenopharyngodon idella 0.1 mg/l 96 h(Aluminum)
- 12.2 Persistence and degradability
   Result: Readily biodegradable
- 12.3 Bioaccumulative potential Bioaccumulation Salvelinus fontinalis - 56 d - 268 μg/l(Aluminum)

Bioconcentration factor (BCF): 36

#### 12.4 Mobility in soil

No data available(Aluminum)

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

#### 14.1 UN number

1

1

1

1

	ADR/RID: 3		IMDG: 3077	IATA: 3077
14.2		ENVIRONMENTALLY	HAZARDOUS SUBSTANCE, SOLID HAZARDOUS SUBSTANCE, SOLID, lous substance, solid, n.o.s. (Aluminu	N.O.S. (Aluminum)
14.3	Transport h ADR/RID: 9	azard class(es)	IMDG: 9	IATA: 9
14.4	Packaging ADR/RID: I		IMDG: III	IATA: III
14.5	Environme ADR/RID: y	n <b>tal hazards</b> /es	IMDG Marine pollutant: no	IATA: yes

14.6 Special precautions for user

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

#### **SECTION 15: Regulatory information**

- **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
- **15.2 Chemical safety assessment** For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H400 Very toxic to aquatic life.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.

Page 6 of 6