

# cdhfinechemical.com

# Lead Dioxide CAS No 1309-60-0

# MATERIAL SAFETY DATA SHEET SDS/MSDS

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers			
	Product name	Lead	Dioxide	
	CAS-No.	1309	60-0	
1.2	Relevant identified uses o	he subst	ance or mixture and uses advised against	
	Identified uses	Labora	tory chemicals, Industrial & for professional use only.	
1.3	Details of the supplier of the Company	safety da Central 7/28 Va New De INDIA	<b>Ita sheet</b> Drug House (P) Ltd rdaan House Ihi-10002	
	Telephone Email	+91 11 <u>care@</u> @	49404040 dhfinechemical.com	
1.4	Emergency telephone nur	ber		
	Emergency Phone #	+91 1	1 49404040 (9:00am - 6:00 pm) [Office hours]	
SECTION 2: Hazards identification				
2.1	Classification of the subst	ce or mi	ture	
	Classification according to Regulation (EC) No 1272/2008 Oxidizing solids (Category 3), H272 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Reproductive toxicity (Category 1A), H360Df Specific target organ toxicity - repeated exposure (Category 2), H373 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410			

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

		R61
		R62
Xn	Harmful	R20/22
		R33
Ν	Dangerous for the environment	R50/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram



Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Index-No.

Molecular weight	:	239,20 g/mol
CAS-No.	:	1309-60-0
EC-No.	:	215-174-5
Index-No.	:	082-001-00-6

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

082-001-00-6

Component		Classification	Concentration
Lead dioxide			
CAS-No.	1309-60-0	Ox. Sol. 3; Acute Tox. 4; Repr.	<= 100 %
EC-No.	215-174-5	1A; STOT RE 2; Aquatic Acute	
Index-No.	082-001-00-6	1; Aquatic Chronic 1; H272, H302 + H332, H360Df, H373, H410	
Hazardous ingredier	nts according to Directive	1999/45/EC	
Component	-	Classification	Concentration
Lead dioxide			
CAS-No.	1309-60-0	T, N, Repr.Cat.1, Repr.Cat.3,	<= 100 %
EC-No.	215-174-5	R61 - R20/22 - R33 - R62 -	

R50/53

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2 .2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture Lead oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed.Keep away from sources of ignition - No smoking.Keep away from heat and sources of ignition. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): Oxidizing hazardous materials

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Components with workplace control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

- a) Appearance Form: powder Colour: dark brown
  b) Odour No data available
  c) Odour Threshold No data available
  d) pH No data available
  e) Melting point/freezing point
- f) Initial boiling point and No data available boiling range

	g)	Flash point	Not applicable
	h)	Evaporation rate	No data available
	i)	Flammability (solid, gas)	No data available
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapour pressure	No data available
	I)	Vapour density	No data available
	m)	Relative density	No data available
	n)	Water solubility	No data available
	o)	Partition coefficient: n- octanol/water	No data available
	p)	Auto-ignition temperature	No data available
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the category 3.
9.2	<b>Oth</b> No	<b>er safety information</b> data available	

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong reducing agents, Powdered metals
- **10.6 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

# Acute toxicity No data available

LD50 Intraperitoneal - Guinea pig - 220 mg/kg

#### Skin corrosion/irritation No data available

# Serious eye damage/eye irritation

No data available

**Respiratory or skin sensitisation** No data available

Germ cell mutagenicity No data available

#### Carcinogenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (Lead dioxide)

2A - Group 2A: Probably carcinogenic to humans (Lead dioxide)

#### **Reproductive toxicity**

May cause congenital malformation in the fetus.

Known human reproductive toxicant

#### **Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard

No data available

#### Additional Information

**RTECS:** Not available

Lead salts have been reported to cross the placenta and to induce embryo- and feto- mortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death., Anorexia., Vomiting, Convulsions, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### **SECTION 12: Ecological information**

12.1 Toxicity

No data available

- 12.2 Persistence and degradability

   Biodegradability
   Result: Not readily biodegradable.
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

14.1	<b>UN number</b> ADR/RID: 1872		IMDG: 1872	IATA: 1872
14.2	UN proper sh ADR/RID: L IMDG: L IATA: L	hipping name LEAD DIOXIDE LEAD DIOXIDE Lead dioxide		
14.3	Transport ha ADR/RID: 5.1	<b>zard class(es)</b> I (6.1)	IMDG: 5.1	IATA: 5.1
14.4	Packaging group ADR/RID: III		IMDG: III	IATA: III
14.5	Environmental hazards ADR/RID: yes		IMDG Marine pollutant: yes	IATA: no
14.6	Special preca No data avail	autions for user able		

#### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Lead dioxide CAS-No.: 1309-60-0 REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (expressed as metal) in such a part is equal to or greater than 0,05 % by weight See Commission Regulation (EU) No 836/2012 for Conditions of restriction

Lead dioxide CAS-No.: 1309-60-0 REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Toxic to reproduction: category 1A Restricted to professional users. See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity

Aquatic Chronic	Chronic aquatic toxicity
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H302 + H332	Harmful if swallowed or if inhaled
H332	Harmful if inhaled.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

# Full text of R-phrases referred to under sections 2 and 3

Ν	Dangerous for the environment
Т	Toxic
R20/22	Harmful by inhalation and if swallowed.
R33	Danger of cumulative effects.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R61	May cause harm to the unborn child.
R62	Possible risk of impaired fertility.
Repr.Cat.1	Toxic to Reproduction Category 1
Repr.Cat.3	Toxic to Reproduction Category 3

# Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Central Drug House (P) Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.cdhfinechemical.com for additional terms and conditions of sale.