

BUFFER SOLUTION pH 8.0 (BORATE) ON RECEIPT STORE AT 2-8°C

PRODUCT CODE 812730

Intended Use

Buffer solution, pH 8.00 ± 0.02 is used to establish and maintain an ion activity within narrow range. It is most commonly used to establish hydrogen-ion activity for the calibration of pH meters, in analytical procedures. It is also used to maintain stability of various dosage forms.

Principle And Interpretation

Buffer is defined as a solution which resists changes in the activity of an ion on addition of substances that are expected to change the activity of that ion. Buffer capacity refers to the amount of material that may be added to solution without causing a significant change in ion activity. Buffered solutions are systems in which the ion is in equilibrium with substances capable of removing or releasing the ion. For successful completion of many pharmacopeial tests and assay requires adjustment or maintenance of a specified pH by addition of buffer solutions. In pH measurements standard buffer solutions are required for reference purposes.

PARAMETER	LIMIT
Description	Clear and colourless solution.
Solubility	Miscible with water.
pH of solution (at 20°C)	8.00 ± 0.02

Note(s) : Assay (if applicable) method mentioned.

WARNING

Hazard statements : May cause respiratory irritation. Causes skin irritation. Causes serious eye irritation.

Precautionary statements

Prevention: Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If eye irritation persists: Get medical advice/attention.

IMDG Code : --

UN No. : --

IATA : --

Disposal: Dissolve the chemical to be disposed, in water and allow it to run to waste, diluting with large quantities of water. The quantities greater than 10g should be dissolved in water and transferred to heavy metal waste drums for collection by specialist disposal company.

Hazard Pictogram(s) :



GHS07

Replace date 16-DEC-2023