



Product Specification

cdhfinechemical.com

BORAX CARMINE ALCOHOLIC SOLUTION

PRODUCT CODE 810600

Intended Use

Borax carmine is used as staining solution for nuclei and cytoplasmic organelles in whole organisms.

Principle And Interpretation

Borax carmine is a biological stain prepared by dissolving the carmine lake powder in water with sodium borate (borax). Borax carmine is a red dye, used in optical microscopy, that stains nuclei and cytoplasm pink. It is frequently used to stain large pieces of animal tissue

PARAMETER

LIMIT

Description	A clear dark pink colour solution.
Solubility	Miscible with alcohol.
Wt. per ml at 20°C	About 0.985 g
Suitability for microscopy	To pass the test.

MAXIMUM LIMIT OF IMPURITY

Residue on evaporation	About 1.5% w/v
------------------------	----------------

Directions

1. Transfer material to 35 or 50% Borax Carmine Staining Solution to stain for 3-24 hours.
2. Add concentrated hydrochloric acid drop wise, agitating container vigorously until all the carmine is precipitated as a brick red floc. Let it stand for 6 hours to overnight.
(NOTE: With the small volume of material usually stained in protozoal work, it is easily possible to pass from basic to a strongly acid solution with the dye again soluble, the floc being dissolved before one is aware that the process is well under way. In such very acid solutions, the protozoans may be consumed. After each drop, the container should be shaken or tipped until no more action (precipitation) is apparent. End point is reached when there is little or no more of the original deep red translucent solution. If, with a drop of concentrated HCl, the floc begins to dissolve again, add a small drop of borax carmine staining solution).
3. Add an equal volume of 3% alcoholic hydrochloric acid (either in 50% or 70% alcohol) and agitate gently to mix thoroughly. Let it stand until the stained material settles. Decant or pipette off stain suspension, repeating the process several times, as needed to remove most of the stain.
(NOTE: It is this stage which limits the convenience of this stain for protozoans. Individuals smaller than large Stentor, if they are not attached to tissues (as lincophora on respiratory tree wall) or in smears (as termite flagellates or blood parasites) should be affixed to coverslips).
4. Cover the material about 3 mm deep in fresh 3% HCl in 70% alcohol in a petri plate and observe under microscope until nuclei, zones of membranelles and other organelles retaining stain are deep pink.
(NOTE: If decolourization appears to be happening in a few minutes, put material in 70% alcohol until the process is stopped; examine some in glycerin under the microscope. If the general cytoplasm is still stained, continue the differentiation in acid-alcohol, but with more dilute, 1% or even 0.5% HCl-alcohol).
5. When cytoplasm is transparent (nuclei and fibrillar structures should still be deep pink), remove acid alcohol.
6. Wash with two 5 minutes changes of 80% alcohol, hold in a third change for 60 minutes.
7. Dehydrate, clear, mount in resinous medium.
(NOTE: Lynchs Carmine gives much more transparent stains than haematoxylin on the same subjects; it gives useful stains of Opalina and Nyctotherus, or of small flagellates and trichonymphas in the same termite gut smear or small and large rumen ciliates in the same batch; this is not usually possible with haematoxylin)



Product Specification

cdhfinechemical.com

Results

Nuclei, zone of membranelles: Deep pink

Other organelles: Deep pink

Cytoplasm: Transparent

Note(s) : Assay (if applicable) method mentioned.

DANGER

Hazard statements: Harmful if swallowed. Causes mild skin irritation. Causes serious eye irritation. May cause allergic or asthmatic symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Causes damage to organs through prolonged or repeated exposure if inhaled. Highly flammable liquid and vapour.

Precautionary statements

Prevention: Contaminated clothing should not be allowed out of the workplace. In case of inadequate ventilation wear respiratory protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Response: Wear eye/face protection. If eye irritation persists, get medical advice/attention. If skin irritation or rash occurs, seek medical advice/attention. If experiencing respiratory symptoms call a POISON CENTER or doctor/physician. IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN: Gently wash with plenty of soap and water. Specific treatment: refer to Label or MSDS. Wash contaminated clothing before reuse. If skin irritation occurs, seek medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IMDG Code : 3/III

UN No. : 1170

IATA : 3

Disposal: Dispose of contents and container in accordance with relevant legislation.

Hazard Pictogram(s) :



GHS05



GHS08



GHS02

Replace Date 16-Dec-2023