

## Technical Information

### Phenol Red Dextrose Broth

**Product Code: DM1056**

**Application:** - Phenol Red Dextrose Broth is used for dextrose fermentation studies of microorganisms

#### Composition\*\*

Ingredients	Gms / Litre
Proteose peptone	10.000
Beef extract	1.000
Sodium chloride	5.000
Dextrose	5.00
Phenol red	0.018
Final pH ( at 25°C)	7.4±0.2

\*\*Formula adjusted, standardized to suit performance parameters

#### Principle & Interpretation

Phenol Red Broth Medium is devised by Vera <sup>(2)</sup> is recommended to determine the fermentation reaction of carbohydrates for the differentiation of microorganisms <sup>(3-5)</sup>. Phenol Red Broth Medium with different types of carbohydrates serves as a differential medium by helping differentiation of various species and genera by their ability to ferment the specific carbohydrate, with the production of acid or acid and gas <sup>(6)</sup>. Phenol Red Dextrose Broth is used to study dextrose fermentation in various bacteria.

Proteose peptone and beef extract serve as sources for carbon and nitrogen. Sodium chloride is the osmotic stabilizer. Phenol red is the pH indicator, which turns yellow at acidic pH i.e. on fermentation of dextrose. Gas formation is seen in Durhams tubes. All of the *Enterobacteriaceae* grow well in this medium. In addition to producing a pH colour shift, the production of mixed acids, notably butyric acids, often results in a pungent, foul odour from the culture medium <sup>(1)</sup>.

#### Methodology

Suspend 21 grams of powder media in 1000 ml distilled water, mix well. Shake well & heat if necessary to ensure complete dissolution. Distribute in fermentation tubes (tubes containing inverted Durham's tubes). Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

#### Quality Control

##### Physical Appearance

Light yellow to pink coloured homogeneous free flowing powder

##### Colour and Clarity of prepared medium

Red coloured clear solution without any precipitate

##### Reaction

Reaction of 2.1% w/v aqueous solution at 25°C. pH : 7.4±0.2

**pH Range** 7.20-7.60

##### Cultural Response/ characteristics

DM 1056: Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours (longer if necessary).



Dehydrated Culture Media  
Bases / Media Supplements

Organism	Inoculum (CFU)	Growth	Acid	Gas
<i>Citrobacter freundii</i> ATCC 8090	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Escherichia coli</i> ATCC 25922	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Enterobacter aerogenes</i> ATCC 13048	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Klebsiella pneumoniae</i> ATCC 13883	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Proteus vulgaris</i> ATCC 13315	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Salmonella Typhi</i> ATCC 6539	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Salmonella Typhimurium</i> ATCC 14028	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Serratia marcescens</i> ATCC 8100	50-100	luxuriant	Positive reaction, yellow colour	Positive reaction
<i>Shigella flexneri</i> ATCC 12022	50-100	luxuriant	Positive reaction, yellow colour	negative reaction

## Storage and Shelf Life

**Dried Media:** Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

**Prepared Media:** 2-8° in sealable plastic bags for 2-5 days.

## Further Reading

1. Koneman E. W., Allen S. D., Janda W.M., Schreckenberger P.C., Winn W.C. Jr., 1992, Colour Atlas and Textbook of Diagnostic Microbiology, 4th Ed., J. B. Lippincott Company
2. Vera H. D., 1950, Am. J. Public Health, 40, 1267
3. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification -Maintenance of Medical Bacteria, Vol. I, Williams and Wilkins, Baltimore.
4. Finegold S. M. and Baron E. J., 1986, Bailey and Scotts Diagnostic Microbiology, 7th Ed., The C.V. Mosby Co., St. Louis.
5. Ewing W. H., 1986, Edwards and Ewings Identification of Enterobacteriaceae, 4th ed., Elsevier Science Publishing Co., Inc., New York.
6. MacFaddin J. F., 2000, Biochemical tests for Identification of Medical Bacteria, 3rd ed., Lippincott, Williams and Wilkins, Baltimore.

## Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.

