



Dehydrated Culture Media
Bases / Media Supplements

Technical Information

Phenol Red Agar Base

Product Code: DM 1053

Application: Phenol Red Agar Base is used as a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms.

Composition**

Ingredients	Gms / Litre
Proteose peptone	10.000
Beef extract	1.000
Sodium chloride	5.000
Phenol red	0.025
Agar	15.000
Final pH (at 25°C)	7.4 ± 0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Phenol Red Agar media are recommended ⁽¹⁻³⁾ for studying the fermentation of various carbohydrates individually by the pure cultures of microorganisms.

Proteose peptone which is generally free from fermentable carbohydrates is added in the medium to preventing the occurrence of false positive reactions. Phenol Red Agar when supplemented with a specific carbohydrate, a positive carbohydrate fermentation reaction is indicated by the production of a yellow colour in agar due to the production of acid. Gas production is indicated by the splitting of agar or by the bubbles formation. Plates or tubes may be incubated aerobically or anaerobically depending on the type of the test organism. Addition of some carbohydrates may result in an acid reaction and hence 0.1N sodium hydroxide can be added dropwise to restore the original colour taking care not to obtain too deep red or cerise colour.

Methodology

Suspend 31 grams of powder media in 1000 ml distilled water. Shake well & heat with frequent agitation to dissolve the medium completely. Dispense in tubes and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Add 5-10 grams desired separately sterilized carbohydrate. Allow the tubed media to cool in slanted position to form slants with deep butts.

Quality Control

Physical Appearance

Light yellow to pink homogeneous free flowing powder

Gelling

firm, comparable with 1.5% Agar gel

Colour and Clarity of prepared medium

Red coloured clear to slightly opalescent gel forms in tubes as slants

Reaction

Reaction of 3.1% w/v aqueous solution at 25°C. pH : 7.4±0.2

pH Range:- 7.20-7.60

Cultural Response/Characteristics

DM 1053: Cultural characteristics observed after an incubation at 35 - 37°C for 18 - 24 hours.





Dehydrated Culture Media
Bases / Media Supplements

Organism	Inoculum (CFU)	Growth	without carbohydrate, carbohydrate,(Acid)	without carbohydrate, (Gas)	with dextrose,(Acid)	with dextrose,(Gas)
<i>Alcaligenes faecalis</i> ATCC 8750	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Negative reaction, no colour change	Positive reaction
<i>Escherichia coli</i> ATCC 25922	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, Yellow colour	Positive reaction
<i>Klebsiella pneumonia</i> ATCC 13883	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, reaction,	Positive reaction
<i>Proteus vulgaris</i> ATCC 13315	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, reaction,	Positive reaction
<i>Salmonella Typhimurium</i> ATCC 14028	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, reaction,	Positive reaction
<i>Shigella flexneri</i> ATCC 12022	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, reaction,	Negative reaction

Storage and Shelf Life-

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. MacFaddin J., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. I, Williams and Wilkins, Baltimore.
2. Finegold and Baron, 1986, Bailey and Scotts Diagnostic Microbiology, 7th ed., The C.V. Mosby Co., St. Louis.
3. Ewing, 1986, Edwards and Ewings Identification of Enterobacteriaceae, 4th ed., Elsevier Science Publishing Co., Inc., New York.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.

Replace date 02-Nov-2023

