



Dehydrated Culture Media
Bases / Media Supplements

Technical Information

Rosolic Acid (0.1 gm per vial)

Product Code: MS2058

Application: Rosolic Acid solution is recommended for selective isolation of coliform bacteria.

Composition**

Per vial sufficient for 1000 ml medium

Ingredients	Concentration
Rosolic acid	0.100g

Directions

Rehydrate the contents of one vial aseptically with 10 ml of 0.2 N sterile Sodium hydroxide. Mix well and aseptically add it to 990 ml of M-FC Agar Base DM2122 / M-FC MiVeg Agar Base VM2122 / M-FC MiVeg Broth Base DM2111 / M-FC MiVeg Broth Base VM2111 before boiling. Add 10 ml of 1% Rosolic Acid MS2058 to sterile, molten, cooled (45-50°C) M-FC Agar Base Modified DM2124 / M-FC MiVeg Agar Base, Modified VM2124 alongwith 50 mg Carbenicillin. Mix well and dispense as desired.

Storage and Shelf Life

Store between 10-30°C. Use before expiry date on the label.

Disclaimer

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.