


## ETHYLENE GLYCOL MONO BUTYL ETHER ACETATE FOR SYNTHESIS

<b>PRODUCT CODE</b>	<b>085560</b>
<b>SYNONYMS</b>	<b>Butyl cellosolve acetate, 2-Butoxyethyl acetate</b>
<b>C.I. NO.</b>	--
<b>CASR NO.</b>	<b>(112-07-2)</b>
<b>ATOMIC OR MOLECULAR FORMULA</b>	<b>C<sub>8</sub>H<sub>16</sub>O<sub>3</sub></b>
<b>ATOMIC OR MOLECULAR WEIGHT</b>	<b>160.21</b>
<b>PROPERTIES</b>	--



<b>PARAMETER</b>	<b>LIMIT</b>
Description	A colorless liquid
Solubility	Miscible with hydrocarbons and organic solvents. Slightly miscible with water.
Minimum assay	98.5%
Wt per ml at 20°C	0.940-0.942 g
Refractive index (n) <sub>D</sub> <sup>20</sup>	1.410-1.416

**Note(s) : Assay (if applicable) method mentioned.**

### WARNING

**Hazard statements :** May cause respiratory irritation. Causes skin irritation. Causes serious eye irritation.

### Precautionary statements

**Prevention:** Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If eye irritation persists: Get medical advice/attention.

**Disposal:** Dissolve the chemical to be disposed, in water and allow it to run to waste, diluting with large quantities of water. The quantities greater than 10g should be dissolved in water and transferred to heavy metal waste drums for collection by specialist disposal company.

IMDG Code :

UN No. :

IATA :

Hazard Pictogram(s) :



GHS07

Replace date 2-June-2023