

Technical Information

Eriksson (ER) Vitamins Solution (1000X)

Product Code: PL1036

Composition**

Ingredients	mg/10ml
Thiamine hydrochloride	0.50
Pyridoxine hydrochloride	0.50
Nicotinic acid (Free acid)	0.50
Glycine (Free base)	2.00
TOTAL gm/10ml	0.0035

Principle And Interpretation

Eriksson (ER) vitamins (1000X) is a filter sterilized stock solution. The stock contains vitamins as described by Eriksson. Add 1ml per litre of vitamins stock solution to the prepared medium to achieve the desired concentration.

Directions

Measure out approximately 600ml of distilled water. While stirring the water, add 1ml of vitamins solution. Add desired heat stable supplements prior to autoclaving. Adjust the medium to the desired pH using 1N HCl/NaOH. Make up the final volume to 1000ml with distilled water. Sterilize the medium by autoclaving at 15 lbs or 121°C for 15 minutes. Cool the autoclaved medium to 45°C before adding the filter sterilized heat labile supplements. Dispense the desired amount of medium in sterile culture vessels. Store the prepared medium at 2-8°C away from direct light.

Quality Control

Appearance	: Colourless to yellow, clear solution.
pH	: 3.7 ±0.5 of 50ml vitamins stock solution.
Sterility	: No bacterial or fungal growth is observed after 14 days of incubation as per USP specification

Cultural Response :

Cultural condition :

• Incubation period	: 5 weeks
• Relative humidity	: 60% ± 2%
• Temperature	: 22°C ± 2°C
• Photoperiod (D: N) in hours	: 16:8

Cell Line	Type of Culture	Results
<i>Musa</i> species	Shoot culture	No structural deformity observed No necrotic tissues, Actively growing shoots, No toxicity to shoots
<i>Daucus</i> species	Callus culture	No necrotic tissues, Actively growing callus, No toxicity to callus

[The medium is prepared as per direction. The growth promoting activity of this vitamins stock solution is evaluated using two plant species viz. *Musa* species and *Daucus* species through three passages. Plant growth hormones (e.g. 2,4-D, NAA, Kinetin and 6-BAP) are added in suitable combinations and concentrations.]

Storage and Shelf Life

Store the vitamins stock solution at 2-8°C away from direct light. If possible, the content of each bottle should be used aseptically after opening and the unused portion should be stored at 2-8°C. Avoid contaminating the liquid. Use before the expiry date.

Further Reading

1. Eriksson T., *Physiol. Plant.*, (1965), 18, 976 - 993

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.