



Product Specification

cdhfinechemical.com

Technical Information

Kao & Michayluk Vitamins Solution (1000X)

Product Code: PL1020

Composition**

Ingredients	mg/10ml	
myo-Inositol	100.00	
Thiamine hydrochloride	1.00	
Pyridoxine hydrochloride	1.00	
Folic acid	0.40	
D-Biotin	0.01	
L-Ascorbic acid	2.00	
D-Calcium pantothenate	1.00	
Choline chloride	1.00	
Nicotinamide	1.00	
Riboflavin	0.02	
Cyancobalamin	0.02	
Vitamin A	0.01	
p-Aminobenzoic acid	0.02	
DTAL gm/10ml	0.11	

Principle And Interpretation

Kao & Michayluk Vitamins (100X) is a filter sterilized stock solution. The stock contains vitamins and amino acids as described by Kao & Michayluk. Add 10ml per litre of vitamins stock solution to the prepared medium to achieve the desired concentration.

Directions

Measure out approximately 600ml of distilled water. While stirring the water, add 10ml of vitamins solution. Add desired heat stable supplements prior to autoclaving. Adjust the medium to the desired pH using 1N HCI/NaOH. Make up the final volume to 1000ml with distilled water. Sterilize the medium by autoclaving at 15 lbs or 121°C for 15 minutes. Cool the autoclaved medium to 45°C before adding the filter sterilized heat labile supplements. Dispense the desired amount of medium in sterile culture vessels.

Quality Control

Appearance : Colourless to yellow, clear solution.
pH : 4.0-6.5 of 50ml vitamins stock solution.

Sterility: No bacterial or fungal growth is observed after 14 days ofincubation, as per USP specification.

Cultural Response : Cultural condition :

 $\begin{tabular}{ll} Incubation period & : 5 weeks \\ Relative humidity & : 60\% \pm 2\% \\ Temperature & : 22^{\circ}C \pm 2^{\circ}C \\ Photoperiod (D:N) in hours & : 16:8 \\ \end{tabular}$





Product Specification

cdhfinechemical.com

Cell Line	Type of Culture	Results
Musa species Sho	Shoot culture	No structural deformity observed
		No necrotic tissues,
		Actively growing shoots,
		No toxicity to shoots
Daucus species	Callus culture	No necrotic tissues,
		Actively growing callus,
		No toxicity to callus

[The medium is prepared as per direction. The growth promoting activity of this vitamins stock solution is evaluated using two plant species viz. *Musa* species and *Daucus* species through three passages. Plant growth hormones (e.g. 2,4-D, NAA, Kinetin and 6-BAP) are added in suitable combinations and concentrations.]

Storage and Shelf Life

Store the vitamins stock solution at -20°C away from direct light. If possible, the content of each bottle should be used aseptically after opening and the unused portion should be stored at -20°C. Avoid contaminating the liquid. Use before the expiry date.

Further Reading

1. Kao K.N. & Michayluk M.R., Planta, (1976), 126, 105 - 110

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performens parameters.