



Technical Information

Murashige & Skoog Vitamins Solution (1000X)

Product Code: PL1022

Composition**

Ingredients	mg/Litre
myo-Inositol	100000.00
Thiamine hydrochloride	100.00
Pyridoxine hydrochloride	500.00
Nicotinic acid (Free acid)	500.00
Glycine (Free base)	2000.00
TOTAL	103.10 gm/1000ml

Directions

Use 1ml/L of vitamins stock solution

Quality Control

Appearance: Colourless to yellow, clear solution. РΗ : 3.7 ±0.5 of 50ml vitamins stock solution.

: No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification. Sterility

Cultural Response:

Growth promoting activity of solution is assessed after addition of this product in complete medium using shoot tips, nodes or callus for 5 weeks at 25°C ±2°C with 16 hrs photoperiod and 8 hrs darkness. Actively growing shoots and callus is observed.

Storage and Shelf Life

Store product at 2-8°C away from bright light. Shelf life of product is 7 months. Use before expiry date.

Further Reading

Murashige T. & Skoog F., Physiol. Plant., (1962), 15, 473 - 497.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and perf
- ormens parameters.