

Technical Information

Phyto Sucrose Peptone Agar Base

Product Code: PHM1016

Application: Selective medium for the detection of *Pseudomonas savastanoi pv. phaseolicola* and *Pseudomonas syringae* on seeds of bean.

Composition**

Ingredients	Grams/Litre
Peptone special	5.00
Di-potassium hydrogen phosphate	0.50
Magnesium sulphate anhydrous	0.13
Sucrose	20.00
Agar	20.00
Total	45.63 gm/liter

**Formula adjusted standard to suit the performance parameter

Principle And Interpretation

Pseudomonas syringae pv. syringae and *P. s. pv. phaseolicola* are the causal agents of brown spot and halo blight respectively and can reduce yield and quality (4). Several methods have been used for the detection of halo blight and brown spot pathogens in seed including plating seed soak liquid onto the medium B (3).

This medium is formulated based on the formulation of Medium MSP (2), which is a modification of sucrose peptone agar (1). This new medium permits better recovery of *P. s. pv. phaseolicola* inhibiting most of the saprophytic bacteria commonly associated with bean seed. Colonies of *P.s. pv. phaseolicola* were 3 mm in diameter, circular raised, glistening and light yellow coloured colonies.

This medium selectively eliminates most of the saprophytic bacteria however *P.s. pv. phaseolicola* can be easily differentiated on this medium due to the levan and acid from sucrose in the presence of bromothymol blue (2).

Peptone special serves as a source of nitrogen compounds. Phosphate buffers the medium. Sucrose is the fermentable carbohydrate. Bromothymol blue in the supplement serves as an indicator. Cephalixin monohydrate, vancomycin and nystatin in the supplement serves as selective agent.

Directions

Suspend 45.63 grams in 1000 ml distilled water. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Cool to 45-50 °C and aseptically add the rehydrated contents of one vial of CNVB Supplement (PHS1009). Mix well and pour into sterile Petri plates.

Quality Control

Appearance:

Cream to yellow coloured, homogeneous, free flowing powder.

Gelling:

Firm, comparable with 1.5% Agar gel.

Colour and Clarity of prepared medium:

Blue coloured slightly opalescent gel forms in Petri plates

Cultural Response:

Cultural characteristics observed with added CNVB Supplement (PHS1009), after an incubation at 25-30°C for 3-7 days ..

Organism (ATCC)	Growth	Colour of the colony
<i>P.s. pv. phaseolicola</i>	luxuriant	light yellow
<i>Pseudomonas syringae pv. syringae</i>	luxuriant	light yellow
<i>Staphylococcus aureus</i> (25923)	inhibited	-
<i>Saccharomyces cerevisiae</i> (9763)	inhibited	-

Storage and Shelf Life

Store below 30°C and the prepared medium at 2 - 8°C. Use before expiry date on the label.

Further Reading

- .Hayward. A..C. 1960. A method for characterizing *Pseudomonas solanacearum*. Nature (London) 186:405-406
- Mohan, S.K., and Schaad, N.W. 1987. An improved Agar Plating Assay for Detecting *Pseudomonas syringae pv. syringae* and *P.s. pv. phaseolicola* in Contaminated Bean Seed. Phytopathology 77 :139-1395.
- Taylor. J.D. 1970., Dudley, C.L., and Presly, L.1979. Studies of halo blight seed infection and disease transmission in dwarf beans. Ann. Appl. Biol. 66:29-36.
- Webster D.M., Atkin, J.D., and Cross J.E, 1983. Bacterial blights of snap beans and their control. Plant Disease 67: 935-939.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performs parameters.