Plant Tissue Culture



Product Specification

cdhfinechemical.com

Technical Information

Orchid Maintenance/Replate Medium With Calcium Chloride, Vitamins, Sucrose, Veg peptone, MES And Agar Without Activated Charcoal

Product Code: PT1070

Application: Orchid Maintenance Medium has been formulated for the effective maintenance of the orchid species.

It is a nutrient blend of inorganic salts, vitamins and carbohydrate. In addition, it is supplemented with MES Buffer which maintains optimum buffering and prevents acidification in the media required for the cultivation of orchids. Veg peptone is added as an additional source of reduced organic nitrogen. Microelements like Boron, Manganese, Molybdenum, Copper, Iron and Zinc enhance metabolism in the plants. Boron plays a key role in the carbohydrate metabolism. Thiamine, pyridoxine and nicotinic acid act as a enzymatic cofactors in universal pathways including glycolysis and TCA cycle along with primary and secondary metabolism in the plants.

The product is plant tissue culture tested but it is the sole responsibility of the user to ensure the suitability of the medium for individual species.

Composition**		
Ingredients	mg/Litre	
MACROELEMENTS		
Ammonium nitrate	825.000	
Calcium chloride	166.100	
Magnesium sulphate	90.340	
Potassium nitrate	950.000	
Potassium phosphate monobasic	85.000	
MICROELEMENTS		
Boric acid	3.100	
Cobalt chloride hexahydrate	0.013	
Copper sulphate pentahydrate	0.013	
EDTA disodium salt dihydrate	37.300	
Ferrous sulphate heptahydrate	27.800	
Manganese sulphate monohydrate	8.450	
Molybdic acid (sodium salt)	0.106	
Potassium Iodide	0.420	
Zinc sulphate heptahydrate	5.300	
VITAMINS		
myo-Inositol	100.000	
Nicotinic acid (free acid)	1.000	
Pyridoxine HCl	1.000	
Thiamine hydrochloride	10.000	
-		

Plant Tissue Culture



Product Specification

cdhfinechemical.com

~ ~ ~		
CAR	BOHYDRATE	

Sucrose GELLING AGENT	20000.000
Agar	8000.000
OTHERS	
Veg Peptone	2000.000
MES	1000.000
Total (gms/litre)	33.3

Material required but not provided

- Autoclaved distilled water
- Plant growth regulators
- 1N NaOH/HCl
- Activated Charcoal

Quality Control

Appearance

White to off-white, homogenous, free flowing powder

Solubility

33.3 gms/litre soluble after boiling in distilled water

Colour and Clarity

Colourless to light yellow, hazy gel is formed on cooling.

Gelling

Firm gel formed at pH: 5.75 ± 0.5

pH at 25ºC

4.50 - 5.50

Plant Tissue Culture Test

The growth promoting properties of medium is assessed by providing plant cultures with relative humidity of about 60%±2%,temperature 22ºC±2ºC and photoperiod of about 16:8.The plant species showed actively growing callus and shoots with no structural, necrotic and toxic deformity.

Directions

- Reconstitute medium by adding required quantity of powder in two-third of total volume with constant, gentle stirring till the medium gets completely dissolved.
- Add heat stable supplements prior to autoclaving.
- Make up the final volume with distilled water.
- Adjust the pH of the medium to 5.75 ± 0.5 using 1N NaOH/HCl.
- Add gelling agent and heat the medium to boiling till complete dissolution of gelling agent.
- Sterilize the medium by autoclaving at 15 lbs and 121°Cfor 15 min.
- Cool the autoclaved medium to about 45°C before adding heat labile supplements.
- Aseptically dispense the desired amount of medium under a laminar airflow unit in sterile culture vessels

Storage and Shelf Life

- The plant tissue culture medium powder is extremely hygroscopic and must be stored at 2-8°C in air tight containers.
- Preferably, entire content of each package should be used immediately after opening.
- Use before the expiry date.

Plant Tissue Culture



Product Specification

cdhfinechemical.com

Precautions

- Ensure appropriate pH of the medium before addition of gelling agent as acidic pH will lead to decreased gelation resulting in semi solid flowing gel while alkaline pH will lead to formation of hardened gel.
- Use of Distilled water/Tissue culture grade water is recommended for media preparation as tap water or lower grade water may lead to salt precipitation and improper gelation.
- Avoid preparation of concentrated solutions, as it will lead to precipitation of salts.

Disclaimer

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is
 accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.





Product Specification

cdhfinechemical.com

Central Drug House (P) Ltd. | Corp. Office : 7/28, Vardaan House, Darya Ganj, New Delhi - 110002 (INDIA), Phone : +91-11-49404040 (100 Lines) Mfg Unit : Plot No. D-2/CH/9, Dahej-2, GIDC, Dist. Bharuch - 392130 (Gujarat), E-mail : sales@cdhfinechemical.com