

Technical Information

Nutrient Mixture F-12 Ham, Kaighn's Modification With 1.5 gms per litre Sodium bicarbonate Without L-Glutamine

Product Code: AL1271S

Application:- Ham's Nutrient Mixtures were originally developed for single cell plating of near diploid Chinese hamster ovary (CHO) cells and mouse L-cells. Both F-10 and F-12 are formulated for use with or without serum, depending on the type of cells being cultured. Ham's Nutrient Mixture F12 was originally designed for serial propagation and cloning of two CHO cell lines namely, CHD-3 and CHL-1 and mouse L cells. It is the medium of choice for the growth of cells of rodent origin and for cloning of myeloma and hybridoma cells. This medium is also the medium of choice for clonal toxicity assay using CHO cells. Kaighn's modification of Ham's F-12 is a complex formulation of F-12 with increased amounts of amino acids and purvate. Salts used in this formulation are as given by Konisberg .

AL1271S is Nutrient Mixture F-12 Ham with sodium bicarbonate. It does not contain L-glutamine. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition**

Ingredients	mg/Litre
INORGANIC SALTS	
Calcium chloride dihydrate	135.240
Copper sulphate pentahydrate	0.0025
Disodium hydrogen phosphate	115.020
Ferrous sulphate heptahydrate	0.834
Magnesium chloride anhydrous	49.700
Magnesium sulphate anhydrous	93.700
Potassium chloride	283.290
Potassium dihydrogen phosphate	58.500
Sodium chloride	7597.200
Sodium bicarbonate	1500.00
Zinc sulphate heptahydrate	0.1437
AMINO ACIDS	
Glycine	15.010
L-Alanine	17.800
L-Arginine hydrochloride	421.400
L-Asparagine monohydrate	30.020
L-Aspartic acid	26.620
L-Cystine hydrochloride monohydrate	70.240
L-Glutamic acid	29.420
L-Histidine hydrochloride monohydrate	41.920
L-Isoleucine	7.872
L-Leucine	26.240
L-Lysine hydrochloride	73.040
L-Methionine	8.960

L-Phenylalanine	9.920
L-Proline	69.060
L-Serine	21.020
L-Threonine	23.820
L-Tryptophan	4.080
L-Tyrosine disodium salt dihydrate	13.500
L-Valine	23.420
VITAMINS	
Biotin	0.073
Choline chloride	13.960
D-Ca-Pantothenate	0.477
Folic acid	1.320
Niacinamide	0.037
Pyridoxine hydrochloride	0.061
Riboflavin	0.0376
Thiamine hydrochloride	0.337
Vitamin B12	1.335
i-Inositol	18.020
OTHERS	
D-Glucose	1260.000
Hypoxanthine sodium salt	4.083
Lipoic acid	0.2063
Phenol red sodium salt	3.318
Putrescine dihydrochloride	0.322
Sodium pyruvate	220.000
Thymidine	0.726

Methodology

Add 10ml of 200mM L-glutamine (TCL1012) for 1 litre of medium.

Material Required But Not Provided

L-Glutamine solution 200mM (TCL1012)

Quality control

Appearance :

Light orange colored, clear solution

pH : 7.00-7.60

Osmolality in mOsm/Kg H₂O:-320.00-360.00

Sterility :-

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts .

Endotoxin Content:

NMT 1EU/ml

Storage and Shelf Life

Store at 2-8°C away from bright light. Shelf life is 12 months. Use before expiry date given on the product label.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.