

### Technical Information

#### Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM/F12,1:1 mixture)

With 15mM HEPES buffer, Sodium bicarbonate and Trace elements Without L-Glutamine 1X Liquid Cell Culture Medium

#### Product Code: AL1139

**Application:-** Dulbecco's Modified Eagle Medium / Nutrient Mixture F12 Ham (DMEM/F12, 1:1 mixture) was originally formulated for rat neuroblastoma cells and MDCK cells. The mixture is extremely nutritious and supports growth of a wide variety of cells including certain epithelial, endothelial and granulosa cells.

AL1139 is DMEM/Nutrient Mixture F-12 Ham with sodium bicarbonate, 15mM HEPES buffer and trace elements. HEPES, a zwitterionic buffer having a pKa of 7.3 at 37°C prevents the initial rise in pH that tends to occur at the initiation of a culture and increases the buffering capacity of the medium. It does not contain L-glutamine. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

#### Composition\*\*

Ingredients	mg / Litre
<b>INORGANIC SALTS</b>	
Ammonium metavanadate	0.00058
Ammonium molybdate tetrahydrate	0.00618
Calcium chloride dihydrate	154.500
Copper sulphate pentahydrate	0.0013
Disodium hydrogen phosphate	71.020
Ferric nitrate ninahydrate	0.050
Ferrous sulphate heptahydrate	0.417
Magnesium chloride hexahydrate	61.200
Magnesium sulphate anhydrous	48.840
Manganese sulphate	0.000151
Nickel chloride	0.00012
Potassium chloride	311.800
Sodium bicarbonate	1200.000
Sodium chloride	6996.000
Sodium dihydrogen phosphate monohydrate	54.300
Sodium metasilicate nonahydrate	0.0142
Sodium selenite	0.00519
Stannous chloride dehydrate	0.00011
Zinc sulphate heptahydrate	0.432
<b>AMINO ACIDS</b>	
Glycine	18.750
L-Alanine	4.450
L-Arginine hydrochloride	147.500
L-Asparagine monohydrate	7.500
L-Aspartic acid	6.650
L-Cysteine dihydrochloride	17.560
L-Cystine hydrochloride monohydrate	31.290
L-Glutamic acid	7.350
L-Histidine hydrochloride monohydrate	31.480
L-Isoleucine	54.470

L-Leucine	59.050
L-Lysine hydrochloride	91.250
L-Methionine	17.240
L-Phenylalanine	35.480
L-Proline	17.250
L-Serine	26.250
L-Threonine	53.450
L-Tryptophan	9.020
L-Tyrosine disodium salt	48.100
L-Valine	52.850

### VITAMINS

Choline chloride	8.980
D-Biotin	0.0035
D-Ca-Pantothenate	2.240
Folic acid	2.660
Niacinamide	2.020
Pyridoxal hydrochloride	2.000
Pyridoxine hydrochloride	0.031
Riboflavin	0.219
Thiamine hydrochloride	2.170
Vitamin B12	0.680
myo-Inositol	12.600

### OTHERS

D-Glucose	3151.000
DL-Thioctic acid	0.105
HEPES buffer	3574.500
Hypoxanthine	2.400
Linoleic acid	0.042
Phenol red sodium salt	8.630
Putrescine hydrochloride	0.081
Sodium pyruvate	110.000
Thymidine	0.365

## Methodology

1. Add 12.5ml of 200mM L-glutamine (TCL1012) for 1 litre of medium.

## Material required but not provided

L-Glutamine solution 200mM (TCL1012)

## Quality control

### Appearance

Red colored, clear solution.

### pH

7.00 -7.60

### Osmolality in mOsm/Kg H<sub>2</sub>O

300.00 -340.00

### Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

### Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts and comparing it with a control medium through minimum three subcultures.

### Endotoxin Content

NMT 5EU/ml

### Storage and Shelf Life

Store at 2-8°C away from bright light. Shelf life is 18 months. Use before expiry date given on the product label.

### Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.