



## **Product Specification**

cdhfinechemical.com

## **Technical Information**

#### **RPMI-1640**

With Sodium bicarbonate Without L-Glutamine Hybridoma Tested 1X Liquid cell Culture Medium

#### Product Code: AL1028B

**Application:**-Roswell Park Memorial Institute (RPMI) media are a series of media developed by Moore et al for the culture of human normal and neoplastic cells in vitro. RPMI 1640 is the most commonly used medium in the series. A modification of McCoy's 5A medium, the medium was specifically designed to support the growth of human lymphoblastoid cells in suspension culture. Presently the medium is extensively used for a wide range of anchorage dependant cell lines. The medium needs to be supplemented with 5-20% fetal bovine serum. The medium is also known to support growth of cells in the absence of serum.

AL1028B is RPMI 1640 with sodium bicarbonate. It does not contain L-glutamine. This medium is Hybridoma tested. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition**	
Ingredients	mg/Litre
INORGANIC SALTS	
Calcium nitrate tetrahydrate	100.000
Magnesium sulphate anhydrous	48.840
Potassium chloride	400.000
Sodium bicarbonate	2000.000
Sodium chloride	6000.000
Sodium phosphate dibasic anhydrous	800.000
AMINO ACIDS	
Glycine	10.000
L-Arginine hydrochloride	241.000
L-Asparagine	50.000
L-Aspartic acid	20.000
L-Cystinedihydrochloride	65.200
L-Glutamic acid	20.000
L-Histidine hydrochloride monohydrate	20.960
L-Hydroxyproline	20.000
L-Isoleucine	50.000
L-Leucine	50.000
L-Lysine hydrochloride	40.000
L-Methionine	15.000
L-Phenylalanine	15.000
L-Proline	20.000
L-Serine	30.000
L-Threonine	20.000
L-Tryptophan	5.000
L-Tyrosine disodium salt	28.830
L-Valine	20.000





# **Product Specification**

cdhfinechemical.com

V	IT	Α	М	I	٨	ıs

Choline chloride	3.000
D-Biotin	0.200
D-Ca-Pantothenate	0.250
Folic acid	1.000
Niacinamide	1.000
Pyridoxine hydrochloride	1.000
Riboflavin	0.200
Thiamine hydrochloride	1.000
Vitamin B12	0.005
i-Inositol	35.000
p-Amino benzoic acid (PABA)	1.000
OTHERS	
D-Glucose	2000.000

## Methodology

Glutathione reduced Phenol red sodium salt

1. Add 10.3ml of 200mM L-glutamine (TCL1012) for 1 litre of medium.

## Material required but not provided

-Glutamine solution 200mM (TCL1012)

## **Quality control**

#### Appearance

Orangish red colored, clear solution.

#### рΗ

7.00 -7.60

#### Osmolality in mOsm/Kg H₂O

290.00 -330.00

#### Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

1.000

5.300

#### Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts and comparing it with a control medium through minimum three subcultures.

#### **Endotoxin Content**

NMT 5EU/ml

### Storage and Shelf Life

Store at 2-8°C away from bright light. Shelf life is 18 months. Use before expiry date given on the product label.





# **Product Specification**

cdhfinechemical.com

### Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.