

Technical Information

Nutrient Mixture F-10 Ham

With Sodium bicarbonate Without L-Glutamine 1X Liquid Cell Culture Medium

Product Code: AL1024

Application:-Ham's Nutrient Mixtures were originally developed for single cell plating of near diploid Chinese hamster ovary (CHO) cells and mouse L-cells. Both F-10 and F-12 are formulated for use with or without serum, depending on the type of cells being cultured.

Ham's Nutrient Mixture F-10 was designed for clonal growth of CHO cells and chick embryo cells under serum free conditions. It is now widely used for culturing a variety of cells which include human diploid cells and white blood cells for chromosomal analysis and primary explants of rat, rabbit and chicken tissues.

AL1024 is Nutrient Mixture F-10 Ham with sodium bicarbonate. It does not contain L-glutamine. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition**

Ingredients	mg/Litre
INORGANIC SALTS	
Calcium chloride dehydrate	44.100
Copper sulphate pentahydrate	0.0025
Ferric sulphateheptahydrate	0.834
Magnesium sulphate anhydrous	74.730
Potassium chloride	285.000
Potassium dihydrogen phosphate	83.000
Sodium bicarbonate	1200.000
Sodium chloride	7400.000
Sodium phosphate dibasic anhydrous	153.700
Zinc sulphateheptahydrate	0.0288
AMINO ACIDS	
Glycine	7.510
L-Alanine	8.910
L-Arginine hydrochloride	211.000
L-Asparagine anhydrous	15.010
L-Aspartic acid	13.300
L-Cysteine dihydrochloride	35.130
L-Glutamic acid	14.700
L-Histidine hydrochloride monohydrate	21.000
L-Isoleucine	2.600
L-Leucine	13.100
L-Lysine hydrochloride	29.300
L-Methionine	4.480
L-Phenylalanine	4.960
L-Proline	11.500
L-Serine	10.500
L-Threonine	3.570
L-Tryptophan	0.600
L-Tyrosine disodium salt	2.610
L-Valine	3.500

VITAMINS

Biotin	0.024
Choline chloride	0.698
D-Ca-Pantothenate	0.715
Folic acid	1.320
Nicotinamide	0.615
Pyridoxine hydrochloride	0.206
Riboflavin	0.376
Thiamine hydrochloride	1.000
Vitamin B12	1.360
i-Inositol	0.541

OTHERS

D-Glucose	1100.000
Hypoxanthine sodium salt	4.080
Lipoic acid	0.210
Phenol red sodium salt	1.300
Sodium pyruvate	110.000
Thymidine	0.730

Methodology

1. Add 5ml of 200mM L-glutamine (TCL1012) for 1 litre of medium.

Material required but not provided

L -Glutamine solution 200mM (TCL1012)

Quality control

Appearance

Orangish red colored, clear solution.

pH

7.00 -7.60

Osmolality in mOsm/Kg H₂O

285.00 -325.00

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts and comparing it with a control medium through minimum three subcultures.

Endotoxin Content

NMT 5EU/ml

Storage and Shelf Life

Quality Control:Store at 2-8°C away from bright light. Shelf life is 18 months. Use before expiry date given on the product label.

Disclaimer

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.