

Technical Information

Minimum Essential Medium Eagle (Alpha modification)

With L-Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate 1X Liquid Cell Culture Medium

Product Code: AL1080A

Application:—Minimum Essential Medium Eagle (MEM) is a modification of Basal Medium Eagle (BME). It was developed by Harry Eagle to meet the specific nutritional requirements of certain subtypes of HeLa cells and normal mammalian fibroblasts. MEM includes higher concentration of amino acids so as to closely approximate the protein composition of cultured mammalian cells. MEM can be used either with Earle's salts or Hank's salts and can also be additionally supplemented with non-essential Amino Acids (NEAA). This medium can be further modified by eliminating calcium to facilitate growth of cells in suspension cultures.

AL1080A is alpha modification of Minimum Essential Medium Eagle with L-glutamine, sodium bicarbonate, NEAA, deoxyribonucleosides and ribonucleosides. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition**

Ingredients	mg/Litre
INORGANIC SALTS	
Calcium chloride dehydrate	265.000
Magnesium sulphate anhydrous	97.720
Potassium chloride	400.000
Sodium bicarbonate	2200.000
Sodium chloride	6800.000
Sodium dihydrogen phosphate anhydrous	122.000
AMINO ACIDS	
Glycine	50.000
L-Alanine	25.000
L-Arginine hydrochloride	126.000
L-Asparagine monohydrate	50.000
L-Aspartic acid	30.000
L-Cysteine hydrochloride	100.000
L-Cystinedihydrochloride	31.300
L-Glutamic acid	75.000
L-Glutamine	292.000
L-Histidine hydrochloride monohydrate	42.000
L-Isoleucine	52.000
L-Leucine	52.000
L-Lysine hydrochloride	72.500
L-Methionine	15.000
L-Phenylalanine	32.000
L-Proline	40.000
L-Serine	25.000
L-Threonine	48.000
L-Tryptophan	10.000
L-Tyrosine disodium salt	51.900

L-Valine	46.000
VITAMINS	
Choline chloride	1.000
D-Biotin	0.100
D-Ca-Pantothenate	1.000
Folic acid	1.000
L-Ascorbic acid	50.000
Nicotinamide	1.000
Pyridoxal hydrochloride	1.000
Riboflavin	0.100
Thiamine hydrochloride	1.000
Vitamin B12	1.360
i-Inositol	2.000
OTHERS	
2' Deoxyadenosine	10.000
2' Deoxycytidine hydrochloride	11.000
2' Deoxyguanosine	10.000
Adenosine	10.000
Cytidine	10.000
D-Glucose	1000.000
Guanosine	10.000
Lipoic acid	0.200
Phenol red sodium salt	11.000
Sodium pyruvate	110.000
Thymidine	10.000
Uridine	10.000

Quality Control

Appearance

Orangish red colored, clear solution.

pH

7.00 -7.60

Osmolality in mOsm/Kg H₂O

290.00 -330.00

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts and comparing it with a control medium through minimum three subcultures.

Endotoxin Content

NMT 5EU/ml

Storage and Shelf Life

Store at 2-8°C away from bright light. Shelf life is 12 months. Use before expiry date given on the product label.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.