

Technical Information

Nutrient Mixture F-10 Ham

With 10 mM HEPES buffer, L-Glutamine and 1.2 g/L Sodium Bicarbonate Without Phenol red

Product Code: AL1290A

Application:- Ham's Nutrient Mixtures were originally developed for single cell plating of near diploid Chinese hamster ovary(CHO) cells and mouse L-cells. Both F-10 and F-12 are formulated for use with or without serum, depending on the type of cells being cultured. Ham's Nutrient Mixture F10 was designed for clonal growth of CHO cells and chick embryo cells under serum free conditions. It is now widely used for culturing a variety of cells which include human diploid cells and white blood cells for chromosomal analysis and primary explants of rat, rabbit and chicken tissues.

AL1290A is Nutrient Mixture F-10 Ham with L-glutamine, 10mM HEPES buffer and sodium bicarbonate. HEPES, a zwitterionic buffer having a pKa of 7.3 at 37°C prevents the initial rise in pH that tends to occur at the initiation of a culture and increases the buffering capacity of the medium. It does not contain phenol red. Users are advised to review the literature for recommendations regarding medium supplementation and physiological growth requirements specific for different cell lines.

Composition**

Ingredients	mg/Litre
INORGANIC SALTS	
Calcium chloride dihydrate	44.100
Copper sulphate pentahydrate	0.0025
Ferric sulphate heptahydrate	0.834
Magnesium sulphate anhydrous	74.730
Potassium chloride	285.000
Potassium dihydrogen phosphate	83.000
Sodium chloride	7400.00
Sodium bicarbonate	1200.00
Sodium phosphate dibasic anhydrous	153.700
Zinc sulphate heptahydrate	0.0288
AMINO ACIDS	
Glycine	7.510
L-Alanine	8.910
L-Arginine hydrochloride	211.000
L-Asparagine monohydrate	15.010
L-Aspartic acid	13.300
L-Cystine dihydrochloride	35.130
L-Glutamic acid	14.700
L-Glutamine	146.00
L-Histidine hydrochloride monohydrate	21.000
L-Isoleucine	2.600
L-Leucine	13.100
L-Lysine hydrochloride	29.300

L-Methionine	4.480
L-Phenylalanine	4.960
L-Proline	11.500
L- Serine	10.500
L-Threonine	3.570
L-Tryptophan	0.600
L-Tyrosine disodium salt dihydra	2.610
L-Valine	3.500
VITAMINS	
Biotin	0.024
Choline chloride	0.698
D-Ca-Pantothenate	0.715
Folic acid	1.320
Nicotinamide	0.615
Pyridoxine hydrochloride	0.206
Riboflavin	0.376
Thiamine hydrochloride	1.000
Vitamin B12	1.360
i-Inositol	0.541
OTHERS	
D-Glucose	1100.00
HEPES buffer	2383.000
Hypoxanthine Sodium Salt	4.080
Lipoic acid	0.210
Sodium pyruvate	110.000
Thymidine	0.730

Quality control

Appearance :

Colorless Clear solution.

pH :

7.00-7.60

Osmolality in mOsm/Kg H₂O:-

290.00-330.00

Sterility :-

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

The growth promotion capacity of the medium is assessed qualitatively by analyzing the cells for the morphology and quantitatively by estimating the cell counts .

Endotoxin Content:

NMT 1EU/ml

Storage and Shelf Life

Store at 2-8°C away from bright light. Shelf life is 12 months. Use before expiry date given on the product label.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.