

# **Technical Information**

### **Gentamicin Solution**

With 10mg/ml Gentamicin sulfate in sterile tissue culture grade water

### **Product Code: A01010**

#### Application:-

Molecular Weight:

C1 - 477.6

C2 - 463.6

C1a - 449.5

Molecular Formula:

C1 - C<sub>21</sub>H<sub>43</sub>N<sub>5</sub>O<sub>7</sub>

C2 - C<sub>20</sub>H<sub>41</sub>N<sub>5</sub>O<sub>7</sub>

C1a - C<sub>19</sub>H<sub>39</sub>N<sub>5</sub>O<sub>7</sub>

CAS number: 1405-41-0

Gentamicin is a broad spectrum bacteriocidal agent of aminoglycoside group and is effective against gram positive bacteria and gram negative bacteria. It is a mixture of the three major components C1, C1a and C2. The ratio of the three components is as follows:

C1 - 25 - 50%

C2 - 25 - 55%

C1a -10 - 35%

Gentamicin binds to four nucleotides of 16S rRNA and a single amino acid of protein S12. This interferes with decoding site in the vicinity of nucleotide 1400 in 16S rRNA of 30S subunit. This region interacts with the wobble base in the anticodon of tRNA. This leads to interference with the initiation complex, misreading of mRNA so incorrect amino acids are inserted into the polypeptide leading to nonfunctional or toxic peptides and the breakup of polysomes into non-functional monosomes.

A01010 is sterile filtered solution formulated to contain 50mg/ml Gentamicin in tissue culture grade water

# Methodology

Recommended use concentration is 5ml/L. Sensitive cell lines may react differently to this product. Hence it is recommended to determine optimum usage dose empirically for individual cell line.

# **Quality control**

#### Appearance

Colorless, clear solution.

рΗ

4.60 – 5.20

Osmolality in mOsm/Kg H<sub>2</sub>O

5.00 - 35.00

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

**Gentamicin Concentration** 

10 - 12 mg/ml

**Cultural Response** 

No toxicity to cells.

**Endotoxin Content** 

NMT 0.5EU/ml





# **Product Specification**

cdhfinechemical.com

# Storage and Shelf Life

Store at 2-8°C.

Shelf life of the product is 24 months.

Use before expiry date given on the product label.

### Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.