

Technical Information

Ampicillin Solution

With 10mg/ml Ampicillin sodium salt in sterile tissue culture grade water

Product Code: A01022

Application:-

Molecular Weight:

371.39

Molecular Formula:

$C_{16}H_{18}N_3NaO_4S$

CAS No:

69-52-3

Synonym: D(-) α -Aminobenzylpenicillin.Na

Ampicillin belongs to the penicillin group of β -lactam antibiotics. It differs from penicillin by the presence of an amino group. It inhibits bacterial cell-wall synthesis (peptidoglycan cross-linking) by inactivating transpeptidases on the inner surface of the bacterial cell membrane. This broad spectrum antibiotic is effective against Gram-positive and Gram-negative bacteria.

In cell culture, ampicillin is used as an antibacterial agent and as a selection agent to select transformed bacteria. Many common vectors carry genes encoding resistance to ampicillin and are identified by the ability of the host bacteria to grow in the presence of this antibiotic.

Resistance is mediated by cleavage of β -lactam ring of ampicillin by β -lactamase.

In cell culture applications ampicillin sodium salt is generally used at a concentration of 100mg/L for antibacterial use. In ampicillin resistance studies, it is used at a concentration of 20-125 μ g/ml.

A1022 is sterile filtered solution formulated to contain 10mg ampicillin per ml.

Methodology

Recommended use concentration is 10ml/L (for antibacterial applications) and 2 - 12.5ml/L (for resistance studies). Sensitive cell lines may react differently to this product. Hence it is recommended to determine optimum usage dose empirically for individual cell line.

Quality control

Appearance

Yellow suspension.

pH

8.50 – 9.50

Osmolality in mOsm/Kg H₂O

40.00 -80.00

Sterility

No bacterial or fungal growth is observed after 14 days of incubation, as per USP specification.

Cultural Response

No toxicity to cells.

Endotoxin Content

NMT 0.5EU/ml

Storage and Shelf Life

Store at -20°C. Repeated freezing and thawing should be avoided. Once thawed, remaining portion can be aseptically dispensed into sterile container for future use. Shelf life of the product is 18 months. Use before expiry date given on the product label.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.