

Molecular Biology Growth Media

Technical Information

Synthetic Complete Supplement Mixture (SC) w/o TRP

Product Code : G1154

Synthetic Complete Supplement Mixture (SC) w/o TRP is used as a dropout supplement for all strains of Saccharomyces cerevisiae.

| Composition** | | |
|----------------|-------------|--|
| Ingredients | Grams/Litre | |
| Adenine | 21.00 | |
| Alanine | 85.60 | |
| -Arginine HCl | 85.60 | |
| -Asparagine | 85.60 | |
| -Aspartic acid | 85.60 | |
| Cysteine HCl | 85.60 | |
| Glutamine | 85.60 | |
| Glutamic acid | 85.60 | |
| Glycine | 85.60 | |
| Myo-Inositol | 85.60 | |
| Isoleucine | 85.60 | |
| -Leucine | 173.40 | |
| -Lysine HCl | 85.60 | |
| -Methionine | 85.60 | |
| -Phenylalanine | 85.60 | |
| Proline | 85.60 | |
| Serine | 85.60 | |
| Threonine | 85.60 | |
| Tryptophan | 85.60 | |
| Tyrosine | 85.60 | |
| Jracil | 85.60 | |
| L-Valine | 85.60 | |

** Formula adjusted, standardized to suit performance parameters

Methodology

Suspend 1.91 grams in 1000 ml distilled water. Sterilize by autoclaving at 10 lbs pressure (115°C) for 20 minutes. Mix well and dispense as desired.

Principle and Interpretation

Synthetic Complete Supplement Mixture (SC) w/o TRP is used as a dropout supplement for all strains of Saccharomyces cerevisiae. This yeast strain is called budding yeast and is extensively studied microorganism in molecular and cell biology.

Synthetic Complete Supplement Mixture (SC) w/o TRP supplies the essential nutritional elements for budding yeast cells. It is composed of all the amino acids required for the vigorous growth of *Saccharomyces cerevisiae* except typtophan. This makes it a dropout growth medium for yeast cells. It can be mixed with yeast nitrogen base (YNB), ammonium sulphate and an appropriate carbon source (glucose/galactose/raffinose) to produce a media suitable for the growth of tryptophan prototrophs and wild type strains of *S. cerevisiae* but tryptophan auxotroph cannot grow in this media. Therefore, SC w/o TRP can be used as drop-out formulation for the selection of auxotrophic requirements and transformants.



Molecular Biology Growth Media

Quality control

Appearance of Powder :

White to light yellow coloured, homogeneous, free flowing powder.

Colour and Clarity :

Colourless to pale yellow coloured, clear solution without any precipitate.

Cultural Response :

Cultural characteristics observed after an incubation at 25-30°C for 18 - 48 hours.

Organisms (ATCC)

Saccharomyces cerevisiae ATCC9763

Growth good-luxuriant

Storage and Shelf Life

Store below 30°C and the prepared medium at 2 - 8°C. Use before expiry date on the label.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.