

Molecular Biology Growth Media

Technical Information

DOB Growth Medium with Succinate

Product Code: G1086

DOB Growth Medium with Succinate is used for the growth of Saccharomyces cerevisiae.

Composition**			
Ingredients	Grams/Litre		
Potassium dihyrogen phosphate	1.00		
Magnesium sulphate	0.50		
Sodium chloride	0.10		
Calcium chloride	0.10		
Biotin	0.002 gm		
Calcium pantothenate	0.4 mg		
Folic acid	0.002 mg		
Inositol	2.00 mg		
Niacin	0.4 mg		
РАВА	0.2 mg		
Pyridoxin, HCl	0.4 mg		
Riboflavin	0.2 mg		
Thiamine HCl	0.4 mg		
Boric acid	0.5 mg		
Copper sulphate	0.04 mg		
Potassium iodide	0.1 mg		
Ferric chloride	0.2 mg		
Manganese sulphate	0.4 mg		
Sodium molybdate	0.2 mg		
Zinc sulphate	0.4 mg		
Ammonium sulphate	5.00		
Succinate	33.3		

** Formula adjusted, standardized to suit performance parameters

Methodology

Suspend 40 grams in 1000 ml distilled water. Sterilize by autoclaving at 10 lbs pressure (115°C) for 20 minutes. Mix well and dispense as desired.

Principle and Interpretation

DOB Growth Medium with Succinate is used for the growth of Saccharomyces cerevisiae. This yeast strain is called budding yeast and is extensively studied microorganism in molecular and cell biology.

DOB Growth Medium with Succinate is developed according to the formulae of Wickerham (1, 2) which supplies the required nutritional elements for budding yeast cells. This media contains all the essential vitamins and inorganic salts which are required for the propagation of yeast cells but does not contain the amino acids namely, histidine, methionine, leucine, lysine and tryptophan. Succinate serves as the carbon source for the cells



Molecular Biology Growth Media

Appearance of Powder :	
Light yellow coloured, homogeneous, free flowing powder.	
Colour and Clarity :	
Light yellow coloured, clear to slightly opalescent gel forms in Petri pla	ates.
Cultural Response :	
Cultural characteristics observed after an incubation at 25-30°C for 18	- 48 hours.

Organisms (ATCC)	Growth
Saccharomyces cerevisiae ATCC 9763	good-luxuriant

Storage and Shelf Life

Store below 30°C and the prepared medium at 2 - 8°C. Use before expiry date on the label.

Reference

1. Wickerham. 1939. J. Tropical Med. Hyg. 42:176.

2. Wickerham. 1946. J. Bacteriol. 52:293.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is
 accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.