



Dehydrated Culture Media
Bases / Media Supplements

Technical Information

Antibiotic Assay Medium E

Product Code: DM 1006M

Application: - Antibiotic Assay Medium E is recommended for microbiological assay of Framycetin and Kanamycin B using *Bacillus subtilis* in accordance with Indian Pharmacopoeia

Composition**

Ingredients	Gms / Litre
Peptone	6.000
Yeast extract	3.000
Beef extract	1.500
Agar	15.000
pH after sterilization	7.9±0.1

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

This medium is recommended in the assay of commercial preparations of antibiotics, as well as for antibiotics in body fluids, feeds etc. Medium composition is in accordance to the specifications detailed in the IP, FDA (1, 2). Peptone, yeast and beef extract supplies necessary growth nutrients for the test organisms like *Bacillus subtilis*. This medium provides solidified substratum for growth of organisms. The pH-7.9 maintained in this medium- provides optimum growth conditions for *Bacillus subtilis* (3). This medium is used to prepare the base as well as seed layer in the microbiological assay of antibiotics such as Framycetin and Kanamycin B. To perform the antibiotic assay the Base Agar should be prepared on the same day as the test. A base layer of 21 ml is required for the cylinder method. Once the base medium has solidified, seed layer inoculated with the standardized test culture can be overlaid. Even distribution of the layer is important.

Methodology

Suspend 25.5 grams of dehydrated media in 1000 ml distilled water. Mix thoroughly & heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Advice: Recommended for the Microbiological assay of Framycetin and Kanamycin B.

Quality Control

Appearance

Cream to yellow coloured homogeneous free flowing powder

Gelling

Firm, comparable with 1.5% Agar gel

Colour and Clarity

Medium amber coloured slightly opalescent gel forms in Petri plates.

pH Range

7.80-8.00

Cultural Response

DM 1006M: Cultural characteristics observed after an incubation at 32-35°C for 5 days.





Dehydrated Culture Media
Bases / Media Supplements

Organism	Inoculum (CFU)	Growth	Recovery	Antibiotics assayed
<i>Bacillus subtilis</i> ATCC 6633	50-100	good-luxuriant	>=70%	Framycetin, Kanamycin B.

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use freshly prepared medium. Use before expiry date on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Indian Pharmacopeia 2010, Ministry of Health and Family welfare, Government of India, New Delhi.
2. Tests and Methods of Assay of Antibiotics and Antibiotic containing Drugs, FDA, CFR, 1983 Title 21, Part 436, Subpart D, Washington, D.C.: U.S. Government Printing Office, paragraphs 436, 100-436, 106, p. 242-259, (April 1).
3. Stearn and Stearn, J Bacteriol. 1933. 26(1): 37-55.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specification for identity and performance parameters.

