

## Technical Information

### Soyabean Casein Digest Medium with Tween 80 and Lecithin

#### Product Code: DM 2838

**Application:** - Soyabean Casein Digest Medium with tween 80 and Lecithin is recommended for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.

#### Composition\*\*

Ingredients	Gms / Litre
Pancreatic digest of casein	17.000
Papaic digest of soybean meal	3.000
Sodium chloride	5.000
Dipotassium hydrogen phosphate	2.500
Dextrose(Glucose)	2.500
Lecithin	0.700
Tween 80	5.000
Final pH ( at 25°C)	7.3±0.2

\*\*Formula adjusted, standardized to suit performance parameters

#### Principle & Interpretation

Soyabean Casein Digest Medium with Lecithin for the detection and enumeration of microorganisms present on surfaces of sanitary importances (2, 3).Casein enzymic hydrolysate and papaic digest of soyabean meal provide nitrogenous compounds and other nutrients essential for microbial replication. Lecithin and polysorbate 80 (Tween 80) are neutralizers reported to inactivateresidual disinfectants from where the sample is collected (4). Lecithin neutralizes quaternary ammonium compound-sand polysorbate 80 neutralizes phenolic disinfectants, hexachlorophene, formalin and with lecithin ethanol (5).Collection of samples from areas before and after the treatment with disinfectant evaluates cleaning procedures in environmental sanitation.

#### Methodology

Suspend 35.7 grams of dehydrated powder media in 1000 ml distilled water. Mix thoroughly & heat if necessary to dissolve the medium completely. Dispense as desired.Sterilize by autoclaving at 12 to 15 lbs pressure (118 - 121°C respectively) for 15 minutes.

#### Quality Control

##### Appearance

Cream to yellow homogeneous free flowing powder.

##### Colour and Clarity

Light yellow coloured clear to slightly opalescent solution without any precipitate.

##### Reaction

Reaction of 3.57% w/v aqueous solution at 25°C pH : 7.3±0.2

##### pH Range

7.10-7.50

##### Cultural Response

DM 2838: Cultural characteristics observed after an incubation at 30-35°C for 18-24hrs.



Dehydrated Culture Media  
Bases / Media Supplements

Organism	Inoculum (CFU)	Growth
<i>Staphylococcus aureus</i> ATCC 6538	50 -100	luxuriant
<i>Staphylococcus aureus</i> ATCC 25923	50 -100	luxuriant
<i>Escherichia coli</i> ATCC 8739	50 -100	luxuriant
<i>Escherichia coli</i> ATCC 25922	50 -100	luxuriant
<i>Escherichia coli</i> NCTC 9002	50 -100	luxuriant
<i>Pseudomonas aeruginosa</i> ATCC 9027	50 -100	luxuriant
<i>Pseudomonas aeruginosa</i> ATCC 27853	50 -100	luxuriant

## Storage and Shelf Life

**Dried Media:** Store below 30°C in tightly closed container and the prepared medium at 2 - 8°C. Use before expiry date on the label.

**Prepared Media:** 2-8° in sealable plastic bags for 2-5 days.

## Further Reading

1. Hall and Hartnett, 1964, Public Hlth. Rep., 79:1021.
2. Richardson (Ed.), 1985, Standard Methods for the Examination of Dairy Products, 15th ed., APHA, Washington, D.C.
3. MacFaddin J.F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. I, Williams and Wilkins, Baltimore..
4. Brummer, 1976, Appl. Environ. Microbiol., 32:80..
5. Favero (Chairman), 1967, Biological Contamination Control Committee, a state of the art report., Am. Assoc. for contamination control.
6. Murray PR, Baron, Pfaller, and Tenover (Eds.), 2003, In Manual of Clinical Microbiology, 8th ed., ASM, Washington, D.C.

## Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specifications for identity and performance parameters.

