

**Technical Information** 

# Kauffman Muller's Tetrathionate Broth Base

## Product Code: DM 1876S

**Application:** - Kauffman Muller's Tetrathionate Broth Base is used as selective enrichment medium for isolation of *Shigella* species from food samples. It is recommended by BIS committee under the specifications IS: 5887(Part I)-1999.

Composition**		
Ingredients	Gms / Litre	
Peptone	9.000	
Meat extract	9.000	
Sodium chloride	4.500	
Calcium carbonate	50.000	
Sodium thiosulphate	50.000	
Oxbile	10.000	
** To way to poly other developed to put the set		

\*\*Formula adjusted, standardized to suit performance parameters

### Principle & Interpretation

Kauffman Muller's Tetrathionate Broth Base is hence used as a selective enrichment for the cultivation of Salmonella species that may be present in small numbers and have been injured through various procedures.

Salmonella species cause many types of infections, from mild self-limiting gastroenteritis to life-threatening typhoid fever (1). Salmonella present in food samples may also be injured in food-processing procedures, which include exposure to low temperatures, sub-marginal heat, drying, radiation, preservative, and sanitizers (2).

Muller recommended Tetrathionate Broth as a selective medium for the recovery of *Salmonella* and demonstrated the effectiveness of Tetrathionate Broth (3) for enriching typhoid and paratyphoid bacilli while inhibiting coliform organisms. Kauffmann modified this formula to include Ox bile (4, 5) for its selective properties, which supresses coliform bacteria and enhances Gram-positive organisms. Using modified Muller's broth, Kauffmann increased the number of rapid screening of *Salmonella* in food (6, 7). Meat Peptone provides nitrogen, carbon, vitamins, and amino acids. Sodium Chloride helps to maintain the osmotic balance of the medium. Calcium Carbonate neutralizes and absorbs toxic metabolites. Selectivity is accomplished by the combination of Sodium Thiosulfate and tetrathionate, which suppresses commensal intestinal organisms (8). The British Standard Specification specifies Brilliant Green Tetrathionate Broth for isolating *Salmonella* 

### Methodology

Suspend 132.5 grams of dehydrated media in 1000 ml distilled water. Mix thoroughly & heat just to boiling to disosolve the medium. DO NOT AUTOCLAVE. Cool and just before use aseptically add 20 ml of iodine solution. (4 gram iodine and 5 gram Potassium iodide in 20 ml sterile distilled water) and 10 ml of 0.1 % Brilliant green solution. Mix well before dispensing in the sterile tubes to disperse Calcium carbonate uniformly.

Note: Due to presence of Calcium carbonate the prepared medium forms opalescent solution with white precipitate.

# **Quality Control**

#### Appearance

Cream to yellow homogeneous free flowing powder

#### Colour and Clarity

With added brilliant green and iodine solution - Light green coloured opalescent solution forms with heavy white precipitate





#### Cultural Response

DM 1876S: Cultural characteristics observed, when subcultured on Soyabean Casein digest Agar, after an incubation at 43°C for 18-24 hours with added iodine and brilliant green solution.

#### Cultural Response

Organism	Inoculum (CFU)	Recovery
<b>Cultural Response</b> Salmonella Typhimurium ATCC 14028	50-100	excellent
Salmonella Enteritidis ATCC 13076	50-100	excellent
<i>Salmonella</i> Paratyphi A	50-100	excellent
Salmonella Paratyphi B	50-100	excellent
Salmonella Typhi ATCC 6539	>=10 <sup>3</sup>	inhibited
Escherichia coli ATCC 25922	50-100	none-poor
Proteus vulgaris ATCC 13315	50-100	none-poor
Shigella flexneri ATCC 12022	50-100	Good

## Storage and Shelf Life

**Dried Media:** Store below 30°C in tightly closed container and use the freshly prepared medium. Use before expiry date on the label. **Prepared Media**: 2-8° in sealable plastic bags for 2-5 days.

## **Further Reading**

1. Murray, P. R., E. J. Baron, M. A. Pfaller, F. C. Tenover, and R. H. Yolken (eds.). 1995. Manual of clinical microbiology, 6th ed. American Society for Microbiology, Washington, D.C.

Hartman, P. A., and S. A. Minnich. 1981. Automation for rapid identification of salmonellae in foods. J. Food Prot. 44:385-386.
Muller, L. 1923. Un Nouveau milieu d'enrichissement pour la recherche du bacille typhique et des paratyphiques. C. R. Soc. Bio. 89:434. Paris.

4. Kauffmann, F. 1930. Ein kombiniertes anreicherungsverfahren fur typhus und-paratyphusbacillen. Zentralb. Bakteriol. Parasitenke. Infektionskr. Hyg. Abr. I orig. 113:148.

5. Kauffman, F. 1935. Weitere Erfahrungen mit den kombiniereten Anreicherungsverfahren fur Salmonella bacillen. Z. Hyg. Infektionskr. 117:26.

6. Jones, F. T., R. C. Axtell, D. V. Rives, S. E. Scheideler, F. R. Tarver, Jr., R. L. Walker, and M. J. Wineland. 1991. A survey of Salmonella contamination in modern broiler production. J. Food Prot. 54:502-507.

 Eckner, K. F., W. A. Dustman, M. S. Curiale, R. S. Flowers, and B. J. Robison. 1994. Elevated-temperature, colorimetric, monoclonal, enzyme linked immunosorbent assay for rapid screening of Salmonella in foods; collaborative study. J. Assoc. Off. Anal Chem. 77:374-383.
Knox, R., P. H. Gell, and M. R. Pollack. 1942. Selective media for organisms of the Salmonella group. J. Pathol. Bacteriol. 54:469-483.
International Organization for Standardization (ISO). 1974. ISO/DIS 3565. Geneva, Switzerland.

### **Disclaimer:**

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.

• Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specification for identity and performance parameters.

